

Kapitel 1 Begriffsbestimmung

Laufs/Kern. Handbuch des Arztrechts, 4. Aufl. München: C.H. Beck; 2010

Kapitel 2 Risikofaktoren

- Fischer MA, Mazor KM, Baril J et al. Learning from Mistakes: Factors that Influence How Students and Residents Learn from Medical Errors. *J Gen Intern Med* 2006; 21: 419–423
- Gastmeier P, Geffers C, Brandt C et al. Effectiveness of a nationwide nosocomial infection surveillance system for reducing nosocomial infections. *J Hosp Infect* 2006; 64: 16–22
- Gesetz zur Modernisierung der gesetzlichen Krankenversicherung (GKV-Modernisierungsgesetz – GMG) vom 14. November 2003 (BGBl. I S. 2190).
- Kohn LT, Corrigan JM, Donaldson MS, eds. To err is human. Building a safer health system. Washington, DC: National Academy Press; 2000
- Oxford Centre for Evidence-based Medicine Levels 2009. www.pdptoolkit.co.uk
- Pichlmayr R, Grotelüschen B. Chirurgische Therapie. Berlin: Springer, 1978
- Pittet D, Hugonnet S, Harbarth S et al. Effects of a hospital wide programme to improve hand hygiene. *Lancet* 2000; 356: 1307–1312
- Reichardt C, Gastmeier P, Eberlein-Gonska M et al. „Aktion Saubere Hände“: Keine Chance den Krankenhausinfektionen! *Epidemiologisches Bulletin* 2008; 34: 287–290 (URL am 16.11.2008 http://www.rki.de/cln_100/nn_969736/DE/Content/Infekt/EpidBull/Archiv/2008/34_08,templateId=raw,property=publicationFile.pdf/34_08.pdf)
- Robert-Koch-Institut (RKI). Mitteilung der Kommission für Krankenhaushygiene und Infektionsprävention zur Surveillance (Erfassung und Bewertung) von nosokomialen Infektionen (Umsetzung von § 23 IfSG). *Bundesgesundheitsbl – Gesundheitsforsch – Gesundheitsschutz* 2001; 44: 523–536
- Robert-Koch-Institut (RKI). Vorwort und Einleitung der Kommission zur Richtlinie für Krankenhaushygiene und Infektionsprävention. *Bundesgesundheitsbl – Gesundheitsforsch – Gesundheitsschutz* 2004; 47: 409–411
- Robert-Koch-Institut (RKI). Prävention postoperativer Infektionen im Operationsgebiet Empfehlung der Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut. *Bundesgesundheitsbl – Gesundheitsforsch – Gesundheitsschutz* 2007; 50: 377–393
- Ronellenfitsch U, Rössner E, Jakob J et al. Clinical Pathways in surgery-should we introduce them into clinical routine? *Langenbecks Arch Surg* 2008; 393: 449–457
- Sachs A. Medizinische Denkwürdigkeiten aus der Vergangenheit und Gegenwart; für praktische Ärzte. Erster Band. Berlin: von August Hirschwald; 1834
- Schaffartzik W, Neu J. Ergebnisse der Gutachterkommissionen und Schlichtungsstellen. *Z Evid Fortbild Qual Gesundhw* 2008; 102: 525–528
- Vogel F, Bodmann KF, Expertenkommission der Paul-Ehrlich-Gesellschaft. Empfehlungen zur kalkulierten parenteralen Initialtherapie bakterieller Erkrankungen bei Erwachsenen. *Chemother J* 2004; 13: 46–105 (URL am 16.11.2008 <http://www.wissenschaftliche-verlags-gesellschaft.de/CTJ/CTJ2004/CTJ2-2004/Consensus-par.pdf>)
- Weißauer W. Kommentar zur Zusammenarbeit bei der operativen Patientenversorgung des Berufsverbandes Deutscher Anästhesisten und des Berufsverbandes der Ärzte für Orthopädie. *Anästh Intensivmed*. 1984; 25: 467–472

Kapitel 3 Risiko- und Fehlermanagement

- Aktionsbündnis Patientensicherheit. Agenda Patientensicherheit. 2007. http://www.aktionsbueundnis-patientensicherheit.de/apsside/Agenda_2007_mit_Titelblatt.pdf.
- Anderson J. Kognitive Psychologie: Eine Einführung. Heidelberg: Spektrum der Wissenschaft; 1989
- AUC – Akademie der Unfallchirurgie GmbH der Deutschen Gesellschaft für Unfallchirurgie (DGU). S:PLS – Safety in Prehospital Life Support. Human Factor Training in der Traumamedizin. Patientensicherheit beim Präklinischen Traumamanagement. SAFE: TRAC Trainermanual; 2006
- Badke-Schaub P, Hofinger G, Lauche K, Hrsg. Human Factors. Psychologie sicheren Handelns in Risikobranchen. Berlin: Springer; 2008
- Bauer H. Aus der Summe der Fehler entsteht ein Schaden. Patientensicherheit: Fehlervermeidung und der Umgang mit Fehlern in der Medizin. *ku-Sonderheft Risk Management* 8/2005

- Bergs E, Rutten F, Tamer T et al. Communication during trauma resuscitation: do we know what is happening? *Injury* 2005; 36: 905–911
- Bundesministerium für Gesundheit. Sicherung der Qualität im Gesundheitswesen: Maßnahmen, Verantwortliche, Ansprechpartner 2006. <http://www.bmg.bund.de>. Bundesministerium für Gesundheit. Qualitätsmanagement. 2008. http://www.bmg.bund.de/cln_117/nn_1168248/SharedDocs/Standardartikel/DE/AZ/Q/Glossarbereich-Qualit_C3_A4tsmanagement.html.
- Dittel KK, Weise K. Komplikationsmanagement in der Traumatologie. Stuttgart: Thieme; 2003
- Endsley M. Toward a theory of situation awareness in dynamic systems. *Human Factors* 1995; 37: 32–64
- Ennker J, Pietrowski D, Kleine P. Risikomanagement in der operativen Medizin. Darmstadt: Steinkopff; 2007
- Fabri P, Zayas-Castro J. Human error, not communication and systems, underlies surgical complications. *Surgery* 2008; 144: 557–563
- Fiedler F, Mai-Dalton R. Führungstheorien – Kontingenztheorie. In: Kieser A, Reber G, Wunderer R, Hrsg. Handwörterbuch der Führung. Stuttgart: Schäffer-Poeschel; 1995: 940–953
- Gawande A, Zinner M, Studdert D et al. Analysis of errors reported by surgeons at three teaching hospitals. *Surgery* 2003; 133: 614–621
- Gebert D. Individuum und Organisation. Ausgewählte organisationspsychologische Aspekte. In: Frey D, Hoyos C, Stahlberg D, Hrsg. Angewandte Psychologie. Ein Lehrbuch. Weinheim: Psychologie Verlags Union; 1992
- Haynes A, Weiser T, Berry W et al. A surgical safety checklist to reduce morbidity and mortality in a global population. *N Engl J Med* 2009; 360: 491–499
- Institute of Medicine. To err is human: Building a safer Health System. Washington DC: National Academy Press; 1999
- Kanner A, Coyne J, Schaefer C et al. Comparisons of two modes of stress measurement: Daily hassles and uplifts versus major life events. *J Behav Med* 1981; 4: 1–39
- Kleine P, Ennker J. Qualitätsmanagement in der operativen Medizin: Leitfaden für Ärzte und Pflegekräfte. Darmstadt: Steinkopff; 2008
- Kooperation für Transparenz und Qualität im Gesundheitswesen. KTQ – unser Zertifizierungsverfahren. 2008. http://www.ktq.de/ktq_verfahren/index.php.
- Krämer P. Risikomanagement oder Qualitätsmanagement? In: Ennker J, Pietrowski D, Kleine P, Hrsg. Risikomanagement in der operativen Medizin. Darmstadt: Steinkopff; 2007: 140–154
- Langmaack B, Braune-Krickau M. Wie die Gruppe laufen lernt: Anregung zum Planen und Leiten von Gruppen. Ein praktisches Lehrbuch. Weinheim: Beltz; 2000
- Maslow A. A Theory of Human Motivation. *Psycholog Rev* 1943; 50: 370
- Metzger W. Psychologie. Die Entwicklung ihrer Grundannahmen seit der Einführung des Experiments. Wissenschaftliche Forschungsberichte Band 52. Darmstadt: Steinkopff; 1963
- Neuberger O. Führungsverhalten und Führungserfolg. Berlin: Duncker & Humblot; 1976
- Pateisky N. Fehlerkultur und Teamtraining – das „missing link“ im medizinischen Risikomanagement. *Gynäkologe* 2004; 37: 73–77
- Paula H. Patientensicherheit und Risikomanagement im Pflege- und Krankenhausalltag. Berlin: Springer; 2007
- Piltz S, Lob G. Komplikationen in der Unfallchirurgie. *Unfallchirurg* 1998; 101: 856–865
- Rall M, Dieckmann P, Stricker E. Erhöhung der Patientensicherheit durch effektive Incident-Reporting-Systeme am Beispiel von PaSIS. In: Ennker J, Pietrowski D, Kleine P, Hrsg. Risikomanagement in der operativen Medizin. Darmstadt: Steinkopff; 2007: 122–137
- Rall M, Manser T, Guggenberger H et al. Patientensicherheit und Fehler in der Medizin. Entstehung, Prävention und Analyse von Zwischenfällen. *Anästhesiologie, Intensivmedizin, Notfallmedizin, Schmerztherapie* 2001; 36: 321–330
- Rawlinson G. The Significance of Letter Position in Word Recognition. PhD Thesis 1976
- Reason J. Human Errors. Cambridge: University Press; 1990
- Risser D, Rice M, Salisbury M et al. The potential of improved teamwork to reduce medical errors in the emergency department. *Ann Emerg Med* 1999; 34: 373–383
- Ruebsam-Simon E. Arztberuf in der Krise. Veränderung beginnt im Kopf. *Dtsch Arztebl* 2002; 99: A-2840, B-2415, C-2261
- Rumpf H. Personalführung. München: Manz; 1991
- Sader M. Psychologie der Gruppe. München: Juventa; 1998
- Salvendy G, ed. Handbook of human Factors and Ergonomics. Hoboken, NJ: John Wiley & Sons; 2006
- Schönpflug W, Schönpflug U. Psychologie. Allgemeine Psychologie und ihre Verzweigungen in die Entwicklungs-, Persönlichkeits- und Sozialpsychologie. München: Psychologie Verlags Union; 1989
- Schulz von Thun F. Miteinander reden. Störungen und Klärungen. Reinbek: Rowohlt; 1981
- Schwarz N. Urteilsheuristiken und Entscheidungsverhalten. In: Frey D, Greif S, Hrsg. Sozialpsychologie. Ein Handbuch in Schlüsselbegriffen. München: Psychologie Verlags Union; 1987
- Sexton J, Thomas E, Helmreich R. Error, stress, and teamwork in medicine and aviation: cross sectional surveys. *Br Med J* 2000; 320: 745–749
- Shannon C, Weaver W. The mathematical theory of communication. Urbana: University of Illinois Press; 1949
- St. Pierre M, Hofinger G, Buerschaper C. Notfallmanagement. *Human Factors in der Akutmedizin*. Berlin: Springer; 2005
- Steinemann S. Theoretische Überlegungen zur Teamarbeit. 2006. <http://www.ibw.unihamburg.de/forschung/projekte/culik/ergebnisse/culik2-3-03.pdf#search=%22>

- Theoretische Überlegungen zur Teamarbeit. 2006
- Stelfox H, Palmisani S, Scurlock C et al. The "To Err is Human" report and the patient safety literature. *Qual Saf Health Care* 2006; 15: 174–178
- Tannenbaum A. *Social Psychology of the Work Organisation*. London: Tavistock; 1969
- Tversky A, Kahnemann D. Causal schemas in judgements under certainty. In: Fishbein M, ed. *Progress in social Psychology*. Hillsdale: Erlbaum; 1980: 49–72
- Udris I, Frese M. Belastung, Streß, Beanspruchung und ihre Folgen. In: Frey D, Hoyos C, Stahlberg D, Hrsg. *Angewandte Psychologie. Ein Lehrbuch*. Weinheim: Psychologie Verlags Union; 1992
- Watzlawick P, Beavin J, Jackson D. *Menschliche Kommunikation – Formen, Paradoxien, Störungen*. Bern: Huber; 1991
- Weidinger P. Risikomanagement aus Sicht der Versicherungen. In: Ennker J, Pietrowski D, Kleine P, Hrsg. *Risikomanagement in der operativen Medizin*. Darmstadt: Steinkopff; 2007: 66–78
- World Health Organization (WHO). WHO Surgical Safety Checklist. 2008. <http://www.who.int/patientsafety/safesurgery/en/>.
- Yerkes R, Dodson J. The relation of strength of stimulus to rapidity of habit-formation. *J Comp Neurol Psychol* 1908; 18: 459–482

Kapitel 4 Regionale und systemische Komplikationen

- Ala-Opas MY, Gronlund SS. Blood loss in long-term aspirin users undergoing transurethral prostatectomy. *Scand J Urol Nephrol* 1996; 30: 203–206
- Biondi-Zoccai GG, Lotrionte M, Agostoni P et al. A systematic review and meta-analysis on the hazards of discontinuing or not adhering to aspirin among 50.279 patients at risk for coronary artery disease. *Eur Heart J* 2006; 27: 2667–2674
- Bonzel T, Erbel R, Hamm CW et al. Percutaneous coronary interventions – PCI. *Clin Res Cardiol* 2008; 97: 513–547
- Burger W, Chemnitiu JM, Kneissl GD et al. Low-dose aspirin for secondary cardiovascular prevention – cardiovascular risks after its perioperative withdrawal versus bleeding risks with its continuation – review and meta-analysis. *J Intern Med* 2005; 257: 399–414
- Chassot PG, Delabays A, Spahn DR. Perioperative antiplatelet therapy: the case for continuing therapy in patients at risk of myocardial infarction. *Br J Anaesth* 2007; 99: 316–328
- De Caterina R, Husted S, Wallentin et al. Anticoagulants in heart disease: current status and perspectives. *Eur Heart J* 2007; 28: 880–913
- Douketis JD, Berger PB, Dunn AS et al. The perioperative management of antithrombotic therapy: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. 8th ed. *Chest* 2008; 133: 299S–339S
- Eberli D, Chassot PG, Sulser T et al. Urological surgery and antiplatelet drugs after cardiac and cerebrovascular accidents. *J Urol* 2010; 183: 2128–2136
- Finn AV, Joner M, Nakazawa G et al. Pathological correlates of late drug-eluting stent thrombosis: strut coverage as a marker of endothelialization. *Circulation* 2007; 115: 2435–2441
- Fleisher LA, Beckman JA, Brown KA et al. ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery) Developed in Collaboration With the American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, and Society for Vascular Surgery. *J Am Coll Cardiol* 2007; 50: 1707–1732
- Fuster V, Ryden LE, Cannom DS et al. ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation-executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). *Eur Heart J* 2006; 27: 1979–2030
- Gage BF, Yan Y, Milligan PE et al. Clinical classification schemes for predicting hemorrhage: results from the National Registry of Atrial Fibrillation (NRAF). *Am Heart J* 2006; 151: 713–719
- Geerts WH, Bergqvist D, Pineo GF et al. Prevention of venous thromboembolism: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th ed.). *Chest* 2008; 133: 381S–453S
- Giannarini G, Mgorovich A, Valent F et al. Continuing or discontinuing low-dose aspirin before transrectal prostate biopsy: results of a prospective randomized trial. *Urology* 2007; 70: 501–505
- Goldhaber SZ. Pulmonary embolism. *Lancet* 2004; 363: 1295–1305
- Gordon NS. Catheter-free same day surgery transurethral resection of the prostate. *J Urol* 1998; 160: 1709–1712
- Greinacher A, Lubenow N, Hinz P et al. Heparininduzierte Thrombozytopenie. *Dtsch Arztebl* 2003; 100: 2220–2229

- Hach-Wunderle V, Kopp I, Blättler W et al. Diagnostik und Therapie der Venenthrombose und der Lungenembolie. Interdisziplinäre S-2 Leitlinie. *Vasa Suppl* 2010; 78: 1–39
- Heit JA, Melton LJ, III, Lohse CM et al. Incidence of venous thromboembolism in hospitalized patients vs community residents. *Mayo Clin Proc* 2001; 76: 1102–1110
- Herget EJ, Saliken JC, Donnelly BJ et al. Transrectal ultrasound-guided biopsy of the prostate: relation between ASA use and bleeding complications. *Can Assoc Radiol J* 1999; 50: 173–176
- Hoffmeister HM, Bode C, Darius H et al. Unterbrechung antithrombotischer Behandlung (Bridging) bei kardialen Erkrankungen. *Kardiologie* 2010; 4: 365–374
- Iakovou I, Schmidt T, Bonizzoni E et al. Incidence, predictors, and outcome of thrombosis after successful implantation of drug-eluting stents. *JAMA* 2005; 293: 2126–2130
- Jambor C, Spannagl M, Zwissler B. Perioperatives Management von Patienten mit Koronarstents bei nichttherapeutischen Eingriffen. *Anästhesist* 2009; 58: 971–985
- Janssens U. Lungenembolie. *Intensivmed* 2011; 48: 270–280
- Konstantinides S, Janssens U, Mayer E et al. Kommentar zu den ESC-Leitlinien „Guidelines on Diagnosis and Management of Acute Pulmonary Embolism“. *Kardiologie* 2009; 3: 272–282
- Lepper W, Kelm M. Perioperative Therapie mit Thrombozytenaggregationshemmern. *Anästhesist* 2007; 56: 592–598
- Maan Z, Cutting CW, Patel U et al. Morbidity of transrectal ultrasonography-guided prostate biopsies in patients after the continued use of low-dose aspirin. *BJU Int* 2003; 91: 798–800
- Maulaz AB, Bezerra DC, Michel P et al. Effect of discontinuing aspirin therapy on the risk of brain ischemic stroke. *Arch Neurol* 2005; 62: 1217–1220
- Metzler H, Huber K, Kozek-Langenecker S et al. Koronare Stents, duale Antiplättchentherapie und die perioperative Problematik. *Anästhesist* 2007; 56: 401–410
- Poldermans D, Bax JJ, Boersma E et al. Guidelines for preoperative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. *Eur Heart J* 2009; 30: 2769–2812
- S3-Leitlinie Prophylaxe der venösen Thromboembolie. 2009. www.awmf.org
- Schouten O, van Domburg RT, Bax JJ et al. Noncardiac surgery after coronary stenting: early surgery and interruption of antiplatelet therapy are associated with an increase in major adverse cardiac events. *J Am Coll Cardiol* 2007; 49: 122–124
- Sharma AK, Ajani AE, Hamwi SM et al. Major noncardiac surgery following coronary stenting: when is it safe to operate? *Catheter Cardiovasc Interv* 2004; 63: 141–145
- Silber S, Borggrefe M, Böhm M et al. Positionspapier der DGK zur Wirksamkeit und Sicherheit von Medikamenten freisetzenden Koronarstent (DES). Eine evidenzbasierte Analyse von 71 randomisierten Studien mit 28.984 Patienten. *Clin Res Cardiol* 2008; 97: 548–563
- Sperry KL, Key CR, Anderson RE. Toward a population-based assessment of death due to pulmonary embolism in New Mexico. *Hum Pathol* 1990; 21: 159–165
- Thurston AV, Briant SL. Aspirin and post-prostatectomy haemorrhage. *Br J Urol* 1993; 71: 574–576
- Torbicki A, Perrier A, Konstantinides S et al. Guidelines on the diagnosis and management of acute pulmonary embolism: the Task Force for the Diagnosis and Management of Acute Pulmonary Embolism of the European Society of Cardiology (ESC). *Eur Heart J* 2008; 29: 2276–2315
- Turna B, Stein RJ, Smaldone MC et al. Safety and efficacy of flexible ureterorenoscopy and holmium:YAG lithotripsy for intrarenal stones in anticoagulated cases. *J Urol* 2008; 179: 1415–1419
- Vahanian A, Baumgartner H, Bax J et al. Guidelines on the management of valvular heart disease: The Task Force on the Management of Valvular Heart Disease of the European Society of Cardiology. *Eur Heart J* 2007; 28: 230–268
- Wierod FS, Frandsen NJ, Jacobsen JD et al. Risk of haemorrhage from transurethral prostatectomy in acetylsalicylic acid and NSAID-treated patients. *Scand J Urol Nephrol* 1998; 32: 120–122
- Wijns W, Kolh P, Danchin N et al. Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). *Eur Heart J* 2010; 31: 2501–2555
- Wood KE. Major pulmonary embolism: review of a pathophysiologic approach to the golden hour of hemodynamically significant pulmonary embolism. *Chest* 2002; 121: 877–905

Kapitel 5 Komplikationen bei der klinischen Diagnostik

Kap. 5.1 Fehler und Komplikationen bei der klinischen Diagnostik

- Bailey H. Chirurgische Krankenuntersuchung. Heidelberg: Barth; 1991
- Brockhaus-Enzyklopädie. 19. Aufl. Mannheim: Brockhaus; 1988

- Gasser T. Basiswissen Urologie. 4. Aufl. Berlin: Springer; 2009
- Hautmann R. Urologie. 4. Aufl. Berlin: Springer; 2010
- Jocham D, Miller K. Praxis in der Urologie. 3. Aufl. Stuttgart: Thieme; 2007

- Sökeland R, Rübben H. Taschenlehrbuch Urologie. 14. Aufl. Stuttgart: Thieme; 2008
- Wetterauer U, Rutishauser G, Sommerkamp H. Urologie. Berlin: Walter de Gruyter & Co.; 1995
- Kasuistik Beiderseitiger Niereninfarkt bei postpartaler Kardiomyopathie mit kardialer Thrombusbildung**
- Büttner R, Thomas C. Allgemeine Pathologie. 3. Aufl. Stuttgart: Schattauer; 2003
- Domanovits H, Paulis M, Nifkarjam M et al. Acute renal infarction. Clinical Characteristics of 17 Patients. Baltimore: Medicine; 1999; 78: 386–394
- Herold G. Innere Medizin. 5. Aufl. 2005
- Hilfiker-Kleiner D, Schieffer E, Meyer GP et al. Die postpartale Kardiomyopathie: Ein kardiologischer Notfall für Gynäkologen, Hausärzte, Internisten, Pneumologen und Kardiologen. Dtsch Ärztebl 2008; 105: 751–756
- Koniaris LS, Goldhaber SZ. Anticoagulation in dilated cardiomyopathy. J Am Coll Cardiol 1998; 31: 745–748
- Leong FT, Freeman LJ. Acute renal infarction. J R Soc Med 2005; 98: 121–122
- Lin HC, Shih PM, Chang TH et al. Successful thrombolytic therapy for bilateral renal infarction: A case report. Kaoshiung J Med Sci 2006; 22: 410–414
- Lin SH, Lin YY, Chu SJ et al. Anterior myocardial infarction with left ventricular thrombus and renal infarction. Resuscitation 2007; 75: 208–209
- Riedel M, Keller F. Nierengefäßkrankungen. In: Schmelz HU, Sparwasser C, Weidner W, Hrsg. Facharztwissen Urologie. Differenzierte Diagnostik und Therapie. Berlin: Springer; 2006: 652–653
- Turpie AG, Bauer KA, Eriksson BI et al. Fondaparinux vs enoxaparin for the prevention of venous thromboembolism in major orthopedic surgery: a meta-analysis of 4 randomized double-blind studies. Arch Intern Med 2002; 162: 1833–1840
- Zobrist M, Kneubühl A, Pfammatter T et al. Nierenkolik bei einem jungen Mann. Praxis 2008; 97: 845–847
- Kap. 5.2 Fehler und Komplikationen bei der bildgebenden Diagnostik**
- American College of Radiology. Primer on radiation dose. 1995
- Bangard C, Paszek J, Berg F et al. MR imaging of claustrophobic patients in an open 1.0 T scanner: motion artifacts and patient acceptability compared with closed bore magnets. Eur J Radiol 2007; 64: 152–157. Epub 2007 Mar 19
- Berg KJ. Nephrotoxicity related to contrast media. Scand J Urol Nephrol. 2000; 34: 317–322
- Berná JD, Berná JD Jr. A new device for retrograde urethrography in the male. Eur Radiol 2003; 13: 1420–1422
- Bettmann MA. Frequently asked questions: iodinated contrast agents. RadioGraphics 2004; 24: S3–S10
- Bircan MK, Sahin H, Korkmaz K. Diagnosis of urethral strictures: is retrograde urethrography still necessary? Int Urol Nephrol 1996; 28: 801–804
- Black JH 3rd, LaMuraglia GM, Kwolek CJ et al. Contemporary results of angioplasty-based infrainguinal percutaneous interventions. J Vasc Surg 2005; 42: 932–939
- Bleicher AG, Kanal E. Assessment of adverse reaction rates to a newly approved MRI contrast agent: review of 23,553 administrations of gadobenate dimeglumine. AJR Am J Roentgenol 2008; 191: W307–W311
- Botwin KP, Thomas S, Gruber RD et al. Radiation exposure of the spinal interventionalist performing fluoroscopically guided lumbar transforaminal epidural steroid injections. Arch Phys Med Rehabil 2002; 83: 697–701
- Broome DR, Girguis MS, Baron PW et al. Gadodiamide-associated nephrogenic systemic fibrosis: why radiologists should be concerned. AJR Am J Roentgenol 2007; 188: 586–592
- Buls N, Pagés J, de Mey J et al. Evaluation of patient and staff doses during various CT fluoroscopy guided interventions. Health Phys 2003; 85: 165–173
- Caro JJ, Trindade E, McGregor M. The risks of death and of severe nonfatal reactions with high- vs low-osmolality contrast media: a meta-analysis. AJR Am J Roentgenol 1991; 156: 825–832
- Cohan RH, Ellis JH, Garner WL. Extravasation of radiographic contrast material: recognition, prevention, and treatment. Radiology 1996; 200: 593–604
- Colletti PM. Size „H” oxygen cylinder: accidental MR projectile at 1.5 Tesla. J Magn Reson Imaging 2004; 19: 141–143
- Cowper SE. Nephrogenic systemic fibrosis: an overview. J Am Coll Radiol 2008; 5: 23–28
- Darge K, Riedmiller H. Current status of vesicoureteral reflux diagnosis. World J Urol 2004; 22: 88–95
- Deo A, Fogel M, Cowper SE. Nephrogenic systemic fibrosis: a population study examining the relationship of disease development to gadolinium exposure. Clin J Am Soc Nephrol 2007; 2: 264–267
- Deray G. Dialysis and iodinated contrast media. Kidney Int Suppl 2006; 100: S25–29
- Dillman JR, Ellis JH, Cohan RH et al. Frequency and severity of acute allergic-like reactions to gadolinium-containing i.v. contrast media in children and adults. AJR Am J Roentgenol 2007; 189: 1533–1538
- Dillman JR, Strouse PJ, Ellis JH et al. Incidence and severity of acute allergic-like reactions to i.v. nonionic iodinated contrast material in children. AJR Am J Roentgenol 2007; 188: 1643–1647. Erratum in: AJR Am J Roentgenol 2007; 189: 512
- Doehn C, Fiola L, Peter M et al. Outcome analysis of fornix ruptures in 162 consecutive patients. J Endourol 2010; 24: 1869–1873
- Dorfman GS, Froehlich JA. The appropriate use of contrast venography and pulmonary angiography in the orthopedic population. Semin Arthroplasty 1992; 3: 72–83
- Drescher R, Kahle M, Koester O et al. Heating of non-ferromagnetic total hip endoprostheses during magnetic resonance imaging in an animal model. Orthopedics 2006; 29: 153–155

- Efstratiadis G, Pateinakis P, Tambakoudis G et al. Contrast media-induced nephropathy: case report and review. *Hippokratia* 2008; 12: 87–93
- ESUR Guidelines on Contrast Media. European Society of Urogenital Radiology Web Site. <http://www.esur.org/Contrast-media.51.0.html>. Stand Dezember 2010
- Fitousi NT, Efsthathopoulos EP, Delis HB et al. Patient and staff dosimetry in vertebroplasty. *Spine* 2006; 31: E884–E889; discussion E890
- Gartner W, Weissel M. Do iodine-containing contrast media induce clinically relevant changes in thyroid function parameters of euthyroid patients within the first week? *Thyroid* 2004; 14: 521–514
- Giersig C. Nephrogene systemische Fibrose als unerwünschte Arzneimittelwirkung gadoliniumhaltiger Kontrastmittel für die Magnetresonanztomographie. *Radiologe* 2007; 47: 794–799
- Goergen SK, Rumbold G, Compton G et al. Systematic review of current guidelines and their evidence base on risk of lactic acidosis after administration of contrast medium for patients receiving metformin. *Radiology* 2010; 254: 261–269
- Gupta SK, Kaur B, Shulka RC. Urethro-venous intravasation during retrograde urethrography (report of 5 cases). *J Postgrad Med* 1991; 37: 102–4,104A–104B
- Hyams ES, Winer AG, Shah O. Retrograde ureteral and renal access in patients with urinary diversion. *Urology* 2009; 74: 47–50
- International Commission on Radiological Protection (ICRP) Publication 60, 1990. Recommendations of the International Commission on Radiological Protection. Oxford: Pergamon Press; 1991
- Jansson M, Geijer H, Andersson T. Bowel preparation for excretory urography is not necessary: a randomized trial. *Br J Radiol* 2007; 80: 617–624
- Joannidis M, Schmid M, Wiedermann CJ et al. Prevention of contrast media-induced nephropathy by isotonic sodium bicarbonate: a meta-analysis. *Wien Klin Wochenschr* 2008; 120: 742–748
- Johanning PW. Reactions to contrast material during retrograde pyelography. *Urology* 1980; 16: 442–443
- Kangarlu A, Shellock FG, Chakeres D. 8.0-tesla MR system: temperature changes associated with radiofrequency-induced heating of a head phantom. *J Magn Reson Imaging* 2003; 17: 220–226
- Kangarlu A, Shellock FG. Aneurysm clips: evaluation of magnetic field interactions with an 8.0T MR system. *J Magn Reson Imaging* 2000; 12: 107–111
- Katayama H, Yamaguchi K, Kozuka T et al. Adverse reactions to ionic and nonionic contrast media. *Radiology* 1990; 175: 621–628
- Katzberg RW. Acute reactions to urographic contrast medium: incidence, clinical characteristics, and relationship to history of hypersensitivity states—a commentary. *Am J Roentgenol* 2008; 190: 1431–1432
- Kelly WM, Paglen PG, Pearson JA et al. Ferromagnetism of intraocular foreign body causes unilateral blindness after MR study. *AJNR Am J Neuroradiol* 1986; 7: 243–245
- Kumar R, Lerski RA, Gandy S et al. Safety of orthopedic implants in magnetic resonance imaging: an experimental verification. *J Orthop Res* 2006; 24: 1799–1802
- Lange C, Leurs LJ, Buth J et al. Endovascular repair of abdominal aortic aneurysm in octogenarians: an analysis based on EUROSTAR data. *J Vasc Surg* 2005; 42: 624–630, discussion 630
- Luechinger R, Boesiger P, Disegi JA. Safety evaluation of large external fixation clamps and frames in a magnetic resonance environment. *J Biomed Mater Res B Appl Biomater* 2007; 82: 17–22
- Madyoon H, Croushore L. Use of fenoldopam for prevention of radiocontrast nephropathy in the cardiac catheterization laboratory: a case series. *J Interv Cardiol* 2001; 14: 179–185
- Mahmoud M, Bedeir A, Tarek Mohsen E et al. The use of local anesthetic gel during retrograde urethrography: does it cause a false negative result? *Int Urol Nephrol* 2007; 39: 513–516
- Malhis M, Al-Bitar S, Al-Deen Zaiat K. The role of theophylline in prevention of radiocontrast media-induced nephropathy. *Saudi J Kidney Dis Transpl* 2010; 21: 276–283
- McCarthy CS, Becker JA. Multiple myeloma and contrast media. *Radiology* 1992; 183: 519–521
- McClennan BL, Becker JA, Robinson T. Venous extravasation at retrograde urethrography: precautions. *J Urol* 1971; 106: 412–413
- Morcos SK, Thomsen HS, Webb JAW. Contrast Media Safety Committee of the European Society of Urogenital Radiology. Contrast-media-induced nephrotoxicity: a consensus report. *Eur Radiol* 1999; 9: 1602–1613
- Morcos SK. Review article: Acute serious and fatal reactions to contrast media: our current understanding. *Br J Radiol* 2005; 78: 686–693
- Mortelé KJ, Oliva MR, Ondategui S et al. Universal use of nonionic iodinated contrast medium for CT: evaluation of safety in a large urban teaching hospital. *AJR Am J Roentgenol* 2005; 185: 31–34
- Mukherjee MG, Deshon GE, Brackman JA et al. Urethrovascular reflux and its significance in urology. *J Urol* 1974; 112: 608–609
- Mullin EM, Patterson LJ, Paulson DF. Retrograde urethrogram: diagnostic aid and hazard. *J Urol* 1973; 110: 462–464
- Niendorf HP et al. Sicherheit und Risiken von Gd-DTPA: Klinische Erfahrungen nach über 20 Millionen Anwendungen. Monographie Magnevist. Berlin: Blackwell Wissenschaftsverlag; 2001
- Ogg RJ, McDaniel CB, Wallace D et al. MR safety and compatibility of a noninvasively expandable total-joint endoprosthesis. *Magn Reson Imaging* 2005; 23: 789–794. Epub 2005 Sep 8
- Pabon-Ramos W, Caoili E, Cohan R et al. Excretory urography: trends in clinical use and diagnostic yield. *Abdom Imaging* 2010; 35: 607–611

- Penfield JG, Reilly RF Jr. What nephrologists need to know about gadolinium. *Nat Clin Pract Nephrol* 2007; 3: 654–688.
- Persson PB. Contrast medium-induced nephropathy. *Nephrol Dial Transplant* 2005; 20 (Suppl. 1):i
- Reinecke H, Fobker M, Wellmann J et al. A randomized controlled trial comparing hydration therapy to additional hemodialysis or N-acetylcysteine for the prevention of contrast medium-induced nephropathy: the Dialysis-versus-Diuresis (DVD) Trial. *Clin Res Cardiol* 2007; 96: 130–139
- Riccabona M. Cystography in infants and children: a critical appraisal of the many forms with special regard to voiding cystourethrography. *Eur Radiol* 2002; 12: 2910–2918
- Richtlinie für die technische Prüfung von Röntgeneinrichtungen und genehmigungsbedürftigen Störstrahlern – Richtlinie für Sachverständigenprüfungen nach der Röntgenverordnung (SV-RL) – vom 09. Januar 2009, geändert durch Rundschreiben vom 29.06.2009, geändert durch Rundschreiben vom 09.02.2010
- Shabana WM, Cohan RH, Ellis JH et al. Nephrogenic systemic fibrosis: a report of 29 cases. *AJR Am J Roentgenol* 2008; 190: 736–741
- Shaheen F, Singh M, Nazir P. MRI-induced migration of a foreign body into the spinal canal: are present guidelines safe? *AJR Am J Roentgenol* 2008; 191: W72–W73
- Shellock FG, Parker JR, Venetianer C et al. Safety of gadobenate dimeglumine (MultiHance): summary of findings from clinical studies and postmarketing surveillance. *Invest Radiol* 2006; 41: 500–509
- Shore RE. Overview of radiation-induced skin cancer in humans. *Int J Radiat Biol* 1990; 57: 809–827
- Thomsen HS. Pressures during retrograde pyelography. *Acta Radiol Diagn* 1983; 24(2):171–5.
- Toprak O. Conflicting and new risk factors for contrast induced nephropathy. *J Urol* 2007; 178: 2277–2283
- Tsugawa M, Monden K, Nasu Y et al. Prospective randomized comparative study of antibiotic prophylaxis in urethroscopy and urethrocytography. *Int J Urol* 1998; 5: 441–443
- Turan H, Balci U, Erdinc FS et al. Bacteriuria, pyuria and bacteremia frequency following outpatient cystoscopy. *Int J Urol* 2006; 13: 25–28
- Wang CL, Cohan RH, Ellis JH et al. Frequency, Outcome, and Appropriateness of Treatment of Nonionic Iodinated Contrast Media Reactions. *Am J Roentgenol* 2008; 191: 409–415
- Weese DL, Greenberg HM, Zimmern PE. Contrast media reactions during voiding cystourethrography or retrograde pyelography. *Urology* 1993; 41: 81–84
- Witten DM, Hirsch FD, Hartman GW. Acute reactions to urographic contrast medium: incidence, clinical characteristics, and relationship to history of hypersensitivity states. *AJR Am J Roentgenol* 1973; 119: 832–840
- Wysowski DK, Nourjah P. Deaths attributed to X-ray contrast media on U.S. death certificates. *AJR Am J Roentgenol* 2006; 186: 613–615
- Yakoumakis E, Tsalafoutas A, Nikolaou D et al. Differences in effective dose estimation from dose–area product and entrance surface dose measurements in intravenous urography. *Br J Radiol* 2001; 74: 727–734
- Yuh WT, Hanigan MT, Nerad JA et al. Extrusion of a magnetic eye implant after MR examination: a potential hazard to the enucleated eye. *J Magn Reson Imaging* 1991; 1: 711–713
- Zerin JM, Shulkin BL. Postprocedural symptoms in children who undergo imaging studies of the urinary tract: is it the contrast material or the catheter? *Radiology* 1992; 182: 727–730

Kasuistik Harnleiterverletzung mit unauffälliger Bildgebung

- De Cicco C, Schonman R. Laparoscopic management of ureteral lesions in gynecology. *Fertil Steril* 2009; 92: 1424–1427
- Frankmann EA, Wang L. Lower urinary tract injury in women in the United states 1979–2006. *Am J Obstet Gynecol* 2010; 202: 495.e1–5
- Hove LD, Bock J. Analysis of 136 ureteral injuries in gynecological and obstetrical surgery from completed insurance claims. *Acta Obstet Gynecol Scand* 2010; 89: 82–86
- Jung SK, Huh CY. Ureteral injuries during classic intrafascial supracervical hysterectomy: an 11-year experience in 1163 patients. *J Minim Invasive Gynecol* 2008; 15: 440–445
- Mensah J, Klufio G. Delayed recognition of bilateral ureteral injury after gynecological surgery. *Ghana Med J* 2008; 42: 133–136
- Redan JA, McCarus SD. Protect the ureters. *JSL* 2009; 13: 139–141
- Tebner D, Gözen AS. Prevention and management of ureteral injuries occurring during laparoscopic radical prostatectomy: the Heilbronn experience and a review of the literature. *World J Urol* 2009; 27: 613–618

Kap. 5.3 Fehler und Komplikationen bei der invasiven Diagnostik

- Klein T, Palisaar RJ, Holz A et al. The impact of prostate biopsy and periprostatic nerve block on erectile and voiding function: a prospective study. *J Urol* 2010; 184: 1447–1452
- von Knobloch R, Weber J, Varga Z et al. Bilateral fine-needle administered local anaesthetic nerve block for pain control during TRUS-guided multi-core prostate biopsy: a prospective randomised trial. *Eur Urol* 2002; 41: 508–514, discussion 514
- Lefaucheur C, Nochy D, Bariety J. Biopsie rénale: les différentes techniques. *Nephrol Ther* 2009; 5: 331–339
- Remzi M, Marberger M. Renal tumor biopsies for evaluation of small renal tumors: why, in whom, and how? *Eur Urol* 2009; 55: 359–367

Kapitel 6 Komplikationen bei der Arzneimitteltherapie

- Apostolidis A., Dasgupta P, Denys P, Elneil S, Fowler CJ, Giannantoni A, Karsenty G, Schulte-Baukloh H, Schurch B, Wyndaele JJ; European Consensus Panel. Recommendations on the use of botulinum toxin in the treatment of lower urinary tract disorders and pelvic floor dysfunctions: a European consensus report. *Eur Urol* 2009 Jan; 55(1): 100–19
- Aragon-Ching JB, Ning YM, Chen CC et al. Higher incidence of osteonecrosis of the jaw (ONJ) in patients with metastatic castration resistant prostate cancer treated with anti-angiogenic agents. *Cancer Invest* 2009; 27: 221–226
- Bernatsky S, Hudson M, Suissa S. Anti-rheumatic drug use and risk of serious infections in rheumatoid arthritis. *Rheumatology* 2007; 46: 1157–1160
- Beubler E. Klinische Pharmakologie der Schmerzmittel. *Internist* 2005; 46: 1076–1086
- Blomme EA, Chinn KS, Hardy MM et al. Selective cyclooxygenase-2-inhibition does not affect the healing of cutaneous full-thickness incisional wounds in SKH-1 mice. *Br J Dermatol* 2003; 48: 211–223
- Braga-Basilaria M, Dobs AS, Muller CD et al. Metabolic syndrome in men with prostate cancer undergoing long-term androgen-deprivation therapy. *J Clin Oncol* 2006; 24: 3979–3983
- Bresalier RS, Sandler RS, Quan H et al. Cardiovascular events associated with rofecoxib in a colorectal adenoma chemoprevention trial. *N Engl J Med* 2005; 352: 1092–1102
- Bruder A, Dittmer H. Kortisoninduzierte Osteonekrose der Femurkondylen und Morbus Freyberg beidseits. *Unfallchirurg* 2002; 105: 939–942
- Bundesinstitut für Arzneimittel und Medizinprodukte, Pharmakovigilanz (Arzneimittelsicherheit), Risikoinformation aus 2008: Botulinumtoxin: Unerwünschte Wirkungen
- Cannon CP, Curtis SP, FitzGerald GA et al. Cardiovascular outcomes with etoricoxib and diclofenac in patients with osteoarthritis and rheumatoid arthritis in the Multinational Etoricoxib and Diclofenac Arthritis Long-term (MEDAL) programme: a randomised comparison. *Lancet* 2006; 368: 1771–1781
- Coleman RE. Skeletal complications of malignancy. *Cancer* 1997; 80: 1588–1594
- Cramer JP, Burchard GD, Lohse AW. Altes und Neues zur antibiotikaassozierten Diarrhoe. *Med Klinik* 2008; 103: 325–338
- Deutsche Gesellschaft für Urologie. Interdisziplinäre Leitlinie der Qualität S3 zur Früherkennung, Diagnose und Therapie der verschiedenen Stadien des Prostatakarzinoms. Düsseldorf: DGU; 2009
- EMA (CHAMP) 2/2005, 6/2005, 10/2005, 12/2006, /2007
- Fuhr U. Klinisch bedeutsame neue Arzneimittelinteraktionen. *Med Klinik* 1999; 94: 120–124
- Gaigl Z et al. Was tun bei Heparinallergie? *Dtsch Ärztebl* 2006; 43: 2877–2881
- Greenspan SL, Nelson JB, Trump DL et al. Skeletal health after continuation, withdrawal, or delay of aledronate in men with prostate cancer undergoing androgen-deprivation therapy. *J Clin Oncol* 2008; 26: 4426–4434
- Greinacher A et al. Heparininduzierte Thrombopenie. *Dtsch Ärztebl* 2003; 34/35: 2220–2229
- Härle P, Fleck M. Immunsuppressive Therapie bei Patienten mit rheumatischen Erkrankungen im Vorfeld elektiver Operationen. *Arzneimitteltherapie* 2008; 9: 332–336
- Heidenreich A, Bolla M, Joniau S et al. Guidelines on prostate cancer. European Association of Urology (EAU); 2010. Online im Internet: <http://www.uroweb.org/guidelines/online-guidelines/>; Stand: 01.02.2011
- Herdegen T, Fauler J. Zur Arzneimittelsicherheit von NSAR und Cox-2-Hemmern. *Med Monatsschr Pharm* 2006; 29: 122–128
- Huggins C, Hodges CV. Studies on prostate cancer. I. The effect of castration, of estrogen and of androgen injection on serum phosphatase in metastatic carcinoma of the prostate. *Cancer Research* 1941; 1: 293–297
- Huggins C, Stevens RE, Hodges CV. Studies on prostate cancer. II. The effect of castration on advanced carcinoma of the prostate. *Arch Surg* 1941; 43: 209–223
- Hyslop J, Paul A, Seddon J et al. Prostate Cancer: diagnosis and treatment, full guideline. National Institute for Health and Clinical Excellence (NICE); 2008. Online im Internet: <http://www.nice.org.uk/Guidance/CG58>; Stand: 01.02.2011
- Joshy R. Intraarticular corticoid injection for first carpometacarpal osteoarthritis. *J Rheumatol* 2005; 32: 1305–1306
- Jung ST, Ghert MA, Harrelson JM et al. Treatment of osseous metastases in patients with renal cell carcinoma. *Clin Orthop Relat Res* 2003; 409: 223–231
- Karabulut B, Erten C, Gul et al. Docetaxel/zoledronic acid combination triggers apoptosis synergistically through downregulation antiapoptotic Bcl-2 protein in hormone-refractory prostate cancer. *Cell Biol Int* 2009; 33: 239–246
- Kearney PM, Baigent C, Godwin J et al. Do selective cyclooxygenase-2 inhibitors and traditional non-steroidal anti-inflammatory drugs increase the risk of atherosclerosis? Meta-analysis of randomised trials. *BMJ* 2006; 332: 1302–1308
- Keating NL, O'Malley AJ, Smith MR. Diabetes and cardiovascular disease during androgen deprivation therapy for prostate cancer. *J Clin Oncol* 2006; 24: 4448–4456
- Kistler U, Kramers-de Quervain I, Munzinger U et al. Bleeding complications after systematic switch of routine thromboprophylaxis for major orthopaedic surgery. *Thromb Haemost* 2008; 99: 1049–1052

- Klotz U. Mechanismen und klinische Bedeutung von Arzneimittelinteraktionen. *Kliniker* 2006; 35: 312–316
- Kneitz D, Tony HP, Krüger K. NSAR und Coxibe: aktueller Stand. *Internist* 2006; 47: 533–540
- Koo KH, Kim R, Kim YS et al. Risk period for developing osteonecrosis of the femoral head in patients on steroid treatment. *Clin Rheumatol* 2002; 21: 299–303
- Krüger K. Perioperatives Management der medikamentösen Therapie – was ist gesichert? *Akt Rheumatol* 2007; 32: 318–322
- Lee MV, Fong EM, Singer FR et al. Bisphosphonates treatment inhibits the growth of prostate cancer cells. *Cancer Res* 2001; 61: 2602–2608
- Leonardi MJ, McGory ML, Ko CY. The rate of bleeding complications after pharmacologic deep venous thrombosis Prophylaxis. *Arch Surg* 2006; 141: 790–799
- Levine MN, Raskob G, Beyth RJ et al. Hemorrhagic complication of anticoagulant treatment. *Chest* 2004; 126: 287–310
- Lewis KG, Duresne RG. A meta-analysis of complication attributed to anticoagulation among patients following curaneous surgery. *Dermatol Surg* 2008; 34: 160–165
- Lipton A, Colombo-Berra A, Bukowski RM et al. Skeletal complications in patients with bone metastases from renal cell carcinoma and therapeutic benefits of zoledronic acid. *Clin Cancer Res* 2004; 10 (Suppl.): 6397–6403
- McLeod D, Zinner N, Tomera K et al. A phase 3, multicenter, open-label, randomized study of abarelix versus leuprolide acetate in men with prostate cancer. *Urology* 2001; 58: 756–761
- Mutschler E, Geisslinger G, Kroemer HK et al. *Mutschler Arzneimittelwirkungen*. 9. Aufl. Stuttgart: Wissenschaftliche Verlagsgesellschaft mbH; 2008
- Nauck F et al. Individuelle Schmerztherapie bei Tumorpatienten. *Kliniker* 2008; 37: 518–525
- O’Ryan FS, Khoury S, Liao W et al. Intravenous bisphosphonate-related osteonecrosis of the jaw: bone scintigraphy as an early indicator. *J Oral Maxillofac Surg* 2009; 67: 1363–1372
- Oh WK, Proctor K, Nakabayashi M et al. The risk of renal impairment in hormone-refractory prostate cancer patients with bone metastases treated with zoledronic acid. *Cancer* 2007; 109: 1090–1096
- Park-Wyllie LY, Mamdani MM, Juurlink DN et al. Bisphosphonate use and the risk of subtrochanteric or femoral shaft fractures in older women. *JAMA* 2011; 305: 783–789
- Perdona S, Autorino R, de Placido S et al. Efficacy of tamoxifen and radiotherapy for prevention and treatment of gynaecomastia and breast pain caused by bicalutamide in prostate cancer: a randomized controlled trial. *Lancet Oncol* 2005; 6: 295–300
- Rehardt S, Petak N. Moderne rheumatologische Basistherapie perioperativ. *Akt Rheumatol* 2007; 32: 74–77
- Reid IR. Osteonecrosis of jaw: who get’s it and why? *Bone* 2009; 44: 4–10
- Rizzoli R, Akesson K, Bouxsein M et al. Subtrochanteric fractures after long-term treatment with bisphosphonates: A European Society on Clinical and Economic Aspects of Osteoporosis and Osteoarthritis, and International Osteoporosis Foundation Working Group Report. *Osteoporos Int* 2011; 22: 373–390
- Rodeo SA, Maher SA, Hidaka C. What’s new in orthopedics research. *J Bone Joint Surg* 2004; 86A: 2085–2095
- Ross IR, Brown JP, Burckhard P et al. Osteoporosis in men treated with androgen deprivation therapy for prostate cancer. *J Urol* 2002; 167: 1952–1956
- Ross IR, Brown JP, Burckhard P et al. Osteoporosis in men treated with androgen deprivation therapy for prostate cancer. *J Urol* 2002; 167: 1952–1956
- Ryan CW, Huo D, Bylow K et al. Suppression of bone density loss and bone turnover in patients with hormone-sensitive prostate cancer and receiving zoledronic acid. *Br J Urol Int* 2007; 100: 70–75
- Saad F, Clarke N, Colombel M. Natural history and treatment of bone complications in prostate cancer. *Eur Urol* 2006; 49: 429–440
- Saad F, Gleason DM, Murray R et al. A randomized, placebo-controlled trial of zoledronic acid in patients with hormone refractory metastatic prostate carcinoma. *J Natl Cancer Inst* 2002; 94: 1458–1468
- Scherr D, Pitts Jr WR, Vaughn Jr ED. Diethylstilbestrol revisited: androgen deprivation, osteoporosis, and prostate cancer. *J Urol* 2002; 167: 535–538
- Schneeweiss S, Setoguchi S, Weinblatt ME et al. Anti-tumor necrosis factor alpha therapy and the risk of serious bacterial infections in elderly patients with rheumatoid arthritis. *Arthritis Rheum* 2007; 6: 1754–1764
- Schulte-Baukloh H, Knispel HH. Botulinumtoxin in der Urologie. Eine Bestandsaufnahme. *Urologe A*. 2004 Aug; 43(8): 963–75
- Shahinian VB, Kuo YF, Freeman JL et al. Risk of fracture after androgen deprivation for prostate cancer. *N Engl J Med* 2005; 352: 154–164
- Shahinian VB, Kuo YF, Freeman JL et al. Risk of fracture after androgen deprivation for prostate cancer. *N Engl J Med* 2002; 352: 154–164
- Själänder A, Jansson JH, Bergqvist D et al. Efficacy and safety of anticoagulant prophylaxis to prevent venous thromboembolism in acutely ill medical in patients: a meta-analysis. *J Intern Med* 2008; 263: 52–60
- Smith MR, Eastham J, Gleason DM et al. Randomized controlled trial of zoledronic acid to prevent bone loss in men receiving androgen deprivation therapy for non-metastatic prostate cancer. *J Urol* 2003 169: 2008–2012
- Smith MR, Egerdie B, Hernandez Toriz N et al. Denosumab in men receiving androgen-deprivation therapy for prostate cancer. *N Engl J Med* 2009; 361: 745–755
- Stock I. Botulinumtoxin – Möglichkeiten und Grenzen der klinischen Anwendung. *Arzneimitteltherapie* 2009; 27: 233–240

- Stränger J, Pfortner R, Mohr C. Bisphosphonat-assoziierte Kiefernekrose: Neues Krankheitsbild und zunehmendes Problem. *Best Pract Onkologie* 2008; 3: 42–51
- Theuretzbacher U. *Mikrobiologie im klinischen Alltag*. 2. Aufl. Stuttgart: Kohlhammer; 2004
- Toivonen J, Pitko VM, Rosenberg PH. Etoricoxib pre-medication combine with intra-operative subacromial block for pain after arthroscopic acromioplasty. *Acta Anaesthesiol Scand* 2007; 51: 316–321
- Tyrrell C. Immediate Treatment with bicalutamide, 150 mg/d, following radiotherapy in localized or locally advanced prostate cancer. *Rev Urol* 2004; 6 (Suppl. 2): S29–36
- Van Beek ER, Lowik CW, Papapoulos SE. Bisphosphonates suppress bone resorption by a direct effect on early osteoclast precursors without affecting the osteoclastic capacity of osteogenic cells: the role of protein geranylation in the action of nitrogen-containing bisphosphonates on osteoclast precursors. *Bone* 2002; 30: 64–70
- Van der Pluijm G, Vloedgraven H, Van Beek ER et al. Bisphosphonates inhibit the adhesion of breast cancer cells to bone matrices in vitro. *J Clin Invest* 1996; 98: 698–705
- Walter C, Al-Nawas B, Grötz KA et al. Prevalence and risk factors of bisphosphonate-associated osteonecrosis of the jaw in prostate cancer patients with advanced disease treated with zoledronate. *Eur Urol* 2008; 54: 1066–1072
- Weisbach L. Diagnostik von Knochenmetastasen urologischer Tumoren und deren Behandlung mit Bisphosphonaten: Interdisziplinäre Konsensuskonferenz, Frankfurt 2006. *Urologe* 2006; 45: 1527–1531
- Yuen KY, Shelley M, Man SW et al. Bisphosphonates for advanced prostate cancer. *Cancer* 2006; 80: 1674–1679

Kapitel 7 Komplikationen bei Punktion und Injektion

Kap. 7.1 Nierenpunktion

- Agarwal MM, Hemal AK. Surgical management of renal cystic disease. *Curr Urol Rep* 2011; 12: 3–10
- Cohen AH, Nast CC, Adler SG et al. Clinical utility of kidney biopsies in the diagnosis and management of renal disease. *Am J Nephrol* 1989; 9: 309
- Desai AC, Jain S, Benway BM et al. Splenic injury during percutaneous nephrolithotomy: a case report with novel management technique. *J Endourol* 2010; 24: 541
- El-Nahas AR, Mansour AM, Ellaithy R et al. Case report: conservative treatment of liver injury during percutaneous nephrolithotomy. *J Endourol* 2008; 22: 1649
- Grabe M, Bjerkklund-Johansen TE, Botto H et al. Guidelines on urological infections. In: *European Association of Urology*, ed. *European Association of Urology Guidelines*. Arnheim: European Association of Urology (EAU); 2009
- Kawashima A, Sandler CM, Goldman SM. Imaging in acute renal infection. *BJU Int* 2000; 86 (Suppl. 1): 70
- Koch KM. *Klinische Nephrologie*. München: Urban & Fischer; 2000
- Kuhlmann U, Walb D, Luft FC. *Nephrologie*. Stuttgart: Thieme 1998
- Lee KL, Stoller ML. Minimizing and managing bleeding after percutaneous nephrolithotomy. *Curr Opin Urol* 2007; 17: 120
- Maheshwari PN, Mane DA, Pathak AB. Management of pleural injury after percutaneous renal surgery. *J Endourol* 2009; 23: 1769
- Marwah DS, Korbet SM. Timing of complications in percutaneous renal biopsy: what is the optimal period of observation? *Am J Kidney Dis* 1996; 28: 47
- McDougall EM, Liatsikos EN, Dinlenc CZ et al. Percutaneous approaches to the upper urinary tract. In: Walsh PC, ed. *Campbell's Urology*. 8th ed. Philadelphia: Saunders; 2002: 3320
- McGuire BB, Fitzpatrick JM. The diagnosis and management of complex renal cysts. *Curr Opin Urol* 2010; 20: 349
- Radecka E, Magnusson A. Complications associated with percutaneous nephrostomies. A retrospective study. *Acta Radiol* 2004; 45: 184
- Ray AA, Chung DG, Honey RJ. Percutaneous nephrolithotomy in the prone and prone-flexed positions: anatomic considerations. *J Endourol* 2009; 23: 1607
- Ricci P, Drudi FM, Salvatori FM et al. [Percutaneous treatment of symptomatic renal cysts: effects of the combination of sclerotherapy with alcohol and fibrin glue (tissucol)]. *Radiol Med* 1993; 86: 657
- Saxby MF. Biliary peritonitis following percutaneous nephrolithotomy. *Br J Urol* 1996; 77: 465
- Shaban A, Kodera A, El Ghoneimy MN et al. Safety and efficacy of supracostal access in percutaneous renal surgery. *J Endourol* 2008; 22: 29
- Shu T, Green JM, Orihuela E. Renal and perirenal abscesses in patients with otherwise anatomically normal urinary tracts. *J Urol* 2004; 172: 148
- Siegel JF, Smith A, Moldwin R. Minimally invasive treatment of renal abscess. *J Urol* 1996; 155: 52
- Traxer O. Management of injury to the bowel during percutaneous stone removal. *J Endourol* 2009; 23: 1777
- Volpe A, Mattar K, Finelli A et al. Contemporary results of percutaneous biopsy of 100 small renal masses: a single center experience. *J Urol* 2008; 180: 2333

Kap. 7.2 Blasenpunktion

- von Piechota HJ, Meessen S, Brühl P. Punktionssets zur suprapubischen Katheterdrainage der Harnblase. *Anäs-*

- these Intensivmed Notfallmed Schmerzther 1992; 27: 171–180
- Randenborgh H und Breul J: Punktion der Vena iliaca communis bei Zystostomie. In: Steffens J, Langen PH, Hrsg. Komplikationen in der Urologie 1. Darmstadt: Steinkopff; 2002
- Ringert RH, Gross AJ. Bladder catheter or suprapubic fistula? Indication and contraindication. Langenbecks Arch Chir 1996; 113 (Suppl. 1): 713–717
- Spangehl-Meridjen P, Mangelmann C, Lehmann HG et al. Die suprapubische Harnableitung. Verlauf und Komplikationen bei 800 Patienten. Urologie B 1995; 34: 419–420
- Wiedemann A, Ender-Sperling C. Gedeckte Dünndarmperforation nach suprapubischer Blasenfistelung. In: Steffens J, Langen PH, Hrsg. Komplikationen in der Urologie 2. Darmstadt: Steinkopff; 2005

7.3 Lymphozelenpunktion

- Anheuser P, Treiyeer A, Stark E et al. Algorithmus zur Behandlung einer Lymphozele nach radikaler retropubischer Prostatektomie. Urologe 2010; 49: 832–836
- Hamza A, Loertzer H, Wicht A et al. Therapie der Lymphocelenbildung nach Nierentransplantation – offene oder laparoskopische Operationstechnik? Transplantationsmedizin 2005; 17: 50–55
- Iwan-Zietek I, Zietek Z, Sulikowski T et al. Minimally invasive methods for the treatment of lymphocele after kidney transplantation. Transplant Proc 2009; 41: 3073–3076
- Melchior S, Jones J. Urologische Komplikationen nach Nierentransplantation. Transplantationsmedizin 2008; 20: 18–20
- Musch M, Klevecka V, Roggenbruck U et al. Complications of pelvic lymphadenektomy in 1380 patients undergoing radical retropubic prostatectomy between 1993 and 2006. J Urol 2008; 179: 923–929
- Nasalli A, Andreatta R, Introini C et al. Predictors of symptomatic lymphoceles after lymph node excision and radical prostatectomy. Urology 2010; 75: 630–635
- Solberg A, Angelsen A, Bergan U et al. Frequency of lymphoceles after open and laparoscopic pelvic lymph node dissection in patients with prostate cancer. Scand J Urol Nephrol 2003; 37: 218–221
- Zorn KC, Katz MH, Bernstein A et al. Pelvic lymphadenectomy during roboter-assisted radical prostatectomy: Assessing nodal yield, perioperative outcomes and complications. Urology 2009; 74: 296–304

7.4 Schwellkörperpunktion

- Alexandre B, Lemaire A, Desvaux P et al. Intracavernous injections of prostaglandin E1 for erectile dysfunction: patient satisfaction and quality of sex life on long term treatment. J Sex Med 2007; 4: 426–431
- Li CY, Garaffa G, Ralph DJ. Diagnostic management of erectile dysfunction – clinical andrology. In: Björndahl

- L, Giwercman A, Tournaye H et al., eds. Clinical Andrology. London: Informa Healthcare; 2010: 372–379
- Stadler TC, Hartmann U, Becker AJ et al. Conservative treatment of erectile dysfunction. In: Björndahl L, Giwercman A, Tournaye H et al., eds. Clinical Andrology. London: Informa Healthcare; 2010: 380–386
- Urciuoli R, Cantisani TA, Carlini M et al. Prostaglandin E1 for treatment of erectile dysfunction. Cochrane Database System Rev 2004; 2:CD001784

7.5 Sklerotherapie

- Biyani CS, Cartledge J, Janetschek G. Varicocele. Clin Evid (Online) 2009; pii: 1806
- Blasco V, Pellegrini L, Visintini P et al. Cas clinique. France La Presse Médicale 2008; 37/4P1: 614–617
- Bosniak MA. The current radiological approach to renal cysts. Radiology 1986; 158: 1–10
- Cho DS, Ahn HS, Kim SI et al. Sclerotherapy of renal cysts using acetic acid: a comparison with ethanol sclerotherapy. Br J Radiol 2008; 81: 946–949
- Evers JL, Collins JA. Surgery or embolisation for varicocele in subfertile men. The Cochrane Library; Primary sources Cochrane Menstrual Disorders and Subfertility 2006; Issue 3
- Franco G, Iori F, de Dominicis C et al. Challenging the role of cremasteric reflux in the pathogenesis of varicocele using a new venographic approach. J Urol 1999; 161: 117–121
- Galfano A, Novara G, Iafrate M et al. Surgical outcomes after modified antegrade scrotal sclerotherapy: a prospective analysis of 700 consecutive patients with idiopathic varicocele. J Urol 2008; 179: 1933–1937
- Gandini R, Konda D, Reale CA et al. Male varicocele: transcatheter foam sclerotherapy with sodium tetradecyl sulfate – outcome in 244 patients. Radiology 2008; 2: 246
- Göll A, Albers P, Schoeneich G et al. Testicular loss due to hemorrhagic infarct in Tauber antegrade scrotal varicocele sclerotherapy. Urologe A 1997; 36: 449–451
- Kim SH, Moon MW, Lee HJ et al. Renal cyst ablation with n-butyl cyanoacrylate and iodized oil in symptomatic patients with autosomal dominant polycystic kidney disease: preliminary report. Radiology 2003; 226: 573–576
- Lebed B, Packer M, Husmann D et al. Results and complications of adolescent varicocele repair with intraoperative sodium morrhuate sclerotherapy. J Urol 2008; 180: 1837–1841
- Lingard DA, Lawson TL. Accuracy of ultrasound in predicting the nature of renal masses. J Urol 1979; 122: 724–727
- Livingston WD Jr, Collins TL, Novicki DE. Incidental renal mass. Urology 1981; 17: 257–259
- Marmar JL, Agarwal A, Prabakaran S et al. The value of varicolectomy as a treatment for male subfertility. Reassessing with a new meta-analysis. Fertil Steril 2007; 88: 639–648

- Mazzoni G, Spagnoli A, Lucchetti MC et al. Adolescent varicocele: Tauber antegrade sclerotherapy versus Palomo repair. *J Urol* 2001; 166: 1462–1464
- Ogita S, Tsuto T, Nakamura K et al. OK-432 therapy for lymphangioma in children: why and how does it work? *J Pediatr Surg* 1996; 31: 477–480
- Redmon JB, Carey P, Pryor JL. Varicocele – the most common cause of male factor infertility? *Hum Reprod Update* 2002; 8: 53–58
- Sautter T, Sulser T, Suter S et al. Treatment of varicocele: a prospective randomized comparison of laparoscopy versus antegrade sclerotherapy. *Eur Urol* 2002; 41: 398–400
- Wallis MC, Lorenzo AJ, Farhat WA et al. Risk assessment of incidentally detected complex renal cysts in children: potential role for a modification of the Bosniak classification. *J Urol* 2008; 180: 317–321
- Ham WS, Lee JH, Kim WT et al. Comparison of multiple session 99% ethanol and single session OK-432 sclerotherapy for the treatment of simple renal cysts. *J Urol* 2008; 180: 2552–2556
- World Health Organization. The influence of varicocele on parameters of fertility in a large group of men presenting to infertility clinics. *Fertil Steril* 1992; 57: 1289–1293
- Zini A, Boman JM. Varicocele: red flag or red herring? *Semin Reprod Med* 2009; 27: 171–178
- Zucchi A, Mearini L, Mearinin E et al. Treatment of varicocele: randomized prospective study on open surgery versus Tauber antegrade sclerotherapy. *J Androl* 2005; 26: 328–332

Kapitel 8 Komplikationen der offenen Tumorchirurgie

Kap. 8.1 Niere

- Albani JM, Novick AC. Renal artery pseudoaneurysm after partial nephrectomy: three case reports and a literature review. *Urology* 2003; 62: 227–231
- Aslan G, Men S, Gulcu A et al. Percutaneous embolization of persistent urinary fistula after partial nephrectomy using N-butyl-2-cyanoacrylate. *Int J Urol* 2005; 12: p. 838–841
- Becker F, Van Poppel H, Hakenberg OW et al. Assessing the impact of ischaemia time during partial nephrectomy. *Eur Urol* 2009; 56: 625–634
- Bensalah K, Pantuck AJ, Rioux-Leclercq N et al. Positive surgical margin appears to have negligible impact on survival of renal cell carcinomas treated by nephron-sparing surgery. *Eur Urol* 2010; 57: 466–471
- Berglund RK, Bernstein M, Manion MT et al. Incidental angiomyolipoma resected during renal surgery for an enhancing renal mass. *BJU Int* 2009; 104: 1650–1654
- Bird VG, Kanagarajah P, Morillo G et al. Differentiation of oncocytoma and renal cell carcinoma in small renal masses (<4 cm): the role of 4-phase computerized tomography. *World J Urol* 2010; [Epub ahead of print]
- Castilla EA, Liou LS, Abrahams NA et al. Prognostic importance of resection margin width after nephron-sparing surgery for renal cell carcinoma. *Urology* 2002; 60: 993–997
- Chao DH, Zisman A, Pantuck AJ et al. Changing concepts in the management of renal oncocytoma. *Urology* 2002; 59: 635–642
- Chawla SN, Crispin PL, Hanlon AL et al. The natural history of observed enhancing renal masses: meta-analysis and review of the world literature. *J Urol* 2006; 175: 425–431
- Colli JL. The effect of prostate cancer screening on stage IV disease in America. *Int Urol Nephrol* 2011; 43: 391–396
- Collins GM, Green RD, Boyer D et al. Protection of kidneys from warm ischemic injury. Dosage and timing of mannitol administration. *Transplantation* 1980; 29: 83–84
- Duke GJ. Renal protective agents: a review. *Crit Care Resusc* 1999; 1: 265–275
- Ficarra V, Novara G, Secco S et al. Preoperative aspects and dimensions used for an anatomical (PADUA) classification of renal tumours in patients who are candidates for nephron-sparing surgery. *Eur Urol* 2009; 56: 786–793
- Gakis G, Kramer U, Schilling D et al. Small renal oncocytomas: differentiation with multiphase CT. *Eur J Radiol* 2010; [Epub ahead of print]
- Graumann O, Osther SS, Osther PJ. Characterization of complex renal cysts: a critical evaluation of the Bosniak classification. *Scand J Urol Nephrol* 2011; 45: 84–90
- Halpenny D, Snow A, McNeill G et al. The radiological diagnosis and treatment of renal angiomyolipoma-current status. *Clin Radiol* 2010; 65: 99–108
- Heuer R, Gill IS, Guazzoni G et al. A critical analysis of the actual role of minimally invasive surgery and active surveillance for kidney cancer. *Eur Urol* 2010; 57: 223–232
- Heye S, Maleux G, Van Poppel H et al. Hemorrhagic complications after nephron-sparing surgery: angiographic diagnosis and management by transcatheter embolization. *AJR Am J Roentgenol* 2005; 184: 1661–1664
- Honig MP, Mason RA, Giron F. Wound complications of the retroperitoneal approach to the aorta and iliac vessels. *J Vasc Surg* 1992; 15: 28–33, discussion 33–34
- Huber J, Pahernik S, Hallscheidt P et al. Risk factors and clinical management of haemorrhage after open nephron-sparing surgery. *BJU Int* 2010; 106: 1488–1493
- Israel GM, Bosniak MA. An update of the Bosniak renal cyst classification system. *Urology* 2005; 66: 484–488
- Jeldres C, Bensalah K, Capitanio U et al. Baseline renal function, ischaemia time and blood loss predict the

- rate of renal failure after partial nephrectomy. *BJU Int* 2009; 103: 1632–1625
- Jeon HG, Lee SR, Kim KH et al. Benign lesions after partial nephrectomy for presumed renal Cell carcinoma in masses 4 cm or less: prevalence and predictors in Korean patients. *Urology* 2010; 76: 574–579
- Kasuistik Der Nierentumor und die Überraschung**
- Kwon EO, Carver BS, Snyder ME et al. Impact of positive surgical margins in patients undergoing partial nephrectomy for renal cortical tumours. *BJU Int* 2007; 99: 286–289
- Ljungberg B, Cowan NC, Hanbury DC et al. EAU guidelines on renal cell carcinoma: the 2010 update. *Eur Urol* 2010; 58: 398–406
- May M, Brookman-Amisshah S, Pflanz S et al. Pre-operative renal arterial embolisation does not provide survival benefit in patients with radical nephrectomy for renal cell carcinoma. *Br J Radiol* 2009; 82: 724–731
- Meeks JJ, Zhao LC, Navai N et al. Risk factors and management of urine leaks after partial nephrectomy. *J Urol* 2008; 180: 2375–2378
- Nelson CP, Sanda MG. Contemporary diagnosis and management of renal angiomyolipoma. *J Urol* 2002; 168: 1315–1325
- Netsch C, Bruning R, Bach T et al. Management of renal artery pseudoaneurysm after partial nephrectomy. *World J Urol* 2010; 28: 519–524
- Remzi M, Ozsoy M, Klingler HC et al. Are small renal tumors harmless? Analysis of histopathological features according to tumors 4 cm or less in diameter. *J Urol* 2006; 176: 896–899
- Rosch R, Junge K, Conze J et al. Incisional intercostal hernia after a nephrectomy. *Hernia* 2006; 10: 97–99
- Routh JC, Bacon DR, Leibovich BC et al. How long is too long? The effect of the duration of anaesthesia on the incidence of non-urological complications after surgery. *BJU Int* 2008; 102: 301–304
- Salameh JR, Salloum EJ. Lumbar incisional hernias: diagnostic and management dilemma. *JLS* 2004; 8: 391–394
- Sharma SK, Perry KT, Turk TM. Endoscopic injection of fibrin glue for the treatment of urinary-tract pathology. *J Endourol* 2005; 19: 419–423
- Shuch B, Larochele JC, Onyia T et al. Intraoperative thrombus embolization during nephrectomy and tumor thrombectomy: critical analysis of the University of California-Los Angeles experience. *J Urol* 2009; 181: 492–498, discussion 498–499
- Silver DA, Morash C, Brenner P et al. Pathologic findings at the time of nephrectomy for renal mass. *Ann Surg Oncol* 1997; 4: 570–574
- Simmons MN, Gill IS. Decreased complications of contemporary laparoscopic partial nephrectomy: use of a standardized reporting system. *J Urol* 2007; 177: 2067–2073, discussion 2073
- Touijer K, Jacqmin D, Kavoussi LR et al. The expanding role of partial nephrectomy: a critical analysis of indications, results, and complications. *Eur Urol* 2010; 57: 214–222
- Van Poppel H, Da Pozzo L, Albrecht W et al. A prospective randomized EORTC intergroup phase 3 study comparing the complications of elective nephron-sparing surgery and radical nephrectomy for low-stage renal cell carcinoma. *Eur Urol* 2007; 51: 1606–1615
- Van Poppel H, Da Pozzo L, Albrecht W et al. A Prospective, randomised EORTC intergroup phase 3 study comparing the oncologic outcome of elective nephron-sparing surgery and radical nephrectomy for low-stage renal cell carcinoma. *Eur Urol* 2011; 59: 543–552
- Waldert M, Waalkes S, Klatt T et al. External validation of the preoperative anatomical classification for prediction of complications related to nephron-sparing surgery. *World J Urol* 2010; 28: 531–535
- Yossepowitch O, Thompson RH, Leibovich BC et al. Positive surgical margins at partial nephrectomy: predictors and oncological outcomes. *J Urol* 2008; 179: 2158–2163
- Zini L, Perrotte P, Capitanio U et al. Radical versus partial nephrectomy: effect on overall and noncancer mortality. *Cancer* 2009. 115: 1465–1471
- Kasuistik Akute Blutung bei arteriovenöser Fistel nach Nierenteilresektion**
- Crotty KL, Orihuela E, Warren MM. Recent advances in the diagnosis and treatment of renal arteriovenous malformations and fistulas. *J Urol* 1993; 150: 1355–1359
- Kember PG, Peck RJ. Renal arteriovenous malformation mimicking hydronephrosis. *J Clin Ultrasound* 1998; 26: 95–97
- Mishal J, Leibovici O, Bregman L et al. Huge renal arteriovenous malformation mimicking a simple para-pelvic cyst. *Urol Int* 2001; 66: 49–50
- Primus H, Samtleben M, Schmitt E. Renal arteriovenous fistula. *Urologe A* 2007; 46: 412–415
- Singh D, Gill IS. Renal artery pseudoaneurysm following laparoscopic partial nephrectomy. *J Urol* 2005; 174: 2256–2259
- Kap. 8.2 Blase**
- Lawrentschuk N, Colombo R, Hakenberg OW et al. Prevention and management of complications following radical cystectomy for bladder cancer. *Eur Urol* 2010; 57: 983–1001
- McCabe JE, Jibawi A, Javle PM. Radical cystectomy: defining the threshold for a surgeon to achieve optimum outcomes. *Postgrad Med J* 2007; 83: 556–560
- Stenzl A, Cowan NC, De Santis M et al. The updated EAU guidelines on muscle-invasive and metastatic bladder cancer. *Eur Urol* 2009; 55: 815–825

Kasuistik Postoperatives abdominales Kompartmentsyndrom nach radikaler Zystoprostatektomie und Anlage eines Ileum-Conduits

- Bertram P, Schachtrupp A, Rosch R et al. Abdominelles Kompartmentsyndrom. *Chirurg* 2006; 77: 573–579
- Deenichin G. Abdominal compartment syndrome. *Surg Today* 2008; 38: 5–19
- Standl T. Das abdominelle Kompartmentsyndrom – Ein häufig unterschätztes Problem? *Anästhesiol Intensivmed Notfallmed Schmerzther* 2007; 7–8: 500–503
- Sugrue M. Abdominal compartment syndrome. *Curr Opin Crit Care* 2005; 11: 333–338
- Tiwari A, Haq AI, Myint F et al. Acute compartment syndroms. *Br J Surg* 2002; 89: 397–412

Kap. 8.3 Prostata

- RKI. Krebs in Deutschland 2003–2004. Häufigkeiten und Trends. 6. überarbeitete Aufl. Robert Koch-Institut und die Gesellschaft der epidemiologischen Krebsregister in Deutschland e.V.; 2008
- Heinzer H, Heuer R, Nordenflycht O et al. Radikale retropubische „Fast-track-Prostatektomie“. Erste Erfahrungen mit einem interdisziplinären multimodalen Behandlungskonzept zur Beschleunigung der postoperativen Rehabilitation. *Urologe* 2005; 44: 1287–1294
- Budäus L, Isbarn H, Schlomm T et al. Current technique of open intrafascial nerve-sparing retropubic prostatectomy. *Eur Urol* 2009; 56: 317–324
- Schostak M, Matischak K, Schäfer M et al. Neues Behandlungskonzept minimiert die Blutung bei der radikalen retropubischen Prostatektomie. *Urologe* 2005; 44: 1332–1336
- Ficarra V, Novara G, Artibani W et al. Retropubic, laparoscopic, and robot-assisted radical prostaectomy: a systematic review and cumulative analysis of comparative studies. *Eur Urol* 2009; 55: 1037–1063
- Augustin H, Hammerer P, Graefen M et al. Intraoperative and perioperative morbidity of contemporary radical retropubic prostatectomy in a consecutive series of 1243 patients: results of a single center between 1999 and 2002. *Eur Urol* 2003; 43: 113–118
- Musch M, Klevecka V, Roggenbruck U et al. Complications of pelvic lymphadenectomy in 1380 patients undergoing radical prostatectomy between 1993 and 2006. *J Urol* 2008; 179: 923–929
- Schwenk W et al. What is „Fast-track“-surgery? *Dtsch Med Wochenschr* 2005; 130: 536–540
- Anheuser P, Treiyr A, Stark E et al. Lymphozele nach radikaler retropubischer Prostatektomie: Ein Behandlungsalgorithmus. *Urologe* 2010; 49: 832–836
- Treiyr A, Haben B, Stark E et al. Uni- vs. multiloculated pelvic lymphoceles: differences in the treatment of symptomatic pelvic lymphoceles after open radical retropubic prostaectomy. *Int Braz J Urol* 2009; 35: 164–170

Kasuistik Diagnose eines Adenokarzinoms der Prostata nach offener Tumorsektion paraprostatisch bei Fehlinterpretation im MRT und intraoperativem Schnellschnitt

- Engelbrecht MR, Jager GJ, Laheij RJ et al. Local staging of prostate cancer using magnetic resonance imaging: a meta-analysis. *Eur Radiol* 2002; 12: 2294–2302

Kap. 8.4 Retroperitoneum

- AbdelMannan D, Selman WR, Arafah BM. Peri-operative management of Cushing's disease. *Rev Endocr Metab Disord* 2010; 11: 127–134
- Albers P, Höltl W, Aharinejad M et al. Thorakoabdominelle Resektion retrocruraler Lymphknoten In: Albers P, Heidenreich A, Leyh H, Hrsg. Standardoperationen in der Urologie – ein Operationsatlas. Kap. 1.1. Stuttgart: Thieme; 2005: 341–351
- Albers P, Höltl W, Heidenreich A et al. Thorakoabdominelle Resektion retrocruraler Residualtumoren. In: Albers P, Heidenreich A, Leyh H, Hrsg. Standardoperationen in der Urologie – ein Operationsatlas. Kap. 6.3. Stuttgart: Thieme; 2005: 341–351
- Allolio B, Fassnacht M. Clinical review: adrenocortical carcinoma: clinical update. *J Clin Endocrinol Metab* 2006; 91: 2027–2037
- Balasubramaniam S, Fojo T. Practical considerations in the evaluation and management of adrenocortical cancer. *Semin Oncol* 2010; 37: 619–626
- Beck SD, Foster RS, Bihrl R et al. Aortic replacement during post-chemotherapy retroperitoneal lymph node dissection. *J Urol* 2001; 165: 1517–1520
- Beck SD, Peterson MD, Bihrl R et al. Short-term morbidity of primary retroperitoneal lymph node dissection in a contemporary group of patients. *J Urol* 2007; 178: 504–506
- Capitanio U, Jeldres C, Perrotte P et al. Population-based study of perioperative mortality after retroperitoneal lymphadenectomy for nonseminomatous testicular germ cell tumors. *Urology* 2009; 74: 373–377
- Carroll TB, Findling JW. The diagnosis of Cushing's syndrome. *Rev Endocr Metab Disord* 2010; 11: 147–153
- Castillo OA, Vitagliano G, Secin FP et al. Laparoscopic adrenalectomy for adrenal masses: does size matter? *Urology* 2008; 71: 1138–1141
- Chen H, Sippel RS, O'Dorisio MS et al. The North American Neuroendocrine Tumor Society consensus guideline for the diagnosis and management of neuroendocrine tumors: pheochromocytoma, paraganglioma, and medullary thyroid cancer. *Pancreas* 2010; 39: 775–783
- Donat SM, Levy DA. Bleomycin associated pulmonary toxicity: is perioperative oxygen restriction necessary? *J Urol* 1998; 160: 1347–1352
- Duty B, Daneshmand S. Resection of the inferior vena cava without reconstruction for urologic malignancies. *Urology* 2009; 74: 1257–1262
- Ehrlich Y, Kedar D, Zelikovski A et al. Vena caval reconstruction during postchemotherapy retroperitoneal

- lymph node dissection for metastatic germ cell tumor. *Urology* 2009; 73: 442.e17–9
- Evans JG, Spiess PE, Kamat AM et al. Chylous ascites after post-chemotherapy retroperitoneal lymph node dissection: review of the M. D. Anderson experience. *J Urol* 2006; 176: 1463–1467
- Heidenreich A, Albers P, Hartmann M et al. Complications of primary nerve sparing retroperitoneal lymph node dissection for clinical stage I nonseminomatous germ cell tumors of the testis: experience of the German Testicular Cancer Study Group. *J Urol* 2003; 169: 1710–1714
- Heidenreich A, Ohlmann C, Hegele A et al. Repeat retroperitoneal lymphadenectomy in advanced testicular cancer. *Eur Urol* 2005; 47: 64–71
- Heidenreich A, Pfister D, Schrader M et al. Prädiktoren vaskulärer Begleiteingriffe bei der postchemotherapeutischen retroperitonealen Residualtumorresektion (PC-RTR) fortgeschrittener nichtseminomatöser Keimzelltumoren. *Urologe* 2010; 49 (Suppl. 1): 25
- Heidenreich A, Pfister D, Witthuhn R et al. Postchemotherapy retroperitoneal lymph node dissection in advanced testicular cancer: radical or modified template resection. *Eur Urol* 2009; 55: 217–224
- Heidenreich A, Thüer D, Polyakov S. Postchemotherapy retroperitoneal lymph node dissection in advanced germ cell tumours of the testis. *Eur Urol* 2008; 53: 260–272
- Heidenreich A, Wille S, Hofmann R. Gastroparesis after retroperitoneal surgery successfully treated with erythromycin. *J Urol* 2000; 163: 545
- Heidenreich A. Radikale retroperitoneale Nephrektomie. In: Albers P, Heidenreich A, Leyh H, Hrsg. Standardoperationen in der Urologie – ein Operationsatlas. Kap. 1.1. Stuttgart: Thieme; 2005: 2–13
- Herd A, Harman R, Taylor E. Surgical outcomes following laparoscopic adrenalectomy for treatment of Conn's syndrome (primary hyperaldosteronism) between 1999 and 2006. *N Z Med J* 2010; 123: 50–56
- Kahn SL, Angle JF. Adrenal vein sampling. *Tech Vasc Interv Radiol* 2010; 13: 110–125
- Kawai K, Akaza H. Bleomycin-induced pulmonary toxicity in chemotherapy for testicular cancer. *Expert Opin Drug Saf* 2003; 2: 587–596
- Kaye DR, Storey BB, Pacak K et al. Partial adrenalectomy: underused first line therapy for small adrenal tumors. *J Urol* 2010; 184: 18–25
- Kenney PA, Tuerk IA. Complications of laparoscopic retroperitoneal lymph node dissection in testicular cancer. *World J Urol* 2008; 26: 561–569
- Link RE, Amin N, Kavoussi LR. Chylous ascites following retroperitoneal lymphadenectomy for testes cancer. *Nat Clin Pract Urol* 2006; 3: 226–232
- Mannelli M, Colagrande S, Valeri A et al. Incidental and metastatic adrenal masses. *Semin Oncol* 2010; 37: 649–661
- McKiernan JM, Motzer RJ, Bajorin DF et al. Reoperative retroperitoneal surgery for nonseminomatous germ cell tumor: clinical presentation, patterns of recurrence, and outcome. *Urology* 2003; 62: 732–736
- Munver R, Yates J. Diagnosis and surgical management for primary hyperaldosteronism. *Curr Urol Rep* 2010; 11: 51–57
- Naji M, Hodolic M, El-Refai S et al. Endocrine tumors: the evolving role of positron emission tomography in diagnosis and management. *J Endocrinol Invest*. 2010; 33: 54–60
- Ng VW, Ma RC, So WY et al. Evaluation of functional and malignant adrenal incidentalomas. *Arch Intern Med* 2010; 170: 2017–2020
- Nieman LK. Approach to the patient with an adrenal incidentaloma. *J Clin Endocrinol Metab*. 2010; 95: 4106–4113
- Niemann LK, Biller BM, Findling JW et al. The diagnosis of Cushing's syndrome: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab* 2008; 93: 1526–1540
- Permpongkosol S, Lima GC, Warlick CA et al. Postchemotherapy laparoscopic retroperitoneal lymph node dissection: evaluation of complications. *Urology* 2007; 69: 361–365
- Pettus JA, Carver BS, Masterson T et al. Preservation of ejaculation in patients undergoing nerve-sparing post-chemotherapy retroperitoneal lymph node dissection for metastatic testicular cancer. *Urology* 2009; 73: 328–331
- Pfister D, Winter C, Albers P et al. Häufigkeit chirurgischer Begleiteingriffe bei postchemotherapeutischer retroperitonealer Lymphadenektomie fortgeschrittener nichtseminomatöser Keimzelltumoren. *Urologe* 2010; 49 (Suppl. 1): 25
- Porpiglia F, Fiori C, Daffara F et al. Retrospective evaluation of the outcome of open versus laparoscopic adrenalectomy for stage I and II adrenocortical cancer. *Eur Urol* 2010; 57: 873–878
- Reimel B, Zanocco K, Russo MJ et al. The management of aldosterone-producing adrenal adenomas—does adrenalectomy increase costs? *Surgery* 2010; 148: 1178–1185
- Schreinemakers JM, Kiela GJ, Valk GD et al. Retroperitoneal endoscopic adrenalectomy is safe and effective. *Br J Surg* 2010; 97: 1667–1672
- Steffensen C, Bak AM, Rubek KZ, Jørgensen JO. Epidemiology of Cushing's syndrome. *Neuroendocrinology* 2010; 92 (Suppl. 1): 1–5
- Williams SB, McDermott DW, Winston D et al. Morbidity of open retroperitoneal lymph node dissection for testicular cancer: contemporary perioperative data. *BJU Int* 2010; 105: 918–921
- Winter C, Bingöl C, Witthuhn R et al. Residualtumorresektionen bei Patienten mit testikulären Keimzelltumoren – Korrelation von IGCCCG-Klassifikation zur Rate der vaskulären Komplikationen. *Urologe* 2010; 49 (Suppl. 1): 24

Kasuistik Komplikationen nach postchemotherapeutischer Residualtumorresektion beim Growing-Teratoma-Syndrom

- Albers P, Höftl W, Heidenreich A et al. Thoracoabdominal resection of retrocaval residual tumors. *Akt Urol* 2004; 35: 141–150
- Albers P, Albrecht W, Algaba F et al. Guidelines on testicular cancer. *Eur Urol* 2005; 48: 885–894
- Beck SD, Foster RS, Bihrlé R et al. Aortic replacement during post-chemotherapy retroperitoneal lymph node dissection. *J Urol* 2001; 165: 1517–1520
- Efstathiou E, Logothetis CJ. Review of late complications of treatment and late relapse in testicular cancer. *J Natl Compr Canc Netw* 2006; 4: 1059–1070
- Heidenreich A, Bokemeyer C, Souchon R. Stadienspezifische Therapie testikulärer Keimzelltumoren. *Urologe A* 2009; 48: 377–385
- Heidenreich A, Pfister D, Witthuhn R et al. Postchemotherapy retroperitoneal lymph node dissection in advanced testicular cancer: radical or modified template resection. *Eur Urol* 2009; 55: 217–224
- Heidenreich A, Thüer D, Polyakov S. Postchemotherapy retroperitoneal lymph node dissection in advanced germ cell tumours of the testis. *Eur Urol* 2008; 53: 260–272
- Heidenreich A, Wille S, Hofmann R. Gastroparesis after retroperitoneal surgery successfully treated with erythromycin. *J Urol* 2000; 163: 545
- Keijzer A, Kuenen B. Fatal pulmonary toxicity in testis cancer with bleomycin-containing chemotherapy. *J Clin Oncol* 2007; 25: 3543–3544
- Kingham TP, Shamamian P. Management and spectrum of complications in patients undergoing surgical debridement for pancreatic necrosis. *Am Surg* 2008; 74: 1050–1056
- Krege S, Beyer J, Souchon R et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus group (EGCCCG): Part I. *Eur Urol* 2008; 53: 478–496
- Krege S, Beyer J, Souchon R et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus Group (EGCCCG): Part II. *Eur Urol* 2008; 53: 497–513
- Maniatis P, Delis S, Fagrezos D et al. The interventional radiological procedures of the infections of pancreas. *Infect Disord Drug Targets* 2010; 10: 5–8
- Mosharafa AA, Foster RS, Koch MO et al. Complications of post-chemotherapy retroperitoneal lymph node dissection for testis cancer. *J Urol* 2004; 171: 1839–1841
- Villatoro E, Mulla M, Larvin M. Antibiotic therapy for prophylaxis against infection of pancreatic necrosis in acute pancreatitis. *Cochrane Database Syst Rev* 2010; 5: CD002941
- Wang GJ, Gao CF, Wei D et al. Acute pancreatitis: etiology and common pathogenesis. *World J Gastroenterol* 2009; 15: 1427–1430

Kapitel 9 Komplikationen bei laparoskopischen Eingriffen

Kap. 9.1 Allgemeine Aspekte

- Abdel-Meguid TA, Gommella LG. Prevention and management of complications. In: Smith AD, Badlani GH, Bagley DH, et al., eds. *Smith's Textbook of Endourology*. St. Louis, MO: Quality Medical Publishing; 1996: 851–869
- Bishoff JT, Allaf ME, Kirkels W et al. Laparoscopic bowel injury: incidence and clinical presentation. *J Urol* 1999; 161: 887–890
- Champault G, Cazacu F, Taffinder N. Serious trocar accidents in laparoscopic surgery: a French survey of 103.852 operations. *Surg Laparosc Endosc* 1996; 6: 367–370
- Chandler JG, Corson SL, Way LW. Three spectra of laparoscopic entry access injuries. *J Am Coll Surg* 2001; 192: 478–491
- Corson SL, Batzer FR, Gocial B et al. Measurement of force necessary for laparoscopic trocar entry. *J Reprod Men* 1989; 34: 282–284
- Dindo D, Demartines N, Clavien PA. Classification of surgical complications: a new proposal with evaluation in a cohort of 6336 patients and results of a survey. *Ann Surg* 2004; 240: 205–213
- Hasson HM. Open lap: a report of 150 cases. *J Reprod Med* 1974; 12: 234–238
- Kavoussi LR, Sosa E, Chandhoke P et al. Complications of laparoscopic pelvic lymph node dissection. *J Urol* 1993; 149: 322–325
- Madeb R, Leonidas G, Koniaris LG et al. Complications of Laparoscopic Urologic Surgery. *J Laparoendoscopic Adv Surg Tech* 2004; 14: 287–302
- Mases A, Montes A, Ramos R et al. Injury to the abdominal aorta during laparoscopic surgery: an unusual presentation. *Anesth Analg* 2000; 91: 561–562
- McDonald PT, Rich NM, Collins GJ et al. Vascular trauma secondary to diagnostic and therapeutic procedures: laparoscopy. *Am J Surg* 1978; 135: 651–655
- Melzer A, Riek S, Roth K et al. Endoscopically controlled trocar and cannula insertion. *Endosc Surg Allied Technol* 1995; 3: 63–68
- Nezhat FR, Silfen SL, Evan D et al. Comparison of direct insertion of disposable and standard reusable laparoscopic trocars and previous pneumoperitoneum with Veress needle. *Obstet Gynecol* 1991; 78: 148–150

Stuart Wolf J, Carroll P. Laparoscopic access to and exit from the abdomen. *Atlas Urol Clin North Am* 1993; 1: 1–15

Vallancien G, Cathelineau X, Baumert H et al. Complications of transperitoneal laparoscopic surgery in urology: review of 1,311 procedures at a single center. *J Urol* 2002; 168: 23–26

Kasuistik Harnleiterverletzungen infolge laparoskopischer Operationen – zwei vergleichbare Fälle mit unterschiedlichen Ergebnissen

Ashley MS, Daneshmand S. Re: Appendiceal substitution following right proximal ureter injury. *J Urol* 2009; 35: 90–91

Carley ME, McIntire D, Barley JM et al. Incidence, risk factors and morbidity of unintended bladder and ureter injury during hysterectomy. *Int Urogynecol J* 2002; 13: 18–21

Johnson N, Barlow D, Lethaby A et al: Methods of hysterectomy: systemic review and meta-analysis of randomised controlled trials. *BMJ* 2005; 330: 1478

Lambaudie E, Boukerrou M, Cosson M et al. Hysterectomie pour lesions benignes: complications peroperatoires et postoperatoires precoces. *Ann Chir* 2000; 125: 340–345

Lee CL, Soong YK. Laparoscopic hysterectomy: is dissection of the ureter necessary? *Int Surgery* 1995; 80: 167–169

Mac Cordick C, Lecru F, Ritz E et al. Morbidity in laparoscopic gynecological surgery – results of a prospective single-center study. *Surg Endosc* 1999; 13: 57–61

Malik D, Schmidt M, Scheidel P. Komplikationen nach 106 laparoskopischen Hysterektomien. *Zbl Gynäkol* 1997; 119: 611–615

teBreuil W, Boeminghaus F. Harnleiterläsion bei laparoskopischer Tubensterilisation. *Geburtshilfe Frauenheilkunde* 1977; 37: 572–576

Wu TP, Sa L, Lee CL. Laparoscopic repair of delayed-onset ureter injury. *J Minim Invasive Gynecol* 2007; 14: 253–255

Kap. 9.2 Lymphadenektomie

Anheuser P, Treiyyer A, Stark E et al. Lymphozele nach radikaler retropubischer Prostatektomie. *Urologe* 2010; 49: 832–836

Bhayani SB, Ong A, Oh WK et al. Laparoscopic retroperitoneal lymph node dissection for clinical stage I nonseminomatous germ cell testicular cancer: a long-term update. *Urology* 2003; 62: 324–327

Gill IS, Clayman RV. Laparoscopic pelvic lymphadenectomy. *Surg Oncol Clin North Am* 1994; 3: 323

Janetschek G, Hobisch A, Peschel R et al. Laparoscopic retroperitoneal lymph node dissection. *Urology* 2000; 55: 136–140

Kavoussi LR, Sosa E, Chandhoke P et al. Complications of laparoscopic pelvic lymph node dissection. *J Urol* 1993; 149: 322–325

Kenney PA, Türk IA. Complications of retroperitoneal lymph node dissection in testicular cancer. *World J Urol* 2008; 26: 561–569

Kroepf ID, Krause R, Hartung R et al. Subcutaneous heparin injection in the upper arm as a method of avoiding lympho-celes after lymphadenectomies in the lower part of the body. *Urol Int* 1987; 42: 416–419

Leibovitch I, Mor Y, Golomb J et al. The diagnosis and management of postoperative chylous ascites. *J Urol* 2002; 167: 449–457

Madeb R, Leonidas G, Koniaris LG et al. Complications of laparoscopic urologic surgery. *J Laparoendoscopic Adv Surg Tech* 2004; 14: 287–302

Neyer M, Peschel R, Akkad T et al. Long-term results of laparoscopic retroperitoneal lymph-node dissection for clinical stage I nonseminomatous germ-cell testicular cancer. *J Endourol* 2007; 21:180–183

Permpongkosol S, Link RE, Su LM et al. Complications of 2.775 urological laparoscopic procedures: 1993 to 2005. *J Urol* 2007; 177: 580–585

Steiner H, Peschel R, Janetschek G et al. Long-term results of laparoscopic retroperitoneal lymph node dissection: a single-center 10-year experience. *Urology* 2004; 63: 550–555

Treiyyer A, Stark E, Ting O et al. Laparoscopic lymphocelectomy. *BJU Int* 2009; 103: 1588–1597

Kap. 9.3 Nephrektomie

Abdel-Meguid TA, Gommella LG. Prevention and management of complications. In: Smith AD, Badlani GH, Bagley DH et al., eds. *Smith's Textbook of Endourology*. St. Louis, MO: Quality Medical Publishing; 1996: 851–869

Bishoff JT, Allaf ME, Kirkels W et al. Laparoscopic bowel injury: incidence and clinical presentation. *J Urol* 1999; 161: 887–890

Clayman RV, Kavoussi LR, Soper NJ et al. Laparoscopic nephrectomy. *N Engl J Med* 1991; 324: 1370–1371

Desai MM, Strzempkowski B, Matin SF et al. Prospective randomized comparison of transperitoneal versus retroperitoneal laparoscopic radical nephrectomy. *J Urol* 2005; 173: 38–41

Fornara P, Doehn C, Seyfarth M et al. Why is urological laparoscopy minimally invasive? *Eur Urol* 2000; 37: 241–250

Greco F, Hoda MR, Wagner S et al. Adipocytokine: a new family of inflammatory and immunological markers of invasiveness in major urologic surgery. *Eur Urol* 2010; 58: 781–787

Kouba E, Smith AM, Derksen JE et al. Efficacy and safety of en bloc ligation of renalhilum during laparoscopic nephrectomy. *Urology* 2007; 69: 226–229

McKiernan J, Simmons R, Katz J et al. Natural history of chronic renal insufficiency after partial and radical nephrectomy. *Urology* 2002; 59: 816–820.

Micali S, Celia A, Bove P et al. Tumor seeding in urological laparoscopy: an international survey. *J Urol* 2004; 171: 2151–2154

- Nambirajan T, Jeschke S, Al-Zahrani H et al. Prospective, randomized controlled study: transperitoneal laparoscopic versus retroperitoneoscopic radical nephrectomy. *Urology* 2004; 64: 919–924
- Pareek G, Hedican SP, Gee JR et al. Meta-analysis of the complications of laparoscopic renal surgery: comparison of procedures and techniques. *J Urol* 2006; 175: 1208–1213
- Permpongkosol S, Link RE, Su LM et al. Complications of 2775 urological laparoscopic procedures: 1993 to 2005. *J Urol* 2007; 177: 580–585

Kap. 9.4 Nierenteilresektion

- Bensalah K, Pantuck AJ, Rioux-Leclercq N et al. Positive surgical margin appears to have negligible impact on survival of renal cell carcinomas treated by nephron-sparing surgery. *Eur Urol* 2010; 57: 466–471
- Gill IS, Kavoussi LR, Lane BR et al. Comparison of 1.800 laparoscopic and open partial nephrectomies for single renal tumors. *J Urol* 2007; 178: 41–46
- Gill IS, Matin SF, Desai MM et al. Comparative analysis of laparoscopic versus open partial nephrectomy for renal tumors in 200 patients. *J Urol* 2003; 170: 64
- Greco F, Wagner S, Reichelt O et al. Huge isolated port-site recurrence after laparoscopic partial nephrectomy: a case report. *Eur Urol* 2009; 56: 737–739
- Haber GP, Gill IS. Laparoscopic partial nephrectomy: contemporary technique and outcomes. *Eur Urol* 2006; 49: 660–665
- Patard JJ, Pantuck AJ, Crepel M et al. Morbidity and clinical outcome of nephron-sparing surgery in relation to tumour size and indication. *Eur Urol* 2007; 52: 148–154
- Ramani AP, Desai MM, Steinberg AP et al. Complications of laparoscopic partial nephrectomy in 200 cases. *J Urol* 2005; 173: 42–47

9.5 Nierenbeckenplastik

- Bachmann A, Ruzsat R, Forster T et al. Retroperitoneoscopic pyeloplasty for ureteropelvic junction obstruction (UPJO): Solving the technical difficulties. *Eur Urol* 2006; 49: 164–272
- Horstmann M, Sturm W, Merseburger S et al. Die laparoskopische Nierenbeckenplastik: Probleme und Lösungen. *J Urol Urogynäkol* 2006; 13: 11–13
- Inagaki T, Rha KH, Ong AM et al. Laparoscopic pyeloplasty: current status. *BJU Int* 2005; 95 (Suppl. 2): 102–105
- Mitre AI, Brito AH, Srougi M. Laparoscopic dismembered pyeloplasty in 47 cases. *Clinics* 2008; 63: 631–636
- Nerli RB, Reddy M, Prabha V et al. Complications of laparoscopic pyeloplasty in children. *Pediatr Surg Int* 2009; 25: 343–347
- Rassweiler JJ, Teber D, Frede T. Complications of laparoscopic pyeloplasty. *World J Urol* 2008; 26: 539–547
- Symons SJ, Bhirud PS, Jain V et al. Laparoscopic pyeloplasty: Our new gold standard. *J Endourol* 2009; 23: 463–467

- Szydelko T, Kasprzak J, Apoznanski W et al. Clavien classification of complications after 150 laparoscopic pyeloplasties. *Urology* 2011; 77: 1359–1364
- Wagner S, Greco F, Inferrera A et al. Laparoscopic dismembered pyeloplasty: technique and results in 105 patients. *World J Urol* 2010; 28: 615–618

9.6 Prostatektomie

- Bollens R, Vanden Bossche M, Roumeguere T et al. Extraperitoneal laparoscopic radical prostatectomy Results after 50 cases. *Eur Urol* 2001; 40: 65–69
- Clavien PA, Sanabria JR, Strasberg SM. Proposed classification of complications of surgery with examples of utility in cholecystectomy. *Surgery* 1992; 111: 518–526
- Gonzalzo ML, Pavlovich CP, Trock BJ et al. Classification and trends of perioperative morbidities following laparoscopic radical prostatectomy. *J Urol* 2005; 174: 135–139
- Guilonneau B, El-Fettouh H, Baumert H et al. Laparoscopic radical prostatectomy: oncological evaluation after 1000 cases at Montsouris Institute. *J Urol* 2003; 169: 1261–1266
- Stolzenburg JU, Rabenalt R, Do M et al. Endoscopic extraperitoneal radical prostatectomy: the University of Leipzig experience of 2000 cases. *J Endourol* 2008; 22: 2319–2325
- Liatsikos E, Rabenalt R, Burchardt M et al. Prevention and management of perioperative complications in laparoscopic and endoscopic radical prostatectomy. *World J Urol* 2008; 26: 571–580
- Stolzenburg JU, Wasserscheid J, Rabenalt R et al. Reduction in incidence of lymphocele following extraperitoneal radical prostatectomy and pelvic lymph node dissection by bilateral peritoneal fenestration. *World J Urol* 2008; 26: 581–586
- Stolzenburg JU, Gettman MT, Liatsikos E. *Endoscopic Extraperitoneal Radical Prostatectomy*. 1. Aufl. Berlin: Springer; 2007
- Rassweiler J, Hruza M, Teber D et al. Laparoscopic and robotic assisted radical prostatectomy – a critical analysis of their results. *Eur Urol* 2006; 49: 612–624
- Lein M, Stibane I, Mansour R et al. Complications, urinary continence and oncologic outcome of 1000 laparoscopic transperitoneal radical prostatectomies – experience at the Charite Hospital Berlin, Campus Mitte. *Eur Urol* 2006; 50: 1278–1284

Kasuistik Dünndarmläsion bei endoskopischer extraperitonealer radikaler Prostatovesikulektomie

- Eden CG, Cahill D, Vass JA et al. Laparoscopic radical prostatectomy: the initial UK series. *BJU Int* 2002; 90: 876–882
- Gregori A, Simonato A, Lissiani A et al. Laparoscopic radical prostatectomy: Perioperative complications in an initial and consecutive series of 80 cases. *Eur Urol* 2003; 44: 190–194

- Mc Laren RH, Barrett DM, Zincke H. Rectal injury occurring at radical retropubic prostatectomy for prostate cancer: etiology and treatment. *Urology* 1993; 42: 401–405
- Stolzenburg JU, Truss MC, Rabenalt R et al. Die endoskopische extraperitoneale radikale Prostatektomie: Ergebnisse nach 300 Eingriffen. *Urologe A* 2004; 43: 698–707
- Türk I, Deger S, Winkelmann B et al. Laparoscopic radical prostatectomy: Technical aspects and experience with 125 cases. *Eur Urol* 2001; 40: 46–53

Kasuistik Linksseitige Lymphozele nach endoskopischer extraperitonealer radikaler Prostatektomie (EERPE)

- Anheuser P, Treiher A, Stark E et al. Lymphoceles after radical retropubic prostatectomy. A treatment algorithm. *Urologe A* 2010; 49: 832–836
- Bader P, Burkhard FC, Markwalder R et al. Disease progression and survival of patients with positive lymph nodes after radical prostatectomy. Is there a chance of cure? *J Urol* 2003; 169: 849–854
- Bader P, Burkhard FC, Markwalder R et al. Is a limited lymph node dissection an adequate staging procedure for prostate cancer? *J Urol* 2002; 168: 514–518, discussion 518
- Carter H, Allaf M, Partin A. Diagnosis and staging of prostate cancer. In: Wein AJ, ed. *Campbell-Walsh Urology*. Philadelphia: Saunders; 2007: 2913–2931
- Grimm MO, Thomas C, Frohner M et al. Pelvic lymphadenectomy and radical prostatectomy. Recommendations of the German S3 guideline. *Urologe A* 2010; 49: 206–210
- Heidenreich A, Varga Z, von Knobloch R. Extended pelvic lymphadenectomy in patients undergoing radical prostatectomy: high incidence of lymph node metastasis. *J Urol* 2002; 167: 1681–1686
- Pepper RJ, Pati J, Kaisary AV. The incidence and treatment of lymphoceles after radical retropubic prostatectomy. *BJU Int* 2005; 95: 772–775
- Seitz M, Schlenker B, Stief C. Acute postoperative complications. In: Hohenfellner M, Santucci R, eds. *Emergencies in Urology*. Berlin: Springer; 2007
- Stolzenburg JU, Wasserscheid J, Rabenalt R et al. Reduction in incidence of lymphocele following extraperitoneal radical prostatectomy and pelvic lymph node dissection by bilateral peritoneal fenestration. *World J Urol* 2008; 26: 581–586

Kap. 9.7 Steintherapie

- Cevik I, Dillioglulugil O, Akdas A et al. Is stent placement necessary after uncomplicated ureteroscopy for removal of impacted ureteral stones? *J Endourol* 2010; 24: 1263–1267
- El-Kappany HA, El-Nahas AR, Shoma AM et al. Combination of laparoscopy and nephroscopy for treatment of stones in pelvic ectopic kidneys. *J Endourol* 2007; 21: 1131–1136

- Feyaerts A, Rietbergen J, Navarra S et al. Laparoscopic ureterolithotomy for ureteral calculi. *Eur Urol* 2001; 40: 609–613
- Hruza M, Schulze M, Teber D et al. Laparoscopic techniques for removal of renal and ureteral calculi. *J Endourol* 2009; 23: 1713–1718
- Keeley FX, Gialas I, Pillai M et al. Laparoscopic ureterolithotomy: the Edinburgh experience. *BJU Int* 1999; 84: 765–769
- Kijvikai K, Patcharatrakul S. Laparoscopic ureterolithotomy: its role and some controversial technical considerations. *Int J Urol* 2006; 13: 206–221
- Kramer BA, Hammond L, Schwartz BF. Laparoscopic pyelolithotomy: indications and technique. *J Endourol* 2007; 21: 860–861
- Mitchinson MJ, Bird DR. Urinary leakage and retroperitoneal fibrosis. *J Urol* 1971; 105: 56–58
- Nouira Y, Kallel Y, Binous MY et al. Laparoscopic retroperitoneal ureterolithotomy: initial experience and review of literature. *J Endourol* 2004; 18: 557–561
- Wolf JS Jr. Treatment selection and outcomes: Ureteral calculi. *Urol Clin N Am* 2007; 34: 421–430

Kap. 9.8 Zystektomie

- Buscarini M, Stein JP, Lawrence MA et al. Tube gastrostomy after radical cystectomy and urinary diversion: surgical technique and experience in 709 patients. *Urology* 2000; 56: 150–152
- Castillo OA, Vitagliano G. Port site metastasis and tumor seeding in oncologic laparoscopic urology. *Urology* 2008; 71: 372–378
- Ghazi A, Zimmermann R, Al-Bodour A et al. Optimizing the approach for lymph node dissection during laparoscopic radical cystectomy. *Eur Urol* 2010; 57: 71–78
- Ghoneim MA, El-Makresh MM, El-Baz MA et al. Radical cystectomy for carcinoma of the bladder: critical evaluation of the results in 1.026 cases. *J Urol* 1997; 158: 393–399
- Gill IS, Fergany A, Klein EA et al. Laparoscopic radical cystoprostatectomy with ileal conduit performed completely intracorporeally: the initial 2 cases. *Urol* 2000; 56: 26–30
- Haber GP, Crouzet S, Gill IS. Laparoscopic and robotic assisted radical cystectomy for bladder cancer: a critical analysis. *Eur Urol* 2008; 54: 54–64
- Haber GP, Gill IS. Laparoscopic and robotic assisted radical cystectomy for cancer: oncologic outcomes at up to 5 years. *BJU Int* 2007; 11: 137–142
- Hautmann RE. The oncologic results of laparoscopic radical cystectomy are not (yet) equivalent to open cystectomy. *Curr Opin Urol* 2009; 19: 522–526
- Huang J, Lin T, Liu H et al. Laparoscopic radical cystectomy with orthotopic ileal neobladder for bladder cancer: oncologic results of 171 cases with a median 3-year follow up. *Eur Urol* 2010; 58: 442–449
- Lerner SP, Skinner DG, Lieskovsky G et al. The rationale for en bloc pelvic lymph node dissection for bladder cancer

- patients with nodal metastases: long-term results. *J Urol* 1993; 149: 758–764
- Parra RO, Andrus CH, Jones JP et al. Laparoscopic cystectomy: initial report on a new treatment for the retained bladder. *J Urol* 1992; 148: 1140–1144
- Porpiglia F, Renard J, Billia M et al. Open versus Laparoscopy-assisted radical cystectomy: results of a prospective study. *J Endourol* 2007; 21: 325–330
- Rocco F, Rocco B. Anatomical reconstruction of the rhabdosphincter after radical prostatectomy. *BJU Int.* 2009; 104: 274–281
- Sagalowsky A. Early results with split-cuff nipple ureteral reimplants in urinary diversion. *J Urol* 1995; 154: 2028–2031
- Stein JP, Lieskovsky G, Cote R, et al. Radical cystectomy in the treatment of invasive bladder cancer: long-term results in 1.054 patients. *J Clin Oncol* 2001; 19: 666–675
- Turk I, Deger S, Winkelmann B et al. Laparoscopic radical cystectomy with continent urinary diversion (rectal sigmoid pouch) performed completely intracorporeally: The initial 5 cases. *J Urol* 2001; 156: 1863–1866

Kapitel 10 Komplikationen bei roboterassistierten Eingriffen (DaVinci)

Kap. 10.1 Allgemeine Aspekte

- Ahlering TE, Skarecky D, Lee D et al. Successful transfer of open surgical skills to a laparoscopic environment using a robotic interface: initial experience with laparoscopic radical prostatectomy. *J Urol* 2003; 170: 1738
- Bishoff JT, Allaf ME, Kirkels W et al. Laparoscopic bowel injury: incidence and clinical presentation. *J Urol* 1999; 161: 887
- Holzinger F, Klaiber C. Trocar site hernias. A rare but potentially dangerous complication of laparoscopic surgery. *Chirurg* 2002; 73: 899
- Hurd WW, Amesse LS, Gruber JS et al. Visualization of the epigastric vessels and bladder before laparoscopic trocar placement. *Fertil Steril* 2003; 80: 209
- Lamvu G, Zolnoun D, Boggess J et al. Obesity: physiologic changes and challenges during laparoscopy. *Am J Obstet Gynecol* 2004; 191: 669
- Lecuru F, Leonard F, Philippe JJ et al. Laparoscopy in patients with prior surgery: results of the blind approach. *JSL* 2001; 5: 13
- Mendoza D, Newman RC, Albala D et al. Laparoscopic complications in markedly obese urologic patients (a multi-institutional review). *Urology* 1996; 48: 562
- Murdock CM, Wolff AJ, Van Geem T. Risk factors for hypercarbia, subcutaneous emphysema, pneumothorax, and pneumomediastinum during laparoscopy. *Obstet Gynecol* 2000; 95: 704
- Parsons JK, Varkarakis I, Rha KH et al. Complications of abdominal urologic laparoscopy: longitudinal five year analysis. *Urology* 2004; 65: 27
- Perer E, Lee DI, Ahlering T et al. Robotic revelation: laparoscopic radical prostatectomy by a nonlaparoscopic surgeon. *J Am Coll Surg* 2003; 197: 693
- Sieber PR, Rommel FM, Augusta VE et al. Is heparin contraindicated in pelvic lymphadenectomy and radical prostatectomy? *J Urol* 1997; 158: 869
- Siu W, Seifman BD, Wolf JS Jr. Subcutaneous emphysema, pneumomediastinum and bilateral pneumothoraces after laparoscopic pyeloplasty. *J Urol* 2003; 170: 1936
- Sprung J, Whalley DG, Falcone T et al. The impact of morbid obesity, pneumoperitoneum, and posture on respiratory system mechanics and oxygenation during laparoscopy. *Anesth Analg* 2002; 94: 1345
- Stone J, Dyke L, Fritz P et al. Hemodynamic and hormonal changes during pneumoperitoneum and Trendelenburg positioning for operative gynecologic laparoscopy surgery. *Prim Care Update Ob Gyns* 1998; 5: 155
- Thaly R, Shah K, Patel VR. Applications of robots in urology. *J Robotic Surg* 2007; 1: 3–17
- Van Appledorn S, Costello AJ. Complications of robotic surgery and how to prevent them. In: Patel V, ed. *Robotic urologic Surgery*. Berlin: Springer 2007; 22: 169–178
- Wagner JR, Dinlenc CZ. Complications of robotic surgery. In: Stock JA, Esposito MP, Lanteri VJ, eds. *Urologic robotic Surgery*. New York: Humana Press; 2008: 199–205
- Wolters JP, Moore BW, Hampton LJ. Robotic light source failure and recovery: an innovative solution to an uncommon problem. *J Robotic Surg* 2010; 4: 49–51
- Yohannes P, Rotariu P, Pinto P et al. Comparison of robotic versus laparoscopic skills: is there a difference in the learning curve? *Urology* 2002; 60: 39

Kap. 10.2 Nephrektomie

- Chan D, Bishoff JT, Ratner L et al. Endovascular gastrointestinal stapler device malfunction during laparoscopic nephrectomy: early recognition and management. *J Urol* 2000; 164: 319–321
- Clayman RV, Kavoussi LR, Soper NJ et al. Laparoscopic nephrectomy: initial case report. *J Urol* 1991; 146: 278–282
- Go AS, Chertow GM, Fan D et al. Chronic kidney disease and the risks of death, cardiovascular events and hospitalization. *N Engl J Med* 2004; 351: 1296–1305
- Goldfarb DA. Renal surgery – is technique more important than tumor or patient characteristics in preserving kidney function? *J Urol* 2011; 185: 383–384
- Guillenneau B, Jayet C, Tewari A et al. Robot-assisted laparoscopic nephrectomy. *J Urol* 2001; 166: 200–201
- Holzinger F, Klaiber C. Trocar site hernias. A rare but potentially dangerous complication of laparoscopic surgery. *Chirurg* 2002; 73: 899

- Maartense S, Heintjes RJ, Idu M et al. Renal artery clip dislodgement during hand-assisted laparoscopic living donor nephrectomy. *Surg Endosc* 2003; 17: 1851
- Mc Kiernan J, Simmons R, Katz J et al. Natural history of chronic renal insufficiency after partial and radical nephrectomy. *Urology* 2002; 29: 816–820
- Meng MV. Reported failures of the polymer self-locking (Hem-o-Lock) clip: review of data from the Food and Drug Administration. *J Endourol* 2006; 20: 1054–1057
- Murdock CM, Wolff AJ, Van Geem T. Risk factors for hypercarbia, subcutaneous emphysema, pneumothorax, and pneumomediastinum during laparoscopy. *Obstet Gynecol* 2000; 95: 704
- Novick AC, Strem S and Montie JE. Conservative surgery for renal cell carcinoma: a single center experience with 100 patients. *J Urol* 1989; 141: 835
- Sieber PR, Rommel FM, Augusta VE et al. Is heparin contraindicated in pelvic lymphadenectomy and radical prostatectomy? *J Urol* 1997; 158: 869
- Siu W, Seifman BD, Wolf JS Jr. Subcutaneous emphysema, pneumomediastinum and bilateral pneumothoraces after laparoscopic pyeloplasty. *J Urol* 2003; 170: 1936
- Thaly R, Shah K and Patel VR. Applications of robots in urology. *J Robotic Surg* 2007; 1: 3–17
- Thaly R, Shah K and Patel VR. Applications of robots in urology. *J Robotic Surg* 2007; 1: 3–17
- Van Appledorn S and Costello AJ. Complications of robotic surgery and how to prevent them. In: Patel V, ed. *Robotic urologic Surgery*. Berlin: Springer; 2007: 169–178
- Wagner JR and Dinlenc CZ. Complications of robotic surgery. In: Stock JA, Esposito MP, Lanteri VJ, eds. *Urologic robotic Surgery*. New York: Humana Press; 2008: 199–205
- Wolters JP, Moore BW, Hampton LJ. Robotic light source failure and recovery: an innovative solution to an uncommon problem. *J Robotic Surg* 2010; 4: 49–51
- Yew J. Robotic Laparoscopic Nephrectomy, partial nephrectomy and nephroureterectomy. In: Stock JA, Esposito MP, Lanteri VJ, eds. *Urologic robotic Surgery*. New York: Humana Press; 2008: 111–124
- Kap. 10.3 Nierenteilresektion**
- Belldegrun A, Tsui KH, deKernion JB, Smith RB. Efficacy of nephronsparing surgery for renal cell carcinoma: analysis based on the new 1997 tumor-node-metastasis staging system. *J Clin Oncol* 1999; 17: 2868–2875
- Benway BM, Bhayani SB, Rogers CG, et al. Robot-assisted partial nephrectomy: An international experience. *Eur Urol* 2010; 57: 815–820
- Dulabon LM, Kaouk JH, Haber G-P et al. Multi-institutional analysis of robotic partial nephrectomy for hilar versus nonhilar lesions in 446 consecutive cases. *Eur Urol* 2010; 57: 815–820
- Gill IS, Kavoussi LR, Lane BR et al. Comparison of 1,800 laparoscopic and open partial nephrectomies for single renal tumors. *J Urol* 2007; 178: 41–46
- Hock LM, Lynch J, Balaji KC. Increasing incidence of all stages of kidney cancer in the last 2 decades in the United States: an analysis of surveillance, epidemiology and end results program data. *J Urol* 2002; 167: 57–60
- Mottrie A, De Naeyer G, Schatteman P et al. Impact of the learning curve on perioperative outcomes in patients who underwent robotic partial nephrectomy for parenchymal renal tumours. *Eur Urol* 2010; 58: 127–133
- Naeem N, Petros F, Sukumar S et al. Robot-assisted partial nephrectomy in obese patients. *J Endourol* 2011; 25
- Patard JJ, Shvarts O, Lam JS, et al. Safety and efficacy of partial nephrectomy for all T1 tumors based on an international multicenter experience. *J Urol* 2004; 171: 2181–2185
- Van Poppel H, Thüer D. Imaging in Oncology, Renal Cell Carcinoma, p.47
- Van Poppel H, Da Pozzo L, Albrecht W et al. for the European Organization for Research and Treatment of Cancer (EORTC), National Cancer Institute of Canada Clinical Trials Group (NCIC CTG), Southwest Oncology Group (SWOG), and the Eastern Cooperative Oncology Group (ECOG). A prospective randomized EORTC intergroup phase 3 study comparing the complications of elective nephron-sparing surgery and radical nephrectomy for low-stage renal cell carcinoma. *Eur Urol* 2007; 51: 1606–1615
- Sukumar S, Rogers CG. Robot-assisted partial nephrectomy. *J Endourol*. 2011; 25
- Kap. 10.4 Nierenbeckenplastik**
- Eden C. Minimally invasive treatment of ureteropelvic junction obstruction: a critical analysis of results. *Eur Urol* 2007; 52: 983–989
- Mufarrij P, Woods M, Shah O et al. Robotic dismembered pyeloplasty: a 6-year, multi-institutional experience. *J Urol* 2008; 180: 1391–1396
- Orally PH, Brooman PJ, Mac S et al. The long-term results of Anderson-Hynes pyeloplasty. *BJU Int* 2001; 87: 287
- Piaggio L, Franc-Giumond J, Noh P et al. Transperitoneal laparoscopic pyeloplasty for primary repair of ureteropelvic junction obstruction in infants and children: comparison with open surgery. *J Urol* 2007; 178: 1579–1583
- Rassweiler J, Subotic S, Feist-Schwenk M et al. Minimally invasive treatment of ureteropelvic junction obstruction: long-term experience with an algorithm for laser endopyelotomy and laparoscopic retroperitoneal pyeloplasty. *J Urol* 2007; 177: 1000–1005
- Romero F, Wagner A, Trapp C et al. Transmesenteric laparoscopic pyeloplasty. *J Urol* 2006; 172: 526–529
- Schoen G, Harke N, Schiefelbein F et al. Robot-assisted pyeloplasty with two working trocars: Optimal cosmetic and functional results. *Eur Urol Suppl* 2010; 9: 342
- Türk I, Davis J, Winkelmann B et al. Laparoscopic dismembered pyeloplasty – the method of choice in the presence of an enlarged renal pelvis and crossing vessels. *Eur Urol* 2002; 42: 268–275

10.5 Radikale Prostatektomie

- Bhandari A, McIntire L, Kaul SA et al. Perioperative complications of robotic radical prostatectomy after the learning curve. *J Urol* 2005; 174: 915–918
- Bhandari A, Menon M. Complications of robotic prostatectomy. In: Ghavamian R, ed. *Complications of laparoscopic and robotic urologic Surgery*. Berlin: Springer; 2010: 197–210
- Dindo D, Demartines N, Clavien PA. Classification of surgical complications: a new proposal with evaluation in a cohort of 6336 patients and results of a survey. *Ann Surg* 2005; 240: 205–13
- Dorland's Medical Dictionary for Health Consumers. Philadelphia: Saunders; 2007
- Hu JC, Nelson RA, Wilson TG et al. Perioperative complications of laparoscopic and robotic assisted laparoscopic radical prostatectomy. *J Urol* 2006; 175: 541–546
- Jeong J, Choi EY, Kim IY. Clavien classification of complications after the initial series of robot-assisted radical prostatectomy: the Cancer Institute of New Jersey/Robert Wood Johnson Medical School experience. *J Endourol* 2010; 24: 1457–1461
- Krambeck AE, DiMarco Ds, Rangel LJ et al. Radical prostatectomy for prostatic adenocarcinoma: a matched comparison of open retropubic and robot-assisted techniques. *BJU Int* 2008; 103: 448–453
- Menon M, Shrivastava A, Kaul S et al. Vattikuti Institute prostatectomy: contemporary technique and analysis of results. *Eur Urol* 2007; 51: 648–658
- Mosby's Medical Dictionary. 8th ed. Amsterdam: Elsevier; 2009
- Murphy DG, Kerger M, Crowe H et al. Operative details and oncological and functional outcome of robotic-assisted laparoscopic radical prostatectomy: 400 cases with a minimum of 12 months follow-up. *Eur Urol* 2009; 55: 1358–1367
- Novara G, Ficarra V, D'Elia C et al. Prospective evaluation with standardised criteria for postoperative complications after robotic-assisted laparoscopic radical prostatectomy. *Eur Urol* 2010; 57: 363–370
- Patel VR, Palmer KJ, Coughlin G et al. Robotic-assisted laparoscopic radical prostatectomy: perioperative outcomes of 1.500 cases. *J Endourol* 2008; 22: 1–7
- Phillips J, Grantham E, Alexander B. Complications of robotic-assisted laparoscopic surgery: iatrogenic and dogenetic. In: Ghavamian R, ed. *Complications of laparoscopic and robotic urologic Surgery*. Berlin: Springer; 2010: 197–210
- The American Heritage Medical Dictionary. Boston: Houghton Mifflin; 2007
- Van Appledorn S, Bouchier-Hayes D, Agarwal D et al. Robotic laparoscopic radical prostatectomy: setup and procedural techniques after 150 cases. *Urology* 2006; 67: 364–367
- Wikipedia – die freie Enzyklopädie; 2011
- Wikipedia – the free encyclopedia; 2011
- Yi JS, Kwak C, Kim HH et al. Surgical clip-related complications after radical prostatectomy. *Korean J Urol* 2010; 51: 683–687

Kasuistik Sekundäre Anastomoseninsuffizienz als seltene Komplikation nach roboterassistierter radikaler Prostatektomie

- Dall'Oglio M, Srougi M, Pereira D et al. Rupture of vesicourethral anastomosis following radical retropubic prostatectomy. *Int Braz J Urol* 2003; 29: 221–227, discussion 227
- Harpster LE, Brien J. Initial results using a running vesicourethral anastomosis following open radical retropubic prostatectomy. *J Urol* 2007; 177: 118–122, discussion 122
- Kiuchi H, Ujike T, Miyake O et al. A case of further significant anastomotic rupture after gentle traction of urethral catheter for minimal anastomotic leakage after radical retropubic prostatectomy. *Hinyokika Kyo* 2006; 52: 151–153

Kasuistik Komplikationen nach DaVinci-Prostatektomie

- Rotering J, Siemer S, Stöckle M. Roboterassistierte laparoskopische Prostatektomie. *Urologe A* 2008; 47: 420, 422–424

Kap. 10.6 Zystektomie

- Challacombe BJ, Bochner BH, Dasgupta P et al. The role of laparoscopic and robotic cystectomy in the management of muscle-invasive bladder cancer with special emphasis on cancer control and complications. *Eur Urol* 2011; 60: 767–775
- Hayn M, Hellenthal N, Hussain A et al. Defining morbidity of robot-assisted radical cystectomy using a standardized reporting methodology. *Eur Urol* 2011; 59: 213–218
- Hayn M, Hussain A, Mansour A et al. The learning curve of robot-assisted radical cystectomy: results from the International Robotic Cystectomy Consortium. *Eur Urol* 2010; 58: 197–202
- Huang J, Lin T, Xu K et al. Laparoscopic radical cystectomy with orthotopic ileal neobladder: a report of 85 cases. *J Endourol* 2008; 22: 939–946
- Mottrie A, Schatteman P, Fonteyne E et al. Robot-assisted laparoscopic radical cystectomy *Urologe A*. 2008; 47: 414, 416–419
- Ng CK, Kauffman EC, Lee MM et al. A comparison of postoperative complications in open versus robotic cystectomy. *Eur Urol* 2009; 57: 274–282
- Schrijvers D, Mottrie A, Traen K et al. Pulmonary gas exchange is well preserved during robot assisted surgery in steep Trendelenburg position. *Acta Anaesthesiol Belg* 2009; 60: 229–233

Schwentner C, Todenhöfer T, Mundhenk J et al. Die Roboter-assistierte laparoskopische Zystektomie: Auf dem Weg zu einem Standard-Verfahren? Aktuelle Urol 2011; 42: 103–108

Wiklund NP, Poulakis V. Robotic neobladder. BJU Int 2011; 107: 1514–1537

Kap. 11 Komplikationen bei endourologischen Eingriffen

Kap. 11.1 Transurethrale Eingriffe

Babjuk M. Transurethral resection of non-muscle-invasive bladder cancer. Eur Urol Suppl 2009; 8: 542–548

Greenwell TJ, Castle C, Andrich DE et al. Repeat urethrotomy and dilatation for the treatment of urethral stricture are neither clinically effective nor cost-effective. J Urol 2004; 172: 275–277

Hartung R, Leyh H, Liapi C et al. Coagulating intermittent cutting. Improved high-frequency surgery in transurethral prostatectomy. Eur Urol 2001; 39: 676–681

Mamoulakis C, Ubbink DT, de la Rosette JJMCH. Bipolar versus Monopolar Transurethral Resection of the Prostate: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Eur Urol 2009; 56: 798–809

Mauermayer W. Transurethral surgery. Berlin: Springer; 1983

Mebust WK, Holtgrewe HL, Cockett ATK et al. Transurethral prostatectomy: immediate and postoperative complications. A cooperative study of 13 participating institutions evaluating 3885 patients. J Urol 1989; 141: 243–247

Muschter R, Reich O. Operative und instrumentelle Therapie bei BPH/BPS. Urologe 2008; 47: 155–165

Rassweiler J, Teber D, Kuntz R et al. Complications of transurethral resection of the prostate (TURP) – incidence, management, and prevention. Eur Urol 2006; 50: 969–980

Reich O, Gratzke C, Bachmann A et al. Morbidity, mortality and early outcome of transurethral resection of the prostate: a prospective multicenter evaluation of 10.654 patients. J Urol 2008; 180: 246–249

Schatzl G, Madersbacher S, Lang T et al. The early postoperative morbidity of transurethral resection of the prostate and of 4 minimally invasive treatment alternatives. J Urol 1997; 158: 105–111

Kasuistik Prostatosymphysenfistel nach transurethraler Resektion der Prostata

Gillitzer R, Melchior SW, Jones J et al. Prostatosymphyseal fistula after transurethral resection of the prostate. J Urol 2001; 166: 1001–1002

Kats E, Venema PL, Kropman RF. A rare complication after endoscopic resection of the prostate: osteitis pubis due to a prostate-symphysis fistula. J Urol 1997; 157: 624

Kats E, Venema PL, Kropman RF et al. Diagnosis and treatment of osteitis pubis caused by a prostate-symphysis fistula: a rare complication after transurethral resection of the prostate. Br J Urol 1998; 81: 927–928

Kasuistik Harnblasenperforation durch Knallgasexplosion während TURP

Bobbitt RM. Intravesical rupture of bladder during transurethral prostatic resection. J Urol 1950; 64: 338–340

Davis TRC. The composition and origin of the gas produced during urological endoscopic resections. Br J Urol 1983; 55: 294–297

di Tonno F, Fusaro V, Bertoldin R et al. Bladder explosion during transurethral resection of the prostate. Urol Int 2003; 71: 108–109

Dieckmann KP, Gehrckens R, Biesewig AK. Blasenperforation durch intravesikale Knallgasexplosion. Urologe 2008; 47: 860–862

Hambleton BF, Lackey RW, van Duzen RE. Explosive Gases formed during electrotransurethral resection. J Am Med Assoc 1935; 103: 1144

Hansen RI, Iversen P. Bladder explosion during uninterrupted transurethral resection of the prostate. Scand J Urol Nephrol 1979; 13: 211–212

Horger DC, Babanoury A. Intravesical explosion during transurethral resection of bladder tumors. J Urol 2004; 172: 1813

Khan A, Masood J, Ghei M et al. Intravesical explosions during transurethral endoscopic procedures. Int Urol Nephrol 2007; 39: 179–183

Kretschmer HL. Intravesical explosions as a complication of transurethral electroresection: report of two cases. JAMA 1934; 103: 1144

Morin G, Vincendeau S, Manunta A et al. Ruptur intraperitoneale de vessie au cours d'une resection transurethrale de prostate. Prog Urol 2003; 13: 303–305

Ning TC, Atkins DM, Murphy RC. Bladder explosion during transurethral surgery. J Urol 1975; 114: 536–539

Parra RO. Laparoscopic repair of intraperitoneal bladder perforation. J Urol 1994; 151: 1003–1005

Srivastava A, Sandhu AS, Sinha T et al. Intravesical explosion during transurethral resection of prostate – a reminder. Urol Int 2006; 77: 92–93

Kap. 11.2 Transurethrale und perkutane Eingriffe

Al-Kandari AM, Al-Shaiji TF, Shaaban H et al. Effects of proximal and distal ends of double-J ureteral stent position on postprocedural symptoms and quality of life: a randomized clinical trial. J Endourol 2007; 21: 698–702

Auge BK, Sarvis JA, L'esperance JO et al. Practice patterns of ureteral stenting after routine ureteroscopy stone surgery: a survey of practicing urologists. J Endourol 2007; 21: 1287–1291

- Beiko DT, Denstedt JD. Advances in ureterorenoscopy. *Urol Clin North Am* 2007; 34: 397–408
- Ben Nakhi A, Gupta R, Al-Hunayan A et al. Comparative analysis and interobserver variation of unenhanced computed tomography and intravenous urography in the diagnosis of acute flank pain. *Med Princ Pract* 2010; 19: 118–121
- Brandt AS, von Rundstedt FC, Lazica DA et al. Ureteral realignment with the rendezvous procedure in complex ureteral injuries – aspects of technique and our experience. *Aktuelle Urol* 2010; 41: 257–262
- Brandt AS, von Rundstedt FC, Lazica DA et al. Ureteral reconstruction after ureterorenoscopic injuries. *Urologe A* 2010; 49: 812–821
- Bultitude MF, Tiptaft RC, Glass JM et al. Management of encrusted ureteral stents impacted in upper tract. *Urology* 2003; 62: 622–626
- Byrne RR, Auge BK, Kourambas J et al. Routine ureteral stenting is not necessary after ureteroscopy and ureteropyeloscopy: a randomized trial. *J Endourol* 2002; 16: 9–13
- Cetti RJ, Keoghane SR, Walmsley BH. Truly tubeless percutaneous nephrolithotomy. *Ann R Coll Surg Engl* 2010; 92: 269
- Chen YT, Chen J, Wong WY et al. Is ureteral stenting necessary after uncomplicated ureteroscopic lithotripsy? A prospective, randomized controlled trial. *J Urol* 2002; 167: 1977–1980
- Damiano R, Autorino R et al. Does the size of ureteral stent impact urinary symptoms and quality of life? A prospective randomized study. *European Urology* 2005; 48: 673–678
- Damiano R, Autorino R, De Sio M et al. Effect of tamsulosin in preventing ureteral stent-related morbidity: a prospective study. *Journal of endourology / Endourological Society* 2008; 22: 651–656
- de la Rosette J, Assimos D, Desai M et al. The Clinical Research Office of the Endourological Society percutaneous nephrolithotomy global study: indications, complications, and outcomes in 5803 patients. *J Endourol* 2011; 25: 11–17
- Dellis A, Joshi HB, Timoney AG et al. Relief of stent related symptoms: review of engineering and pharmacological solutions. *The Journal of Urology* 2010; 184: 1267–1272
- Dickstein RJ, Kreshover JE, Babayan RK et al. Is a safety wire necessary during routine flexible ureteroscopy? *J Endourol* 2010; 24: 1589–1592
- Djakovic N, Plas E et al. Guidelines on urological trauma. *EAU Guidelines* 2009; 3–35
- Dogan HS, Sahin A, Cetinkaya YS et al. Antibiotic prophylaxis in percutaneous nephrolithotomy: prospective study in 81 patients. *J Endourol* 2002; 16: 649–653
- Eandi JA, Hu B, Low RK. Evaluation of the impact and need for use of a safety guidewire during ureteroscopy. *J Endourol* 2008; 22: 1653–1658
- Geavlete P, Georgescu D, Nita G et al. Complications of 2735 retrograde semirigid ureteroscopy procedures: a single-center experience. *J Endourol* 2006; 20: 179–185
- Ghani KR, Patel U, Anson K. Computed tomography for percutaneous renal access. *J Endourol* 2009; 23: 1633–1639
- Gupta NP, Mishra S, Suryawanshi M et al. Comparison of standard with tubeless percutaneous nephrolithotomy. *J Endourol* 2008; 22: 1441–1446
- Haleblian G, Kijvikai K, de la Rosette J et al. Ureteral stenting and urinary stone management: A systematic review. *J Urol* 2008; 179: 424–430
- Hofmann R. Ureteroscopy (URS) for ureteric calculi. *Urologe A* 2006; 45: W637–646, quiz W647
http://www.awmf.org/uploads/tx_szleitlinien/043-025_S2k_Diagnose_Therapie_und_Metaphylaxe_der_Urolithiasis_leitlinientext_02-2009_02-2014.pdf
- Ibrahim HM, Al-Kandari AM, Shaaban HS et al. Role of ureteral stenting after uncomplicated ureteroscopy for distal ureteral stones: a randomized, controlled trial. *J Urol* 2008; 180: 961–965
- Istanbuluoglu MO, Cicek T, Ozturk B et al. Percutaneous nephrolithotomy: nephrostomy or tubeless or totally tubeless? *Urology* 2010; 75: 1043–1046
- Jellison FC, Smith JC, Heldt JP et al. Effect of low dose radiation computerized tomography protocols on distal ureteral calculus detection. *J Urol* 2009; 182: 2762–2767
- Jeon SS, Choi YS, Hong JH. Determination of ideal stent length for endourologic surgery. *J Endourol* 2007; 21: 906–910
- Jeong H, Kwak C et al. Ureteric stenting after ureteroscopy for ureteric stones: a prospective randomized study assessing symptoms and complications. *BJU Int* 2004; 93: 1032–1034, discussion 1034–1035
- John TT, Razdan S. Adjunctive tamsulosin improves stone free rate after ureteroscopic lithotripsy of large renal and ureteric calculi: a prospective randomized study. *Urology* 2010; 75: 1040–1042
- Johnson DB, Pearle MS. Complications of ureteroscopy. *Urol Clin North Am* 2004; 31: 157–171
- Joshi HB, Stainthorpe A, MacDonagh RP et al. Indwelling ureteral stents: evaluation of symptoms, quality of life and utility. *J Urol* 2003; 169: 1065–1069, discussion 1069
- Knoll T, Wendt-Nordahl G, Trojan L et al. Current aspects of stone therapy. *Aktuelle Urol* 2005; 36: 47–54
- Knoll T, Michel MS, Alken P. Surgical Atlas. Percutaneous nephrolithotomy: the Mannheim technique. *BJU Int* 2007; 99: 213–231
- Knoll T, Wezel F, Michel MS et al. Do patients benefit from miniaturized tubeless percutaneous nephrolithotomy? A comparative prospective study. *J Endourol* 2010; 24: 1075–1079
- Knoll T. S2 guidelines on diagnostic, therapy and metaphylaxis of urolithiasis: Part 1: Diagnostic and therapy. *Urologe A* 2009; 48: 917–924

- Lamb AD, Wines MD, Mousa S et al. Plain radiography still is required in the planning of treatment for urolithiasis. *J Endourol* 2008; 22: 2201–2205
- Lee SJ, Yoo C, Oh CY et al. Stent position is more important than alpha-blockers or anticholinergics for stent-related lower urinary tract symptoms after ureteroscopic ureterolithotomy: A prospective randomized study. *Korean J Urol* 2010; 51: 636–641
- Manger JP, Mendoza PJ, Babayan RK et al. Use of renal ultrasound to detect hydronephrosis after ureteroscopy. *J Endourol* 2009; 23: 1399–1402
- Micali S, Grande M, Sighinolfi MC et al. Efficacy of expulsive therapy using nifedipine or tamsulosin, both associated with ketoprofene, after shock wave lithotripsy of ureteral stones. *Urol Res* 2007; 35: 133–137
- Michel MS, Trojan L, Rassweiler JJ. Complications in percutaneous nephrolithotomy. *Eur Urol* 2007; 51: 899–906
- Mishra S, Sabnis RB, Kurien A et al. Questioning the wisdom of tubeless percutaneous nephrolithotomy (PCNL): a prospective randomized controlled study of early tube removal vs tubeless PCNL. *BJU Int* 2010; 106: 1045–1048
- Mokhmalji H, Braun PM, Martinez Portillo FJ et al. Percutaneous nephrostomy versus ureteral stents for diversion of hydronephrosis caused by stones: a prospective, randomized clinical trial. *J Urol* 2001; 165: 1088
- Moore EE, Cogbill TH, Jurkovich GJ et al. Organ injury scaling. III: Chest wall, abdominal vascular, ureter, bladder, and urethra. *J Trauma* 1992; 33: 337–339
- Musa AA. Use of double-J stents prior to extracorporeal shock wave lithotripsy is not beneficial: results of a prospective randomized study. *Int Urol Nephrol* 2008; 40: 19–22
- Mustafa M, Ali EDB. Stenting in extracorporeal shockwave lithotripsy; may enhance the passage of the fragments! *J Pak Med Assoc* 2009; 59: 141–143
- Nabi G, Cook J, N'Dow J et al. Outcomes of stenting after uncomplicated ureteroscopy: systematic review and meta-analysis. *BMJ* 2007; 334: 572
- Nabi G, Downey P, Keeley F et al. Extra-corporeal shock wave lithotripsy (ESWL) versus ureteroscopic management for ureteric calculi. *Cochrane Database Syst Rev* 2007 Jan 24;(1):CD006029
- Navanimitkul N, Lojanapiwat B. Efficacy of tamsulosin 0.4mg/day in relieving double-J stent-related symptoms: A randomized controlled study. *J Int Med Res* 2010; 38: 1436–1441
- Osman MM, Alfano Y, Kamp S et al. 5-year-follow-up of patients with clinically insignificant residual fragments after extracorporeal shockwave lithotripsy. *Eur Urol* 2005; 47: 860–864
- Preminger GM, Tiselius HG, Assimos DG et al. 2007 guideline for the management of ureteral calculi. *J Urol* 2007; 178: 2418–2434
- Rane A, Saleemi A, Cahill D et al. Have stent-related symptoms anything to do with placement technique? *J Endourol* 2001; 15: 741–745
- Rassweiler JJ, Knoll T, Köhrmann KU et al. Shock wave technology and application: an update. *Eur Urol* 2011; 59: 784–796
- Raum MR, Klotz T, Heidenreich A et al. Compartment syndrome: a complication of lithotomy position. *Urologe A* 1996; 35: 46–50
- Salem S, Mehra A, Zartab H et al. Complications and outcomes following extracorporeal shock wave lithotripsy: a prospective study of 3.241 patients. *Urol Res* 2010; 38: 135–142
- Selzman AA, Spirnak JP. Iatrogenic ureteral injuries: a 20-year experience in treating 165 injuries. *J Urol* 1996; 155: 878–881
- Shao Y, Zhuo J, Sun XW et al. Nonstented versus routine stented ureteroscopic holmium laser lithotripsy: a prospective randomized trial. *Urol Res* 2008; 36: 259–263
- Shine S. Urinary calculus: IVU vs. CT renal stone? A critically appraised topic. *Abdom Imaging* 2008; 33: 41–43
- Smith RD, Patel A. Impact of flexible ureterorenoscopy in current management of nephrolithiasis. *Curr Opin Urol* 2007; 17: 114–119
- Srivastava A, Gupta R, Kumar A et al. Routine stenting after ureteroscopy for distal ureteral calculi is unnecessary: results of a randomized controlled trial. *J Endourol* 2003; 17: 871–874
- Teber D, Egey A, Gözen AS et al. Ureteral injuries. Diagnostic and treatment algorithm. *Urologe A* 2005; 44: 870–877
- Tiselius HG, Ackermann D, Alken P et al. Guidelines on urolithiasis. *Eur Urol* 2001; 40: 362
- Trottmann M, Tritschler S, Graser A et al. Injuries of the renal pelvis and ureter. Diagnosis and management. *Urologe A* 2007; 46: 927–934, quiz 935–926
- Türk C, Knoll T et al. Guidelines on Urolithiasis. EAU Guidelines 2010, edition presented at the 25th EAU Annual Congress, Barcelona 2010, EAU Guidelines Office
- Türk C, Knoll T et al. Guidelines on Urolithiasis. Online 2011
- Wagenlehner FM, Schmiemann G, Hoyme U et al. National S3 guideline on uncomplicated urinary tract infection: Recommendations for treatment and management of uncomplicated community-acquired bacterial urinary tract infections in adult patients. *Urologe A* 2011; 50: 153–169
- Wang CJ, Huang SW, Chang CH. Effects of specific alpha-1A/1D blocker on lower urinary tract symptoms due to double-J stent: a prospectively randomized study. *Urol Res* 2009; 37: 147–152
- Wang CJ, Huang SW, Chang CH. Effects of tamsulosin on lower urinary tract symptoms due to double-J stent: a prospective study. *Urol Int* 2009; 83: 66–69
- Wang H, Liu K, Ji Z et al. Effect of alpha1-adrenergic antagonists on lower ureteral stones with extracorporeal shock wave lithotripsy. *Asian J Surg* 2010; 33: 37–41
- Weinberg JJ, Ansong K, Smith AD. Complications of ureteroscopy in relation to experience: report of survey and author experience. *J Urol* 1987; 137: 384–385

- Xu Y, Wei Q, Liu LR. A prospective randomized trial comparing non-stented versus routine stented ureteroscopic holmium laser lithotripsy. *Saudi Med J* 2009; 30: 1276–1280
- Zanetti G, Paparella S, Trinchieri A et al. Infections and urolithiasis: current clinical evidence in prophylaxis and antibiotic therapy. *Arch Ital Urol Androl* 2008; 80: 5–12
- Zhu Y, Duijvesz D, et al. Alpha-Blockers to assist stone clearance after extracorporeal shock wave lithotripsy: A meta-analysis. *BJU Int* 2010; 106: 256–261
- Kasuistik Synchrone arterioureterale, ureterokolische und arteriokolische Fisteln bei metastasiertem Karzinoid**
- Ando S, Hattori K, Endo T et al. Bilateral uretero-common iliac arterial fistula with long-term ureteral stent: a case report. *Nippon Hinyokika Gakkai Zasshi* 2006; 97: 752–756
- Bergqvist D, Parsson H, Sherif A. Arterioureteral fistula – a systematic review. *Eur J Vasc Endovasc Surg* 2001; 22: 191–196
- Bolanowski M, Jarzab B, Handkiewicz-Junak D et al. Neuroendocrine tumors of the small intestine and the appendix – management guidelines (recommended by The Polish Network of Neuroendocrine Tumors). *Endokrynol Pol* 2008; 59: 87–96
- Cirocco WC, Priolo SR, Golub RW. Spontaneous ureterocolic fistula: a rare complication of colonic diverticular disease. *Am Surg* 1994; 60: 832–835
- Clarot F, Vaz E, Muller JM et al. Arteriocolic fistulae due to a stab wound: a rare cause of lethal lower gastrointestinal bleeding. *J Forensic Leg Med* 2007; 14: 436–439
- Inoue T, Hioki T, Arai Y et al. Ureteroarterial fistula controlled by intraluminal ureteral occlusion. *Int J Urol* 2002; 9: 120–121
- Kar A, Angwafo FF, Jhunjhunwala JS. Ureteroarterial and ureterosigmoid fistula associated with polyethylene indwelling ureteral stents. *J Urol* 1984; 132: 755–757
- Lee WK, Chang SD, Roche CJ et al. Spontaneous ureterocolic fistula secondary to calculous pyohydronephrosis. *Br J Radiol* 2005; 78: 954–955
- Mladosevicova B, Bernadic M. Developing strategies for long-term follow up of cancer survivors. *Bratisl Lek Listy* 2002; 103: 390–392
- Zweers HM, van Driel MF, Mensink HJ. Iliac artery-ureteral fistula associated with an indwelling ureteral stent. *Urol Int* 1991; 46: 213–214
- Kasuistik PCNL mit nachhaltigem Effekt: Abscherung und Verbleib einer Drahtummantelung im Nierenbecken**
- de la Rosette J, Assimos D, Desai M et al. The Clinical Research Office of the Endourological Society percutaneous nephrolithotomy global study: indications, complications, and outcomes in 5803 patients. *J Endourol* 2011; 25: 11–17
- Margel D, Lifshitz DA, Kugel V et al. Percutaneous nephrolithotomy in patients who previously underwent open nephrolithotomy. *J Endourol* 2005; 19: 1161–1164
- Michel MS, Trojan L, Rassweiler JJ. Complications in percutaneous nephrolithotomy. *Eur Urol* 2007; 51: 899–906
- Preminger GM, Assimos DG, Lingeman JE et al. Chapter 1: AUA guideline on management of staghorn calculi: Diagnosis and treatment recommendations. *J Urol* 2005; 173: 1991–2000

Kap. 12 Komplikationen bei der Inkontinenzchirurgie, Prolapschirurgie, Prothetik

Kap. 12.1 Allgemeine Aspekte

- Amid P. Classification of biomaterials and their relative complications in abdominal wall hernia surgery. *Hernia* 1997; 1: 15–21
- Abramowitsch SD, Feola A, Jaliah Z et al. Tissue mechanics, animal models, and pelvic organ prolaps: A review. *Eur J Obstet Gynecol Reprod Biol* 2009; 144: S 146–S 158
- Bringmann S, Conze J, Cuccurullo D et al. Hernia repair: the search for ideal meshes. *Hernia* 2010; 14: 81–87
- Clavé A, Yahi H, Hammou JC et al. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. *Int J Urogynecol J Pelvic Floor Dysfunction* 2010; 21: 261–270
- Deprest J, Zheng F, Konstantinovic M et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. *Int Urogynecol J Pelvic Floor Dysfunct* 2006; 17: S 16–25
- Gordon AM, Huxley AF, Julian FJ. The variation in isometric tension with sarcomere length in vertebrate muscle fibres. *J Physiol* 1966; 184: 170–192
- Haylen BT, Freeman RM, Swift SE et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) Joint Terminology and Classification of the Complications Related Directly to the Insertion of Prosthesis (Meshes, Implants, Tapes) and Grafts in Female Pelvic Floor Surgery. *Neurourol Urodynam* 2011; 30: 2–12
- Liedl B. Harninkontinenz bei Frauen und Männern aus Beckenbodenchirurgischer Sicht. *Urologe* 2010; 49: 289–302
- Petros P, Ulmsten U, Papadimitriou J. The autogenic neoligament procedure: a technique for planned formation of an artificial neo-ligament. *Acta Obstet Gynecol Scand* 1990; 69: 43–51
- Petros P. Vault prolapse I: dynamic supports of the vagina. *Int J Urogynecol and Pelvic Floor* 2001; 12: 292–295

- Petros P, Swash M. The musculoelastic theory of anorectal function and dysfunction. *Pelvipiperineology* 2008; 27: 89–93
- Petros P. The Female pelvic Floor. Function, Dysfunction and Management according to the integral Theory. Berlin: Springer; 2010
- Petros P. A basis for long-term midurethral tape complications. *Neurourol Urodynam* 2011; 30: 199–200
- Roovers JP, Oelke M. Clinical relevance of urodynamic investigation tests prior to surgical correction of genital prolapse: a literature review. *Int Urogynecol J Pelvic Floor Dysfunct* 2007; 18: 455–460
- Wagenlehner FM, Bschiepfer T, Liedl B et al. Surgical reconstruction of pelvic floor descent: anatomic and functional aspects. *Urol Int* 2010; 84: 1–9

Kap. 12.2 TOT, TVT

- Delorme E, Hermieu JF. Recommendations concernant la prise en charge des complications des bandelettes sous-urétrales. *Prog Urol* 2010; 20 (Suppl. 2): S 132–S 142
- Flam F, Boijesen M, Lind F. Necrotizing fasciitis following transobturator tape treated by extensive surgery and hyperbaric oxygen. *Int Urogynecol J Pelvic Floor Dysfunct* 2009; 20: 113–115
- Glavind K, Glavind E. Treatment of prolonged voiding dysfunction after tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand* 2007; 86: 357–360
- Gunnemann A, Heleis W, Pohl J et al. Das transobturatorische Band. *Urologe* 2004; 43: 1106–1110
- Hampel C, Naumann G, Thüroff JW et al. Komplikationsmanagement nach Band- und Netzimplantationen. *Urologe* 2009; 48: 469–509
- Hermieu JF, Milcent S. Synthetic suburethral sling in the treatment of stress urinary incontinence in women. *Prog Urol* 2003; 13: 636–647
- Kociszewski J, Rautenberg O, Kolben S et al. Tape functionality: position, change in shape, and outcome after TVT procedure – mid-term results. *Int Urogynecol J Pelvic Floor Dysfunct* 2010; 21: 1439–1441
- Meschia M, Busacca M, Pifarotti P et al. Bowel perforation during insertion of tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct* 2002; 13: 263–265
- Porena M, Costantini E, Frea B et al. Tension-free vaginal tape vs transobturator tape as surgery for stress urinary incontinence: results of a multicenter randomised trial. *Eur Urol* 2007; 52: 1481–1490
- Spinosa JP, Dubuis PY, Riederer B. Transobturator surgery for female stress incontinence: a comparative anatomical study of outside-in vs. inside-out techniques. *BJU Int* 2007; 100: 1097–1102
- Ulmsten U, Falconer C, Johnson P et al. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 1998; 9: 210–213
- Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. *Urologe A* 2001; 40: 269–273

Kap. 12.3 Netzplastiken

- AWMF (Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften); Descensus genitalis der Frau – Diagnostik und Therapie. Leitlinien der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG), Deutsche Gesellschaft für Urologie e. V. (DGU) u. A. 10/2010
- Feiner B, Maher C. Vaginal mesh contraction. *Obstet Gynecol* 2010; 115: 325–330
- Maher C, Feiner B, Baessler K et al. Surgical management of pelvic organ prolapse in women. *The Cochrane Library* 2010; 4:CD 004014
- Moore RD, Beyer RD, Jacob K et al. Prospective multicenter trial assessing type I, polypropylene mesh placed via transobturator route for the treatment of anterior vaginal prolapse with 2-year follow-up. *Int Urogynecol J Pelvic Floor Dysfunct* 2010; 21: 545–552
- Nguyen JN, Burchette RJ. Outcome after anterior vaginal prolapse repair: a randomized controlled trial. *Obstet Gynecol* 2008; 111: 891–898
- Nieminen K, Hiltunen R, Takala T et al. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. *Am J Obstet Gynecol* 2010; 203: 235.e1–8
- Sung VW, Rogers RG, Schaffer JI et al. Graft use in transvaginal pelvic organ prolapse repair. *Obstet Gynecol* 2008; 112: 1131–1142

Kasuistik Pelvines Hämatom und Riss der Scheidenwand nach vorderem Beckenbodenersatz

- Cosson M, Caquant F, Collinet P et al. Prolift (Mesh Gynecare) for pelvic organ prolapse surgical treatment using the TVM group technique: A retrospective study of 687 patients. *Neurourol Urodyn* 2007; 24: 590–592
- Diwadkar GB, Barber MD, Feiner B et al. Complication and reoperation rates after apical vaginal prolapse surgical repair: a systematic review. *Obstet Gynecol* 2009; 113: 367–373
- Maher C, Baessler K, Glazener CM et al. Surgical management of pelvic organ prolapse in women. *Cochrane Database Syst Rev* 2007:CD 004014
- Otto, Thomas. Weibliche Harninkontinenz und Prolapschirurgie: Warnung vor der Verwendung alloplastischen Materials. *Dtsch Ärztebl* 2009; 106: A-1654/B-1419/C-1387

Kap. 12.4 Kolposuspension nach Burch

- Müller G. Blasenhalssuspension nach Stanney und Burch: eine Erhebung der Langzeitergebnisse durch Fragebogen. *J Urol Urogynäkol* 2000; 7: 19–24
- Novara G, Artibani W, Barber MD et al. Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. *Eur Urol* 2010; 58: 218–238
- Novara G, Galfano A, Boscolo-Berto R et al. Complication rates of tension-free midurethral slings in the treatment

of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. *Eur Urol* 2008; 53: 288–308

Ward KL, Hilton P, UK and Ireland TVT Trial Group. A prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two-year follow-up. *Am J Obstet Gynecol* 2004; 190: 324–331

Ward K, Hilton P, United Kingdom, Ireland Tension-free Vaginal Tape Trial Group. Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. *BMJ* 2002; 325: 67

Wille S, Hofmann R. Kolposuspension nach Burch. In: Albers P, Heidenreich A, Hrsg. Standardoperationen in der Urologie. Stuttgart: Thieme; 2006: 352–356

Kap. 12.5 Sakrokolpopexie

AWMF (Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften); Descensus genitalis der Frau – Diagnostik und Therapie. Leitlinien der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG), Deutsche Gesellschaft für Urologie e. V. (DGU) u. A. 10/2010

Baessler K, Schuessler B. Abdominal sacrocolpopexy and anatomy and function of the posterior compartment. *Obstet Gynecol* 2001; 97: 678–684

Brubaker L, Cundiff GW, Fine P et al. Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. *N Engl J Med* 2006; 354: 1557–1566

Ganatra AM, Rozet F, Sanchez-Salas R et al. The current status of laparoscopic sacrocolpopexy: a review. *Eur Urol* 2009; 55: 1089–1103

Maher C, Feiner B, Baessler K et al. Surgical management of pelvic organ prolapse in women. *Cochrane Database of Systematic Reviews* 2010; 4:CD004014

Moreno Sierra J, Ortiz Oshiro E, Fernandez Perez C et al. Long-term outcomes after robotic sacrocolpopexy in pelvic organ prolapse: prospective analysis. *Urol Int* 2011; 86: 414–418

Nygaard IE, McCreery R, Brubaker L et al. Abdominal sacrocolpopexy: a comprehensive review. *Obstet Gynecol* 2004; 104: 805–823

Onol FF, Kaya E, Köse O et al. A novel technique for the management of advanced uterine/vault prolapse: extraperitoneal sacrocolpopexy. *Int Urogynecol J Pelvic Floor Dysfunct* 2011; 22: 855–861

Virtanen H, Hirvonen T, Mäkinen J et al. Outcome of thirty patients who underwent repair of posthysterectomy prolapse of the vaginal vault with abdominal sacral colpopexy. *J Am Coll Surg* 1994; 178: 283–287

Kap. 12.6 Bandplastiken beim Mann

Bauer RM, Mayer ME, Gratzke C et al. Prospective evaluation of the functional sling suspension for male post-prostatectomy stress urinary incontinence: results after 1 year. *Eur Urol* 2009; 56: 928–933

Bauer RM, Mayer ME, May F et al. Complications of the AdVance transobturator male sling in the treatment of male stress urinary incontinence. *Urology* 2010; 75: 1494–1498

Bauer RM, Soljanik I, Füllhase C et al. Mid-term results for the retroluminal transobturator sling suspension for stress urinary incontinence after prostatectomy. *BJU Int* 2011; 108: 94–98

Betz D, Bach P, Gozzi C et al. Non-adjustable sling for treatment of male stress urinary incontinence. *Urologe* 2010; 49: 504–510

Cornel EB, Elzevier HW, Putter H. Can AdVance transobturator sling suspension cure male urinary postoperative stress incontinence? *J Urol* 2010; 163: 1459–1463

Cornu JN, Sèbe P, Ciofu C et al. The AdVance transobturator male sling for postprostatectomy incontinence: clinical results of a prospective evaluation after a minimum follow-up of 6 months. *Eur Urol* 2009; 56: 923–927

Gill BC, Swartz MA, Klein JB et al. Patient perceived effectiveness of a new male sling as treatment for post-prostatectomy incontinence. *J Urol* 2010; 163: 247–252

Gozzi C, Bauer RM, Becker AJ et al. Functional retrourethral sling. A change of paradigm in the treatment of stress incontinence after radical prostatectomy. *Urologe* 2008; 47: 1224–1228

Hübner WA, Gallistl H, Rutkowski m et al. Adjustable bulbourethral male sling: experience after 101 cases of moderate-to-severe male stress urinary incontinence. *BJU Int* 2011; 107: 777–782

Kim Sp, Sarmast Z, Daignault S et al. Long-term durability and functional outcomes among patients with artificial urinary sphincters: a 10 year retrospective review from the University of Michigan. *J Urol* 2008; 179: 1912–1916

Kruck S, Bedke J, Amend B et al. Underestimated risk of bleeding after male transobturator sling procedure caused by early re-uptake of anticoagulation. *Urol Int* 2011; 86: 242–244

Pottek TS, Neugart F, Groh R et al. Wege aus der Inkontinenz. AMS Berlin; 2010

Rehder P, Gozzi C. Transobturator sling suspension for male urinary incontinence including post radical prostatectomy. *Eur Urol* 2007; 52: 860–866

Rehder P, Mitterberger M, Pichler R et al. The 1 year outcome of the transobturator retroluminal repositioning sling in the Treatment of male stress urinary incontinence. *BJU Int* 2010; 106: 1668–1672

Romano SV, Metrebian SE, Vaz F et al. An adjustable male sling for treating urinary incontinence after prostatectomy: a phase III multicentre trial. *BJU Int* 2006; 97: 533–539

Sousa-Escandon A, Cabrera J, Mantovani F et al. Adjustable suburethral sling (male reemex system) in the treat-

ment of male stress urinary incontinence. *Eur Urol* 2007; 52: 1473–1479

Kasuistik Einzeitige Revision eines rupturierten Argus-Bandes mit Explantation und Implantation eines neuen Systems

Bochove-Overgaauw D, Schrier B. The Argus Adjustable Sling for treatment of all degrees of male stress urinary incontinence: retrospective evaluation of efficacy and complications after a minimal follow-up of 14 months. Joint Annual Meeting of the International Continence Society (ICS) and International Urogynecological Association (IUGA); 2010: Abstract 102

Gallistl H, Rutkowski M, Huber ER et al. Argus adjustable bulbourethral male sling – experience after 101 Cases of moderate to severe male incontinence. *BJU Int* 2011; 107: 777–782

Hind A, Pini G, Viola D et al. Urodynamic and clinical results of an adjustable sling for male urinary incontinence – 32 months follow up – Argus is effective also in severe cases. ICS Meeting; 2009: Abstract 94

Romano SV, Hubner W, Trigo Rocha F et al. Argus T for post prostatectomy urinary incontinence – outcome minimum 12 month of the multicentre trial. Joint Annual Meeting of the International Continence Society (ICS) and International Urogynecological Association (IUGA); 2010: Abstract 8065

Romano SV, Metrebian SE, Vaz F et al. Long term results of a phase III multicentre trial of the adjustable male sling for treating urinary incontinence after prostatectomy: minimum 3 years. *Actas Urol Esp* 2009; 33: 309–314

Romano VS, Metrebian SE, Vaz F et al. An adjustable male sling for treating urinary incontinence after prostatectomy: a phase III multicentre trial. *BJU Int* 2006; 97: 533–539

Trigo Rocha F, Gomes C, Figueiredo JA et al. Adjustable transobturator sling (Argus T) for the treatment of post radical prostatectomy urinary incontinence (PRPUI). Experience in a medium time follow up in 20 patients. Joint Annual Meeting of the International Continence Society (ICS) and International Urogynecological Association (IUGA) 2010; Abstract 105

Urban M, Heracek J, Novotny T et al. Argus adjustable male sling – a new surgical method in the treatment of urinary incontinence in men. ICS Meeting; 2008: Abstract 264

Kasuistik Erneute postoperative Inkontinenz nach AdVance-Band-Dislokation

Bauer RM, Mayer ME, May F et al. Complications of the AdVance transobturator male sling in the treatment of male stress urinary incontinence. *Urology* 2010; 75: 1494–1498

Cornu JN, Sèbe P, Ciofu C et al. The AdVance Transobturator Male Sling for Postprostatectomy Incontinence: Clinical Results of a Prospective Evaluation after a Minimum Follow-up of 6 Months. *Eur Urol* 2009; 56: 923–927

Pottek T, Betz D, Durner L et al. Entwicklung einer Expertenempfehlung zur Implantation des transobturatorischen Systems AdVance bei der postoperativen Inkontinenz von Männern. Poster. Kongress der Nordrhein-Westfälischen Gesellschaft für Urologie, Dortmund; 2010

Rehder P, Gozzi C. Transobturator sling suspension for male urinary incontinence including post-radical prostatectomy. *Eur Urol* 2007; 52: 860–866

Kap. 12.7 Artifiziieller Sphinkter

Brito CG, Mulcahy JJ, Mitchell ME. Use of a double cuff AMS800 urinary sphincter for severe stress incontinence. *J Urol* 1993; 149: 283–285

Bryan DE, Mulcahy JJ, Simrnons GR. Salvage procedure for infected noneroded artificial urinary sphincters. *J Urol* 2002; 168: 2464–2466

Coillard DR, Vapnek IM, Stone AR. Proximal artificial sphincter cuff repositioning for urethral atrophy incontinence. *Urology* 1995; 45: 653–656

Gaudenz R. Der Inkontinenz-Fragebogen mit dem neuen Urge- und Strell-Score. *Geburtsh Frauenklinik* 1979; 39: 784–792

Guralnick ML, Miller E, Toh KL, Webster GD. Transcorporal artificial urinary sphincter cuff placement in cases requiring revision for erosion and urethral atrophy. *J Urol* 2002; 167: 2075–2078

O'Connor RC, Lyon MB, Guralnick MI et al. Long-term follow-up single versus double cuff artificial urinary sphincter insertion for the treatment of severe post-prostatectomy stress urinary incontinence. *Urology* 2008; 71: 90–93

Raad I, Darouich R. Central venous catheters coated with minocycline and rifampin for the prevention of catheter-related colonisation and bloodstream infections: a randomized, double-blind trial. *Ann Int Med* 1997; 127: 267–264

Schreiter F. Bulbar artificial sphincter. *Eur Urol* 1985; 11: 294–299

Schreiter F. Troubleshooting beim artifiziiellen Sphinkter. *Aktuelle Urol* 2002 33: 337–340

Siegel A. Perineal approach for artificial urinary sphincter implantation appears to control male stress incontinence better than the transscrotal approach. *Urol* 2008; 179: 1475–1479

Wilson SK, Delk JR 2nd, Henry GD. New surgical technique for sphincter urinary control system using upper transverse scrotal incision. *J Urol* 2003; 169: 261–264

Kap. 13 Komplikationen bei Eingriffen am äußeren Genitale

- Adams CE, Wald M. Risks and complications of vasectomy. *Urol Clin N Am* 2009; 36: 331–336
- Baskin LS, Canning DA, Snyder HM 3rd et al. Surgical repair of urethral circumcision injuries. *J Urol* 1997; 158: 2269–2271
- Kadioglu A, Küçükduymaz F, Sanli O. Current status of the surgical management of Peyronie's disease. *Nat Rev Urol* 2011; 8: 95–106
- Moyano Calvo JL, Sánchez de la Vega J, Giraldez Puig J et al. Our experience with the Nesbit technique for the treatment of Peyronie's disease. *Arch Esp Urol* 2006; 59: 511–515
- Nomikos I. Necrotizing perineal infections (Fournier's disease): old remedies for an old disease. *Int J Colorectal Dis* 1998; 13: 48–51
- Papachristodoulou AJ, Zografos GN, Papastratis G et al. Fournier's gangrene: still highly lethal. *Langenbecks Arch Chir* 1997; 382: 15–18
- Pieretti RV, Goldstein AM, Pieretti-Vanmarcke R. Late complications of newborn circumcision: a common and avoidable problem. *Pediatr Surg Int* 2010; 26: 515–518

Kasuistik Denudierter Penis nach radikaler Zirkumzision

- Zucchi A. et al. Iatrogenic trapped penis in adults: new, simple 2-stage repair. *J Urol* 2010; 183: 1060–1064

Kap. 14 Komplikationen bei der Harnableitung

Kap. 14.1 Harnleiter-Haut-Fistel

- Hautmann RE, Abol-Enein H, Hafez K et al. Urinary diversion. World Health Organization (WHO) Consensus Conference on Bladder Cancer. *Urology* 2007; 69 (Suppl. 1): 17–49
- Lodde M, Pycha A, Palermo S, Comploj E et al. Uretero-ureterocutaneostomy (wrapped by omentum). *BJU Int* 2005; 95: 371–373
- MacGregor PS, Montie JE, Straffon RA. Cutaneous ureterostomy as palliative diversion in adults with malignancy. *Urology* 1987; 30: 31–34
- Martini T, Seitz C, Comploj E et al. Complications in uretero-ureterocutaneostomies: an update. *Debates on Bladder Cancer* 2009; 1: 2
- Morelli B, Berta G, Cattaneo E et al. Iliac artery-ureteral fistula: a fatal hemorrhage in a man with ureterocutaneostomy. *Urologia* 2009; 76: 53–55
- Namiki T, Yanagi S. A new technique for bilateral single stoma loop cutaneous ureterostomy. *J Urol* 1995; 154: 361–363
- Rainwater LM, Leary FJ, Rife CC. Transureteroureterostomy with cutaneous ureterostomy: a 25-year experience. *J Urol* 1991; 146: 13–15
- Roth A. Transabdominal transperitoneal bilateral omento-ureterostomy. Annual Meeting of the North Central Station Section, Cleveland, Ohio; 1967
- Shafik A. Stomal stenosis after cutaneous ureterostomy: etiology and management. *J Urol* 1971; 105: 65–70
- Tojoda V. A new technique for catheterless ureterostomy. *J Urol* 1977; 117: 276–278
- Wandschneider G, Petek R, Pummer K et al. The permanent ureterocutaneostomy (UCST). *Int Urol Nephrol* 1992; 24: 381–387

- Yoshimura K, Maekawa S, Ichioka K et al. Cutaneous ureterostomy: the Toyoda method revisited. *J Urol* 2001; 165: 785–788

Kap. 14.2 Ileum-Conduit

- Farnham SB, Cookson MS. Surgical complications of urinary diversion. *World J Urol* 2004; 22: 157–167
- Hinman F Jr. Atlas of urologic Surgery. Ileal Conduit. Philadelphia: Saunders; 1989: 586–597
- Klein EA, Montie JE, Montague DK et al. Stomal complications of intestinal conduit urinary diversion. *Cleve Clin J Med* 1989; 56: 48–52
- Knap MM, Lundbeck F, Overgaard J. Early and late treatment-related morbidity following radical cystectomy. *Scand J Urol Nephrol* 2004; 38: 153–160
- Kouba E, Sands M, Lentz A et al. Incidence and risk factors of stomal complications in patients undergoing cystectomy with ileal conduit diversion for bladder cancer. *J Urol* 2007; 178: 950–954
- Ratcliff CR, Scarano KA, Donovan AM et al. Descriptive study of parastomal complications. *J Wound Ostomy Continence Nurs* 2005; 32: 33–37
- Szymanski KM, St-Cyr D, Alam T et al. External stoma and peristomal complications following radical cystectomy and ileal conduit diversion: a systemic review. *Ostomy Wound Manage* 2010; 56: 28–35
- Wood DN, Allen SE, Hussain M et al. Stomal complications of ileal conduits are significantly higher when formed in women with intractable urinary incontinence. *J Urol* 2004; 172: 2300–2303

Kap. 14.3 Neoblase

- Hautmann RE, de Petriconi R, Volkmer BG. Neobladder formation after pelvic irradiation. *World J Urol* 2009; 27: 57–62
- Hautmann RE, de Petriconi RC, Volkmer BG. Lessons learned from 1.000 neobladders: the 90-day complication rate. *J Urol*. 2010; 184: 990–994
- Hautmann RE, de Petriconi RC, Volkmer BG. 25 years of experience with 1.000 neobladders: long-term complications. *J Urol* 2011; 185: 2207–2212
- Simon J, Bartsch G Jr, Küfer R et al. Neobladder emptying failure in males: incidence, etiology and therapeutic options. *J Urol* 2006; 176: 1468–1472
- World Health Organization (WHO) Consensus Conference on Bladder Cancer, Hautmann RE, Abol-Enein H et al. Urinary diversion. *Urology* 2007; 69 (Suppl. 1): 17–49

Kap. 14.4 Sigma-Rektum-Pouch

- Abol-Enein H, Ghoneim MA. A novel uretero-ileal reimplantation technique: the serous lined extramural tunnel. Preliminary report. *J Urol* 1993; 151: 1193
- Fisch M, Hohenfellner R. Der Sigma-Rektum-Pouch: Eine Modifikation der Harnleiterdarmimplantation. *Aktuelle Urol* 1991; 22: 1
- Fisch M, Wammack R, Müller SC et al. The Mainz pouch II. *Eur Urol* 1994; 25: 7
- Hadzi-Djokic JB, Basic DT. A modified sigma-rectum pouch (Mainz pouch II) technique: analysis of outcomes and complications on 220 patients. *BJU Int* 2006; 97: 587
- Kälble T, Austen M. Secondary Malignancies following intestinal urinary diversion. *Aktuelle Urol* 2002; 33: 120
- Obek C, Kural AR, Ataus S et al. Complications of the Mainz pouch II (sigma rectum pouch). *Eur Urol* 2001; 39: 204
- Pajor L, Kelemen Z. Our experience with the Mainz pouch II: 40 patients; follow-up and complications. *Ann Urol* 1995; 29: 246
- Simon J. Ektopia vesica (absence of the anterior wall of the bladder and pubic abdominal parieties): Operation for directing the orifices of the ureters into the rectum; temporary succes; subsequent death; autopsy. *Lancet* 1852; 2: 568
- World Health Organization (WHO) Consensus Conference on Bladder Cancer, Hautmann RE, Abol-Enein H et al. Urinary diversion. *Urology* 2007; 69 (Suppl. 1): 17–49

14.5 Ileozökalpouch

- Austen M, Kälble T. Secondary malignancies in different forms of urinary diversion using isolated gut. *J Urol* 2004; 172: 831–838
- Carethers M. Diagnosing vitamin B12 deficiency, a common geriatric disorder. *Geriatrics* 1988; 43: 89–94, 105–107, 111–112
- Fichtner J, Stein R, Hohenfellner R. Ausgewählte urologische OP-Techniken. Step-by-Step. Stuttgart: Thieme; 1999
- Hofmann I, Riedmiller H, Vergho DC et al. Sekundäre Tumore nach Harnableitung. *Urologe* 2009; 48 (Suppl. 1): 105
- Kawakita M, Arai Y, Shigeno C et al. Bone demineralization following urinary intestinal diversion assessed by urinary pyridinium cross-links and dual energy x-ray absorptiometry. *J Urol* 1996; 156: 355–359
- McDougal WS. Metabolic complications of urinary intestinal diversion. *J Urol* 1992; 147: 1199–1208
- McDougal WS. Use of intestinal segments and urinary diversion. In: Walsh PC, Retik AB, Vaughan ED et al., eds. *Campbell's Urology*. 7th ed. Philadelphia: Saunders; 1998: 3121–3161
- McRae TD, Freedman ML. Why vitamin B12 deficiency should be managed aggressively. *Geriatrics* 1989; 44: 70–73, 76, 79
- Riedmiller H, Bürger R, Müller S et al. Continent appendix stoma: a modification of the Mainz pouch technique. *J Urol* 1990; 143: 1115–1117
- Snow CF. Laboratory diagnosis of vitamin B12 and folate deficiency: a guide for the primary care physician. *Arch Intern Med* 1999; 159: 1289–1298
- Stein R, Wiesner C, Beetz R et al. Urinary diversion in children and adolescents with neurogenic bladder: the Mainz experience. Part II: Continent cutaneous diversion using the Mainz pouch I. *Pediatr Nephrol* 2005; 20: 926–931
- Thüroff JW, Alken P, Engelmann U et al. The Mainz pouch (mixed augmentation ileum 'n zecum) for bladder augmentation and continent urinary diversion. *Eur Urol* 1985; 11: 152–160
- Thüroff JW, Franzaring L, Gillitzer R et al. Simplified orthotopic I leocaecal pouch (Mainz pouch) for bladder substitution. *BJU Int* 2005; 96: 443–465

Kap. 15 Komplikationen bei der Harnröhrenchirurgie

- Andrich DE, Mundy AR. Substitution urethroplasty with buccal mucosal free grafts. *J Urol* 2001; 165: 1131–1134
- Barbagli G, De Stefani S, Annio F et al. Muscle and nerve-sparing bulbar urethroplasty – a new technique. *Eur Urol* 2008; 54: 335–343

- Barbagli G, Selli C, Tsto A et al. Dorsal free graft urethroplasty. *J Urol* 1996; 155: 123–126
- Breyer BN, Mcaninch JW, Whitson JM et al. Multivariate analysis of risk factors for long-term urethroplasty outcome. *J Urol* 2010; 183: 613–617

- Filipas D, Fisch M, Fichtner J et al. The histology and immunohistochemistry of free buccal mucosa and full-skin grafts after exposure to urine. *Br J Urol* 1999; 84: 108–111
- Heinke T, Gerharz EW, Bonfig R et al. Ventral onlay urethroplasty using buccal mucosa for complex stricture repair. *Urology* 2003; 61: 1004–1007
- Kessler TM, Schreiter F, Kralidis G et al. Long-term results of surgery for urethral stricture: a statistical analysis. *J Urol* 2003; 170: 840–844
- Markiewicz MR, Lukose MA, Margarone JE 3rd et al. The oral mucosa graft: a systematic review. *J Urol* 2007; 178: 387–394
- Schlossberg SM. A current overview of the treatment of urethral strictures: etiology, epidemiology, pathophysiology, classification, and principles of repair. In: Schreiter F, Jordan GH, eds. *Reconstructive urethral Surgery*. Berlin: Springer; 2006: 60–65
- Schreiter F, Noll F. Mesh graft urethroplasty. *World J Urol* 1987; 5: 41–46
- Schreiter F, Schönberger R, Olianias R. Reconstruction of the bulbar and membranous urethra. In: Schreiter F, Jordan GH, eds. *Reconstructive urethral Surgery*. Berlin: Springer; 2006: 107–120
- Tolstunov L, Pogrel MA, McAninch JW. Intraoral morbidity following free buccal mucosal graft harvesting for urethroplasty. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1997; 84: 480
- Wood DN, Allen SE, Andrich EA et al. The morbidity of buccal mucosal graft harvest for urethroplasty and the effect of non-closure of the graft harvest site on post-operative pain. *J Urol* 2004; 172: 580–583

Kap. 16 Komplikationen bei der Ureterrekonstruktion

Kap. 16.2 End-zu-End-Anastomose

- Amato JJ, Billy LJ, Gruber RP et al. Vascular injuries. An experimental study of high and low velocity missile wounds. *Arch Surg* 1970; 101: 167–174
- Anderson JK, Kabalin JN, Cadeddu JA. Surgical anatomy of the retroperitoneum, adrenals, kidneys, and ureters. In: Wein AJ, Kavoussi LR, Novick AC et al., eds. *Campbell-Walsh Urology*. 9th ed. Philadelphia: Saunders; 2007: 32–37
- Bonfig R, Gerharz EW, Riedmiller H. Ileal ureteric replacement in complex reconstruction of the urinary tract. *BJU Int* 2004; 93: 575–580
- Campbell EW Jr, Filderman PS, Jacobs SC. Ureteral injury due to blunt and penetrating trauma. *Urology* 1992; 40: 216–220
- Hyams ES, Mufarrij PW, Stifelman MD. Robotic renal and upper tract reconstruction. *Curr Opin Urol* 2008; 18: 557–563
- Knowles DR, Staiman VR, Gupta M. Long-term results of the treatment of complete distal ureteral stenosis using a cutting balloon catheter device. *J Urol* 2001; 166: 2087–2090
- Kroepfl D, Loewen H, Klevecka V et al. Treatment of long ureteric strictures with buccal mucosal grafts. *BJU Int* 2010; 105: 1452–1455
- McAninch JW, Santucci RA. Renal and ureteral trauma. In: Wein AJ, Kavoussi LR, Novick AC et al., eds. *Campbell-Walsh Urology*. 9th ed. Philadelphia: Saunders; 2007: 1275–1292
- Medina D, Lavery R, Ross SE et al. Ureteral trauma: preoperative studies neither predict injury nor prevent missed injuries. *J Am Coll Surg* 1998; 186: 641–644
- Palmer LS, Rosenbaum RR, Gershbaum MD et al. Penetrating ureteral trauma at an urban trauma center: 10-year experience. *Urology* 1999; 54: 34–36
- Passerini-Glazel G, Meneghini A, Aragona F et al. Technical options in complex ureteral lesions: 'ureter-sparing' surgery. *Eur Urol* 1994; 25: 273–280
- Riedmiller H, Becht E, Hertle L et al. Psoas-hitch ureteroneocystostomy: experience with 181 cases. *Eur Urol* 1984; 10: 145–150
- Selzman AA, Spirnak JP. Iatrogenic ureteral injuries: a 20-year experience in treating 165 injuries. *J Urol* 1996; 155: 878–881
- Simmons MN, Gill IS, Fergany AF et al. Laparoscopic ureteral reconstruction for benign stricture disease. *Urology* 2007; 69: 280–284
- Steers WD, Corriere JN Jr, Benson GS et al. The use of indwelling ureteral stents in managing ureteral injuries due to external violence. *J Trauma* 1985; 25: 1001–1003
- StLezin MA, Stoller ML. Surgical ureteral injuries. *Urology* 1991; 38: 497–506
- Wotkowicz C, Libertino JA. Renal autotransplantation. *BJU Int* 2004; 93: 253–257

Kap. 16.3 Interponat

- Adams J, Djakovic N, Gilfrich C et al. Ureteric replacement with Meckel's diverticulum. *BJU Int* 2007; 99: 647–650
- Ali-El-Dein B, El-Tabey N, Abdel-Latif M et al. Late uro-ileal cancer after incorporation of ileum into the urinary tract. *J Urol* 2002; 167: 84–88
- Armatys SA, Mellon MJ, Beck SD et al. Use of ileum as ureteral replacement in urological reconstruction. *J Urol* 2009; 181: 177–181
- Bonfig R, Gerharz EW, Riedmiller H. Ileal ureteric replacement in complex reconstruction of the urinary tract. *BJU Int* 2004; 93: 575–580
- Boxer RJ, Fritzsche P, Skinner DG et al. Replacement of the ureter by small intestine: clinical application and results of the ileal ureter in 89 patients. *J Urol* 1979; 121: 728–731

- Chung BI, Hamawy KJ, Zinman LN et al. The use of bowel for ureteral replacement for complex ureteral reconstruction: long-term results. *J Urol* 2006; 175: 179–183, discussion 183–174
- Dagash H, Sen S, Chacko J et al. The appendix as ureteral substitute: a report of 10 cases. *J Pediatr Urol* 2008; 4: 14–19
- Djakovic N, Plas E et al. Guidelines on Urological Trauma. *EAU Guidelines*; 2009: 31–35
- Ghoneim MA, Ali-El-Dein B. Replacing the ureter by an ileal tube, using the Yang-Monti procedure. *BJU Int* 2005; 95: 455–470
- Goodwin WE, Winter CC, Turner RD et al. Replacement of the ureter by small intestine: clinical application and results of the ileal ureter. *J Urol* 1959; 81: 406–418
- Steffens JA, Anheuser P, Reisch B et al. Harnleiterrekonstruktion mit rekonfigurierten Ileumsegmenten nach Yang-Monti. *Urologe A* 2010; 49: 262–267
- Ubrig B, Waldner M, Roth S. Reconstruction of ureter with transverse retubularized colon segments. *J Urol* 2001; 166: 973–976
- Ubrig B, Roth S. Reconfigured colon segments as a ureteral substitute. *World J Urol* 2003; 21: 119–122
- Verduyck FJ, Heesakkers JP, Debruyne FM. Long-term results of ileum interposition for ureteral obstruction. *Eur Urol* 2002; 42: 181–187
- Waldner M, Hertle L, Roth S. Ileal ureteral substitution in reconstructive urological surgery: is an antireflux procedure necessary? *J Urol* 1999; 162: 323–326
- Kasuistik Septischer Ileumharnleiterverlust durch unbehandelte Harnwegsinfektion**
- Ali-El-Dein B, Ghoneim MA. Bridging long ureteral defects using the Yang-Monti principle. *J Urol* 2003; 169: 1074–1077
- Armatys SA, Mellon MJ, Beck SDW et al. Use of ileum as ureteral replacement in urological reconstruction. *J Urol* 2009; 181: 177–181
- Bonfig R, Gerharz EW, Riedmiller H. Ileal ureteric replacement in complex reconstruction of the urinary tract. *BJU Int* 2004; 93: 575–580
- Boxer RJ, Fritzsche P, Skinner DG et al. Replacement of the ureter by small intestine clinical application and results of the ileal ureter in 89 patients. *J Urol* 1979; 121: 728–731
- Chung BI, Hamawy KJ, Zinman LN et al. The use of bowel for ureteral replacement for complex ureteral reconstruction: long-term results. *J Urol* 2006; 175: 179–184
- Fichtner J. Kommentar zu Kröpfl D, Klevecka V, Musch M. Harnleiterrekonstruktion mittels Mundschleimhaut. In: Steffens J, Langen PH, Hrsg. *Komplikationen in der Urologie 2*. Darmstadt: Steinkopff; 2005: 192–194
- Ghoneim MA, Ali-El-Dein B. Replacing the ureter by an ileal tube using the Yang-Monti procedure. *BJU Int* 2005; 95: 455–470
- Gill IS, Savage SJ, Senagore AJ et al. Laparoscopic ileal ureter. *J Urol* 2000; 163: 1199–1202
- Goodwin WE, Winter CC, Turner RD. Replacement of the ureter by small intestine: clinical application and results of the ileal ureter. *J Urol* 1959; 81: 406–410
- Hendren WH. Tapered bowel segment for ureteral replacement. *Urol Clin North Am* 1978; 5: 607–616
- Kröpfl D, Klevecka V, Musch M. Harnleiterrekonstruktion mittels Mundschleimhaut. In: Steffens J, Langen PH, Hrsg. *Komplikationen in der Urologie 2*. Darmstadt: Steinkopff; 2005: 192–194
- Mattos RM, Smith JJ. Ileal ureter. *Urol Clin North Am* 1997; 24: 813–825
- Monti PR, Lara RC, Dutra MA et al. New techniques for construction of efferent conduits based on the Mitrofanoff principle. *Urology* 1997; 49: 112–115
- Naude JH. Buccal mucosal grafts in the treatment of ureteric lesions. *BJU* 1999; 83: 751–754
- Schoeneich G, Winter P, Albers P et al. Management of complete ureteral replacement. Experiences and review of the literature. *Scand J Urol Nephrol* 1997; 31: 383–387
- Shokeir AA, Ghoneim MA. Further experience with the modified ileal ureter. *J Urol* 1995; 154: 45–48
- Steffens J, Schumpelick V. Harnleiterrekonstruktion mittels rekonfiguriertem Ileumsegment nach laparoskopischer Sigmaresektion. In: Steffens J, Langen PH, Hrsg. *Komplikationen in der Urologie 2*. Darmstadt: Steinkopff; 2005: 189–191
- Steffens J, Anheuser P, Reisch B et al. Harnleiterrekonstruktion mit rekonfigurierten Ileumsegmenten nach Yang-Monti- Prospektiver 4-Jahresbericht. *Urologe* 2010; 49: 262–267
- Tveter KJ, Bloom DA, Goodwin WE. Ileal ureter – current status. *Eur Urol* 1980; 6: 321–327
- Ubrig B, Waldner M, Roth S. Reconstruction of ureter with transverse retubularized colon segments. *J Urol* 2001; 166: 973–976
- Verduyck F, Heesakkers J, Debruyne F. Long-term results of ileum interposition for ureteral obstruction. *Eur Urol* 2002; 42: 181–187
- Yang WH. Yang needle tunnelling technique in creating anti-reflux and continent mechanisms. *J Urol* 1993; 150: 830–834

Kap. 17 Komplikationen in der Kinderurologie

Kap. 17.1 Allgemeine Aspekte

Sozialgesetzbuch (SGB) V; § 115 SGB V; Anlage 1 zum Grundvertrag; Anlage 2 zum Grundvertrag; Vereinbarung von Qualitätssicherungsmaßnahmen bei ambulanten Operationen und bei sonstigen stationersetzenden Leistungen gemäß § 15 des Vertrages nach § 115 Abs.1 SGB V

Stark E, Steffens J. Stand der ambulant-operativen Kinderurologie. *Aktuelle Urol* 2006; 37: 127–131

Strauß JM, Gäbler R, Schmidt J et al. Empfehlungen zur ambulanten Anästhesie bei Neugeborenen, Säuglingen und Kleinkindern. *Anästh Intensivmed* 2007; 48: S67–70

Vereinbarung zur Qualitätssicherung ambulante Anästhesie. *Anästh Intensivmed* 2006; 47: 50–51

Wölk F. Der minderjährige Patient. *Medizinrecht* 2001; 19: 80–89

Kap. 17.2 Zirkumzision

Agarwal SS, Sehgal A, Sardana S et al. Role of male behavior in cervical carcinogenesis among women with one lifetime sexual partner. *Cancer* 1993; 72: 1666–1669

American Academy of Pediatrics. Circumcision policy statement. Task Force on Circumcision. *Pediatrics* 1999; 103: 686–693

American Academy of Pediatrics. Report of the Task Force on Circumcision. *Pediatrics* 1989; 84: 388–391

Auvert B, Sobngwi-Tambekou J, Cutler E et al. Effect of male circumcision on the prevalence of high-risk human papillomavirus in young men: results of a randomized controlled trial conducted in Orange Farm, South Africa. *J Infect Dis* 2009; 199: 14–19

Auvert B, Taljaard D, Lagarde E et al. Randomized, controlled intervention trial of male circumcision for reduction of HIV infection risk: the ANRS 1265 Trial. *PLoS Med* 2005; 2: e298

Ben Chaim J, Livne PM, Binyamini J et al. Complications of circumcision in Israel: a one year multicenter survey. *Isr Med Assoc J* 2005; 7: 368–370

Boyle GJ, Bensley GA. Adverse sexual and psychological effects of male infant circumcision. *Psychol Rep* 2001; 88: 1105–1106

Bradley SJ, Oliver GD, Chernick AB et al. Experiment of nurture: ablatio penis at 2 months, sex reassignment at 7 months, and a psychosexual follow-up in young adulthood. *Pediatrics* 1998; 102: e9.

Christakis DA, Harvey E, Zerr DM et al. A trade-off analysis of routine newborn circumcision. *Pediatrics* 2000; 105: 246–249

Diamond M, Sigmundson HK. Sex reassignment at birth. Long-term review and clinical implications. *Arch Pediatr Adolesc Med* 1997; 151: 298–304

Drain PK, Halperin DT, Hughes JP et al. Male circumcision, religion, and infectious diseases: an ecologic analysis of 118 developing countries. *BMC Infect Dis* 2006; 6: 172

Fergusson DM, Lawton JM, Shannon FT. Neonatal circumcision and penile problems: an 8-year longitudinal study. *Pediatrics* 1988; 81: 537–541

Gearhart JP, Rock JA. Total ablation of the penis after circumcision with electrocautery: a method of management and long-term followup. *J Urol* 1989; 142: 799–801

Gee WF, Ansell JS. Neonatal circumcision: a ten-year overview: with comparison of the Gomco clamp and the Plastibell device. *Pediatrics* 1976; 58: 824–827

Gluckman GR, Stoller ML, Jacobs MM et al. Newborn penile glans amputation during circumcision and successful reattachment. *J Urol* 1995; 153: 778–779

Gray RH, Kigozi G, Serwadda D et al. The effects of male circumcision on female partners' genital tract symptoms and vaginal infections in a randomized trial in Rakai, Uganda. *Am J Obstet Gynecol* 2009; 200: 42 e1–7

Harkavy KL. The circumcision debate. *Pediatrics* 1987; 79: 649–650

Herndon CD, McKenna PH, Kolon TF et al. A multicenter outcomes analysis of patients with neonatal reflux presenting with prenatal hydronephrosis. *J Urol* 1999; 162: 1203–1208

Hiraoka M, Tsukahara H, Ohshima Y et al. Meatus tightly covered by the prepuce is associated with urinary infection. *Pediatr Int* 2002; 44: 658–662

Kigozi G, Watya S, Polis CB et al. The effect of male circumcision on sexual satisfaction and function, results from a randomized trial of male circumcision for human immunodeficiency virus prevention, Rakai, Uganda. *BJU Int* 2008; 101: 65–70

Neonatal circumcision revisited. Fetus and Newborn Committee, Canadian Paediatric Society. *CMAJ* 1996; 154: 769–780

Oster J. Further fate of the foreskin. Incidence of preputial adhesions, phimosis, and smegma among Danish schoolboys. *Arch Dis Child* 1968; 43: 200–203

Poland RL. The question of routine neonatal circumcision. *N Engl J Med* 1990; 322: 1312–1315

Reiner WG. Case study: sex reassignment in a teenage girl. *J Am Acad Child Adolesc Psychiatry* 1996; 35: 799–803

Shaikh N, Morone NE, Bost JE et al. Prevalence of urinary tract infection in childhood: a meta-analysis. *Pediatr Infect Dis J* 2008; 27: 302–308

Sherman J, Borer JG, Horowitz M et al. Circumcision: successful glanular reconstruction and survival following traumatic amputation. *J Urol* 1996; 156: 842–844

Tekgül S, Riedmiller H, Beurton D et al. Guidelines on paediatric urology; 2010

- Thompson HC, King LR, Knox E et al. Report of the ad hoc task force on circumcision. *Pediatrics* 1975; 56: 610–611
- Thompson JH, Zmaj P, Cummings JM et al. An approach for using full thickness skin grafts for complex penile surgeries in children. *J Urol* 2006; 175: 1869–1871, discussion 1871
- To T, Agha M, Dick PT et al. Cohort study on circumcision of newborn boys and subsequent risk of urinary-tract infection. *Lancet* 1998; 352: 1813–1816
- Wiswell TE, Geschke DW. Risks from circumcision during the first month of life compared with those for uncircumcised boys. *Pediatrics* 1989; 83: 1011–1015
- Wiswell TE. The prepuce, urinary tract infections, and the consequences. *Pediatrics* 2000; 105: 860–862
- Young JL Jr, Percy CL, Asire AJ et al. Cancer incidence and mortality in the United States, 1973–77. *Natl Cancer Inst Monogr* 1981; 57: 1–187
- Kasuistik Zirkumzision – do it yourself – neue Möglichkeiten im Internet**
www.circ-ring.de
www.circlist.de/circ-ring.htm
www.circlist.de/tara-klamp.htm
www.ohne-vorhaut.de
- Kap. 17.3 Hypospadiekorrektur**
 Aigrain Y, Cheikhelard A, Lottmann H et al. Hypospadias: surgery and complications. *Horm Res Paediatr* 2010; 74: 218–222
- American Academy of Pediatrics. Timing of elective surgery on the genitalia of male children with particular reference to the risks, benefits and psychological effects of surgery and anesthesia. *Pediatrics* 1996; 97: 590–594
- Baccala AA Jr, Ross J, Detore N et al. Modified tubularized incised plate urethroplasty (Snodgrass) procedure for hypospadias repair. *Urology* 2005; 66: 1305–1306
- Baskin LH, Erol A, Li YW et al. Anatomy of the neurovascular bundles: Is safe mobilization possible? *J Urol* 2000; 164: 977–980
- Beuke M, Fisch M. Salvage strategies after complications of hypospadias repair. *Urologe A* 2007; 46: 1670–1675
- Braga LH, Lorenzo AJ, Bägli DJ et al. Ventral penile lengthening versus dorsal plication for severe ventral curvature in children with proximal hypospadias. *J Urol* 2008; 180: 1743–1747
- Braga LH, Lorenzo AJ, Suoub M et al. Is statistical significance sufficient? Importance of interaction and confounding in hypospadias analysis. *J Urol* 2010; 184: 2510–2515
- Eassa W, Jednak R, Capolicchio JP et al. Risk factors for reoperation following tubularized incised plate urethroplasty: A comprehensive analysis. *Urology* 2011; 77: 716–720
- Kajbafzadeh AM, Payabvash S, Tavangar SM et al. Comparison of different techniques for hemostasis in a rabbit model of hypospadias repair. *J Urol* 2007; 178: 2555–2560
- Koff SA, Jayanthi VR. Preoperative treatment with human chorionic gonadotropin in infancy decreases the severity of proximal hypospadias and chordee. *J Urol* 1999; 162: 1435–1439
- Lopes JF, Schned A, Ellsworth PI et al. Histological analysis of urethral healing after tubularized incised plate urethroplasty. *J Urol* 2001; 166: 1014–1017
- Lorenz C, Schmedding A, Leutner A et al. Prolonged stenting does not prevent obstruction after TIP repair when the glans was deeply incised. *Eur J Pediatr Surg* 2004; 14: 322–327
- Murat I, Constatn I, Maud'Huy H. Perioperative anaesthetic morbidity in children: a database of 24 165 anaesthetics over a 30-month period. *Paediatr Anesth* 2004; 14: 158–166
- Scarpa MS, Castagnetti M, Musi L et al. Is objective assessment of cosmetic results after distal hypospadias repair superior to subjective assessment? *J Pediatr Urol* 2009; 5: 110–113
- SGB V, § 137, 2004. Sozialgesetzbuch. Fünftes Buch: Gesetzliche Krankenversicherung 1998–2007. Sozialgesetzbuch.de
- Snodgrass W. Tubularized, incised plate urethroplasty for distal hypospadias. *J Urol* 1994; 151: 464–465
- Ververidis M, Dickson AP, Gough DC. An objective assessment of the results of hypospadias surgery. *BJU Int* 2005; 96: 135–139
- Wilkinson DJ, Farrelly P, Kenny SE. Outcomes in distal hypospadias: A systematic review of the Mathieu and tubularized incised plate repairs. *J Pediatr Urol* 2010 Dec 13 [Epub ahead of print]
- Kap. 17.4 Orchidopexie**
 Baker LA, Silver RI, Docimo RG. Cryptorchidism. In: Gearhart JP, Rink RC, Mouriquand PDE, eds. *Pediatric Urology*. Philadelphia: Saunders; 2001: 747–752
- Bevan AD. Ein weiterer Beitrag zur chirurgischen Behandlung des nicht herabgestiegenen Hodens. *Langenbecks Arch Klin Chir* 1903; 72: 1035
- Coughlin MT, Bellringer MF, Lee PA. Age at unilateral orchiopexy: Effect on hormone levels and sperm count in adulthood. *J Urol* 1999; 162: 286–289
- Herzog B. Zum Kryptorchismus. *Chirurg* 1981; 52: 142
- Körner I, Rübber H. Hodenhochstand. Aspekte der Behandlung. *Urologe* 2010; 9: 1199–1206
- Patel RP, Kolon TF, Huff DS et al. Testicular microlithiasis and antisperm antibodies following testicular biopsy in boys with cryptorchidism. *J Urol* 2005; 174: 2008–2010
- Tobias JD. Reginal anaesthesia of the lower extremity in infants and children. *Paediatric Anaesthesia* 2003; 13: 152–163
- Kap. 17.5 Refluxoperationen**
 Cerwinka WH, Scherz HC, Kirsch AJ. Endoscopic treatment of vesicoureteral reflux with Dextranomer/Hyaluronic Acid in children. *Adv Urol* 2008; 513854

- Cerwinka WH, Kaye JD, Scherz HC et al. Radiologic features of implants after endoscopic treatment of vesicoureteral reflux in children. *AJR Am J Roentgenol* 2010; 195: 234–240
- Diamond DA, Caldamone AA, Bauer SB et al. Mechanism of failure of endoscopic treatment of vesicoureteral reflux based on endoscopic anatomy. *J Urol* 2003; 170: 1556–1559
- Ebert A, Rösch W. Komplikationen der extravasikalen Antirefluxplastik. In: Steffens J, Langen PH, Hrsg. Komplikationen in der Urologie 2. Darmstadt: Steinkopff; 2005: 310–314
- Elder JS, Peter CA, Arant BS Jr et al. Pediatric vesicoureteral reflux Guidelines Panel Summary report on the management of the primary vesicoureteral reflux in children. *J Urol* 1997; 157: 1846–1851
- Elder JS. Guidelines for consideration for surgical repair of vesicoureteral reflux. *Curr Opin Urol* 2000; 10: 579–585
- Fisch M. Lich-Gregoir procedure. In: Hohenfellner R, Fitzpatrick JM, McAninch JW, eds. *Advanced urologic Surgery*. 3rd ed. Oxford: Blackwell Publishing; 2005: 85–86
- Haben B, Steffens J. Urinom nach Antirefluxplastik (Lich-Gregoir). In: Steffens J, Langen PH, Hrsg. Komplikationen in der Urologie 2. Darmstadt: Steinkopff; 2002: 49–51
- Keating MA. Role of periureteral injections in children with vesicoureteral reflux. *Curr Opin Urol* 2005; 15: 369–373
- Körner I, Steffens J. Die Behandlung des vesikoureteralen Refluxes im Kindesalter. *Urologe* 2010; 49: 1248–1253
- Leißner J, Allhoff EP, Wolff W et al. The pelvic plexus and antireflux surgery: topographical findings and clinical consequences. *J Urol* 2001; 165: 1652–1655
- Lipsky BA, Mitchell ME, Burns MW. Voiding dysfunction after bilateral extravasical ureteral reimplantation. *J Urol* 1998; 159: 1019–1021
- McLorie GA, McKenna PH, Jumper BM et al. High grade vesicoureteral reflux: analysis of observational therapy. *J Urol* 1990; 144: 537–540
- Molitierno JA, Scherz HC, Kirsch AJ. Endoscopic treatment of vesicoureteral reflux using dextranomer hyaluronic acid copolymer. *J Pediatr Urol* 2008; 4: 221–228
- Müller SC. Komplikationen bei rekonstruktiven Operationen. In: Steffens J, Langen PH, Hrsg. Komplikationen in der Urologie 2. Darmstadt: Steinkopff; 2005: 176–188
- Palagiri AV, Pankaj PD. Distal ureteral calcification secondary to Deflux injection: A reality or myth? *Urology* 2011; 77: 1217–1219
- Peters CA, Skoog SJ, Arant BS et al. Summary of the AUA guideline on management of primary vesicoureteral reflux in children. *J Urol* 2010; 184: 1134–1144
- Riedmiller H, Bonfig R. Antirefluxplastik nach Lich-Gregoir. *Akt Urol* 2004; 35: 513–524
- Romero NP, Romo MIG, Vegas AG et al. Deflux injections for vesicoureteral reflux in transplanted kidneys. *Transplant Proc* 2010; 42: 2892–2895
- Seibold J, Werther M, Sievert KD et al. Endoskopische Unterspritzung des vesikoureteralen Refluxes mit Dextranomer/Hyaluronsäure. *Urologe* 2010; 49: 536–539
- Sorensen MD, Koyle MA, Cowan CA et al. Injection volumes of dextranomer/hyaluronic acid are increasing in the endoscopic management of vesicoureteral reflux. *Pediatr Surg Int* 2010; 26: 509–513
- Steffens J. Harnleiterstenosen nach Antirefluxplastik. *Akt Urol* 2000; 31: 434–436
- Steffens J, Haben B, Hiebl R et al. Politano-Leadbetter ureterocystoneostomy: A 30 year experience. *Urol Int* 2000; 65: 9–14
- Steffens J, Stark E, Haben B et al. Politano Leadbetter reimplantation. *BJU Surgery Illustrated. Surgical Atlas* 2006; 98: 695–712
- Tekgül S, Riedmiller H, Gerharz E et al. Guidelines on paediatric urology. *European Urology Guidelines*; 2009: 44–49
- Wilcher C, Hadley D, Ludlow D et al. 250 consecutive unilateral extravasical ureteral reimplantations in an outpatient setting. *J Urol* 2010; 184: 311–314

Kap. 17.6 Nierenbeckenplastik

- Almodhen F, Jednak R, Capolicchio JP et al. Is Routine Renography Required After Pyeloplasty? *J Urol* 2010; 184: 1128–1133
- Anderson JC, Hynes W. Retrocaval ureter: A case diagnosed preoperatively and treated successfully by a plastic operation. *Br J Urol* 1949; 21: 209–214
- Baldwin DD, Dunbar JA, Wells N et al. Single-Center Comparison of Laparoscopic Pyeloplasty, Acucise Endopyelotomy, and Open Pyeloplasty. *J Endourol* 2003; 17: 155–162
- Bernardo N, Smith AD. Endopyelotomy review. *Arch Esp Urol* 1999; 52: 541–548
- Braga LH, Lorenzo AJ, Bägli DJ et al. Risk factors for recurrent ureteropelvic junction obstruction after open pyeloplasty in a large pediatric cohort. *J Urol* 2008; 180 (Suppl. 4): 1684–1687
- Canon SJ, Jayanthi VR, Lowe GJ. Which is better-retroperitoneoscopic or laparoscopic dismembered pyeloplasty in children? *J Urol* 2007; 178: 1791–1795
- Carlström M. Causal link between neonatal hydronephrosis and later development of hypertension. *Clin Exp Pharmacol Physiol* 2010; 37: e14–e23
- Castagnetti M, Novara G, Beniamin F et al. Scintigraphic renal function after unilateral pyeloplasty in children: a systematic review. *BJU* 2008; 102: 862–868
- Chandrasekhar VVSS. Is retrograd stenting more reliable than antegrad stenting for pyeloplasty in infants and children? *Urology* 2005; 66: 1301–1304
- Churchill BM, Feng WC. Ureteropelvic junction anomalies: congenital ureteropelvic junction problems in children. Chapter 20. In: Gearhart JP, Rink RC, Mouriquand PDE, eds. *Pediatric Urology*. 3rd ed. Philadelphia: Saunders; 2010: 248–271

- Culp O, DeWeerd J. A pelvic flap operation for certain types of ureteropelvic obstruction: preliminary report. *Mayo Clinic Proc* 1951; 26: 483
- Foley F. New plastic operation for stricture of the ureteropelvic junction. *J Urol* 1937; 38: 643
- Gundeti MS, Reynolds WS, Duffy PG et al. Further experience with the vascular hitch (laparoscopic transposition of lower pole crossing vessels): an alternate treatment for pediatric ureterovascular ureteropelvic junction obstruction. *J Urol* 2008; 180: 1832–1836
- Heimbach D, Weissauer W. Juristische Aspekte bei Lage-
rungsschäden in der Urologie. *Urologe* 2004; 43: 469–478
- Juliano RV, Mendonça RR, Meyer F et al. Long-term outcome of laparoscopic pyeloplasty: multicentric comparative study of techniques and accesses. *Laparoendosc Adv Surg Tech A* 2011; 21: 399–403
- Koff SA. Problematic ureteropelvic junction obstruction. *J Urol* 1987; 138: 390
- Mei H, Pu J, Yang C et al. Laparoscopic versus open pyeloplasty for ureteropelvic junction obstruction in children: a systematic review and meta-analysis. *J Endourol* 2011; 25: 727–736
- Nerli RB, Reddy M, Prabha V et al. Complications of laparoscopic pyeloplasty in children. *Pediatr Surg Int* 2009; 25: 343–347
- O'Reilly P, Aurell M, Britton K, et al. Consensus on diuresis renography for investigating the dilated upper urinary tract. Radionuclides in Nephrourology Group. Consensus Committee on Diuresis Renography. *J Nucl Med* 1996; 37: 1872–1876
- Penn HA, Gatti JM, Hoestje SM et al. Laparoscopic versus open pyeloplasty in children: preliminary report of a prospective randomized trial. *J Urol* 2010; 184: 690–695
- Piepsz A, Tondeura M, Nogarede C et al. Can severely impaired cortical transit predict which children with pelvi-ureteric junction stenosis detected antenatally might benefit from pyeloplasty? *Nucl Med Commun* 2011; 32: 199–205
- Rabii Madi, William W. Roberts, Wolf JS jr. Late failures after laparoscopic pyeloplasty. *Urology* 2008; 71: 677–681
- Radford AR, Thomas DF, Subramaniam R. Ureterocalicos-
tomy in children: 12 years experience in a single centre. *BJU Int* 2010; 108: 434–438
- Ransley PG, Dhillon HK, Gordon I et al. The postnatal management of hydronephrosis diagnosed by prenatal ultrasound. *J Urol* 1990; 144: 584–587
- Scardino P, Prince C. Vertical flap ureteropelvioplasty. Preliminary report. *South Med J* 1953; 46: 325
- Sigel A, Schrott KM. Kongenitale Fehlbildungen des oberen Harntraktes. Grundlagen und Ergebnisse operativer Therapie. *Helv Chir Acta* 1986; 53: 225–235
- Smith KE, Holmes N, Lieb JI et al. Stented versus non-stented pediatric pyeloplasty: a modern series and review of the literature. *J Urol* 2002; 168: 1127–1130
- Tekgül S, Riedmiller H, Gerharz E et al. European Association of Urology (EAU) Guidelines Office. Guidelines on Paediatric Urology online; 2009
- Yeung CK, Thakre AA. Laparoscopy in pediatric urology. Chapter 7. In: Gearhart, Rink, Mouriquand, eds. *Pediatric Urology*. 3rd ed. Philadelphia: Saunders; 2010: 92–107
- Yiee JH, Baskin LS. Use of internal stent, external trans-anastomotic stent or no stent during pediatric pyeloplasty: A Decision Tree Cost-Effectiveness Analysis. *J Urol* 2011; 185: 673–680
- de Waard D, Dik P, Lilien MR et al. Hypertension is an indication for surgery in children with ureteropelvic junction obstruction. *J Urol* 2008; 179: 1976–1978

Kap. 18 Komplikationen in der Andrologie

Kap. 18.1 Allgemeine Aspekte

- Björndahl L, Giwercman A, Tournaye H et al., eds. *Clinical Andrology. EAU/ESAU Guidelines*. London: Informa Health Care; 2010
- Cooper TG, Hellenkemper B, Nieschlag E. External quality control for semen analysis in Germany (QuaDeGA). The first 5 years. *J Reproduktionsmed Endokrinol* 2007; 4: 331–335
- Hellstrom WJG, Montague DK, Moncada I et al. Implants, mechanical devices, and vascular surgery for erectile dysfunction. *J Sex Med* 2010; 7: 501–523
- Popken G. Qualitätssicherung bei andrologischen Operationen. *Urologe* 2011; 50: 17–19
- Ralph D, Gonzalez-Cadavid N, Mirone V et al. The management of Peronie's Disease: Evidence-based 2010 Guidelines. *J Sex Med* 2010; 7: 2359–2374

Kap. 18.2 Korporoplastik

- Bella AJ, Brock GB. Minimally invasive intracorporal incision of peronie's plaque. Peronie's disease. In: Levine LA, ed. *A guide to clinical management*. New York: Humana Press; 2007: 241–247
- Breyer BN, Brant WO, Garcia MM et al. Complications of porcine small intestine submucosa graft for Peyronie's disease. *J Urol* 2007; 177: 589–591
- Kadioglu A, Sanli O, Akman T et al. Graft materials in Peyronie's disease surgery: A comprehensive review. *J Sex Med* 2007; 4: 581–595
- Kovac JR, Brock GB. Surgical outcomes and patient satisfaction after dermal, pericardial, and small intestinal submucosal grafting for Peronie's disease. *J Sex Med* 2007; 4: 1500–1508

Ralph D, Gonzalez-Cadavid N, Mirone V et al. The management of Peyronie's disease: Evidence-based 2010 guidelines. *J Sex Med* 2010; 7: 2359–2374

Kasuistik Penisteilamputation bei initialer Behandlung einer IPP mit Dorsaldeviation

Gholami SS, Gonzalez-Cadavid NF, Lin CS et al. Peyronie's disease: a review. *J Urol* 2003; 169: 1234–1241

Hauck EW, Diemer T, Weidner W. Induratio penis plastica: Konservative und operative Therapie. *Urologe* 2006; 45: 243–259

Kap. 18.3 Schwellkörperimplantat

Bettocchi, C, Palumbo F, Spilotros M et al. Patient and Partner Satisfaction after AMS Inflation Penile Prosthesis Implant. *J Sex Med* 2010; 7: 304–309

Carson CC, Mulcahy JJ, Govier FE. Efficacy, safety and patient satisfaction outcomes of the AMS 700 CX inflatable penile prosthesis; results of a long-term multicenter study. AMS 700 CX Study Group. *J Urol* 2000; 164: 376–380

Carson CC, Mulcahy JJ, Harsch MR. Long-term Infection Outcomes After Original Antibiotic Impregnated Inflation Penile Prosthesis Implants: Up to 7.7 Years of Followup. *J Urol* 2011; 185: 614–618

Carson CC. Penile prosthesis implantation in the treatment of Peyronie's disease and erectile dysfunction. *Int J Impot Res* 2000; 12 (Suppl. 4): 122–126

Daitch JA, Angermeier KW, Lakin MM et al. Long-term mechanical reliability of AMS700 series inflatable penile prostheses: comparison of CX/CXM and Ultrex cylinders. *J Urol* 1997; 158: 1400–1402

Grein U, Noll F, Schreiter F. Die Behandlung der erektilen Dysfunktion mit Penisprothesen. *Urologe A* 1989; 28: 266–270

Henry GD, Kansal NS, Callaway M et al. Centers of excellence concept and penile prostheses: An outcome analysis. *J Urol* 2009; 181: 1264–1268

Henry GD, Wilson SK. Update in inflatable penile prosthesis. *Urol Clin N Am* 2007; 34: 535–547

Lotan Y, Roehrborn CG, McConnell JD et al. Factors influencing the outcomes of penile prosthesis surgery at a teaching institution. *Urology* 2003; 62: 918–921

Mulcahy JJ, Austoni E, Barada JH et al. The penile implant for erectile dysfunction. *J Sex Med* 2004; 1: 98–109

Oberbeck D, Schreiter F. Langzeitergebnisse nach Implantation von 506 hydraulischen Penisprothesen. 1. Rostocker Symposium „Biomaterialien und Prothetik in der Urologie – gegenwärtiger Stand und Trends“; 1997

Sadehi-Nejad H. Penile prosthesis surgery: A review of prosthetic devices and associated complications. *J Sex Med* 2007; 4: 296–309

Sohn M, Martin-Morales A and the Standards Committee of the international Society for Sexual Medicine. Penile prosthetic surgery. In: Porst H, Buvat J, eds. *Standard Practice in sexual Medicine*. Oxford: Blackwell Publishing; 2006: 136–148

Sohn M. Schwellkörperimplantate. *J Reproduktionsmed Endokrinol* 2009; 6: 122–125

Sperling H, Schreiter F. Indikation zur Schwellkörperprothetik bei erektiler Dysfunktion. *Urologe B* 2001; 41: 125–127

Stief CG, Hartmann U, Höfner K et al. Erektile Dysfunktion und Therapie. Berlin: Springer, Berlin; 1997

Wilson SK, Carcon CC, Cleves MA et al. Quantifying risk of penile prosthesis infection with elevated glycosylated hemoglobin. *J Urol* 1998; 159: 1537–1539

Wilson SK, Cleves M, Delk JR II. Longterm results with Hydroflex and Dynaflex penile prosthesis: device survival comparison to multicomponent inflatables. *J Urol* 1996; 155: 1621–1623

Yildirim I, Aydur E, Tahmaz L et al. Spontaneous and prolonged drug-induced erection in a patient with inflatable penile implant. *Andrologica* 2007; 39: 71–72

Kasuistik Gedeckte Dünndarmperforation durch das Reservoir einer hydraulischen Penisprothese

Godiwalla SY, Beres J, Jacobs SC. Erosion of an inflatable penile prosthesis reservoir into an ileal conduit. *J Urol* 1987; 137: 297–298

Furlow WL, Goldwasser B. Salvage of the eroded inflatable penile prosthesis: a new concept. *J Urol* 1987; 138: 312–314

Dupont MC, Hochman HI. Erosion of an inflatable penile prosthesis reservoir into the bladder, presenting as bladder calculi. *J Urol* 1988; 139: 367–368

Fitch WP 3rd, Roddy T. Erosion of inflatable penile prosthesis reservoir into bladder. *J Urol* 1986; 136: 1080

Bettocchi C, Ditunno P, Palumbo F et al. Penile prosthesis: What should we do about complications. *Adv in Urol* 2008; 573560. Epub 2008 Nov 4

Leach GE, Shapiro CE, Hadley R et al. Erosion of inflatable penile prosthesis reservoir into bladder and bowel. *J Urol* 1984; 131: 1177–1178

Singh I, Godec CJ. Asynchronous erosion of inflatable penile prosthesis into small and large bowel. *J Urol* 1992; 147: 709–710

Kasuistik Miktionsbeschwerden und rezurrenente Abdominalschmerzen nach Penisprothesenimplantation

Bettocchi C, Ditunno P, Palumbo F et al. Penile prosthesis: what should we do about complications? *Adv Urol* 2008; 573560. Epub 2008 Nov 4

Henry GD, Wilson SK. Updates in inflatable penile prosthesis. *Urol Clin North Am* 2007; 34: 535–547

Munoz JJ, Ellsworth PI. The retained penile prosthesis reservoir: a risk. *Urology* 2000; 55: 949

Nelson RP Jr. Small bowel obstruction secondary to migration of an inflatable penile prosthesis reservoir: recognition and prevention. *J Urol* 1988; 139: 1053–1054

Hudak SH, Mora RV. Unilateral ureteral obstruction due to a migrated inflatable penile prosthesis reservoir. *J Urol* 2008; 180: 336

- Agrawal V, Rickards D, Ralph DJ. Ejaculatory pain as a result of inflatable penile prosthesis reservoir compressing a seminal vesicle. *Urology* 2006; 68: 888
- Deho F, Henry GD, Marone EM et al. Severe vascular complication after implantation of a three-piece inflatable penile prosthesis. *J Sex Med* 2008; 5: 2956–2959.
- Jiann BP, Ou CW, Lin TJ et al. Compression of ureter caused by a retained reservoir of penile prosthesis. *Int J Imp Res* 2006; 18: 316–317
- Sadeghi-Nejad H. Penile prosthesis surgery: a review of prosthetic devices and associated complications. *J Sex Med* 2007; 4: 296–309
- Mulcahy JJ. Surgical management of penile prosthesis complications. *Int J Imp Res* 2000; 12: S 108–111
- Kap. 18.4 Mikrochirurgische Refertilisierung**
- Belker AM, Konnak JW, Sharlip ID et al. Intraoperative observations during vasovasostomy in 334 patients. *J Urol* 1983; 129: 524–527
- Belker AM. Vasectomy and its reversal. *Prim Care* 1985; 12: 703–717
- Belker AM. Infrapubic incision for specific vasectomy reversal situations. *Urol* 1988; 32: 413–415
- Belker AM, Thomas AJ Jr, Fuchs EF et al. Results of 1.469 microsurgical vasectomy reversals by the Vasovasostomy Study Group. *J Urol* 1991; 145: 505–511
- Berger RE, Bardin ED, Jessen JW et al. Studies of polyglycolic acid hollow self-retaining vasal stent in vasovasostomy. *Fertil Steril* 1989; 51: 504–508
- Boorjian S, Lipkin M, Goldstein M. The impact of obstructive interval and sperm granuloma on outcome of vasectomy reversal. *J Urol* 2004; 171: 304–306
- Diemer T, Hauptmann A, Weidner W. Therapie der Azoospermie – Operative Spermengewinnung (MESA, TESE, Mikro-TESE). *Urologe* 2011; 50: 38–46
- Eisenhardt A, Sperling H. Infections of the genitourinary tract and refertilisation operations. *Andrologia* 2008; 40: 97–99
- Fox M. Failed vasectomy reversal: Is a further attempt using microsurgery worthwhile? *BJU Int* 2000; 86: 474–478
- Gottardo F, Kliesch S. Ejakulatdiagnostik – Spermogramm nach WHO-Kriterien 2010. *Urologe* 2011; 50: 101–108
- Hernandez J, Sabanegh ES. Repeat vasectomy reversal after initial failure: overall results and predictors for success. *J Urol* 1999; 161: 1153–1156
- Kliesch S. Krankheiten des Nebenhodens und Samenstranges, Fehlbildungen und Tumoren. In: Krause W, Weidner W, Sperling H, Diemer T, Hrsg. *Andrologie*, 4. Aufl. Stuttgart: Thieme; 2011
- Kolettis PN, Burns JR, Nangia AK et al. Outcomes for vasovasostomy performed when only sperm parts are present in the vasal fluid. *J Androl* 2006; 27: 565–567
- Matthews GJ, McGee KE, Goldstein M. Microsurgical reconstruction following failed vasectomy reversal. *J Urol* 1997; 157: 844–846
- Matthews GJ, Schlegel PN, Goldstein M. Patency following microsurgical vasoepididymostomy and vasovasostomy: Temporal considerations. *J Urol* 1995; 154: 2070–2073
- Paick JS, Park JY, Park DW et al. Microsurgical vasovasostomy after failed vasovasostomy. *J Urol* 2003; 169: 1052–1055
- Paick JS. Vasectomy reversal. *Int J Urol* 2000; 7: 28–34
- Pasqualotto FF, Agarwal A, Srivastava M et al. Fertility outcome after repeat vasoepididymostomy. *J Urol* 1999; 162: 1626–1628
- Practice Committee of the American Society for Reproductive Medicine. Vasectomy reversal. *Fertil Steril* 2008; 90: S 78–S 82
- Schroeder-Printzen I, Diemer T, Weidner W. Vasovasostomy. *Urol Int* 2003; 70: 101–107
- Shaeer OK, Shaeer KZ. Laparoscopy-assisted pelvi-scrotal vasovasostomy. *Andrologia* 2004; 36: 311–314
- Shaeer OK, Shaeer KZ. Pelviscrotal vasovasostomy: refining and troubleshooting. *J Urol* 2005; 174: 1935–1937
- Sheynkin YR, Chen ME, Goldstein M. Intravasal azoospermia: a surgical dilemma. *BJU Int* 2000; 85: 1089–1092
- Sigman M. The relationship between intravasal sperm quality and patency rates after vasovasostomy. *J Urol* 2004; 171: 307–309
- Silber SJ. Microscopic vasectomy reversal. *Fertil Steril* 1977; 28: 1191–1202
- Tüttelmann F, Werny F, Cooper TG et al. Clinical experience with azoospermia: aetiology and chances for spermatozoa detection upon biopsy. *Int J Androl* 2011; 34: 291–298
- Kap. 18.5 Sperm Retrieval**
- Diemer T, Hauptmann A, Weidner W. Therapie der Azoospermie. Operative Spermengewinnung. *Urologe* 2011; 50: 38–46
- Pantke P, Bergmann M, Steger K et al. Testicular sperm retrieval in azoospermic men. *Eur Urol Suppl.* 2008; 7: 703–714
- Ramasamy R, Yagan N, Schlegel PN. Structural and functional changes to the testis after conventional versus microdissection testicular sperm extraction. *Urology* 2005; 65: 1190–1194
- Schroeder-Printzen I, Zumbé J, Bispink L et al. Microsurgical epididymal sperm aspiration: aspirate analysis and straws available after cryopreservation in patients with non-reconstructable obstructive azoospermia. *Hum Reprod* 2000; 15: 2531–2535
- Silber SJ. Microsurgical TESE and the distribution of spermatogenesis in non-obstructive azoospermia. *Hum Reprod* 2000; 15: 2278–2284
- Tsujimura A, Matsumiya K, Miyagawa Y et al. Conventional multiple or microdissection testicular sperm extraction: a comparative study. *Hum Reprod* 2002; 17: 2924–2929
- Tsujimura A, Miyagawa Y, Takao T et al. Salvage microdissection testicular sperm extraction after failed conven-

tional testicular sperm extraction in patients with non-obstructive azoospermia. *J Urol* 2006; 175: 1446–1449

Kap. 19 Komplikationen bei der Behandlung von Notfällen

Kap. 19.1 Allgemeine Aspekte

Bichler KH, Kern BR. Arztrechtliche Begutachtung von Erkrankungen und Verletzungen der Niere. In: Bichler KH, Hrsg. *Das urologische Gutachten*. 2. Aufl. Berlin: Springer; 2004: 239–267

Dann T, Kutscher KR, Renner P et al. Etilefrin (Effortil) zur Behandlung prolongierter Erektionen nach intrakavernöser Gabe von vasoaktiven Substanzen. *Urologe B* 1989; 28: 334–335

Frohmüller H, Hofmockel G. *Notfälle in der Urologie*. Stuttgart: Wissenschaftliche Verlags-Gesellschaft; 2000

Siemer S, Russ F, Mutschler W et al. Verletzungen des harnableitenden Systems und Management im Rahmen des Polytraumas. *Urologe A* 1997; 36: 513–522

Zink RA, Müller-Mattheis V, Oberneder R. Overview of the West German urological multicenter study traumatology. *World J Urol* 1990; 7: 227–234

Zwergel T, Zwergel U. Verletzungen. In: Hautmann R, Hrsg. *Urologie*. 4. Aufl. Berlin: Springer; 2010: 303–324

Kap. 19.2 Nierenkolik

Knoll T, Köhrmann KU, Straub M et al. Leitlinie zur Diagnostik, Therapie und Metaphylaxe der Urolithiasis. Arbeitsgemeinschaft der Medizinischen Fachgesellschaften (AWMF), Nr. 043/025; 2009

Knoll T. S2-Leitlinien zur Diagnostik, Therapie und Metaphylaxe der Urolithiasis. *Urologe* 2009; 48: 917–924

Preminger GM, Tiselius HG, Assimos DG et al. American urological association education and research, Inc; European association of urology. 2007 guideline for the management of ureteral calculi. *Eur Urol* 2007; 52: 1610–1631

Straub M, Strohmaier WL, Berg W et al. Diagnosis and metaphylaxis of stone disease. Consensus concept of the national working committee on stone disease for the upcoming german urolithiasis guideline. *World J Urol* 2005; 23: 309–323

Tiselius HG, Ackermann D, Alken P et al. Working party on lithiasis, european association of urology. guidelines on urolithiasis. *Eur Urol* 2001; 40: 362–371

Kap. 19.3 Nierentraumata

Al-Qudah HS, Santucci RA. Complications of renal trauma. *Urol Clin North Am* 2006; 33: 41–53

Aulakh TS, Hayne D, Hinwood D. Delayed presentation of arteriovenous fistula 20 years after blunt renal trauma. *Int Urol Nephrol* 2007; 39: 713–715

Baverstock R, Simons R, McLoughlin M. Severe blunt renal trauma: a 7-year retrospective review from a provincial trauma centre. *Can J Urol* 2001; 8: 1372–1376

Brandes SB, McAninch JW. Renal trauma: a practical guide to evaluation and management. *ScientificWorldJournal* 2004; 4 (Suppl. 1): 31–40

Breyer BN, Master VA, Marder SR et al. Endovascular management of trauma related renal artery thrombosis. *J Trauma* 2008; 64: 1123–1125

Buse S, Lynch TH, Martinez-Pineiro L et al. Verletzungen der ableitenden Harnwege bei polytraumatisierten Patienten. *Unfallchirurg* 2005; 108: 821–828

Chedid A, Le Coz S, Rossignol P, Bobrie G, Herpin D, Plouin PF. Blunt renal trauma-induced hypertension: prevalence, presentation, and outcome. *Am J Hypertens* 2006; 19: 500–504

Costantini TW, Fraga G, Fortlage D et al. Redefining renal dysfunction in trauma: implementation of the Acute Kidney Injury Network staging system. *J Trauma* 2009; 67: 283–287, discussion 7–8

Dobrowolski Z, Kusionowicz J, Drewniak T et al. Renal and ureteric trauma: diagnosis and management in Poland. *BJU Int* 2002; 89: 748–751

Dunfee BL, Lucey BC, Soto JA. Development of renal scars on CT after abdominal trauma: does grade of injury matter? *AJR Am J Roentgenol* 2008; 190: 1174–1179

el Khader K, Mhida A, Ziade J et al. [Conservative treatment of stage III kidney injuries]. *Acta Urol Belg* 1998; 66: 25–28

Garg A, Gokhale A, Garg P et al. Endovascular treatment of a delayed renal artery pseudoaneurysm following blunt abdominal trauma. *Urol J* 2007; 4: 184–186

Grill R, Baca V, Otcenasek M et al. [Low grade renal trauma (Part II): diagnostic validity of ultrasonography]. *Acta Chir Orthop Traumatol Cech* 2010; 77: 140–142

Grill R, Maskova V, Ryantova V et al. [Low-grade renal trauma (part I): diagnostic validity of haematuria]. *Acta Chir Orthop Traumatol Cech* 2010; 77: 43–45

Hartung O, Grisoli D, Bouffi M et al. Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases. *J Vasc Surg* 2005; 42: 275–280

Lynch TH, Martinez-Pineiro L, Plas E et al. EAU guidelines on urological trauma. *Eur Urol* 2005; 47: 1–15

Martinez-Pineiro L, Djakovic N, Plas N et al. EAU Guidelines on urethral trauma. *Eur Urol* 2010; 57: 791–803

Miller KS, McAninch JW. Radiographic assessment of renal trauma. Our 15-year experience *J Urol* 1995; 154: 352–355

Pfitzenmaier J, Buse S, Haferkamp A et al. Nierentrauma. *Urologe A* 2008; 47: 759–767, quiz 68

- Sahai A, Cuthbert F, Niekrash R et al. Endovascular management of grade V blunt renal trauma with associated splenic injury. *Nat Rev Urol* 2009; 6: 335–337
- Santucci RA, Fisher MB. The literature increasingly supports expectant (conservative) management of renal trauma – a systematic review. *J Trauma* 2005; 59: 493–503
- Santucci RA, Wessells H, Bartsch G, Descotes J, Heyns CF, McAninch JW, et al. Evaluation and management of renal injuries: consensus statement of the renal trauma subcommittee. *BJU Int* 2004; 93: 937–954
- Schmidlin FR, Rohner S, Hadaya K et al. [The conservative treatment of major kidney injuries]. *Ann Urol (Paris)* 1997; 31: 246–252
- Schmidlin F. Nierentrauma. *Behandlungsstrategien und Operationsindikationen. Urologe A* 2005; 44: 863–869
- Schwartz JH, Malhotra A, Lang E et al. One-year followup of renal artery stent graft for blunt trauma. *J Urol* 2008; 180: 1507
- Shirazi M, Sefidbakht S, Jahanabadi Z et al. Is early re-imaging CT scan necessary in patients with grades III and IV renal trauma under conservative treatment? *J Trauma* 2010; 68: 9–12
- Starnes M, Demetriades D, Hadjizacharia P et al. Complications following renal trauma. *Arch Surg* 2010; 145: 377–381, discussion 81–82
- Sternbergh WC 3rd, Greenberg RK, Chuter TA et al. Redefining postoperative surveillance after endovascular aneurysm repair: recommendations based on 5-year follow-up in the US Zenith multicenter trial. *J Vasc Surg* 2008; 48: 278–284, discussion 84–85
- Trottier V, Lortie MA, Gouin E et al. Renal artery avulsion from blunt abdominal trauma in a horseshoe kidney: endovascular management and an unexpected complication. *Can J Surg* 2009; 52: E291–292
- Umbreit EC, Routh JC, Husmann DA. Nonoperative management of nonvascular grade IV blunt renal trauma in children: meta-analysis and systematic review. *Urology* 2009; 74: 579–582

Kap. 19.4 Harnverhalten

- Desgrandchamps F, De la Taille A, Doublet JD. The management of acute urinary retention in France: a cross-sectional survey in 2618 men with benign prostatic hyperplasia. *BJU Int* 2006; 97: 727–733
- Harrison SCW, Lawrence WT, Morley R et al. British Association of Urological Surgeons' suprapubic catheter practice guidelines. *BJU Int* 2011; 107: 77–85
- Jacobsen SJ, Jacobsen DJ, Girman CJ et al. Natural history of prostatism: Risk factors for acute urinary retention. *J Urol* 1997; 158: 481–487

Kap. 19.5 Harnröhrenabriss

- Chapple C, Barbagli G, Jordan G et al. Consensus statement on urethral trauma. *BJU Int* 2004; 93: 1195–1202
- Protzel C, Hakenberg OW. Verletzungen des unteren Harntraktes und des Urogenitalsystems. *Unfallchirurg* 2010; 113: 313–325

Kap. 19.6 Akutes Skrotum

- Baldisserotto M. Scrotal emergencies. *Pediatr Radiol* 2009; 39: 516–521
- Encke A, Becker H, Röher HD. *Visceralchirurgie*. 2. Aufl. München: Urban & Fischer; 2006
- Kapoor S. Testicular torsion, a race against time. *Int J Clin Pract* 2008; 62: 821–827
- Kux M. Inguinal hernia repair. *Br J Surg* 1989; 76: 766
- Luzzi GA, O'Brien TS. Acute Epididymitis. *BJU Int* 2001; 87: 747–755
- Nyhus LM. Individualization of hernia repair: a new era. *Surgery* 1993; 114: 1–2
- Schumpelick V. *Hernien*. 4. Aufl. Stuttgart: Thieme; 2000
- Siewert JR. *Chirurgie*. 8. Aufl. Berlin: Springer; 2010
- Trojan TH, Lishnak TS, Heiman D. Epididymitis and Orchitis: An Overview. *Am Fam Physician* 2009; 79: 583–587

Kap. 19.7 Priapismus

- Anheuser P, Treiyeer A, Steffens J. Priapism. *Urologe A* 2009; 48: 1105–1110
- El-Bahnasawy MS, Dawood A, Farouk A. Low-flow priapism: risk factors for erectile dysfunction. *BJU Int* 2002; 89: 285
- Huang YC, Harraz AM, Shindel AW et al. Evaluation and management of priapism: 2009 update. *Nat Rev Urol* 2009; 6: 262–271
- Spycher MA, Hauri D. The ultrastructure of erectile tissue in priapism. *J Urol* 1986; 135: 142

Kasuistik Partiieller Verlust der Corpora cavernosa nach initialer Priapismusbehandlung

- Anheuser P, Treiyeer A, Steffens J. Priapismus. *Urologe* 2009; 48: 1105–1112

Kap. 19.8 Penisruptur

- Haas CA, Brown SL, Spirnak JP. Penile fracture and testicular rupture. *World J Urol* 1999; 17: 101–106
- Martínez Portillo FJ, Seif C, Braun PM et al. Penile fractures: controversy of surgical vs. conservative treatment. *Aktuelle Urol* 2003; 34: 33–36
- Nicolaisen GS, Melamud A, Williams RD et al. Rupture of the corpus cavernosum: surgical management. *J Urol* 1983; 130: 917–919
- Orvis BR, McAninch JW. Penile rupture. *Urol Clin North Am* 1989; 16: 369–375
- Tsang T, Demby AM. Penile fracture with urethral injury. *J Urol* 1992; 147: 466–468