

14

Subject Index

Note: Please note that as the subject of this book is colposcopy, all entries refer to this subject unless otherwise stated.

A

Ablation, CO₂ laser vaporization 164
Abnormalities, classifications 2
Abnormally maturing epithelium *see* acanthotic epithelium
Acanthotic epithelium 55, 64, 116–117
 composition 116
 development 116
 early stromal invasion 72
 focal 116
 iodine uptake 27, 128
 location 132, 133–135
 mosaic associated 124, 125
 pregnancy 101, 103, 104
 reactive form 96–97
 regenerative form 96–97
Acetic acid test 20–22, 28, 33, 64–68, 118
 atypical vessels 60
 diagnostic role 117, 118, 119
 ectopy (columnar epithelium) 20–22, 46, 49
 epithelial swelling 20–22, 59, 63
 mosaic 21, 22, 59, 61, 62, 63, 118
 pregnancy 100, 102–104, 107, 108, 109
 punctuation 58
 sharp borders 118
 transformation zone, before/after 20, 22, 50
 Trichomonas infection 88, 89
 vascular pattern 60
 vulval lesions 154
Acetowhite epithelium *see* atypical transformation zone
Adenocarcinoma 81
Anatomic forceps 15
Assessment 115–130 (*see also* cytology; histological correlations; morphology)
 abbreviations 144
 abnormal lesions 116
 distribution 138
 topography 132–139
 atypical epithelium 116–117, 126–127
 combinations of abnormalities 127
 differential diagnosis *see* differential diagnosis
 documentation 36, 141–146
 doubtful 41
 evaluation 128–129
 graphical representation 144, 145
 histological correlation 131–140
 invasive carcinoma 41
 miscellaneous 41
 normal (nonsuspicious) 41, 116
 suspicious lesions 41, 105–111, 116, 148
 training 10

Atrophic squamous epithelium 25, 45, 46
 polyps 91
 ulceration 69
 vasculature 122
Atypical blood vessels 121, 124–126
 intercapillary distance 125
 invasive carcinoma 124, 125
 microinvasion 124, 126
 pre- and post-acetic acid 60
Atypical epithelium (*see also* acanthotic epithelium; atypical transformation zone)
 acetic acid test *see* acetic acid test
 assessment 116–117
 iodine uptake 24, 25, 27, 128
 squamous 116–117
 surface extent (size) 126–127
 vasculature 124
Atypical glandular cells (AGC) 2
Atypical glandular cells of undetermined significance (AGUS) 2
Atypical transformation zone 20–21, 64–70, 73, 132, 138 (*see also* acetic acid test)
 adenocarcinoma 81
 appearance 65
 carcinoma in situ 65, 66, 67, 68, 72, 73
 differential diagnosis 117, 118, 119
 early stromal invasion (ESI) 72, 74, 75
 erosions 69, 70, 81
 histologic correlation 132, 138
 leukoplakia *vs* 21
 malignancy index 116
 in pregnancy 105, 108
 Schiller (iodine) test 27, 28, 65, 68, 69
 typical *vs.* 64, 65
 vasculature 72, 74, 76, 81, 123
Ayre's spatula 36

B

Biopsy 36–37, 149
 instruments 14, 16
 invasive lesions 78
 in pregnancy 112
 punch 16, 37, 159
 target 36
 vulva 158
Bleeding
 contact, ectopy 46
 polyps 90, 93
Blood vessels *see* vasculature
Bowenoid papillomatosis 156
Bowenoid-warty vulvar intraepithelial neoplasia 163
Breastfeeding, iodine tests 101, 112

C

Capillaries 120
Carbon dioxide (CO₂) laser vaporization 164
Carcinoma (*see also* lesions; *specific malignancies*)
 adenocarcinoma 81
 assessment 41
 common location 77, 78
 early invasive 72–76
 endometrial 90, 93
 endophytic *see* endophytic carcinomas
 exophytic 76, 77, 80, 86
 external os 77–78
 invasive *see* invasive carcinoma
 microinvasive 73, 75, 126, 157, 158
 papillary verrucous 77
 Schiller test 73
 squamous cell *see* squamous cell carcinoma
 stromal invasion 124
 vasculature 75, 79, 124
 vulval 156, 158, 160, 161, 163
Carcinoma in situ 2, 54, 57, 119
 atypical transformation zone 65, 66, 67, 68, 72, 73
 early stromal invasion 72, 73, 74
 erosions 70
 histological correlation 132
 incomplete excision 96
 iodine uptake 26, 28
 papillary punctuation 120
 during pregnancy 109
 surrounding squamous carcinoma 79
 vasculature 123, 124
Cervical dysplasia 2, 135
Cervical intra-epithelial neoplasia (CIN) 54, 132 (*see also* carcinoma in situ)
 atypical epithelia, extent 126–127
 atypical transformation zone 65, 66
 differential diagnosis *see* differential diagnosis
 dysplasia 2, 135
 histological correlation 132
 HPV and *see* human papilloma virus (HPV)
 malignancy index 116, 127, 139
 pregnancy 105–111
 terminology 2
Cervical mucus
 changes in pregnancy 100
 removal 33
Cervical smears 36 (*see also* cytology)
Cervicitis, condylomatous vaginitis and 84, 88
Cervicography 143–144
Cervix (*see also* entries beginning cervical)
 cleaning 20
 colposcopic examination 31–38

- Cervix, cytology *see* cytology
 endometriosis 97
 exposure 32
 external os *see* external os
 gaping 47
 postmenopausal *see* postmenopausal cervix
 pregnancy-induced changes 100, 101–105
 prolapse 96–97
 reproductive age 23, 44, 54
 septum 98
 transformation zone *see* transformation zone
 vasculature 121
- Cervix brush 36
- Chrobak's sound 17, 37, 69
- Clitoris, microinvasive carcinoma 158
- Collins test 153
- Colpitis macularis 88, 90
- Colpophotography 142
- Colposcopes 5–8
 green filter 6, 142
 historical aspects 6
 important accessories 6
 magnification 6
 mountings 6–7
 teaching arm 10
- Colposcopic examination 31–38
 (*see also* instrumentation)
 acetic acid test *see* acetic acid test
 biopsy 36–37
 cervical smears 36
 cervix exposure 32, 34
 diathermy 37, 94, 95
 documentation 36, 141–146
 duration 37
 endocervical curettage 37
 final 36
 first 33
 initial inspection 33
 mucus/discharge removal 33
 patient assistance 34
 patient position 32
 Schiller test *see* Schiller (iodine) test
 second 33
- Colposcopy 2, 147–150 (*see also* cytology)
 cytology and 148, 149
 cytology vs 149
 failure rate 149
 histological correlations 11, 131–140
 historical aspects 2, 6
 history 2
 instrumentation *see* instrumentation
 morphological findings *see* morphology
 in pregnancy *see* pregnancy
 procedure *see* colposcopic examination
 routine 148
 training 9–12
 vulval 154–164
- Columnar epithelium 50
 classification of abnormalities 2
 ectopy *see* ectopy
 ectropion 46, 47, 101
 in pregnancy 102
 Schiller (iodine) test 24, 128
- Condylomata acuminata 82, 161
- Condylomatous cervicitis and vaginitis 84, 88
- Condylomatous colpitis 82, 88, 90
 iodine stain 73
- Condylomatous lesions 82–88, 90
 Buschke–Löwenstein type 161
 diagnosis 82
 exophytic 83, 86
 flat 84–85, 86, 87, 103, 110, 119, 120
 hyperkeratosis 83–84
 iodine test 84–87
 keratinization 83–85
 mosaic/punctuation 84, 87
 multiple 82–84
 papillary 82–83, 85, 87
 pregnancy 103, 105, 106, 109–111
 shiny 82–84, 86
 typical/atypical 83
 vagina 106
 vasculature 83
 vulva 161
- Conization (*see also* postconization changes)
 follow-up 94–95
 histology 132, 137, 138
 incomplete 94, 96
 iodine test 94
- Containers 16
- Cotton-tipped swab 36
- Cuffed gland opening 22, 66, 68, 74, 103, 119, 120
- Cytobrush 36
- Cytology 2, 149 (*see also* histology)
 abnormal 148
 classifications 2
 colposcopy and 149
 colposcopy–histology correlations 11, 131–140
 colposcopy vs. 149
 exfoliative 158
 instruments 36
- D**
- Decidual polyps 100, 101, 105
- Decubitus ulcers 96, 97
- Diathermy 37, 94, 95
- Differential diagnosis 117 (*see also specific features*)
 acetic acid test 117, 118, 119
 combinations of abnormalities 127
 criteria 117–128
 cuffed gland openings 119, 120
 evaluation 128–129
 iodine uptake *see* Schiller (iodine) test
 keratinization 128
 sharp borders 117, 118, 128
 surface contour 119, 120
 surface extent (atypical epithelia)
 126–127
 vasculature 122–126
- Documentation 36, 141–146
- Duckbill speculum 15, 32
 examination with 33
- E**
- Early stromal invasion (ESI) 73–75
 atypical transformation zone 72, 74, 75
 likelihood 73
 signs 73
 vasculature 72, 74, 76, 124
- Ectopy 46–50
 acetic acid test 20–22, 46, 49
 apparent eversion 46, 48
 classical appearance 46, 48
 contact bleeding 46
 fully transformed 51, 53
 gland openings 48, 50
 intact 51, 53
 pregnancy-related 102, 108, 110
 Schiller (iodine) test 24, 46, 48, 128
 squamous epithelium vs. 50–51
- Ectropion 46, 47, 101
- Elderly, atrophic squamous epithelium 45
- Elevated papillae 119, 120
- Endocervical curettage 37
 instruments 16
- Endocervical mucosa
 ectropion 46, 47
 polyps 91
 rugose 47
- Endocervical speculum 14, 15
- Endometrial carcinoma 90, 93
- Endometriosis 97–98
- Endophytic carcinomas 69, 70, 75, 77, 80
 diagnosis 77, 78
 erosion (ulcer) vs. 69
 flat 77
- Epidermization 96
- Epithelial borders
 diagnostic role 117, 118, 128
 histological correlations 135, 136
 identification 132
 sharp borders 117, 118, 128, 136, 157
- Epithelium
 abnormalities, classification 2
 acanthotic *see* acanthotic epithelium
 acetic acid test *see* acetic acid test
 acetowhite 132, 138
 atypical *see* atypical epithelium
 borders *see* epithelial borders
 columnar *see* columnar epithelium
- ectopic *see* ectopy
 erosion *see* erosion (ulcer)
 metaplasia 25, 26, 51, 52, 53
 morphology 44, 45, 46
 mosaic *see* mosaic
 Schiller (iodine) test *see* Schiller (iodine) test
 squamous *see* squamous epithelium
 surface contour 119, 120
 transformation zones 51, 53, 64
 vasculature 74, 122, 123, 124
 vulva 152
- Equipment *see* instrumentation
- Erosion (ulcer) 40, 69–71
 carcinoma in situ 70
 characteristics 69, 70
 endophytic carcinoma vs. 69
 extensive 70
 flat ulcer 70
 iodine stain 69, 71
 large 70
 occurrence 69
 postmenopausal 69
 pregnancy 100
 probing 69
 prolapse and 96, 97
 pseudoerosion 100
 Schiller (iodine) test 69, 71
 squamous epithelium 71
 transformation zone (typical/atypical) 69, 70, 81
 true 40, 69
- Erythroplakia 40, 104
 vulva 152, 154–155, 158, 159, 162
- Examination procedure *see* colposcopic examination
- Excision (*see also* conization)
 incomplete, carcinoma in situ 96
 loop diathermy 37, 94, 95
 vulvar intraepithelial neoplasia (VIN) 163–164
- Exophytic lesions 76, 77, 80
 condylomas 83, 86
- Expanding brush 36
- External os 21, 22
 acetic acid test 21, 22, 28, 49
 carcinoma 77–78
 ectopy 49
 indistinct lesion 61
 inflammation 25
 iodine uptake 24, 28
 lesions in pregnancy 107
 multiple condylomatous lesions 82, 106
 polyps 92
 postconization scarring 95
- F**
- „Felderung“ *see* mosaic
- Fistulas, endometriosis 97
- Forceps 14, 15–17
 anatomic 15
 punch biopsy 16
- G**
- Gland openings 120
 acetic acid test 22
 cuffed 22, 66, 68, 74, 103, 119, 120
 ectopy 48, 50
 pregnancy 101, 108, 110
- Glands
 last 132, 135
 postconization 95
- Glandular epithelium *see* columnar epithelium
- Glycogen, iodine uptake 128
- Goal 2
- H**
- High-grade squamous intraepithelial lesions (HSIL) 2
- Hinselmann, H. 2, 40
- Hinselmann's nomenclature 40
- Histological correlations 11, 131–140
 atypical transformation zone 132, 138
 iodine negative area 134, 139
 leukoplakia 139
 mosaic 138, 139
 punctuation 138, 139
 vulval pathology 159–162

- Histology 2
 colposcopy correlation *see* histological correlations
 specimen processing 137
 vulvar intraepithelial neoplasia (VIN) 163
- History taking, vulval lesions 152
- Human immunodeficiency virus (HIV), condylomas 84
- Human papilloma virus (HPV) 2–3
 condylomas 83, 84
 diagnosis 158
 infection 2
 mosaic caused by 56
 pregnancy 110
 punctuation 57
 risk types 2
- Hyperkeratosis (*see also* keratinization)
 condylomatous lesions 83–84
 vulvar lesions 157, 159
- I**
- Inflammatory lesions 88–90
 external os 25
 iodine uptake 24, 25
 pregnancy 105, 106
 Schiller (iodine) test 24, 25
 vasculature 122
 vulva 154
- Instrumentation 13–18
 biopsy instruments 14, 16
 Chrobak's sound 17, 37, 69
 colposcopes *see* colposcopes
 containers 16
 forceps 14, 15–17
 specula 14, 15, 32, 33
 tenacula 14, 17
 training 10
 vaginal retractors 14, 15, 32, 34, 35
- Intercapillary distance 121, 122, 124, 125
- International Society for the Study of Vulvar Diseases (ISSVD) 162
- International Society of Gynaecological Pathologists (ISGYP) 162
- Invasive carcinoma 75, 77–80, 136
 (*see also* early stromal invasion (ESI))
 assessment 41
 blood vessels 76, 79, 124, 125
 early signs 72–76
 histological correlation 136
 microinvasive 73, 75
 surface 78
 vulva 160
- Iodine test *see* Schiller (iodine) test
- K**
- Keratinization 54, 55, 72
 (*see also* keratosis; leukoplakia)
 condylomatous lesions 83–85
 in diagnosis 128
 vulval lesions 155, 159, 160
- Keratosis 54 (*see also* hyperkeratosis; leukoplakia)
 biopsy 78
 parakeratosis 55
 vascular transformation zone 72
- Koliocytosis 57, 110
- Kolpophot 143
- L**
- Laser vaporization 164
- Leiomyoma 93
- Lesions (*see also* carcinoma; erythroplakia; leukoplakia; mosaic; punctuation)
 acetic acid test *see* acetic acid test
 atypical 60
 confined polypoid 73, 76
 evaluation *see* assessment
 histological correlation *see* histological correlations
 indistinct 61
 invasive, detection 72
 iodine test *see* Schiller (iodine) test
 overlooked 71
 topography 132–139
 variegated 127
 vulva *see* vulval lesions
- Leukoplakia 54, 57
 enclosed 54, 55
- ground (base) 54, 55
 histologic correlations 139
 iodine-test 56
 malignancy index 116
 mosaic 157
 pronounced 56
 thick (plaque-like) 54
 vulval lesions 152, 154, 155, 158, 159, 162
 white epithelia (atypical transformation zone) *vs* 21
- Lichen sclerosis et atrophicus (LSA) 152, 154, 160, 162
- Lithotomy position 32
- Loop diathermy excision 37, 94
 postconization changes 95
- Low-grade squamous intraepithelial lesions (LSIL) 2
- M**
- Malignancy index 116, 127, 139
- Matrix area 40
- Melanin 154
- Melanocytes 154
- Melanomas 160
 in situ 162
- Menopause and colposcopy *see* postmenopausal cervix
- Metaplasia 25, 26, 51
 pregnancy-related 102
 squamous 51, 52, 53, 91
 transformation zone 67, 102
- Microinvasive adenocarcinoma 81
- Microinvasive carcinoma 75, 158
 adenocarcinoma 81
 atypical blood vessels 126
 detection 73
 vulval 157, 158
- Morphology 43–98
 abnormal findings 54–88
 assessment of *see* assessment
 ectopy (columnar epithelium) *see* ectopy
 mosaic *see* mosaic
 normal 44–54
 punctuation *see* punctuation
 spectrum 11
 squamous epithelium 44, 45, 46
 transformation zone 50–51
- Mosaic 40, 59–63
 acanthotic epithelium 124, 125
 acetic acid test 21, 22, 59, 61, 62, 63, 118
 classification difficulties 59, 62
 coarse 58, 59, 61, 62, 63, 118, 119, 124
 condylomas 84, 87
 in diagnosis 118, 119
 fine 59, 60–62, 63, 119
 histologic correlation 138, 139
 HPV and 56
 isolated fields 57, 59, 62
 leukoplakia 157
 malignancy index 116
 with other lesions 133, 135
 in pregnancy 103, 104, 107
 punctuation and 58
 squamous epithelium 57, 59, 62, 71
 vasculature 124
 vulval lesions 157
- Myoma in statu nascendi 90, 93
- N**
- Nabothian follicles 51, 53, 54, 66, 92, 93
 vasculature 122, 123
- O**
- Occult (vaginal) adenosis 132
- P**
- Paget's disease of the vulva 160, 162
- Palpation, vulva 153
- Papillae
 elevated 119, 120
 papillomatosis 156, 160, 161
 punctuation 56, 59, 120
 verrucous carcinoma 77
- Papillary verrucous carcinoma 77
- Papillomatosis 160, 161
 bowenoid 156
- Parakeratosis 55
- Patient position 32
- Photography 142–144
- Polyp forceps 17
- Polypoid lesions 73, 78
- Polyps 90–93
 bleeding 90, 93
 formation 90, 91, 92–93
 postmenopausal cervix 91
 pregnancy 100, 101, 105
 Schiller test 92
 smooth sessile 78
 squamous epithelium covering 90, 91–92
 vasculature 76
- Postconization changes 94–96
 in pregnancy 106
 residual lesions 94, 96
 scarring 94–95
- Postmenopausal cervix
 atrophic epithelium *see* atrophic squamous epithelium
 erosions 69
 polyps 91
 subepithelial hemorrhage 25, 45, 46
 vasculature 122
- Post partum iodine tests 101, 111, 112
- Pregnancy 99–114
 acanthotic epithelium 101, 103, 104
 acetic acid test 100, 102, 103–104, 107, 108, 109
 atypical transformation zone 105, 108
 benign changes 101–105
 biopsy during 112
 carcinoma in situ 109
 cervical changes 100
 condylomatous lesions 103, 105, 106, 109–111
 ectopy 102, 108, 110
 erosion 100
 inflammation 105, 106
 iodine test 100–102, 104, 106, 107, 109, 110, 111
 mosaic/punctuation 103, 104, 107
 pseudoerosion 100
 puerperium 110–112
 specific changes 100
 suspicious changes 105–111
 transformation zone 101, 102, 103, 107, 108
- Preinvasive lesions 79
- Prolapse 96–97
- Pruritus 152
- Pseudoerosion 100
- Puerperium 110–112
- Punch biopsy 37, 159
 forceps 16
- Punctuation 40, 54–59
 acetic acid test 58
 coarse 56, 57–58, 58, 63
 in diagnosis 119
 distinguishing 56
 fine 54, 56, 57, 89–90
 focal 58
 histologic correlation 138, 139
 HPV and 57
 iodine-positive 56, 57
 isolated fields 57, 62
 malignancy index 116
 with other lesions 133, 135
 papillary 56, 59, 120
 in pregnancy 103
 prominent 57
 types 54, 56
 vulval carcinoma 156
- R**
- Red lesions *see* erythroplakia
- Reproductive age cervix, squamous epithelium 23, 44, 54
- Retention cysts 51, 53
 iodine uptake 26
 undulations 51, 54
- S**
- Scarring, conization 94–95
- Schiller (iodine) test 23–29, 33, 35
 acanthotic epithelium 27, 128
 atypical epithelium 24, 25, 27, 128
 atypical transformation zone 27, 28, 65, 68, 69
 breastfeeding 101, 112
 carcinoma 71, 73

- Schiller (iodine) test, carcinoma in situ 26, 28
 columnar epithelium 24
 condylomatous lesions 84–87
 debate over 23
 diagnostic use 29, 127–128
 ectopy 24, 46, 48, 128
 erosion (ulcer) 69, 71
 inconspicuous yellow area 23, 29, 71–72, 116
 inflammatory lesions 24, 25
 iodine negative area 23, 139
 leukoplakia 56
 non-suspicious yellow area 27
 overlooked lesions 71
 polyps 92
 post-conization scarring 94
 postmenopausal 45
 post partum 101, 111, 112
 in pregnancy 100–102, 104, 106, 107, 109, 110, 111
 reproductive period 23, 44, 54
 retention cysts 26
 squamous cell carcinoma 71
 squamous epithelium 24, 26, 45, 54
 swabs 16
 transformation zone 24–28, 51
 trichomonal infection 88, 89
 vagina 24–25
 variation in color 24, 25
- Septum 98
 Sharp borders 136, 157
 differential diagnosis 117, 118, 128
- Single-toothed tenaculum 17
- Smears 36 (*see also* cytology)
- Smooth sessile polyps 78
- Specula 14, 15, 32, 33
- Squamocolumnar junction 49, 50
 (*see also* transformation zone)
 postconization 95
 situation 46, 47
 transformation process 51
- Squamous cell carcinoma
 atypical blood vessels 125
 endophytic 77, 78, 80
 exophytic 77, 79
 flat ulcer 70
 iodine effects 71
 papillary invasive 78
 polypoid invasive 78
 surrounding lesions 79
- Squamous epithelium
 acetic acid test 21, 23
 atrophic (postmenopausal) 25, 45, 46
 atypical 116–117
 classification of abnormality 2
 ectopy differentiation 50–51
 erosion (ulcer) 71
 high vs low-grade lesions 2
 iodine test 44
 lesions arising 57, 61–62, 71, 132, 139
 metaplasia 51, 52, 53, 91
 mosaic 57, 59, 62, 71
 normal morphology 44
 polyps 90–92
 postmenopause 45, 122
 prolapse 96
 reproductive period 23, 44, 54
 Schiller (iodine) test 24, 26, 44, 45, 54, 65
 transformation zone differentiation 51, 53
 vulval 152
- Squamous metaplasia 52, 53
 cervical polyp 91
 initiation 51
- Staghorn-like vessels 121
- Stereocolpophotography 142
- Strawberry cervix 88, 90
- Stroma
 carcinoma 124
 early invasion *see* early stromal invasion (ESI)
 papillae *see* papillae
 pregnancy-induced changes 100
- Subepithelial hemorrhage
 postmenopause 25, 45, 46
 Schiller (iodine) test 25
- Surface contour 119, 120
- Swab storage 16
- Szalay spatula 36
- T**
- Target biopsy 36
- Techniques 19–30
 acetic acid test *see* acetic acid test
 iodine test *see* Schiller (iodine) test
 training 10
- Tenacula 14, 17
- Terminology 2, 3, 39–42
 cytology 2
 Hinselmann's 40
 international 41
 Wespi's 41
- The Bethesda System (TBS) 2
- Toluidine blue, vulval lesions 153
- Training 9–12
 assessment 10
 equipment application 10–11
 instruments 10
 technique 10
- Transformation
 hallmarks 64
 process 51
 vulva 152
- Transformation zone 49, 50–54
 acetic acid test 20, 22, 50
 advanced 52
 atypical *see* atypical transformation zone
 cervical septum and 98
 characteristics 64
 defined 64
 with ectopic rests 51, 52
 ectopy *see* ectopy
 erosion 81
 evaluation 36
 fully developed 51, 53
 lesions outside 132, 138, 139
 lesions within 132, 138
 location (typical) 36
 metaplasia 67, 102
 mosaic around 61
 normal morphology 46
 partial 53
 polyps arising from 90, 91–93
 pregnancy 101, 102, 103, 107, 108
- Transformation zone*
 retention cysts 51, 53
 Schiller (iodine) test 24–28, 51
 situation 46, 47
 squamous epithelium, distinguishing 51, 53
 transformation process 51
 unusual 64
 vascular patterns 50, 51, 53, 72, 76, 123
 well-established 53
- Trichomonal infection 88, 89
Trichomonas vaginalis 88, 90
 True erosion 40, 69
- Tumors, large 73, 75
- U**
- Ulcer *see* erosion (ulcer)
- Unusual transformation zone *see* atypical transformation zone
- V**
- Vagina
 condylomatous lesions 106
 fistula 97
 occult adenosis 132
 posterior fornix, endometriosis 97
 Schiller (iodine) test 24–25
 secretions 33, 100
- Vaginal retractors 14, 15
 additional 32, 35
 assistant 32
 patient assistance 34
 preferred style 32
 size 34
- Vaginal secretions
 changes in pregnancy 100
 removal 33
- Vaginitis, condylomatous cervicitis and 84, 88
- Variiegated lesion 127
- Vasculature 122–126
 atypical epithelium 60, 124
 atypical transformation zone 72, 74, 76, 81, 123
 atypical vessels *see* atypical blood vessels
 carcinoma in situ 123, 124
 cervix 121
 condylomatous lesions 83
 diagnosis difficulties 122
 early stromal invasion 72, 74, 76, 124
 increased 72, 73–74
 inflammatory lesions 122
 intercapillary distance 121, 122, 124, 125
 invasive carcinoma 75, 79
 mosaic 124
 nabothian follicles 122, 123
 nonsuspicious pattern 121, 122–123
 normal/atypical patterns 121
 polyps 76
 postmenopausal cervix 122
 study 79
 suspicious patterns 121, 124–126
 transformation zone 50, 51, 53, 72, 76
 vulval lesions 157
- Verrucous papillary carcinoma 77
- Verrucous vulva carcinoma 161
- Vesicovaginal fistula 97
- Videocolposcopy 10
- Vulva, anatomy 152
- Vulval carcinoma 156 (*see also* vulvar intraepithelial neoplasia (VIN))
 flat microinvasive 158
 histomorphology 163
 invasive 160
 verrucous 161
- Vulval lesions 151–164
 acetic acid test 154
 biopsy 158, 159
 classification 162–163
 colposcopy 154–158
 colposcopy–histology correlation 159–162
 condylomas 161
 diagnostic methods 152–153
 erythroplakia 152, 154–155, 158, 159, 162
 exfoliative cytology 158
 flat papillomatosis 160, 161
 histologic terminology 162–163
 HPV infection 158
 hyperkeratotic 157, 159
 inspection 152–153
 lichen sclerosis et atrophicus (LSA) 152, 154, 160, 162
 malignant melanoma 160, 162
 mosaic 157
 neoplastic *see* vulvar intraepithelial neoplasia (VIN)
 Paget's disease 160, 162
 palpation 153
 topography 152
- Vulvar intraepithelial neoplasia (VIN) 153–164
 acetic acid test 154
 appearance 155, 163
 bowenoid-warty 163
 carcinoma *see* vulval carcinoma
 classification 162–163
 CO₂ laser vaporization 164
 cockade-like appearance 155
 detection 153
 erythroplakic lesion 158
 excision 163–164
 histomorphology 163
 hyperkeratosis 159
 leukoplakia 155
 management 163–164
 palpation 153
 toluidine blue staining 153
 undifferentiated (basaloid) 163
 vascular pattern 157
- W**
- Warts *see* condylomatous lesions
- Wespi's nomenclature 41
- White epithelium *see* atypical transformation zone
- White lesions *see* leukoplakia
- World Congress for Colposcopy and Cervical Pathology, terminology 2, 3, 41