

# Index

Entries in **bold type** refer to illustrations.

## A

air–bone gap, 99, 166  
 air cells  
   exenteration, 277  
   exteriorization, 275, **287**  
   mastoid, closure, 77  
   in mastoidectomy, 219, **219**, **220**  
   retrofacial, in glomus tumor surgery, **340**  
 aluminum sheeting  
   in canalplasty, 65, **71**, 77  
   in osteoma surgery, 80, **82**, **83**, **87**, **88**  
   for protection in revision surgery, 324  
 anatomy  
   antrum, 2  
   attic, 2  
   canal wall, in tympanoplasty, **13–18**  
   carotid artery, 3  
   cochleariform process, 2  
   external auditory canal, 1  
   facial nerve, 1–2, 3  
   facial recess, 2  
   incus, 1  
   indicating CWD technique, **322**  
   jugular bulb, 3  
   labyrinth, 3  
   landmarks and signs, 4–12  
     facial nerve, **4–12**, **276**  
     in revision surgery, 325, **325**  
     in simple mastoidectomy, 218, **218**  
   malleus, 1  
   ossicular chain, 1  
   oval window, 2  
   posterior wall, 2  
   promontory, 2  
   and revision surgery, 324, **325**  
     stapes, 401  
   round window, 2  
   stapes, 1, 358, **358**, 393–396  
   tympanic cavity, 1–2  
   tympanic membrane, 1  
   tympanic sinus, 2  
 anesthesia, 34, **35–37**, 37  
   general, 34  
   hints and pitfalls, 37  
   local, 34  
     and myringoplasty, 164  
     stapes surgery, 355  
 annular ligament, 2  
 annulus, tympanic, 106  
   anatomy, 2  
   cholesteatoma dissection, **270**  
   in CWU tympanoplasty, 224  
   detachment, **310**  
   dissection, in EAC stenosis surgery, 99  
   grafting over, 116, **116**  
   grafting under, **115**, 115–116  
   visibility during surgery, 65

antrum  
   anatomy, 2  
   in CWU tympanoplasty, 224, **225**  
   opening, in modified Bondy technique, **302**  
   widening, in modified Bondy technique, **294**  
 approaches  
   endomeatal, and exostosis, 97  
   in ossiculoplasty, 166–167, **170**, 170–171, **171**  
   retroauricular  
     and exostosis, 97  
     and myringoplasty, 164  
   retroauricular–transmastoid, **260**  
   retroauricular–transmeatal, 166  
   stapes surgery, 356–358, **357**, **358**  
   transcanal, 80, **81**, **261**  
     and anesthesia, 37  
     glomus tumor surgery, 331  
     and myringoplasty, 164  
     ossiculoplasty, 166, 212  
     stapes surgery, 355  
   transcortical, CWD tympanoplasty, 274  
   transmastoid  
     glomus tumor surgery, 333, **333**  
     ossiculoplasty, 166–167  
   transmastoid and transcanal, 166  
   transmeatal  
     CWD tympanoplasty, 274  
     ossiculoplasty, 167  
 atelectasis  
   and myringoplasty, 155, **155**  
   Sadè classification, 167  
 attic  
   anatomy, 2  
   cholesteatoma, 223, **265**  
   dissection, **243**, **319**  
   removal, **257**  
   in CWU tympanoplasty, 224  
   erosion, and CWD tympanoplasty, 274  
   opening, **256**, **308**, **310**  
   reconstruction, **250**  
 atticotomy, **283**  
   in stapes surgery, 357, **357**, **368**, **376**, **380**, **385**

## B

Beaver blade, **28**, 57, 65  
 bimanual technique, stapes surgery, 356  
 bipolar coagulation, 23  
   glomus tumor, 332, **332**, **337**  
 bleeding  
   from dura, 423  
   from jugular bulb, 423  
   from sinuses, 423  
   *see also* hemostasis

blunting  
   after myringoplasty, 158, **158**  
   anterior angle, in myringoplasty, 164  
 Bondy technique, modified, 274, 289–290, **290**, **291**  
   cases in left ear, **319–320**, **320–322**  
   cases in right ear, **292–301**, **301–318**, **322**  
   hints and pitfalls, 323  
   indications, 323  
   *see also* canal wall down (open) tympanoplasty  
 bone  
   erosion, tegmen, 348  
   formation, 348  
   *see also* temporal bone  
 Brackmann suction irrigator, 23, **23**  
 burrs  
   diamond, and canalplasty, 77  
   and exostosis surgery, 97  
   rack, **29**  
   technical considerations, 38  
 buttonhole fascia, **125**, **136**, **162**, **163**, 164  
   in glomus tumor surgery, **338**  
 buttress  
   anterior, removal, **322**, 325  
   posterior, removal, **311**, **322**, 325

## C

canalplasty (calibration of bony canal walls), 65, **66–76**  
   case in left ear, **73–76**  
   case in right ear, **68–72**  
   in CWU tympanoplasty, 275, **282**, **283**  
   in EAC stenosis surgery, 99  
   in glomus tumor surgery, 332, **335–336**, **336**  
   hints and pitfalls, 77  
   in modified Bondy technique, 289, **293**  
   in myringoplasty, **139**, **147**, 164, 165  
   revision, **162**  
   in ossiculoplasty, **169**, **205**, 212  
   patient selection, 41  
   in revision surgery, 325  
   surgical steps, 65, **66–67**  
 canal wall, *see* external auditory canal  
 canal wall down (open) tympanoplasty, 274–330  
   badly performed, **326**  
   case in left ear, **281–288**  
   and cholesteatoma, 43  
   closure, 281  
   downward appearance of canal wall, **13–15**  
   hints and pitfalls, 289  
   indications, 274  
   packing, 281

- canal wall down (open) tympanoplasty  
 patient selection, 41  
 revision surgery, 324–325, **325**, 330  
 case in right ear, **326–330**  
 second stage surgery, 324  
 case in right ear, **202–204**  
 skin incision, 57  
 surgeon's position, 22, **22**  
 surgical steps, 274–278, **275–278**  
 techniques, 274  
*see also* Bondy technique, modified  
 canal wall up (closed) tympanoplasty,  
**190–192**, 221–273  
 case in left ear, **241–252**  
 cases in right ear, **229–240**, **252–255**,  
**256–259**  
 and cholesteatoma, 43  
 and conversion to CWD procedure, 221  
 hints and pitfalls, 272–273  
 patient selection, 41  
 postoperative CT, **259**  
 second stage surgery, 221, **260**, 260–  
 261, **261**  
 cases in left ear, **190–192**, **199**, **200–**  
**201**, **268–272**  
 cases in right ear, **193–196**, **197–198**  
 skin incision, 57  
 surgeon's position, 22, **22**  
 tympanic membrane reconstruction,  
**125**  
 upward appearance of canal wall, **15–**  
**18**  
 carotid artery, anatomy, 3  
 cartilage  
 conchal, harvesting, **315–317**  
 cutting, in modified Bondy technique,  
**299**  
 in CWU tympanoplasty reconstruction,  
 227, **227**  
 impeding retraction, in modified Bondy  
 technique, **300**, **314**  
 in meatoplasty, 280  
 in modified Bondy technique, 290  
 reinforcing tympanic membrane, 214,  
**214**  
 septal, preparation, **248**  
 cavity problems, postoperative, 330  
 cells, *see* air cells  
 ceramics, 166  
 cerebrospinal fluid (CSF) leak, 395, **395**,  
 417, 423–424  
 chemodectoma, 221  
 children  
 skin closure after canalplasty, 77, **78**  
 staged CWU tympanoplasty, 221  
 cholesteatoma, 41, 42  
 antrum, **229**  
 attic, 223  
 blunt dissection, **257**, **306**, **307**, **308**  
 cutting, **308**  
 and CWD tympanoplasty, 274  
 and CWU tympanoplasty, 221  
 debulking, **305**  
 detachment, in modified Bondy tech-  
 nique, **296**, **298**  
 dissection  
 in contracted mastoid, **279**  
 in windows, 225  
 epitympanic, **256**  
 CT images, **292**  
 lateral, **301**  
 and modified Bondy technique, 289  
 state after removal, **320**  
 evacuation, **307**  
 external auditory canal, 80, 103, **103**,  
**104–105**  
 and first-stage surgery, 225  
 iatrogenic, 109, **109**, 228, **228**  
 after myringoplasty, 159, **159**  
 avoidance, 165  
 and labyrinthine fistula, 344, **344**, **345–**  
**347**  
 location, and second-stage surgery, 260,  
**260**  
 matrix dissection, 224, 225, **225**, 226,  
**226**  
 recurrent, **262**, **268–272**, 273, 324  
 removal, 224, **225**  
 in CWU tympanoplasty, **229–238**  
 and intact matrix, 224, 225, **225**, 226,  
**226**  
 in modified Bondy technique, 290,  
**299**  
 residual, 273  
 sac, **318**  
 opening, **297**, **306**  
 tympanic cavity, **241**  
 and tympanoplasty, 43  
 vs. exostosis, 103  
 vs. keratosis obturans, 103  
 chorda tympani, **149**, 223, **223**, **224**, **384**  
 anatomy, 2–3  
 crest, 223, **223**, **231**  
 in stapes surgery, 356, **376**, **380**  
 chronic otitis media, *see* otitis media  
 closed technique, *see* canal wall up  
 (closed) tympanoplasty  
 closure of wound/skin, 77, **77–78**, **240**  
 after CWD tympanoplasty, 280  
 after CWU tympanoplasty, 228, **228**  
 after modified Bondy technique, **318**  
 after ossiculoplasty, 183  
 after retroauricular myringoplasty, 118,  
**118**  
 after stapes surgery, 366, **366–367**  
 coagulation  
 bipolar, 23  
 monopolar, 23  
 and dural bleeding, 423  
 cochlear fistula, 323  
 cochleariform process, **238**  
 anatomy, 2  
 as landmark, 4  
 cochlear implants, 221, 420, **420–422**  
 cog, 223, **224**, **286**  
 columella  
 absorption, 213  
 adjustment, **210**  
 length, in revision ossiculoplasty, 212,  
**213**  
 in ossiculoplasty, 176  
 placement, 212  
 computed tomography (CT)  
 badly performed CWD technique,  
**326**  
 cholesteatoma, **292**  
 and CSF gusher, 395, **395**  
 facial nerve injury, **426**  
 glomus tumor  
 class A, **335**  
 class B, **339**  
 preoperative, 272  
 and revision surgery, 324, 330  
 concha  
 incision, 279, **280**, **315**  
 stabilization, 279  
 contraindications  
 myringoplasty, 107  
 ossiculoplasty, 166  
 stapes surgery, 355  
 ventilation tube insertion, 44  
 cottonoids  
 for hemostasis, **128**, **265**  
 holding cholesteatoma matrix, **307**  
 use in CWU tympanoplasty, **245**, **247**  
 use in myringoplasty, 164  
 use in stapes surgery, 356, **357**  
 crepe bandage, 79, **79**  
 crimper, use in stapes surgery, 365, **375**,  
**383**  
 crus of stapes  
 anterior, cutting, **382**  
 posterior, 362, **362**, **368**, **385**  
 cutting, **374**, **387**  
 drilling, **386**  
 curettes, double-ended, **32**  
 cutting jig, for stapedotomy prosthesis, **32**  
 CWD, *see* canal wall down (open) tym-  
 panoplasty  
 CWU, *see* canal wall up (closed) tympano-  
 plasty
- D**
- decision-making, 41–43  
 digastric ridge, **340**  
 as landmark, 4  
 dissection  
 annulus, in EAC stenosis surgery, 99  
 cholesteatoma, 225, 226, **226**, **257**, **306**,  
**307**, **308**  
 annulus, **270**  
 attic, **243**, **319**  
 in contracted mastoid, **279**  
 in windows, 225  
 glomus tumor, 332, **332**  
 in mastoidectomy, 219  
 retraction pocket, 223, **223**  
 technical considerations, 40  
 dissector, double-ended, **31**  
 drainage, transmastoid, 228  
 draping, and anesthesia, 34, **35**  
 dressing, postoperative care, 79, **79**  
 drilling  
 in exostosis surgery, 97  
 in mastoidectomy, **218**, 218–219, **219**  
 rules and hints, 38, **39**  
 Skeeter system, **32**, 361, **361**, 363  
 in revision surgery, **412**  
 in stapes surgery, **381**  
 in stapes surgery, 361, **361**  
 tracks, direction, **39**  
 dural herniation, 348–349, **349–350**
- E**
- EAC, *see* external auditory canal  
 ear, *see* middle ear  
 ear, only hearing  
 and myringoplasty, 106  
 strategy, 41–42  
 ear speculum, **28**  
 in stapes surgery, 356, **356**  
 electrode, insertion, 420, **421**  
 elevators, **30**, **31**

endomeatal approach, and exostosis, 97  
 epidermization  
   medial tympanic membrane, 156, **156**  
   middle ear, 106, 156  
 epitympanotomy, posterior, **230, 242, 245,**  
 272, 289  
   in modified Bondy technique, **295**  
   surgical steps, 222, **222, 223**  
 epitympanum, 2  
   anterior, and patient positioning, 20, **20**  
   cleaning, **246**  
 erosion  
   bone, in tegmen, 348  
   epitympanic, and CWU tympanoplasty,  
   221  
 eustachian tube, obliteration, 323  
 exostosis  
   external auditory canal, 80, **80**  
     cases in left ear, **84–89, 90–97**  
     hints and pitfalls, 97  
     hints for beginners, 97  
     vs. cholesteatoma, 103  
   *see also* osteoma  
 external auditory canal, 80–105  
   anatomy, 1  
   calibration, *see* canalplasty  
   cholesteatoma, 103, **103, 104–105**  
   fenestration, 222  
   Gelfoam packing, **240**  
   incision, 57–58, **58–64**  
     case in right ear, **60–61**  
     cases in left ear, **61–62, 63–64**  
   narrow, 393  
   posterior wall, in mastoidectomy, **218,**  
   219, **220**  
   stenosis, 43, 97, **98, 99,** 99–103  
     after myringoplasty, **158,** 159  
     bilateral postinflammatory, 289  
     case in left ear, **100–102**  
     hints and pitfalls, 103  
     postinflammatory, 97, **98**  
     postoperative, 97, **98,** 165  
     surgical steps, 99–100, **99–100**  
   wall  
     downward appearance in open tym-  
     panoplasty, **13–15**  
     upward appearance in closed tym-  
     panoplasty, **15–18**  
   *see also* canalplasty; canal wall down;  
   canal wall up  
 extrusion, columella, 214

## F

facial bridge  
   lowering, **303**  
   removal, **284,** 290, **304, 322**  
 facial nerve  
   anatomy, 1–2, 3  
   and canalplasty, 77  
   cholesteatoma involvement, **245**  
   in CWD tympanoplasty, **286, 287**  
   in CWU tympanoplasty, 272  
   decompression, 221  
   in glomus tumor surgery, **340**  
   injury, 424–425, **425, 426**  
   interposition repair, **427, 428**  
   interruption, **427**  
   landmarks and signs, **4–12, 276**  
   in mastoidectomy, **220**  
   monitoring, 23

overhanging, 394, **394**  
 paralysis, 348  
   in posterior tympanotomy, 223  
   in stapes surgery, 357, 358, **358, 376**  
   tympanic segment, **238**  
 facial recess, 223, **223**  
   anatomy, 2  
   opening, **231, 273**  
 facial ridge  
   height estimation, **310**  
   lowering, **265, 270,** 275, 276, **276, 284**  
   in modified Bondy technique, **296,**  
   **304, 311, 312**  
   in revision surgery, **328, 329**  
 fascia, *see* temporalis fascia  
 fenestration, posterior wall, 272  
 fistula  
   cochlear, 323  
   labyrinthine, 224, **225,** 272, 344, **344–**  
   **348,** 424  
   perilymphatic, 405  
 fixation  
   incus, 389–390, **391**  
   malleus, 391, **392–393**  
 floating footplate, 397, **398**  
 floating stapes, 397, **397**  
 follow-up, after CWU tympanoplasty,  
 273  
 footplate, *see* stapes footplate  
 forceps  
   fine, **30**  
   pressure, fascia, **30**  
   self-retaining, **32**  
   wire closure, **32**  
 fossa, *see* glenoid fossa; middle fossa  
 fracture, stapes footplate, 397, **398**

## G

gauge, microsurgical, **32**  
 Gelfoam  
   in CWU tympanoplasty closure, 228,  
   **228**  
   in glomus tumor surgery, 334, **343**  
   mastoid cavity, **240, 252**  
   in myringoplasty, **123–124, 129, 136,**  
   **138, 139,** 164, 165  
   in ossiculoplasty, 176, 178, 181, **182,**  
   **187, 189, 192, 194, 195**  
   postoperative care, 79  
   in revision ossiculoplasty, 213, **217**  
   tympanic cavity, **267**  
 glenoid fossa, 2  
 glomus tumor, 331–334, **331–334**  
   class A (glomus tympanicum), 331  
   case in left ear, **335–339**  
   class B, 221, 331  
   case in left ear, **339–343**  
   classification, 331  
   computed tomography, **335**  
   surgical steps, 331–335, **331–335**  
 graft  
   harvesting  
     split-thickness skin graft, 55, **56–57**  
     temporalis fascia, 49, **49–51**  
     tragal cartilage and perichondrium,  
     51, **52–55**  
   placement, in retroauricular myringo-  
   plasty, 115–116, **115–116**  
   split-thickness, **131–132**  
   in EAC stenosis surgery, 100, **102**

and tympanic membrane reconstruc-  
 tion, 106  
 granulation tissue, prosthesis involve-  
 ment, **406**

## H

handpieces, intra, **29**  
 harvesting-grafting materials  
   split-thickness skin graft, 55, **56–57**  
   temporalis fascia, 49, **49–51**  
   tragal cartilage and perichondrium, 51,  
   **52–55**  
 hemostasis, 423  
   in CWU tympanoplasty, **235**  
   in meatoplasty, 279  
   in myringoplasty, **128**  
   in revision surgery, 324  
   stapes surgery, 356  
   technical considerations, 40  
 herniation  
   dural, 348–349, **349–350**  
   meningocephalic, 348–349, **349–350**  
   cases, **350–352, 353–354**  
 hints and pitfalls  
   anesthesia, 37  
   canalplasty, 77  
   canal stenosis, 103  
   CWD tympanoplasty, 289  
   CWU tympanoplasty, 272–273  
   exostosis, 97  
   modified Bondy technique, 323  
   ossiculoplasty, 212  
   revision surgery, after open technique,  
   330  
   stapes surgery, 400  
   revision, 416  
 hooks, **31**  
 hydroxyapatite, 166  
 Hyperflex bandage, 79  
 hypotympanum, 2  
   access, in glomus tumor surgery, 333,  
   **334**  
   in CWU tympanoplasty, 225  
   soft tissue density, **339**

## I

iatrogenic injuries, management, 423–  
 425, **425–428**  
 implant, cochlear, 420, **420–422**  
 incision  
   class A glomus tumor, 331  
   concha, 279, **280, 315**  
   external auditory canal, 57–58, **58–64**  
   for meatoplasty, 279, **280**  
   postauricular, 324  
   retroauricular, *see* retroauricular inci-  
   sion  
   retroauricular myringoplasty, 108,  
   **109**  
   in stapes surgery, 356  
 incudomalleal joint, disarticulation, 397  
 incudostapedial joint, **379**  
   disarticulation, **209**  
   in stapes surgery, **373, 376, 379, 382**  
 intact, in CWD tympanoplasty, 276  
 small erosion, 172, **172**  
 in stapes surgery, 362, 363, **363**

## incus

- anatomy, 1
- anomalous, 393, **393**
- autologous, 166, **206**
  - molding, **208**
  - in second-stage surgery, **266**
- body, **319**
- bypass, **415**, 416
- in CWD tympanoplasty, 276
- disarticulation, **173**, 401, 424
- erosion, **173**, 401–402, **402**
- fixation, **173**, 389–390, **391**
- hole in body, **190**
- homologous, 166, **215**
  - molding, **202–203**
- molding, **186**, **202–203**, **208**, 212, **216**
- ossiculoplasty, 212
  - with stapes superstructure, 177, **177**, **178**, **178**
  - without stapes superstructure, 180, **181**, **181**
- positioning, **188**, **189**, **191**, **194**, **195**, **204**, **217**, **268**
- removal, 173, **173**, **174**
  - in modified Bondy technique, 290
  - used as columella, **194**, **200**
  - in revision ossiculoplasty, 212, **213**
- indications
  - CWD tympanoplasty, 274
  - CWU tympanoplasty, 221, **221**
  - mastoidectomy, simple, 218
  - modified Bondy technique, 289, 323
  - myringoplasty, 107
  - ossiculoplasty, 166
    - in adhesive otitis media, 167
  - radical mastoidectomy, 323
  - stapes surgery, 355
  - for surgery, 41–43
  - ventilation tube insertion, 44
- inflammation, chronic, and ossicular chain, 106
- instruments, 23, **24–32**, **30**
- irrigation
  - in mastoidectomy, 219
  - technical considerations, 40
- irrigators, suction, 23, **23**, **29**

## J

jugular bulb, anatomy, 3

## K

- keratosis obturans, vs. cholesteatoma, 103
- knife
  - flap, **31**
  - round, **31**

## L

- labyrinth, anatomy, 3
- labyrinthine fistula, 224, **225**, 272, 344, **344–348**, 424
- landmarks and signs, 4–12
  - in revision surgery, 325, **325**
  - in simple mastoidectomy, 218, **218**

## lateralization

- after myringoplasty, 158, **158**
- tympanic membrane, in myringoplasty, 164
- lateral semicircular canal, **243**, **283**, **285**, **297**
  - eminence, **297**
  - fistula, 344, **344**
  - in revision surgery, **328**
- Lempert periosteum elevator, **30**
- lenticular process, removal, **209**
- loop, for prosthesis placement, 365, **366**, **371**, **372**, **375**, **383–384**
  - covering with tragal perichondrium, **416**
  - loose, **408**, **410**
  - in revision surgery, **414**, **415**

## M

## malignancy

- and CWD tympanoplasty, 274
- see also* neoplasm; tumor

## malleus

- anatomy, 1
- cholesteatoma involvement, **244**
  - cutting, **254**
- fixation, 391, **392–393**
- handle, 174
  - in glomus tumor surgery, **338**
  - preservation, 276
- head, removal, **233**, **258**
- management, in retroauricular myringoplasty, **114**, 114–115
  - and ossiculoplasty, 180
- in ossiculoplasty, **174**, 174–175, **175**
- removal, **244**
  - see also* manubrium
- malleus nipper, **30**
- manubrium, **258**
  - anatomy, 2
  - in CWU tympanoplasty, **236**
  - exteriorization, **137**, 334, **334**
  - and ossiculoplasty, 180
  - on tympanic membrane, **255**
  - see also* malleus

## mastoid

- cavity
  - Gelfoam packing, **240**, **252**
  - saucerization, 222, **222**, **254**, **271**, **272**, 274, 275, **426**
- contracted, **279**
- exposure, **241**, **281**
- pneumatized, 277, **278**
- surgery
  - operating table setup, **26**
  - problems and solutions, 344–354
  - tumor, 323
- mastoid cells, closure, 77
- mastoidectomy, **242**, **256**
  - in chronic suppurative otitis media, 106
  - in cochlear implant procedure, **420**
  - in CWD tympanoplasty, **283**
  - in glomus tumor surgery, **340**
  - in modified Bondy technique, 289, **302**
  - radical, 274, 323–324
    - indications, 323
    - in revision surgery, 325
    - surgical steps, 323–324
  - simple, 218–219, **220**
    - surgical steps, 222, **222**
  - transcortical, 289

mastoid retractor, **28**mastoid tip, **286**

- amputation, in modified Bondy technique, 289
- drilling, 277
- removal, 277
- matrix, *see* cholesteatoma
- measuring rod, in stapes surgery, **369**, **380**, **386**, **412**
- meatal skin flaps
  - elevation
    - retroauricular myringoplasty, 108, **109**, **146**, **147**
    - in stapes surgery, 356
  - and facial ridge height estimation, **310**
  - replacement, **315**
  - tear, 424
- meatal wall, removal, in modified Bondy technique, **295–296**
- meatoplasty, 274, 279–280, **280–281**
  - in CWD tympanoplasty, **288**
  - in modified Bondy technique, 290, **299**, **312**
  - and radical mastoidectomy, 324
  - and revision surgery, 325
  - in revision surgery, 330, **330**
- meningocephalic herniation, 348–349, **349–350**
  - cases, **350–352**, **353–354**
- mesotympanum, 2
  - cholesteatoma involvement, **246**, **247**
  - posterior
    - cholesteatoma, 261
    - in CWU tympanoplasty, 226
    - management in glomus tumor surgery, **337**
    - and patient positioning, 20, **20**
- microdissectors, **31**
- microforceps, **31**, **32**
- microinstruments, tips, **32**
- microknife, **31**
- microscissors, **30**, **31**, **32**
- microscope
  - external auditory canal incision, 57–58
  - operating, 23, **23**
- middle ear
  - epidermization, 106, 156
  - management, in CWU tympanoplasty, 224–226, **225–226**
  - mucosa, extensive defects, 157, **157**
  - obliteration, 417, **417–418**
  - perforation, “safe” vs. “unsafe”, 106, **107**
  - tumor, 323
- middle fossa dura
  - in CWU tympanoplasty, 272
  - identification
    - in CWD tympanoplasty, 275, **275**
    - in mastoidectomy, 218, **218**
  - low, **294**
- monopolar coagulation, 23
  - and dural bleeding, 423
- mucosa
  - everted, 106, 154, **155**
  - middle ear, extensive defects, 157, **157**
- musculoperiosteal flap
  - creation, **287**
  - suturing, **240**
- myringoplasty, 106–165
  - and atelectasis, 155, **155**
  - case in left ear, **63–64**
  - contraindications, 107
  - hints and pitfalls, 164–165
  - indications, 106, 107

management types, **108**  
 patient selection, 41  
 problems and solutions, 154–157  
 and reperforation, 158  
 retroauricular, 108–118  
   cases in left ear, **119–121, 125–126, 132–139, 145–152**  
   cases in right ear, **121–125, 127–132, 139–144**  
   surgical steps, 108–118, **109–118**  
 revision, 158–159, **158–159**  
   case in left ear, **160–164**  
 skin incision, 57, 108, **109**  
 surgeon's position, 22, **22**  
 transcanal, 153, **153, 154**  
 myringostapedioplasty, **184**  
 myringotomy, for ventilation tube insertion, **45**

## N

needle, curved, **31**  
 neoplasm  
   indication for surgery, 42  
   see also malignancy; tumor  
 nurse, position, 19, **19**

## O

obliteration, middle ear, 417, **417–418**  
 open cavity, revision surgery, 324  
 open technique, see canal wall down (open) tympanoplasty  
 operating room  
   arrangement, 19, **19**  
   setup, 19–33  
     hints and pitfalls, 33  
 operating table setup  
   for mastoid surgery, **26**  
   for ossiculoplasty and second stages, **25**  
   for stapes surgery, **27**  
   for ventilation tube insertion, **24**  
 operative site, preparation, 21  
 ossicles  
   biocompatible, 212  
   removal, 323  
 ossicular chain, 166  
   anatomy, 1  
   categories, 176  
   and chronic inflammation, 106  
   and CWU tympanoplasty, 272  
   fixation, 389–391, **391–393, 401**  
   intact, **319**  
   management, in ossiculoplasty, 171–172  
   problems after stapes surgery, 401–402  
   reconstruction, 166, 261  
     materials, 166  
   in stapes surgery, 358  
 ossiculoplasty, 166–217  
   after incus disarticulation, 424  
   cases in left ear, **168–169, 184–189, 199, 200–201, 205–211**  
   cases in right ear, **190–192, 193–196, 197–198, 202–204**  
   closure, 183  
   with fixed stapes footplate, 182–183, **183**  
   hints and pitfalls, 212  
   and incudostapedial joint, 172, **172**

incus, 173, **173, 174**  
 indication, 42  
 malleus, **174, 174–175, 175**  
 and myringoplasty, 165  
 operating table setup, **25**  
 patient selection, 41  
 revision, 43, 212–214, **213, 214, 215–217, 325**  
   TORP, **215–217**  
 as second-stage procedure, 212  
 skin incision, 57  
 stapes, **175, 175–176, 176, 179**  
 with stapes superstructure, 176–179, **176–180, 200**  
 without stapes superstructure, 180–182, **180–182**  
 vs. stapedotomy, 212  
 osteoma  
   external auditory canal, 80, **81**  
   see also exostosis  
 otitis media  
   adhesive  
     and ossiculoplasty, 167  
     with perforation, **184**  
   chronic  
     anatomical sequelae, 106  
     non-cholesteatomatous, 41, 42  
     retroauricular myringoplasty, **139–144, 145–152**  
     suppurative, and mastoidectomy, 106  
 otosclerosis, obliterative, 389, **390**  
 oval window, **208, 216**  
   anatomy, 2  
   closure, 405, **405**  
   in CWU tympanoplasty, 225, **225, 226**  
   exposure, in stapes surgery, **385**  
   filling with blood, **410**  
   in stapes surgery, 366, **366, 377, 384**  
   as landmark, 4  
   narrow niche, 395, **395**  
   problems after stapes surgery, 404, **404**  
 overhang, bony, **253, 263, 275, 326**  
 in cochlear implant procedure, **420**  
 drilling, **233, 308, 309**  
 elimination, 330  
 mastoid tip, **287**  
 removal, **426**  
 overlay technique  
   myringoplasty, 106, 116–117, **117**  
   in myringoplasty, 164

## P

packing  
   in CWD tympanoplasty, 280, 281  
   in modified Bondy technique, **297, 315**  
   in retroauricular myringoplasty, 118, **118**  
   tympanic cavity, 276  
 palsy, facial nerve, 425  
 pars tensa  
   and atelectasis, 167  
   perforation, **119, 121**  
 partial ossicular replacement prosthesis (PORP), 176, 179, **179, 212**  
 patients  
   positioning, **20, 20–21**  
   selection, 41  
 perforation  
   confined to posterior quadrants, **111, 111–112, 112**

limited to epitympanic area, 112, **112**  
 management, **108**  
 reaching the anterior quadrants, 112–113, **113**  
 “safe” vs. “unsafe”, 106, **107**  
 simple, repair, **119–121**  
 subtotal, 113  
 total, 113  
 tympanic membrane, **132**  
 and tympanosclerosis, 170  
 types, 106–107, **107–108**  
 perichondrium, tragal, harvesting, 51, **52–55**  
 perilabyrinthine cells, **235**  
   drilling, 277  
 periosteum, elevator, Lempert, **30**  
 piston, in stapes surgery, 359, **359–360, 370**  
   cutting, **371**  
 plaque, tympanosclerotic, removal, 109, **110, 122, 133, 134, 149**  
 Plastipore, 166  
 PORP, 176  
 polyp, in promontory, **132**  
 position, see patients; surgeon's position  
 postauricular incision, 324  
 posterior canal wall, removal, 274–275, **275–276**  
 posterior semicircular canal, **283, 285**  
 posterior wall, anatomy, 2  
 postoperative care, 79, **79**  
 preoperative care, 79, **79**  
 preparation  
   operative site, 21  
   stapes surgery, 355–356  
 promontory  
   anatomy, 2  
   overhanging, 395, **395**  
 prosthesis  
   anterior migration, 402, **402**  
   artificial  
     extrusion rates, 214  
     in ossicular reconstruction, 166  
   dislocation, **411, 414**  
   extrusion, 403, **403**  
   failure, 402–403  
   granulation tissue involvement, **406**  
   hooked on manubrium, **415**  
   long, 403  
   placement  
     in revision surgery, **413**  
     in stapes surgery, 365–366, **365–366, 374, 377, 378–379, 388–389**  
   preparation  
     in revision surgery, **412**  
     in stapes surgery, 359, **359–360**  
   removal, **406–407, 409, 411, 415**  
   short, 403  
   stapedotomy, **32**  
 protympanum, 2  
   cholesteatoma, **237**  
   and patient positioning, 20, **20**  
 Prussak's space, 2  
*Pseudomonas aeruginosa*, 79  
 pyramidal eminence, in stapes surgery, 357, **358, 362**

## R

receiver, internal, in cochlear implant procedure, **422**

- recess, supratubal, with cholesteatoma, **234**
- reconstruction  
in CWU tympanoplasty, 227, **227**  
management, in CWD tympanoplasty, 278, **278**
- reperforation  
after myringoplasty, 158  
risk, and Gelfoam packing, 165
- retraction, and ossiculoplasty, 167
- retraction pocket, dissection, 223, **223**
- retractor  
mastoid, **28**  
skin, **30**
- retroauricular approach  
and exostosis, 97  
and myringoplasty, 164
- retroauricular incision, 47, **47–48**  
and anesthesia, 37  
cholesteatoma, **104**  
in CWD tympanoplasty, **281**  
EAC stenosis surgery, 99, **100**
- retroauricular myringoplasty, *see* myringoplasty
- retroauricular–transmastoid approach, **260**
- retroauricular–transmeatal approach, ossiculoplasty, 166
- retrofacial cells, exenteration, 277
- revision surgery  
after CWU tympanoplasty, **260**, 260–261, **261**  
after open technique, 324–325, **325**, **326–330**, 330  
case in right ear, **326–330**  
hints and pitfalls, 330  
landmarks, 325, **325**  
myringoplasty, 43, 158–159, **158–159**, **160–164**  
strategy, 42–43
- ring, tympanic, *see* annulus
- rongeur, **30**
- round window, **216**  
anatomy, 2  
in cochlear implant procedure, **421**, **422**  
in CWU tympanoplasty, 225
- S**
- Sadè, atelectasis classification, 167
- sandwich technique, in CWU tympanoplasty, 227, **227**, **251**
- Sanna fluoroplastic/stainless steel piston, 359, **359–360**, **370**
- saucerization  
cavity, **426**  
cholesteatoma surgery, 103  
mastoid cavity, 222, **222**, **254**, **271**, 272, 274, 275
- scalpel, handles and blades, **28**
- scar tissue  
elevation, in EAC stenosis surgery, 99, **101**  
removal from prosthesis, **408**, **409**  
retroauricular, 49
- scissors  
delicate, **30**  
for grafts, **30**
- scrub nurse, position, 19, **19**
- second stage surgery, *see* surgery
- semicircular canals, **283**, **285**  
insult, **427**  
lateral, **243**, **283**, **285**, **297**  
eminence, **297**  
fistula, 344, **344**  
in revision surgery, **328**  
posterior, **283**, **285**  
superior, **283**, **285**
- setup, operating room, 33
- sigmoid sinus  
bleeding from, 423  
drilling margin, **293**  
identification, 275, **275**  
in mastoidectomy, 218, **218**  
thinning of bone, 325
- Silastic sheeting  
in CWD tympanoplasty, 278  
in CWU tympanoplasty, 227, **227**, **239**, 273  
mucosal proliferation, **264**  
preparation, **248**  
in second-stage surgery, 261
- sink trap effect, 277
- sinodural angle, cholesteatoma, **264**, **265**
- sinus tympani, cholesteatoma, 323
- Skeeter drill, **32**, 361, **361**, 363  
in revision surgery, **412**  
in stapes surgery, **381**
- skin  
closure, *see* closure of wound/skin  
incision, *see* incision  
placement over graft, in myringoplasty, 116, **116**  
replacement, in myringoplasty, 117–118, **117–118**  
retractor, **30**
- skin flaps  
meatal, elevation, **282**  
meatoplasty, 280, **280**, **281**
- skin graft, *see* graft
- speculums, **28**  
ear, in stapes surgery, 356, **356**  
nasal, **30**
- staging, 42  
and stapes, 165  
*see also* surgery, second stage
- stapedial artery, 396, **396**  
case in right ear, **399**
- stapedial tendon, in stapes surgery, 362, **362**
- stapedotomy, 182, 361, 362, **362**  
anterior, 403, **403**  
hole, **387**  
closed, **409**, **411**  
creation, 364, **364–365**, **376**, **381**  
re-creation, **410**  
in revision surgery, **412**  
with inversion of techniques, **378**  
lateralized membrane after, 404, **404**  
prosthesis  
cutting jig, **32**  
scar tissue removal, **408**  
and stapedial artery, 396
- stapes  
anatomy, 1  
cholesteatoma matrix removal, **232**  
floating, 397, **397**  
footplate, *see* stapes footplate  
fracture, 424  
management, in tympanosclerosis, 170, **170**  
ossiculoplasty, **175**, 175–176, **176**  
with fixed footplate, 182–183, **183**  
with superstructure absent, 180–182, **180–182**  
with superstructure present, 176–179, **176–180**, **200**  
and staging, 165  
superstructure  
cholesteatoma removal, **238**  
in CWD tympanoplasty, 278  
exposure, **267**  
management, 362–363, **362–363**  
removal, **377**, **379**, **382**, **387**  
surgery, *see* stapes surgery  
trauma, 397
- stapes footplate, **368**, **380**, **381**, **411**  
and CSF gusher, 395  
floating, 397, **398**  
fracture, 397, **398**  
measuring, **369**, **380**, **386**, **412**
- stapes surgery, 355–416  
anatomic variants, 358, **358**  
and anesthesia, 37  
case in right ear, **367–375**  
cases in left ear, **376–377**, **378–379**, **379–384**, **384–389**  
closure, 366, **366–367**  
contraindications, 355  
drilling, 361, **361**  
hints and pitfalls, 400  
indications, 42, 355  
measuring rod, **369**, **380**, **386**, **412**  
operating table setup, **27**  
patient positioning, 21  
patient selection, 41  
problems and solutions, 389–397, **390–398**  
protheses  
placement, 365–366, **365–366**  
preparation, 359, **359–360**  
revision, 43, 400–401  
case, **410–413**  
cases in left ear, **408–410**, **414–415**  
cases in right ear, **406–407**, **408**, **413–414**, **415–416**  
hints and pitfalls, 416  
staging strategy, 42  
surgeon's position, 22, **22**, 356  
surgical steps, 355–366, **356–367**  
and trauma, 397, **397**, **398**
- Staphylococcus aureus*, methicillin-resistant, 79
- stenosis, *see* external auditory canal, stenosis
- steps, surgical, *see* surgical steps
- Steri-Strip closure, 77, **78**, 118  
after CWD tympanoplasty, 280  
after retroauricular myringoplasty, 118, **118**
- stitches, skin closure, 77, **77**
- strategy, in only hearing ear, 41–42
- suction, 23  
technical considerations, 40
- suction irrigators, 23, **23**, **29**
- suction tubes, **29**
- superior semicircular canal, **283**, **285**
- supralabyrinthine area  
obliteration of shallow dips, **329**  
obliteration with bone  
p&#xe2;t&#xe9;, **321**
- supratubal recess, with cholesteatoma, **234**
- sural nerve, interposition, **428**
- surgeon's position, 21–22, **22**, **186**, **266**  
in stapes surgery, 356, 361, **361**

- surgery  
 decision-making, 41–43  
 general procedures, 47–78  
 in only hearing ear, strategy, 41–42  
 revision, strategy, 42–43  
 second stage  
   CWD tympanoplasty, **202–204**, 324  
   CWU tympanoplasty, **190–201**, 221, **260**, 260–261, **261**, **262–272**  
 staging strategy, 42  
 see also *specific procedures*
- surgical steps  
 canalplasty, 65, **66–67**  
 CWD tympanoplasty, 274–278, **275–278**  
 CWU tympanoplasty, 221–228, **221–228**  
 epitympanotomy, posterior, 222, **222**, **223**  
 exostosis, 80, **81**, 82–83  
 external auditory canal  
   incision, 57–58  
   stenosis, 99–100, **99–100**  
 glomus tumor, 331–335, **331–335**  
 mastoidectomy, simple, 218, **218**, 222, **222**  
 meatoplasty, 279–280, **280–281**  
 modified Bondy technique, 289–290, **290**, **291**  
 ossiculoplasty, 170–176  
   approach, **170**, 170–171, **171**  
   ossicular chain management, 171–172  
   tympanic cavity management, 171  
 osteoma, 80, **81**, 82–83  
 radical mastoidectomy, 323–324  
 retroauricular myringoplasty, 108–118, **109–118**  
 second stage, after CWU tympanoplasty, 260–261  
 stapes surgery, 355–366, **356–367**  
 transcanal myringoplasty, 153
- preparation  
 in CWU tympanoplasty, **248**  
 in retroauricular myringoplasty, 113–114  
 pressure forceps, **30**  
 repairing tympanic membrane, **209**, **210**  
 replacement, **321**  
 see also buttonhole fascia
- temporomandibular joint, 77  
 and myringoplasty, 165
- tensor tympani muscle tendon  
 anatomy, 2  
 cutting, **285**  
 in CWD tympanoplasty, 278  
 preservation, 276
- total ossicular replacement prosthesis (TORP), 181, **182**, 183, 212  
 cutting, **197**  
 positioning, **197**, **198**  
 in revision ossiculoplasty, **215–217**
- tragal cartilage  
 harvesting grafting materials, 51, **52–55**  
 preparation, **216**
- transcanal approach, 80, **81**, **261**  
 and anesthesia, 37  
 glomus tumor surgery, 331  
 and myringoplasty, 164  
 ossiculoplasty, 166, 212  
 stapes surgery, 355
- transcanal myringoplasty, 153, **153**, **154**
- transcortical approach, CWD tympanoplasty, 274
- transmastoid and transcanal approach, ossiculoplasty, 166
- transmastoid approach  
 glomus tumor surgery, 333, **333**  
 ossiculoplasty, 166–167
- transmastoid drainage, 228
- transmeatal approach  
 CWD tympanoplasty, 274  
 ossiculoplasty, 167
- trauma, surgical, 397, **397**, **398**
- tumor  
 and CWD tympanoplasty, 274  
 mastoid, 323  
 middle ear, 323  
 see also malignancy; neoplasm
- tympanic annulus, see annulus
- tympanic cavity  
 anatomy, 1–2  
 Gelfoam filling, **267**  
 management  
   in CWD tympanoplasty, 275–276, **276–277**  
   in ossiculoplasty, 171  
 medial wall, anatomy, 2  
 packing, 276  
 preparation, retroauricular myringoplasty, 111, **111**  
 re-exploration, 273
- tympanic membrane  
 anatomy, 1  
 during canalplasty, 77  
 cartilage reinforcement, 214, **214**  
 in CWU tympanoplasty, 224, **238**, **239**  
 intact, and tympanosclerosis, 169–170  
 lateralization, in myringoplasty, 164  
 medial, epidermization, 156, **156**
- perforation, 106, 397, **397**  
 reconstruction, 106, 167, **188**, **192**, 278  
   in CWU tympanoplasty, **125–131**  
 repair, **168–169**  
 secured with Gelfoam, **301**  
 tear, 424  
 see also pars tensa
- tympanic ring, see annulus
- tympanic sinus  
 anatomy, 2  
 cholesteatoma removal, **235**  
 in CWU tympanoplasty, 226, **226**
- tympanomastoid suture, 2
- tympanomeatal flap, **134**  
 anterior, pathological status, 154  
 in CWU tympanoplasty, 224  
 elevation  
   in CWU tympanoplasty, **224**  
   in glomus tumor surgery, **340**  
   in stapes surgery, **375**, **384**  
 elevation, in stapes surgery, **379**  
 in glomus tumor surgery, 332, **332**, 333, **333**, 334, **334**, **335**
- management, retroauricular myringoplasty, 108–109, **109–111**  
 replacement, **321**  
 in CWU tympanoplasty, **249**  
 in glomus tumor surgery, **339**  
 in modified Bondy technique, **301**  
 in revision stapes surgery, 416  
 thickened, 154
- tympanoplasty, see canal wall down (open) tympanoplasty; canal wall up (closed) tympanoplasty
- tympanosclerosis, 106, 157, **158**  
 with intact tympanic membrane, 169–170  
 and ossiculoplasty, 169  
 and perforation, 170  
 and stapes management, 170, **170**
- tympanosquamous suture, 2
- tympanostomy tube, 41, 227
- tympanotomy  
 posterior, **230**, **231**, **246**, **247**, 273  
   in glomus tumor surgery, 333, **341**  
 superior, in cochlear implant procedure, **421**
- T**
- technical considerations, 38–40
- tegmen, bone erosion, 348
- temporal bone  
 anatomy, 1–18  
 pneumatized, management in CWD tympanoplasty, 277, **278**
- temporalis fascia  
 covering obliterated area, **330**  
 cutting of segments, **255**, **312**, **320**  
 in CWD tympanoplasty, 278  
 in CWU tympanoplasty, **239**  
 folding, **313**, **321**  
 grafting over cartilage, **259**  
 harvesting grafting materials, 49, **49–51**  
 introduction into cavity, **313**  
 and labyrinthine fistula treatment, **347**, **348**  
 in modified Bondy technique, 290  
 in myringoplasty, **123**, **124**, **126**, **130–131**  
 ossiculoplasty, **187**  
 passing incus through cut, **322**  
 placement, **313**, **314**  
   in CWU tympanoplasty, **249**, **251**  
   in modified Bondy technique, **300**
- U**
- underlay technique, myringoplasty, 106, 111–116
- V**
- ventilation tube  
 insertion, 44, **45–46**  
 operating table setup, **24**
- W**
- wound closure, see closure of wound/skin