


# VCOT – Veterinary and Comparative Orthopaedics and Traumatology

Issue 5/2020

## DATES

Date of Publication: 17 September 2020  
**Closing Date for Adverts: 18 August 2020**  
 Printing Material: 19 August 2020  
 Closing Date for Inserts: 25 August 2020



**Preliminary Content (can be slightly changed by the editorial dept.):**

Category	Article
Original Research	Biomechanical effects of tibial plateau levelling osteotomy on joint instability in normal canine stifles: an in vitro study  <i>(Shimada, Masakazu; Takagi, Tetsuya ; Kannno, Nobuo; Yamakawa, Satoshi; Fujie, Hiromichi; Ichinohe, Tom; Suzuki, Shuji; Harada, Yasuji; Hara, Yasushi)</i>
Original Research	Good inter- and intra-observer reliability for assessment of radiographic femoral and tibial frontal and sagittal planes joints angles in normal cats  <i>(Palumbo Piccionello, Angela; Salvaggio, Alberto; Volta, Antonella; Emiliozzi, Fabiola; Botto, Riccardo; Dinj, Fabrizio; Petazzoni, Massimo)</i>
Original Research	How do the locking screws lock? A micro - CT study of a 3.5 locking screw mechanism  <i>(Jakub Kaczmarek)</i>
Original Research	Time to peak concentration of amikacin in the radiocarpal joint following cephalic intravenous regional limb perfusion in standing horses  <i>(Kajsa Gustafsson, Amos. Tatz, Roe Dahan, Malka Britzi, Stefan Soback, Gila A. Sutton, Gal Kelmer)</i>
Original Research	Publication Rate and Evidence-Based Evaluation of Abstracts Presented at the Annual Veterinary Orthopedic Society Conference  <i>(Kettleman, William; Iuliani, Matthew; Webb, Brenna; Ceballos, Joselys; Torres, Bryan)</i>

## CONTACT PERSON

Nicole Doerr • Advertising Manager  
 Tel. + 49 711/8931-446 • Fax -470  
 E-Mail: nicole.doerr@thieme-media.de

Seite 1 von 2

Thieme Media  
 Pharmedia Anzeigen- und Verlagsservice GmbH  
 Rüdigerstr. 14 • 70469 Stuttgart • Germany

 **Thieme Media**

Original Research	Measurement of Acetabular Component Position in Total Hip Arthroplasty in Dogs – Comparison of a Radio-opaque Cup Position Assessment Device using Fluoroscopy with CT Assessment and Direct Measurement  <i>(Dr. Brianna Dalbeth)</i>
Original Research	The effect of increasing fracture site stiffness on bone-pin interface stress and foot contact pressure within the equine distal limb transfixation cast: a finite element analysis  <i>(Lescun, Timothy; Adams, Stephen; Nauman, Eric; Breur, Gert)</i>
Original Research	Computed tomography enhances diagnostic accuracy in challenging medial coronoid disease cases- An imaging study in dog breeding appeal cases  <i>(Wennemuth, Jan; Eley, Nele; Tellhelm, Bernd; von Pueckler, Kerstin)</i>
Clinical Communication	Triple pelvic osteotomy fixed with lag screw for the treatment of pelvic canal stenosis in five cats  <i>(Cinti, Filippo; Cavaliere, Leonardo; Tommasini Degna, Matteo; Rossi, Federica; Pisani, Guido)</i>
Clinical Communication	Treatment outcomes for Periprosthetic Femoral Fractures in Cementless Press-fit Total Hip Replacement  <i>(Monotti, Isobel; Preston, Christopher; Kidd, Scott)</i>

#### CONTACT PERSON

Nicole Doerr • Advertising Manager  
Tel. + 49 711/8931-446 • Fax -470  
E-Mail: [nicole.doerr@thieme-media.de](mailto:nicole.doerr@thieme-media.de)

Seite 2 von 2