
**Volume 3:
Compounds of Groups 12 and 11
(Zn, Cd, Hg, Cu, Ag, Au)**

	Preface	V
	Table of Contents	IX
	Introduction	
	I. A. O'Neil	1
3.1	Product Class 1: Organometallic Complexes of Zinc	
	P. Knochel	5
3.2	Product Class 2: Organometallic Complexes of Cadmium	
	P. O'Brien and M. A. Malik	91
3.3	Product Class 3: Organometallic Complexes of Mercury	
	W. Kitching and M. Glenn	133
3.4	Product Class 4: Organometallic Complexes of Copper	
	H. Heaney and S. Christie	305
3.5	Product Class 5: Organometallic Complexes of Silver	
	J. P. Fackler and C. W. Liu	663
3.6	Product Class 6: Organometallic Complexes of Gold	
	H. Schmidbaur and A. Schier	691
	Keyword Index	763
	Author Index	797
	Abbreviations	841

**Volume 3:
Compounds of Groups 12 and 11
(Zn, Cd, Hg, Cu, Ag, Au)**

Introduction

I. A. O'Neil

	Introduction	1
3.1	Product Class 1: Organometallic Complexes of Zinc P. Knochel	
3.1	Product Class 1: Organometallic Complexes of Zinc	5
3.1.1	Product Subclass 1: Zinc–Aryl Complexes	7
	Synthesis of Product Subclass 1	7
3.1.1.1	Method 1: Diarylzincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	7
3.1.1.1.1	Variation 1: From an Arylmagnesium Reagent	8
3.1.1.1.2	Variation 2: From a Preformed Aryllithium Reagent	8
3.1.1.1.3	Variation 3: From an In Situ Generated Aryllithium Reagent	9
3.1.1.2	Method 2: Diarylzincs by Transmetalation of a Triarylborane with a Dialkylzinc	10
3.1.1.3	Method 3: Diarylzincs by Transmetalation of a Diarylmercury with Zinc ..	10
3.1.1.4	Method 4: Arylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	11
3.1.1.4.1	Variation 1: From an In Situ Generated Arylnickel Reagent	11
3.1.1.4.2	Variation 2: From an Arylmagnesium Reagent	12
3.1.1.4.3	Variation 3: From an Aryllithium Reagent	12
3.1.1.5	Method 5: Arylzinc Halides from an Aryl Halide and Zinc	13
3.1.1.5.1	Variation 1: Using Zinc Dust	13
3.1.1.5.2	Variation 2: Using Activated Zinc	14
3.1.1.5.3	Variation 3: Using a Zinc Anode	14
3.1.1.6	Methods 6: Additional Methods	15
	Applications of Product Subclass 1 in Organic Synthesis	15
3.1.1.7	Method 7: Palladium-Catalyzed Aryl–Aryl Coupling	15
3.1.1.8	Method 8: Coupling with Acid Chlorides	16
3.1.2	Product Subclass 2: Zinc–Hetaryl Complexes	17
	Synthesis of Product Subclass 2	17
3.1.2.1	Method 1: Hetarylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	17
3.1.2.2	Method 2: Hetarylzinc Halides from a Hetaryl Halide and Zinc	18
3.1.2.2.1	Variation 1: Using Zinc Dust	18
3.1.2.2.2	Variation 2: Using Activated Zinc	19

3.1.2.3	Methods 3: Additional Methods	20
	Applications of Product Subclass 2 in Organic Synthesis	20
3.1.2.4	Method 4: Palladium-Catalyzed Cross-Coupling Reactions	20
3.1.3	Product Subclass 3: Zinc–(Het)arylmethyl Complexes	21
	Synthesis of Product Subclass 3	21
3.1.3.1	Method 1: Dibenzylzincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	22
3.1.3.2	Method 2: Dibenzylzincs by Transmetalation of a Tribenzylborane with a Dialkylzinc	22
3.1.3.3	Method 3: (Het)arylmethylzinc Halides from a (Het)arylmethyl Halide and Zinc	23
3.1.3.3.1	Variation 1: Using Zinc Dust	23
3.1.3.3.2	Variation 2: Using Activated Zinc	24
3.1.3.3.3	Variation 3: From an In Situ Generated Benzylic Halide and Zinc Dust	25
3.1.3.4	Method 4: (Het)arylmethylzinc Halides by the Methylene Homologation of a (Het)arylcopper	25
3.1.3.5	Methods 5: Additional Methods	26
	Applications of Product Subclass 3 in Organic Synthesis	27
3.1.3.6	Method 6: 1,4-Addition to Michael Acceptors	27
3.1.4	Product Subclass 4: Zinc–Allenyl Complexes	28
	Synthesis of Product Subclass 4	28
3.1.4.1	Method 1: Diallenylzincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	28
3.1.4.2	Method 2: Propargylic Zinc Halides from a Propargylic Halide and Zinc	29
3.1.4.3	Method 3: Allenylzinc Halides by the Methylene Homologation of an Alkynyl Organometallic Reagent	29
3.1.4.4	Methods 4: Additional Methods	30
	Applications of Product Subclass 4 in Organic Synthesis	31
3.1.4.5	Method 5: 1,2-Addition to Aldehydes, Ketones, or Imines	31
3.1.5	Product Subclass 5: Zinc–Allyl Complexes	31
	Synthesis of Product Subclass 5	31
3.1.5.1	Method 1: Diallylzincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	32
3.1.5.2	Method 2: Diallylzincs by Transmetalation of an Organometallic Reagent with a Dialkylzinc	33
3.1.5.3	Method 3: Allylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	33
3.1.5.4	Method 4: Allylzinc Halides from an Allylic Halide or Phosphate and Zinc	34
3.1.5.4.1	Variation 1: From an Allylic Halide and Zinc Dust	35
3.1.5.4.2	Variation 2: From an Allylic Halide and Activated Zinc	35
3.1.5.4.3	Variation 3: From an Allylic Phosphate and Zinc Dust	36

3.1.5.5	Method 5:	Allylzinc Halides by the Methylene Homologation of an Alkenylcopper	36
3.1.5.6	Methods 6:	Additional Methods	37
		Applications of Product Subclass 5 in Organic Synthesis	37
3.1.5.7	Method 7:	1,2-Addition to Carbonyl Compounds	38
3.1.5.8	Method 8:	Allylzincation of Alkynes	38
3.1.6		Product Subclass 6: Zinc–Alkynyl Complexes	39
		Synthesis of Product Subclass 6	39
3.1.6.1	Method 1:	Dialkynylzincs by Deprotonation of an Alkyne with a Dialkylzinc	40
3.1.6.2	Method 2:	Alkynylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	40
3.1.6.3	Methods 3:	Additional Methods	41
		Applications of Product Subclass 6 in Organic Synthesis	41
3.1.6.4	Method 4:	Nickel- or Palladium-Catalyzed Cross Couplings	41
3.1.6.5	Method 5:	Catalytic Asymmetric 1,2-Addition to Aldehydes	42
3.1.6.6	Method 6:	1,4-Additions to Enones	42
3.1.7		Product Subclass 7: Zinc–Alkenyl Complexes	43
		Synthesis of Product Subclass 7	43
3.1.7.1	Method 1:	Dialkenylzincs and Alkenyl(alkyl)zincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	44
3.1.7.2	Method 2:	Dialkenylzincs and Alkenyl(alkyl)zincs by Transmetalation of an Organometallic Reagent with a Dialkylzinc	44
3.1.7.2.1	Variation 1:	From an Organoborane	45
3.1.7.2.2	Variation 2:	From an Organozirconium Reagent	45
3.1.7.3	Method 3:	Alkenylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	46
3.1.7.4	Method 4:	Alkenylzinc Halides from an Alkenyl Halide and Zinc	47
3.1.7.4.1	Variation 1:	Using Zinc Dust	47
3.1.7.4.2	Variation 2:	Using Activated Zinc	48
3.1.7.5	Methods 5:	Additional Methods	49
		Applications of Product Subclass 7 in Organic Synthesis	49
3.1.7.6	Method 6:	Palladium-Catalyzed Cross Couplings	50
3.1.7.7	Method 7:	Palladium-Catalyzed Acylation	50
3.1.7.8	Method 8:	Catalytic Asymmetric 1,2-Addition to Aldehydes	51
3.1.8		Product Subclass 8: Zinc–Alkyl Complexes	52
		Synthesis of Product Subclass 8	52
3.1.8.1	Method 1:	Dialkylzincs from an Alkyl Halide and a Dialkylzinc	52
3.1.8.1.1	Variation 1:	Using a Copper Catalyst	53
3.1.8.1.2	Variation 2:	Using Irradiation	53
3.1.8.2	Method 2:	Dialkylzincs by Transmetalation of an Organometallic Reagent with a Zinc Halide	54
3.1.8.2.1	Variation 1:	From an Organoaluminum Reagent	54

3.1.8.2.2	Variation 2:	From an Organomagnesium Reagent	55
3.1.8.2.3	Variation 3:	From an Organolithium Reagent	56
3.1.8.3	Method 3:	Dialkylzincs by Transmetalation of an Organometallic Reagent with a Dialkylzinc	56
3.1.8.3.1	Variation 1:	From an Organoborane	57
3.1.8.3.2	Variation 2:	From an Organoaluminum Reagent	58
3.1.8.4	Method 4:	Dialkylzincs by Transmetalation of an Organometallic Reagent with Zinc	58
3.1.8.5	Method 5:	Dialkylzincs from an Alkyl Halide and Zinc	59
3.1.8.6	Method 6:	Alkylzinc Halides by Transmetalation of an Organometallic Reagent with a Zinc Halide	59
3.1.8.7	Method 7:	Alkylzinc Halides from an Alkyl Halide and a Dialkylzinc	60
3.1.8.7.1	Variation 1:	Using a Palladium Catalyst	60
3.1.8.7.2	Variation 2:	Using a Nickel Catalyst	61
3.1.8.7.3	Variation 3:	Using a Mixed-Metal System (Manganese/Copper)	62
3.1.8.8	Method 8:	Alkylzinc Halides from an Alkyl Halide and Zinc	63
3.1.8.8.1	Variation 1:	Using Zinc Dust	63
3.1.8.8.2	Variation 2:	Using Activated Zinc	64
3.1.8.8.3	Variation 3:	Using a Zinc Anode	65
3.1.8.9	Methods 9:	Additional Methods	66
		Applications of Product Subclass 8 in Organic Synthesis	67
3.1.8.10	Method 10:	Uncatalyzed Reactions	67
3.1.8.11	Method 11:	Copper-Catalyzed Reactions	68
3.1.8.12	Method 12:	Palladium- and Nickel-Catalyzed Reactions	69
3.1.8.13	Method 13:	Cobalt-, Iron-, and Manganese-Catalyzed Reactions	71
3.1.8.14	Method 14:	Asymmetric Reactions Mediated by Zinc Organometallics	72
3.1.9		Product Subclass 9: Zinc–Carbenoid Complexes	74
		Synthesis of Product Subclass 9	74
3.1.9.1	Method 1:	Bis(α -halomethyl)zincs or Other Zinc Carbenoids from a Dihalomethane and a Diorganozinc	75
3.1.9.2	Method 2:	Bis(α -halomethyl)zincs or Other Zinc Carbenoids by Transmetalation of an Organometallic Reagent with a Zinc Halide	75
3.1.9.3	Method 3:	α -Halogenated Alkylzinc Halides from a Dihalomethane and an Organozinc Reagent	76
3.1.9.4	Method 4:	α -Halogenated Alkylzinc Halides from a Dihalomethane and Zinc Dust	76
3.1.9.5	Methods 5:	Additional Methods	77
		Applications of Product Subclass 9 in Organic Synthesis	77
3.1.9.6	Method 6:	Cyclopropanation of Alkenes	77
3.1.9.7	Method 7:	Homologation of an Organometallic with Iodomethylzinc(II) Iodide	78
3.1.10		Product Subclass 10: Triorganozincates	79
		Synthesis of Product Subclass 10	79

3.1.10.1	Method 1:	Lithium Triorganozincates from an Organolithium Reagent and a Zinc Halide	79
3.1.10.2	Method 2:	Lithium Triorganozincates from a Triorganozincate and an Alkyne	80
3.1.10.2.1	Variation 1:	From a 1,1-Dihalide	80
3.1.10.2.2	Variation 2:	From an Aryl Iodide	81
		Applications of Product Subclass 10 in Organic Synthesis	81
3.1.10.3	Method 3:	1,4-Addition of Triorganozincates to α,β -Unsaturated Ketones	81
3.2	Product Class 2: Organometallic Complexes of Cadmium		
	P. O'Brien and M. A. Malik		
3.2	Product Class 2: Organometallic Complexes of Cadmium		
3.2.1	Product Subclass 1: Organocadmium Halides		
		Synthesis of Product Subclass 1	92
3.2.1.1	Method 1:	From Organolithium Compounds	92
3.2.1.2	Method 2:	By Direct Electrochemical Synthesis	94
3.2.1.3	Method 3:	From the Reaction of Active Cadmium Slurries and Alkyl Iodides	95
3.2.1.4	Method 4:	From the Reaction of Pentafluorohalobenzenes and Cadmium(II) Halides	96
		Applications of Product Subclass 1 in Organic Synthesis	96
3.2.1.5	Method 5:	Ketones from Acid Halides or Ketene	96
3.2.2	Product Subclass 2: Cadmium Compounds of the Type R^1CdX ($X = \text{Heteroatom}$)		
		Synthesis of Product Subclass 2	97
3.2.2.1	Method 1:	Bis[bis(trimethylsilyl)amino](pentamethylcyclopentadienyl)-cadmium(II)	97
3.2.2.2	Method 2:	Methylcadmium Alkoxides and Alkyl Methylcadmium Sulfides	97
3.2.2.3	Method 3:	Methyl(trimethylsiloxy)cadmium	99
3.2.2.4	Method 4:	(<i>tert</i> -Butylperoxy)methylcadmium	99
3.2.2.5	Method 5:	Alkylcadmium Thiocyanates	100
3.2.2.6	Method 6:	Cadmium–Tris(dimethylamino)methylenephosphorane Complex	100
3.2.2.7	Method 7:	Cadmium– π -Arene Complexes	101
3.2.2.8	Method 8:	Methyl(selanyl)cadmium(II) Compounds	101
3.2.2.9	Method 9:	Alkyl[<i>N,N</i> -diethyldithio(or diseleno)carbamato]cadmium(II) Compounds	102
3.2.2.9.1	Variation 1:	From the Reaction of Dimethylcadmium and Diethylamine, Followed by Insertion of Carbon Disulfide or Carbon Diselenide	102

3.2.2.9.2	Variation 2:	From the Reaction of Dimethylcadmium with Bis[<i>N,N</i> -diethyldithio(or diseleno)carbamato]cadmium(II) . . .	103
3.2.2.10	Method 10:	Alkyl[<i>N,N</i> -diethyldithio(or diseleno)carbamato]cadmium/zinc Compounds	104
3.2.2.11	Method 11:	Alkyl(carbamato)cadmium Compounds	104
		Applications of Product Subclass 2 in Organic Synthesis	105
3.2.3	Product Subclass 3: Diaryl- and Dialkynylcadmiums		105
		Synthesis of Product Subclass 3	105
3.2.3.1	Method 1:	From Organomagnesium Compounds	105
3.2.3.2	Method 2:	From Bis[bis(trimethylsilyl)amino]cadmium	106
3.2.3.3	Method 3:	From Organolithium Compounds	107
3.2.3.3.1	Variation 1:	With Bis(acetylacetonato)cadmium	107
3.2.3.3.2	Variation 2:	With Cadmium(II) Halides	107
3.2.3.4	Method 4:	From a Dialkylcadmium and an Alkyne	108
3.2.3.5	Method 5:	From Transmetalation Reactions of Organothallium Compounds	108
3.2.3.6	Method 6:	From the Pyrolysis of Cadmium(II) Pentafluorobenzoate	109
		Applications of Product Subclass 3 in Organic Synthesis	109
3.2.3.7	Method 7:	Ketones from Acid Halides or Acid Anhydrides	109
3.2.3.8	Methods 8:	Additional Methods	110
3.2.4	Product Subclass 4: Dialkylcadmiums		110
		Synthesis of Product Subclass 4	110
3.2.4.1	Method 1:	From Grignard Reagents	110
3.2.4.1.1	Variation 1:	Alkylmagnesium Bromides with Cadmium(II) Bromide	111
3.2.4.1.2	Variation 2:	Methylmagnesium Iodide with Cadmium(II) Chloride	111
3.2.4.1.3	Variation 3:	2,2-Dimethylpropylmagnesium Bromide with Cadmium(II) Iodide	112
3.2.4.1.4	Variation 4:	Butylmagnesium Bromide with Cadmium(II) Chloride	113
3.2.4.1.5	Variation 5:	[(Trimethylsilyl)methyl]magnesium Chloride with Cadmium(II) Iodide	113
3.2.4.1.6	Variation 6:	(+)-(S)-(2-Methylbutyl)magnesium Chloride with Cadmium(II) Chloride	114
3.2.4.1.7	Variation 7:	(3-Methoxypropyl)magnesium Chloride with Cadmium(II) Chloride	114
3.2.4.1.8	Variation 8:	Grignard Reagents with Organocadmium Compounds (Synthesis of Unsymmetrical Dialkylcadmiums)	115
3.2.4.2	Method 2:	From Metal Vapors	115
3.2.4.3	Method 3:	From an Aminocadmium Derivative	116
3.2.4.4	Method 4:	From Organolithium Compounds	117
3.2.4.4.1	Variation 1:	Bis- and Tris(trimethylsilyl)methylolithium with Cadmium(II) Chloride	117
3.2.4.4.2	Variation 2:	[(Dimethylsilyl)bis(trimethylsilyl)methyl]lithium and Derivatives with Cadmium(II) Chloride	117
		Applications of Product Subclass 4 in Organic Synthesis	118

3.2.4.5	Method 5:	Ketones from Acid Halides or Acid Anhydrides	118
3.2.4.6	Method 6:	Open-Chain α,α' -Dihydroxy Ketones from Butane-2,3-dione	119
3.2.4.7	Method 7:	Preparation of Tetramethylgermane of High Purity	120
3.2.4.8	Method 8:	Cross Coupling and Homocoupling of Aryl Halides	121
3.2.4.9	Method 9:	Synthesis of 2-Acylbenzoic Acids	121
3.2.4.10	Methods 10:	Additional Methods	122
3.2.5		Product Subclass 5: Bis(perfluoroalkyl)cadmiums	122
		Synthesis of Product Subclass 5	122
3.2.5.1	Method 1:	From Metal Vapor and Trifluoromethyl Radicals	122
3.2.5.2	Method 2:	By Ligand-Exchange Reactions	124
3.2.5.3	Method 3:	From Perfluoroalkyl Iodides and Dialkylcadmiums	124
		Applications of Product Subclass 5 in Organic Synthesis	125
3.2.5.4	Method 4:	Reaction of Bis(trifluoromethyl)cadmium–Base Complexes with Inorganic Salts	125
3.2.5.5	Method 5:	Reaction of Bis(trifluoromethyl)cadmium–1,2-Dimethoxyethane Complex with Acyl Halides	127
3.2.6		Product Subclass 6: Dialkylcadmium Adducts	128
		Synthesis of Product Subclass 6	128
3.2.6.1	Method 1:	By Mixing in an Organic Solvent	128
		Applications of Product Subclass 6 in Organic Synthesis	128
3.3		Product Class 3: Organometallic Complexes of Mercury	
		W. Kitching and M. Glenn	
3.3		Product Class 3: Organometallic Complexes of Mercury	133
3.3.1		Product Subclass 1: Organomercury(II) Hydrides	134
		Synthesis of Product Subclass 1	137
3.3.1.1	Method 1:	From Organomercury(II) Halides and Sodium Borohydride in a Mixed Aqueous Solvent	138
3.3.1.2	Method 2:	From Organomercury(II) Halides and Hydride Reducing Agents	138
		Applications of Product Subclass 1 in Organic Synthesis	139
3.3.1.3	Method 3:	Applications of Organomercury(II) Hydrides	141
3.3.2		Product Subclass 2: Arylmercury(II) Compounds	142
		Synthesis of Product Subclass 2	142
3.3.2.1	Method 1:	Electrophilic Substitution by Mercury(II) Salts	143
3.3.2.2	Method 2:	Mercury Substitution of Arenediazonium Salts	146
3.3.2.3	Method 3:	Elimination of Sulfinates	147
3.3.2.4	Method 4:	Decarboxylation of Arenecarboxylates	149
3.3.2.5	Method 5:	Trihalomethyl Anion Addition to Arylmercury(II) Compounds	151

	Applications of Product Subclass 2 in Organic Synthesis	153
3.3.2.6	Method 6: Synthesis of Cyclopropanes	155
3.3.3	Product Subclass 3: Alk-1-ynyl- and Vinylmercury(II) Compounds	157
	Synthesis of Product Subclass 3	161
3.3.3.1	Method 1: From Alk-1-ynes and Mercury(II) Halides with Base	162
3.3.3.2	Method 2: From Vinyl and Alk-1-ynyl Halides and Mercury(II) Cyanide	165
3.3.3.3	Method 3: From Alkynes and Alkenes with Mercury(II) Halides and Carboxylates under Nonbasic Conditions	166
	Applications of Product Subclass 3 in Organic Synthesis	177
3.3.3.4	Method 4: Alkylation	177
3.3.3.5	Method 5: Carbonylation	180
3.3.3.6	Method 6: Aryl, Alk-1-ynyl, or Vinyl Coupling	184
3.3.3.7	Method 7: Heck-Type Addition	188
3.3.3.8	Method 8: Products from Formal Electrophilic Substitution Reactions	189
3.3.4	Product Subclass 4: Allylmercury(II) Compounds	196
	Synthesis of Product Subclass 4	198
3.3.4.1	Method 1: Reaction of Allylic Halides with Mercury(0)	198
3.3.4.2	Method 2: Reaction of η^3 -Allylmetal Complexes with Mercury(0)	199
	Applications of Product Subclass 4 in Organic Synthesis	200
3.3.4.3	Method 3: Synthesis of β,γ -Unsaturated Ketones	201
3.3.4.4	Method 4: Synthesis of Allylic Acetates	202
3.3.5	Product Subclass 5: β- and γ-Heterosubstituted Alkylmercury(II) Compounds; Oxymercuration	204
	Synthesis of Product Subclass 5	204
3.3.5.1	Method 1: β -Heteroalkylmercury(II) Compounds from Oxymercuration of Alkynes	205
3.3.5.2	Method 2: β -Heteroalkylmercury(II) Compounds from Oxymercuration of Allenes	209
3.3.5.3	Method 3: β -Heteroalkylmercury(II) Compounds from Oxymercuration of 1,3-Dienes	213
3.3.5.4	Method 4: β -Heteroalkylmercury(II) Compounds from Oxymercuration of Alkenes	215
3.3.5.5	Method 5: Biomimetic-Type Cyclizations: Oxymercuration of Polyenes	228
3.3.5.6	Method 6: γ -Heteroalkylmercury(II) Compounds: Oxymercuration of Cyclopropanes	233
	Applications of Product Subclass 5 in Organic Synthesis	246
3.3.6	Product Subclass 6: Alkylmercury(II) Compounds	251
	Synthesis of Product Subclass 6	254
3.3.6.1	Method 1: Transmetalation with Organoboron	257
3.3.6.2	Method 2: Transmetalation with Organomagnesium and Organolithium Reagents	261

3.3.6.2.1	Variation 1:	Transmetalation with Organomagnesium Reagents	262
3.3.6.2.2	Variation 2:	Transmetalation with Organolithium	263
3.3.6.3	Method 3:	Decarboxylation of Mercury(II) Carboxylates	264
3.3.6.4	Method 4:	Symmetrization of an Organomercury(II) Salt to the Corresponding Diorganomercury(II) Compound	267
3.3.6.4.1	Variation 1:	Symmetrization	268
3.3.6.4.2	Variation 2:	Reductive Disproportionation	270
3.3.6.5	Method 5:	Formation of Organomercury(II) Salts	271
3.3.6.5.1	Variation 1:	Anion-Exchange Reactions	272
3.3.6.5.2	Variation 2:	Desymmetrization and Redistribution	274
		Applications of Product Subclass 6 in Organic Synthesis	275
3.3.6.6	Method 6:	Organomercury(II) Compounds as Radical Sources	277
3.3.6.6.1	Variation 1:	Reductive Demercuration	279
3.3.6.6.2	Variation 2:	Radical Trapping by Oxygen	280
3.3.6.6.3	Variation 3:	Additions to Alkenes and Alkynes	283
3.3.6.7	Method 7:	Acylation of Organomercury(II) Derivatives	285
3.3.6.8	Method 8:	Halogenation of Organomercury(II) Derivatives	286
3.4	Product Class 4: Organometallic Complexes of Copper		
	H. Heaney and S. Christie		
3.4	Product Class 4: Organometallic Complexes of Copper 305		
3.4.1	Product Subclass 1: Monoarylcopper(I) Compounds 317		
3.4.1.1	From Arylmagnesium Halides 317		
3.4.1.1.1	Method 1:	From Arylmagnesium Halides Using Catalytic Amounts of Copper Salts	318
3.4.1.1.1.1	Variation 1:	Substitution Reactions	318
3.4.1.1.1.2	Variation 2:	Conjugate Addition Reactions	325
3.4.1.1.2	Method 2:	From Arylmagnesium Halides Using Stoichiometric Amounts of Copper Salts	328
3.4.1.1.2.1	Variation 1:	Substitution Reactions	328
3.4.1.1.2.2	Variation 2:	Conjugate Addition Reactions	334
3.4.1.1.3	Method 3:	From Arylmagnesium Halides in the Presence of Copper Salts and Chlorotrimethylsilane	335
3.4.1.1.3.1	Variation 1:	Conjugate Addition Reactions	335
3.4.1.1.4	Method 4:	From Arylmagnesium Halides in the Presence of Boron Trifluoride and Other Lewis Acids	337
3.4.1.1.4.1	Variation 1:	Use of Boron Trifluoride in Substitution Reactions	337
3.4.1.1.4.2	Variation 2:	Use of Boron Trifluoride in Conjugate Addition Reactions	338
3.4.1.1.4.3	Variation 3:	Use of Aluminum Trichloride and Diethylaluminum Chloride in Conjugate Addition Reactions	339
3.4.1.1.4.4	Variation 4:	Use of Ytterbium Chloride	339
3.4.1.2	From Aryllithium Reagents 340		
3.4.1.2.1	Method 1:	From Aryllithium Reagents Formed by Metalation Reactions	340

3.4.1.2.1.1	Variation 1:	Using an Alkylolithium Reagent	340
3.4.1.2.2	Method 2:	From Aryllithium Reagents Formed by Halogen–Metal Interconversion Reactions Using an Alkylolithium Reagent	344
3.4.1.2.2.1	Variation 1:	Reactions of Arylcopper Reagents with Carbonyl Compounds	344
3.4.1.2.2.2	Variation 2:	Biaryl Formation Involving Coupling of sp^2 -Hybridized Carbon Centers	345
3.4.1.2.2.3	Variation 3:	Substitution Reactions Involving a Leaving Group at an sp^3 -Hybridized Carbon	348
3.4.1.2.2.4	Variation 4:	Conjugate Addition Reactions	350
3.4.1.3		From Aryl Halides and Copper(0), Including Rieke Copper	352
3.4.1.3.1	Method 1:	Ullmann Biaryl Syntheses from Aryl Halides and Copper(0)	352
3.4.1.3.2	Method 2:	Diastereoselective Ullmann Biaryl Syntheses from Aryl Halides and Copper(0)	356
3.4.1.3.3	Method 3:	Mechanistic Studies Concerning the Ullmann Reaction	359
3.4.1.3.4	Method 4:	Biaryl Syntheses from Aryl Halides and Copper(I) Salts	361
3.4.1.3.5	Method 5:	Reactions of Aryl Halides with Active Copper(0) (Rieke Copper)	364
3.4.1.4		From Arylzinc Reagents Together with a Copper(I) Salt	370
3.4.1.4.1	Method 1:	Substitution Reactions	371
3.4.1.4.1.1	Variation 1:	Reactions with Allylic Substrates	371
3.4.1.4.1.2	Variation 2:	Reactions with Propargylic Substrates	373
3.4.1.4.1.3	Variation 3:	Substitution of Haloalkenes by Addition–Elimination Reactions	374
3.4.1.4.1.4	Variation 4:	Formation of Ketones by Addition–Elimination	374
3.4.1.4.2	Method 2:	Conjugate Addition Reactions	375
3.4.1.5		From Arylmercury Salts Together with Copper(0)	376
3.4.1.6		From Aryllead(IV) Acetates and Copper(I) Salts	377
3.4.1.7		From Arylsilanes and Copper(I) Salts	377
3.4.2		Product Subclass 2: Monoalkynylcopper(I) Compounds	378
3.4.2.1	Method 1:	From Alkynes and Water-Soluble Copper(I) Salts	378
3.4.2.2	Method 2:	Coupling Reactions of Haloaromatic Compounds Leading to Disubstituted Alkynes	380
3.4.2.3	Method 3:	Coupling Reactions of Haloaromatic Compounds Leading to Heterocyclic Ring Formation	384
3.4.2.3.1	Variation 1:	The Synthesis of Benzo[<i>b</i>]furan and Pyridofuran Derivatives	384
3.4.2.3.2	Variation 2:	Synthesis of Indole Derivatives	386
3.4.2.3.3	Variation 3:	Synthesis of Benzo[<i>b</i>]thiophenes	388
3.4.2.3.4	Variation 4:	Cyclization Reactions of Aromatic Vicinally Related Halocarboxylic Acids	389
3.4.2.3.5	Variation 5:	Cyclization Reactions of 2-Iodobenzyl Alcohol and 2-Iodophenylacetic Acid	390
3.4.2.4	Method 4:	From Alkynes and Copper(I) Salts and Complexes	390
3.4.2.5	Method 5:	Oxidative Coupling Reactions of Alkynes Involving Copper(II) and Copper(I) Salts and Complexes	393

3.4.2.6	Method 6:	Copper/Palladium-Catalyzed Coupling Reactions of Terminal Alkynes with Organic Halides	402
3.4.2.6.1	Variation 1:	Coupling Reactions of Alkynes with Aryl Halides	412
3.4.2.6.2	Variation 2:	Coupling Reactions of Alkynes as Double Electrophile Components in Ring Syntheses	424
3.4.2.6.3	Variation 3:	Coupling Reactions of Alkynes with Aryl Trifluoromethanesulfonates	436
3.4.2.6.4	Variation 4:	Sonogashira–Hagihara Coupling Reactions in Oligomer and Polymer Synthesis	439
3.4.2.6.5	Variation 5:	Coupling Reactions of Alkynes with Substituted Alkenes	445
3.4.2.6.6	Variation 6:	Coupling Reactions of Alkynes with Alkenyl Halides	448
3.4.2.6.7	Variation 7:	Coupling Reactions of Alkynes with Dihaloalkenes	458
3.4.2.6.8	Variation 8:	Coupling Reactions with Alkenyl Trifluoromethanesulfonates	467
3.4.2.6.9	Variation 9:	Coupling Reactions of Alkynyl Halides	474
3.4.3		Product Subclass 3: Monoalkenylcopper(I) Compounds	492
3.4.3.1	Method 1:	From Alkynes by Carbocupration	492
3.4.3.2	Method 2:	From Alkenylmagnesium Halides	518
3.4.3.2.1	Variation 1:	Substitution Reactions Using Catalytic Amounts of Copper(I)	518
3.4.3.2.2	Variation 2:	Conjugate Additions Reactions Using Catalytic Amounts of Copper(I)	520
3.4.3.2.3	Variation 3:	Substitution Reactions Using Stoichiometric Amounts of Copper(I)	522
3.4.3.2.4	Variation 4:	Conjugate Addition Reactions Using Stoichiometric Amounts of Copper(I)	522
3.4.3.3	Method 3:	From Alkenyllithium Reagents and Stoichiometric Amounts of Copper(I)	523
3.4.3.4	Method 4:	From Alkenylzinc Reagents and Copper(I) Salts	527
3.4.3.5	Method 5:	From Alkenyl Halides Using Activated Rieke Copper	528
3.4.4		Product Subclass 4: Monoalkylcopper(I) Compounds	528
3.4.4.1	Method 1:	From Alkylmagnesium Halides and Copper(I) Halides	529
3.4.4.1.1	Variation 1:	Substitution Reactions Using a Catalytic Amount of Copper Salt	529
3.4.4.1.2	Variation 2:	Conjugate Addition Reactions Using a Catalytic Amount of Copper Salt	538
3.4.4.1.3	Variation 3:	Substitution Reactions Using a Stoichiometric Amount of Copper Salt	541
3.4.4.1.4	Variation 4:	Conjugate Addition Reactions Using a Stoichiometric Amount of Copper Salt	545
3.4.4.2	Method 2:	From Alkylolithium Reagents	547
3.4.4.2.1	Variation 1:	Substitution Reactions	548
3.4.4.2.2	Variation 2:	Conjugate Addition Reactions	549
3.4.4.2.3	Variation 3:	Substitution Reactions in the Presence of Boron Trifluoride	550
3.4.4.2.4	Variation 4:	Conjugate Addition Reactions in the Presence of Boron Trifluoride	551
3.4.4.2.5	Variation 5:	Conjugate Addition in the Presence of Halotrimethylsilanes	553
3.4.4.3	Method 3:	From Alkylzinc Reagents	554

3.4.4.3.1	Variation 1:	Substitution Reactions with a Catalytic Amount of Copper	554
3.4.4.3.2	Variation 2:	Conjugate Addition Reactions with a Catalytic Amount of Copper	556
3.4.4.3.3	Variation 3:	Substitution Reactions with a Stoichiometric Amount of Copper	557
3.4.4.3.4	Variation 4:	Addition Reactions with a Stoichiometric Amount of Copper	559
3.4.4.4	Method 4:	From Alkyl Halides Using Activated Rieke Copper	562
3.4.4.5	Method 5:	From Alkylzirconocene Complexes	565
3.4.4.5.1	Variation 1:	Substitution Reactions	565
3.4.4.5.2	Variation 2:	Conjugate Addition Reactions	566
3.4.5		Product Subclass 5: Cyanocuprates	567
3.4.5.1	Method 1:	Diarylcyanocuprates from Aryllithium Reagents	568
3.4.5.1.1	Variation 1:	Substitution Reactions	569
3.4.5.1.2	Variation 2:	Conjugate Addition Reactions	573
3.4.5.2	Method 2:	Dialkenylcyanocuprates from Alkenyllithium Reagents	576
3.4.5.2.1	Variation 1:	Substitution Reactions	576
3.4.5.2.2	Variation 2:	Conjugate Addition Reactions	579
3.4.5.3	Method 3:	Dialkylcyanocuprates from Alkylithium Reagents	581
3.4.5.3.1	Variation 1:	Substitution Reactions	581
3.4.5.3.2	Variation 2:	Conjugate Addition Reactions	586
3.4.6		Product Subclass 6: Mixed Cyanocuprates	588
3.4.6.1	Method 1:	From 2-Thienyllithium	590
3.4.6.1.1	Variation 1:	Substitution Reactions	591
3.4.6.1.2	Variation 2:	Conjugate Addition Reactions	594
3.4.6.1.3	Variation 3:	By Transmetalation from Organozirconium Reagents	597
3.4.6.2	Method 2:	From 1 <i>H</i> -Imidazol-1-yllithium and 1 <i>H</i> -Pyrrol-1-yllithium	598
3.4.6.3	Method 3:	From Rieke Copper	599
3.4.7		Product Subclass 7: Gilman Cuprates	600
3.4.7.1	Method 1:	From Arylmagnesium Halides	601
3.4.7.1.1	Variation 1:	Substitution Reactions	601
3.4.7.1.2	Variation 2:	Conjugate Addition Reactions	602
3.4.7.2	Method 2:	From Aryllithium Reagents	604
3.4.7.2.1	Variation 1:	Substitution Reactions	604
3.4.7.2.2	Variation 2:	Conjugate Addition Reactions	607
3.4.7.3	Method 3:	From Alkenylmagnesium Halides	609
3.4.7.3.1	Variation 1:	Substitution Reactions	609
3.4.7.3.2	Variation 2:	Conjugate Addition Reactions	611
3.4.7.4	Method 4:	From Alkenyllithium Reagents	613
3.4.7.4.1	Variation 1:	Substitution Reactions	613
3.4.7.4.2	Variation 2:	Conjugate Addition Reactions	615
3.4.7.5	Method 5:	From Alkylmagnesium Halides	617
3.4.7.5.1	Variation 1:	Substitution Reactions	617
3.4.7.5.2	Variation 2:	Conjugate Addition Reactions	619
3.4.7.6	Method 6:	From Alkylithium Reagents	620
3.4.7.6.1	Variation 1:	Substitution Reactions	621

3.4.7.6.2	Variation 2: Conjugate Addition Reactions	625
3.5	Product Class 5: Organometallic Complexes of Silver J. P. Fackler and C. W. Liu	
3.5	Product Class 5: Organometallic Complexes of Silver	663
3.5.1	Product Subclass 1: Silver–Tetraene Complexes	663
	Synthesis of Product Subclass 1	663
3.5.1.1	Method 1: From Silver Trifluoromethanesulfonate and a Tetraene	663
3.5.2	Product Subclass 2: Silver–Triene Complexes	664
	Synthesis of Product Subclass 2	664
3.5.2.1	Method 1: From Silver Trifluoromethanesulfonate and a Cyclophane	664
3.5.2.2	Method 2: From Silver Nitrate and a Triene	665
3.5.3	Product Subclass 3: Silver–Dienyl Complexes	665
	Synthesis of Product Subclass 3	665
3.5.3.1	Method 1: From Silver Trifluoromethanesulfonate and Cyclopentadienylsodium	665
3.5.4	Product Subclass 4: Silver–Alkyne Complexes	666
	Synthesis of Product Subclass 4	667
3.5.4.1	Method 1: Silver–Bis(alkyne) Complexes from Organosilver Compounds and Bis(alkynyl)titanium Complexes	667
3.5.4.2	Method 2: (Hexafluoroacetylacetonato)silver–Alkyne Complexes from Silver(I) Oxide and Alkynes	668
3.5.5	Product Subclass 5: Silver–Alkene Complexes	668
	Synthesis of Product Subclass 5	669
3.5.5.1	Method 1: (Hexafluoroacetylacetonato)silver–Alkene Complexes from Silver(I) Oxide and Alkenes	669
3.5.5.2	Method 2: Silver– η^2 -Arene Complexes from Silver Perchlorate or Trifluoromethanesulfonate and Arenes	669
3.5.6	Product Subclass 6: Silver–Carbene Complexes	670
	Synthesis of Product Subclass 6	671
3.5.6.1	Method 1: Silver–Carbene Homoleptic Complexes from Imidazol-2-ylidene Derivatives	671
3.5.6.1.1	Variation 1: By Direct Reaction with the Carbene	671
3.5.6.1.2	Variation 2: By Reaction under Basic Phase-Transfer-Catalysis Conditions	672
3.5.7	Product Subclass 7: Silver–Aryl Complexes	672
	Synthesis of Product Subclass 7	673
3.5.7.1	Method 1: Silver–Aryl Complexes from Metalated Reagents	673
3.5.7.1.1	Variation 1: From (Trialkylphenyl)magnesium Halides	673
3.5.7.1.2	Variation 2: From Lithiated Reagents	674

3.5.8	Product Subclass 8: Silver-σ-Alkynyl Complexes	674
	Synthesis of Product Subclass 8	675
3.5.8.1	Method 1: Polymeric Silver Acetylides from a Silver Salt and an Acetylene	675
3.5.8.2	Method 2: Silver-Alkynyl Complexes from Phosphinesilver Complexes and Alkynes	675
	Applications of Product Subclass 8 in Organic Synthesis	676
3.5.8.3	Method 3: Perchlorophenylacetylene Using a Silver Acetylide	676
3.5.8.4	Method 4: Aryl(phenylethynyl)diazenes from Silver Acetylides and Diazonium Salts	677
3.5.9	Product Subclass 9: Silver-σ-Alkenyl Complexes	678
	Synthesis of Product Subclass 9	679
3.5.9.1	Method 1: From Silver(I) Fluoride and Perfluoroalkynes	679
3.5.10	Product Subclass 10: Silver-σ-Alkyl Homoleptic Complexes	679
	Synthesis of Product Subclass 10	679
3.5.10.1	Method 1: Synthesis of Dialkylsilver Complexes	679
3.5.10.1.1	Variation 1: Via Transmetalation	680
3.5.10.2	Method 2: Synthesis of Perfluoroalkylsilver Compounds	680
3.5.10.3	Method 3: Synthesis of Silver-Ylide Complexes	681
3.5.10.3.1	Variation 1: From Ylides	681
3.5.10.3.2	Variation 2: Via Transylidation	682
3.5.10.3.3	Variation 3: From Phosphonium Salts	683
3.5.11	Product Subclass 11: Silver-σ-Alkyl Non-homoleptic Complexes	683
	Synthesis of Product Subclass 11	683
3.5.11.1	Method 1: Synthesis of Fluoroalkylsilver Compounds	683
3.5.11.2	Method 2: Synthesis of Silver-Ylide Complexes	684
3.5.11.3	Method 3: Dinuclear Silver Complexes from Lithiated Reagents	686
3.5.12	Product Subclass 12: Miscellaneous Complexes	686
	Synthesis of Product Subclass 12	686
3.5.12.1	Method 1: Synthesis of Silver-Carbonyl Complexes	686
3.6	Product Class 6: Organometallic Complexes of Gold H. Schmidbaur and A. Schier	
3.6	Product Class 6: Organometallic Complexes of Gold	691
3.6.1	Product Subclass 1: Unsubstituted Alkylgold(I) and Alkylgold(III) Compounds	691
	Synthesis of Product Subclass 1	692
3.6.1.1	Method 1: Synthesis of Alkylgold(I) Complexes from Organolithium or Grignard Reagents	692
3.6.1.1.1	Variation 1: Via Gold(I) Oxonium Salts	694

3.6.1.2	Method 2:	Synthesis of Dialkylgold(I) Complexes from Organolithium Compounds	694
3.6.1.3	Method 3:	Synthesis of Dialkyl(halo)gold(III) and Related Compounds from Organometallic Reagents	695
3.6.1.3.1	Variation 1:	Via Organotin Compounds	696
3.6.1.3.2	Variation 2:	Via Organolithium Compounds	696
3.6.1.3.3	Variation 3:	Via $[\text{Au}_2\text{R}^1_4\text{X}_2]$ as Starting Materials	696
3.6.1.4	Method 4:	Synthesis of Trialkylgold(III) Complexes	699
3.6.1.5	Method 5:	Synthesis of Tetraalkylaurates(III)	700
3.6.2	Product Subclass 2: Organogold Compounds with Substituted Alkyl Ligands		701
	Synthesis of Product Subclass 2		701
3.6.2.1	Method 1:	Mononuclear Gold(I) Complexes With Haloalkyl and Pseudohaloalkyl Ligands	701
3.6.2.1.1	Variation 1:	From Alkylgold(I) Complexes and Fluoroalkyl Iodides	702
3.6.2.1.2	Variation 2:	Insertion of Perfluoroalkenes	703
3.6.2.1.3	Variation 3:	With Bis(trifluoromethyl)cadmium	703
3.6.2.1.4	Variation 4:	With Diazomethane	703
3.6.2.2	Method 2:	Mononuclear Gold(I) Complexes With Oxo, Ester, Sulfone, Phosphino, Silyl, and Other Functions in the Alkyl Substituent	704
3.6.2.2.1	Variation 1:	Auration of Ketones Using Halo(phosphine)gold(I) or Oxonium Salts	705
3.6.2.2.2	Variation 2:	Auration of Ketones From Cyclopropyl Silyl Ethers	706
3.6.2.2.3	Variation 3:	Auration of Acetylacetone	706
3.6.2.2.4	Variation 4:	Auration of Esters	706
3.6.2.2.5	Variation 5:	Silylalkylgold(I) Compounds from Organometallic Reagents	706
3.6.2.3	Method 3:	Mononuclear Gold(III) Complexes With Substituted Organic Groups	707
3.6.2.3.1	Variation 1:	Via Oxidative Addition of Halogen	707
3.6.2.3.2	Variation 2:	Via Oxidative Addition of Trifluoroiodomethane	707
3.6.2.4	Method 4:	Dinuclear Gold(I) Complexes With Substituted Organic Groups	708
3.6.2.4.1	Variation 1:	Auration of Malononitrile	709
3.6.2.4.2	Variation 2:	Auration of Barbituric Acid	709
3.6.3	Product Subclass 3: Organogold Compounds with Ylide Ligands		710
	Synthesis of Product Subclass 3		710
3.6.3.1	Method 1:	Mononuclear Complexes of Gold(I) With One Ylide and One Halogen Ligand	710
3.6.3.2	Method 2:	Mononuclear Complexes of Gold(I) With Two Ylide Ligands	713
3.6.3.3	Method 3:	Mononuclear Gold(I) Complexes With One Ylide and One Organic Group	713
3.6.3.4	Method 4:	Mononuclear Gold(III) Complexes With One Ylide Ligand	714
3.6.3.5	Method 5:	Mononuclear Gold(III) Complexes With Two Ylide Ligands	715
3.6.3.6	Method 6:	Monocyclic Dinuclear Gold(I) Complexes With Bridging Ylide Ligands	715

	Applications of Product Subclass 3	717
3.6.3.7	Method 7: Monocyclic Dinuclear Gold(II) Complexes With Bridging Ylide Ligands	717
3.6.3.7.1	Variation 1: Via Oxidative Addition	724
3.6.3.7.2	Variation 2: Via Substitution Reactions	725
3.6.3.8	Method 8: Monocyclic Dinuclear Gold(III) Complexes With Bridging Ylide Ligands	725
3.6.3.9	Method 9: Bicyclic Dinuclear Gold(III) Complexes With Bridging Ylide Ligands	726
3.6.3.9.1	Variation 1: Via Oxidative Addition	727
3.6.3.9.2	Variation 2: Via Substitution Reactions	728
3.6.4	Product Subclass 4: Organogold Compounds With Alkenyl Ligands	728
	Synthesis of Product Subclass 4	728
3.6.4.1	Method 1: Mononuclear Gold(I) Complexes With Alkenyl Ligands	728
3.6.4.2	Method 2: Mononuclear Gold(I) Complexes With Cyclopentadienyl Ligands	729
3.6.4.3	Method 3: Mononuclear Gold(I) Complexes With Ferrocenyl and Cymantrenyl Ligands	730
3.6.4.4	Method 4: 1,2-Digoldalkenes	730
3.6.4.5	Method 5: 1,1-Digold(I)alkenium and 1,1-Digold(I)ferrocenium Salts	731
3.6.4.6	Method 6: 1,6-Digoldferrocene Complexes	732
3.6.4.7	Method 7: Auracyclopentadiene Compounds	732
3.6.5	Product Subclass 5: Organogold Compounds with Alkynyl Ligands	733
	Synthesis of Product Subclass 5	735
3.6.5.1	Method 1: Ligand-Free Gold(I) Acetylides	735
3.6.5.2	Method 2: Complexation of Gold(I) Acetylides	735
3.6.5.3	Method 3: Complex Gold(I) Acetylides by Nucleophilic Substitution	736
3.6.6	Product Subclass 6: Arylgold Compounds	736
	Synthesis of Product Subclass 6	736
3.6.6.1	Method 1: Arylgold(I) Compounds	736
3.6.6.1.1	Variation 1: Donor-Free Arylgold(I) Oligomers	739
3.6.6.1.2	Variation 2: Complexes via the Organometallic Route	739
3.6.6.1.3	Variation 3: By Decarboxylation	739
3.6.6.1.4	Variation 4: Using Tetraphenylborates	739
3.6.6.1.5	Variation 5: Anionic Species via Double Arylation	740
3.6.6.2	Method 2: Arylgold(III) Compounds	740
3.6.6.2.1	Variation 1: Auration of Arenes	740
3.6.6.2.2	Variation 2: Oxidative Addition of Halogen	741
3.6.6.2.3	Variation 3: Chlorination Using Thallium(III) Chloride	741
3.6.6.3	Method 3: Diarylgold(III) Compounds	741
3.6.6.3.1	Variation 1: Diarylthallium Halides as Reagents	741
3.6.6.3.2	Variation 2: Oxidative Addition of Halogen	741
3.6.6.3.3	Variation 3: With Arylmercury Reagents	742
3.6.6.3.4	Variation 4: The Grignard Method	742

3.6.6.4	Method 4: Triarylgold(III) Complexes	743
3.6.6.5	Method 5: Tetraarylaurate(III) Complexes	743
3.6.6.5.1	Variation 1: With Aryllithium Reagents	743
3.6.6.5.2	Variation 2: With Arylsilver Reagents	744
3.6.7	Product Subclass 7: Heterocycles as Ligands for Gold(I) and Gold(III) Complexes	744
	Synthesis of Product Subclass 7	744
3.6.7.1	Method 1: With Organolithium and Organosilyl Reagents	744
3.6.7.2	Method 2: Auration of Heterocycles by Tetrachloroauric Acid	745
3.6.8	Product Subclass 8: Carbene Complexes of Gold	745
	Synthesis of Product Subclass 8	746
3.6.8.1	Method 1: (Carbene)gold(I) Complexes	746
3.6.8.1.1	Variation 1: Via Addition of Alcohols or Amines to Isonitrile Complexes	746
3.6.8.2	Method 2: (Carbene)gold(III) Complexes	746
3.6.8.2.1	Variation 1: Via Oxidative Addition of Halogen to Gold(I) Complexes	746
3.6.8.2.2	Variation 2: Via Addition of Isonitriles to Azido Complexes	747
3.6.9	Product Subclass 9: Alkene and Alkyne π-Complexes of Gold(I)	747
	Synthesis of Product Subclass 9	747
3.6.9.1	Method 1: Addition of Alkenes and Alkynes to Gold(I)	747
3.6.9.2	Method 2: Reduction of Tetrachloroauric Acid by Alkenes and Alkynes	748
3.6.10	Product Subclass 10: Carbon in Gold Clusters	748
	Synthesis of Product Subclass 10	749
3.6.10.1	Method 1: Synthesis Based on Phosphorus Ylides	749
3.6.10.2	Method 2: Synthesis Based on Polyborylmethanes	750
3.6.10.3	Method 3: Synthesis Based on Trimethylsilyldiazomethane	752
	Keyword Index	763
	Author Index	797
	Abbreviations	841

