
**Volume 14:
Six-Membered Heterenes with One Chalcogen**

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	XI
	Introduction	
	E. J. Thomas	1
14.1	Product Class 1: Pyrylium Salts	
	T. S. Balaban and A. T. Balaban	11
14.2	Product Class 2: Benzopyrylium Salts	
	M. Nógrádi	201
14.3	Product Class 3: Pyranones and Pyranthiones	
	K. Afarinkia and V. Vinader	275
14.4	Product Class 4: Benzopyranones and Benzopyranthiones	
	A. C. Williams and N. Camp	347
14.5	Product Class 5: 3-Oxidopyrylium Salts and Their Thio and Benzo-Fused Analogues	
	A. Nelson	639
14.6	Product Class 6: Thiopyrylium Salts	
	W.-D. Rudolf	649
14.7	Product Class 7: Benzothiopyrylium Salts	
	W.-D. Rudolf	719
14.8	Product Class 8: Thiopyranones and Thiopyranthiones	
	S. Faulkner, R. C. Whitehead, and R. J. Aarons	771
14.9	Product Class 9: Benzothiopyranones and Benzothiopyranthiones	
	A. Nelson	787
14.10	Product Class 10: Selenopyrylium and Benzoselenopyrylium Salts	
	P. J. Murphy	817
14.11	Product Class 11: Selenopyranones and Benzoselenopyranones	
	P. J. Murphy	855

14.12	Product Class 12: Telluropyrylium and Benzotelluropyrylium Salts	
	P. J. Murphy	881
14.13	Product Class 13: Telluropyranones and Benzotelluropyranones	
	P. J. Murphy	897
	Keyword Index	915
	Author Index	959
	Abbreviations	1005

Volume 14: Six-Membered Heteroarenes with One Chalcogen

Introduction

E. J. Thomas

Introduction	1
---------------------------	---

14.1 Product Class 1: Pyrylium Salts

T. S. Balaban and A. T. Balaban

14.1	Product Class 1: Pyrylium Salts	11
	T. S. Balaban and A. T. Balaban	
14.1	Product Class 1: Pyrylium Salts	11
14.1.1	Synthesis by Ring-Closure Reactions	25
14.1.1.1	By Formation of One O—C and Two C—C Bonds	25
14.1.1.1.1	Method 1: [C ₁ + C ₃ + C ₁] Diacylation of Propene and Higher Alkenes	25
14.1.1.1.1.1	Variation 1: Diacylation of Acyclic Propene Derivatives	25
14.1.1.1.1.2	Variation 2: Diacylation of Aryl-Substituted Alkenes	37
14.1.1.1.1.3	Variation 3: Diacylation of 1-Methylcycloalkenes or Methylene-cycloalkanes	41
14.1.1.1.1.4	Variation 4: Diacylation of Cycloalkenes	42
14.1.1.1.1.5	Variation 5: Triacylation of Alkenes	43
14.1.1.1.2	Method 2: [C ₂ + C ₁ + C ₂] Condensation of Methyl(ene) Ketones or Their Equivalents with Aldehydes, Orthoesters, or Their Derivatives	44
14.1.1.1.2.1	Variation 1: Condensation of Methyl(ene) Ketones with Aldehydes by Dehydrocyclization	47
14.1.1.1.2.2	Variation 2: Pyrylium Salts from Methyl(ene) Ketones and Aldehyde Derivatives (Acetals, Acylals)	55
14.1.1.1.2.3	Variation 3: Condensation of Methyl(ene) Ketones with Orthoesters	57
14.1.1.1.2.4	Variation 4: Condensation of Alkynes with Aldehydes	61
14.1.1.1.3	Method 3: [C ₂ + C ₂ + C ₁] Condensation of Methyl(ene) Ketones or Their Equivalents with Carboxylic Acid Derivatives	62
14.1.1.1.3.1	Variation 1: Condensation of Aryl Methyl Ketones with Carboxylic Acid Derivatives	62
14.1.1.1.3.2	Variation 2: Condensation of α-Oxo Carboxylic Esters with Benzaldehydes	66
14.1.1.1.3.3	Variation 3: From Alkynes and Carboxylic Acid Derivatives	66
14.1.1.1.3.4	Variation 4: Acylation of Aromatic Hydrocarbons, Aromatic Heterocycles, or Phenol Ethers	67
14.1.1.2	By Formation of One O—C and One C—C Bond	68
14.1.1.2.1	Method 1: [C ₃ + C ₂] Condensation of Methyl(ene) Ketones or Their Synthetic Equivalents with 1,3-Dicarbonyl Compounds, α,β-Unsaturated Oxo Compounds, or Their Synthetic Equivalents	68
14.1.1.2.1.1	Variation 1: From Methyl(ene) Ketones and 1,3-Dicarbonyl Compounds ..	68
14.1.1.2.1.2	Variation 2: From Methyl(ene) Ketones and Enols or Other Derivatives of 1,3-Dicarbonyl Compounds	70

14.1.1.2.1.3	Variation 3:	From Methyl(ene) Ketones or Their Synthetic Equivalents and β -Oxo Aldehydes or Their Synthetic Equivalents	75
14.1.1.2.1.4	Variation 4:	From Methyl(ene) Ketones and α,β -Unsaturated Ketones Followed by Dehydrocyclization	82
14.1.1.2.1.5	Variation 5:	Directly from Two Equivalents of α,β -Unsaturated Ketones	95
14.1.1.2.1.6	Variation 6:	From α,β -Unsaturated Ketones and 1,3-Diketones, 3-Oxo Esters, or α -Acyloxy Ketones	95
14.1.1.2.1.7	Variation 7:	From α,β -Unsaturated Ketones and Cyclic Ketones	96
14.1.1.2.1.8	Variation 8:	From Methyl(ene) Ketones or Their Synthetic Equivalents and 2-Benzylidenecyclohexanone Derivatives	99
14.1.1.2.1.9	Variation 9:	From Ketones or Their Synthetic Equivalents and β -Chloro- α,β -unsaturated Ketones or Aldehydes	102
14.1.1.2.1.10	Variation 10:	From Alkynes and α,β -Unsaturated Ketones	104
14.1.1.2.1.11	Variation 11:	From Benzil and Cyclopentadiene	105
14.1.1.2.1.12	Variation 12:	2,4,6-Triarylpyrylium Perchlorates from 1,3-Diarylpropane-1,3-diones by Cleavage of an Aroyl Group	105
14.1.1.2.2	Method 2:	[C ₄ + C ₁] Forming a C ₅ -Chain from Two Synthons	106
14.1.1.2.2.1	Variation 1:	From α,β - or β,γ -Unsaturated Ketones and Carboxylic Acid Derivatives	106
14.1.1.2.2.2	Variation 2:	Condensation of 1,3-Diketones with Orthoformates	112
14.1.1.2.2.3	Variation 3:	2,4,6-Triarylpyrylium Salts from Acetophenone Derivatives by Cleavage of an Aroyl Group from an Initially Formed 1,3-Diarylbut-2-en-1-one Derivative	113
14.1.1.3	By Formation of One O—C Bond		113
14.1.1.3.1	Method 1:	Pyrylium Ring Closure from a Preformed Acyclic C ₅ Chain	113
14.1.1.3.1.1	Variation 1:	Formation of Pyrylium Salts from Pent-2-ene-1,5-diones (Pyrylium Pseudobases) and -dioates	113
14.1.1.3.1.2	Variation 2:	From Synthetic Equivalents of Pseudobases	118
14.1.1.3.1.3	Variation 3:	Formation of Pyrylium Salts by Dehydrocyclizations of Penta-2,4-dien-1-ones and Analogous Compounds	122
14.1.1.3.1.4	Variation 4:	Pyrylium Salts from 5-Oxopent-2-enenitriles or Their Tautomers	130
14.1.1.3.1.5	Variation 5:	Formation of Pyrylium Salts by Dehydrocyclizations of Pentane-1,5-diones	131
14.1.1.3.1.6	Variation 6:	2,6-Diarylpyrylium Salts from 1-Arylpent-2-en-4-yn-1-ones	143
14.1.1.3.1.7	Variation 7:	Formation of Pyrylium Salts from 3-Hydroxypenta-1,4-diyne	144
14.1.1.3.1.8	Variation 8:	2,6-Diarylpyrylium Salts by Acylation of Aralkyl Ethers with Glutaric Acid	145
14.1.2	Aromatization		145
14.1.2.1	Method 1:	By Reaction of Pyranones with C-Nucleophiles, Followed by Dehydration	145
14.1.2.2	Method 2:	By Hydride Abstraction from a Preformed Pyran System	151
14.1.2.2.1	Variation 1:	Formation of Pyrylium Salts by Hydride Abstraction from a 4 <i>H</i> -Pyran	151
14.1.2.2.2	Variation 2:	Formation of Pyrylium Salts by Addition to 2,6-Disubstituted Pyrylium Cations	152

14.1.2.2.3	Variation 3: Benzotriazole-Mediated 4-Position Derivatization of 2,6-Diarylpyrylium Salts by Electrophiles	161
14.1.3	Synthesis by Substituent Modification	164
14.1.3.1	Method 1: From Pyranones or Pyranthiones and Electrophiles	164
14.1.3.1.1	Variation 1: By Alkylation of Pyranones or Pyranthiones	164
14.1.3.1.2	Variation 2: By Protonation of Pyranones or Pyranthiones	166
14.1.3.2	Method 2: By Cleavage of Alkoxy or Acyloxy Substituents	167
14.1.3.3	Method 3: Modification by Addition to Alkyne Substituents	169
14.1.3.4	Method 4: Formation of Pyrylium Salts by Condensation of 2/4-Methyl(ene) Groups with Carbonyl Compounds	172
14.1.3.4.1	Variation 1: 2-Arylvinyl- and 4-Arylvinyl-Substituted Pyrylium Salts	172
14.1.3.4.2	Variation 2: Pyrylocyanines by Condensation of 2/4-Methyl(ene)-Substituted Pyrylium Salts with Carbonyl Compounds or Orthoesters	176
14.1.3.4.3	Variation 3: Condensation of Methyl(ene) Groups with Other Electrophiles	182
14.1.3.4.4	Variation 4: Modification of Pyrylium Salts by Metalation of 2/4-Methyl Groups	184
14.1.3.5	Method 5: Isotopic Exchange	185
14.1.3.5.1	Variation 1: Isotopic Exchange of Side-chain α - and γ - ("Benzylic") Hydrogen Atoms	185
14.1.3.5.2	Variation 2: Isotopic Exchange of the Oxygen Heteroatom	188
14.1.4	Anion Exchange in Pyrylium Salts	189
14.1.4.1	Method 1: Metathetic Exchange of Anions Made Possible by Solubility Differences, or by Ion-Exchange Resins	189
14.1.4.2	Method 2: Via Stable Pseudobases	190
14.1.4.3	Method 3: Via Anion Stripping by Sodium Borohydride and Carboxylic Acids	191
14.2	Product Class 2: Benzopyrylium Salts M. Nógrádi	
14.2	Product Class 2: Benzopyrylium Salts	201
14.2.1	Product Subclass 1: 1-Benzopyrylium Salts (Including Flavylum Salts) ..	201
14.2.1.1	Synthesis by Ring-Closure Reactions	203
14.2.1.1.1	By Formation of One Heteroatom–Carbon and One C–C Bond	203
14.2.1.1.1.1	Method 1: Reaction of a Phenol with a 3-Oxocarboxylic Ester	204
14.2.1.1.1.2	Method 2: Reaction of a Phenol with a 2-(Ethoxymethylene)-3-oxocarboxylic Ester	204
14.2.1.1.1.3	Method 3: Reaction of a Phenol with a 1,3-Dioxo Compound	204
14.2.1.1.1.4	Method 4: Reaction of a Phenol with a 3-Chlorovinyl Aldehyde	207
14.2.1.1.1.5	Method 5: Reaction of a Phenol with an Ethynyl Ketone	207
14.2.1.1.1.6	Method 6: Reaction of a Phenol with a Vinyl Ketone	207

14.2.1.1.1.7	Method 7:	Reaction of a 2-Hydroxybenzaldehyde (Salicylaldehyde) with a Carbaldehyde, Ketone, or Acetal	208
14.2.1.1.1.7.1	Variation 1:	With an α -Methylene Aldehyde or Acetal	208
14.2.1.1.1.7.2	Variation 2:	With Acetophenones	209
14.2.1.1.1.7.3	Variation 3:	With an ω -Substituted or Cyclic Acetophenone	210
14.2.1.1.1.7.4	Variation 4:	With a 2-Arylviny Methyl Ketone	212
14.2.1.1.1.8	Method 8:	Reaction of a 2-Hydroxybenzaldehyde (Salicylaldehyde) with an α -Methylene Carboxylic Acid Derivative	213
14.2.1.1.1.8.1	Variation 1:	With an α -Methylene Carbonitrile	213
14.2.1.1.1.8.2	Variation 2:	With a 3-Oxoalkanoic Ester	213
14.2.1.1.1.9	Method 9:	Reaction of a 2-Hydroxybenzaldehyde (Salicylaldehyde) with Aliphatic or Alicyclic α,α' -Bis(methylene) Ketones	214
14.2.1.1.1.10	Method 10:	Reaction of 2-Acylphenols (2-Hydroxyacetophenones or 2-Hydroxybenzophenones) with α -Methylene Ketones	216
14.2.1.1.1.11	Method 11:	Reaction of a 2-Acylphenol (2-Hydroxyacetophenone or 2-Hydroxybenzophenone) with a Compound Contributing One Carbon Atom to the Pirylium Ring	218
14.2.1.1.2	By Formation of One Heteroatom—Carbon Bond		219
14.2.1.1.2.1	Method 1:	Ring Closure of 3-(2-Hydroxyaryl)prop-2-en-1-ones	219
14.2.1.1.2.2	Method 2:	Ring Closure of 3-Aryl-1-(2-hydroxyaryl)prop-2-en-1-ones (2'-Hydroxychalcones) to Flavylum Salts	220
14.2.1.1.2.3	Method 3:	Ring Closure of 1-(2-Hydroxyaryl)-3-phenylpropane-1,3-diones (2'-Hydroxydibenzoylmethanes)	221
14.2.1.1.2.4	Method 4:	Cyclization of 1-Aryl-3-hydroxy-3-(2-hydroxyaryl)-propan-1-ones	221
14.2.1.1.2.5	Method 5:	Oxidative Cyclization of 1-Aryl-3-(2-hydroxyaryl)-propan-1-ones	222
14.2.1.1.2.6	Method 6:	Ring Closure of a 1,3-Diarylprop-2-en-1-one	222
14.2.1.2	Synthesis by Ring Transformation		223
14.2.1.2.1	Method 1:	Synthesis from 3-Acyl-2 <i>H</i> -1-benzopyran-2-ones	223
14.2.1.3	Aromatization		224
14.2.1.3.1	Method 1:	Reduction of 2 <i>H</i> -1-Benzopyran-2-ones and 4 <i>H</i> -1-Benzopyran-4-ones with a Metal	224
14.2.1.3.2	Method 2:	Addition–Dehydroxylation of 2 <i>H</i> -1-Benzopyran-2-ones and 4 <i>H</i> -1-Benzopyran-4-ones Using Organometallic Compounds	224
14.2.1.3.2.1	Variation 1:	Aromatization of 2 <i>H</i> -1-Benzopyran-2-ones by Addition of a Grignard Reagent and Dehydroxylation	224
14.2.1.3.2.2	Variation 2:	Aromatization of 4 <i>H</i> -1-Benzopyran-4-ones by Addition of a Grignard Reagent and Dehydroxylation	225
14.2.1.3.2.3	Variation 3:	With Isolation of the Intermediate Tertiary Alcohol	226
14.2.1.3.3	Method 3:	Transformations by Reaction with Activated Arenes, Arylethenes, or Hetarenes	226
14.2.1.3.4	Method 4:	Transformations of 2 <i>H</i> -1-Benzopyran-2-ones and 4 <i>H</i> -1-Benzopyran-4-ones by Reaction with C—H Acidic Pirylium Salts	227

14.2.1.3.5	Method 5:	Transformation of 4 <i>H</i> -1-Benzopyran-4-ones by Reaction with <i>N,N</i> -Dimethylacetamide	228
14.2.1.3.6	Method 6:	By Double Elimination from 2,4-Diethoxy-3,4-dihydro-2 <i>H</i> -1-benzopyrans	229
14.2.1.3.7	Method 7:	Aromatization by Dehydrogenation and Redox Reactions	229
14.2.1.3.7.1	Variation 1:	By Acid-Induced Disproportionation	229
14.2.1.3.7.2	Variation 2:	Dehydrogenation with Oxidizing Agents	230
14.2.1.3.8	Method 8:	Aromatization by <i>O</i> -Alkylation or Protonation	234
14.2.1.3.8.1	Variation 1:	By <i>O</i> -Alkylation	234
14.2.1.3.8.2	Variation 2:	By Protonation of 4 <i>H</i> -1-Benzopyran-4-ones, 2-Alkylidene-2 <i>H</i> -1-benzopyrans, and 4-Alkylidene-4 <i>H</i> -1-benzopyrans	236
14.2.1.3.9	Method 9:	Aromatization of a 2-Amino-2 <i>H</i> -benzopyran by Protonation Combined with Elimination of the Amino Group	238
14.2.1.3.10	Method 10:	Aromatization of 2-Hydroxy-2 <i>H</i> -benzopyrans by Protonation Combined with Dehydration	238
14.2.1.3.11	Method 11:	Aromatization Combined with Substitution	238
14.2.1.4	Synthesis by Substituent Modification		239
14.2.1.4.1	Method 1:	Nucleophilic Addition of a Trialkyl Phosphite and Reoxidation	239
14.2.1.4.2	Method 2:	Addition of an Activated Arene or Alkene Followed by Reoxidation or Disproportionation	240
14.2.1.4.3	Method 3:	Condensation of a 1-Benzopyrylium Salt with a Carboxylic Acid Having an Activated Methylene Group, Combined with Disproportionation	240
14.2.1.4.4	Method 4:	Replacement of an Alkoxy Group by a Substituted Amino Group	241
14.2.2	Product Subclass 2: 2-Benzopyrylium Salts		242
14.2.2.1	Synthesis by Ring-Closure Reactions		244
14.2.2.1.1	By Formation of One Heteroatom—Carbon and One C—C Bond		244
14.2.2.1.1.1	Method 1:	From (2-Oxoalkyl)arenes or Their Acylated Enols with a Carboxylic Acid Derivative (as C1 Component)	244
14.2.2.1.1.1.1	Variation 1:	From Arylacetones with an Aliphatic Carboxylic Anhydride and Perchloric Acid	244
14.2.2.1.1.1.2	Variation 2:	From Arylacetones with an Aromatic Acid Chloride and Aluminum Trichloride	244
14.2.2.1.1.1.3	Variation 3:	Transformation of an Enol Lactone of a Benzyl 2-(Carboxymethyl)aryl Ketone with an Acid Anhydride and Perchloric Acid	245
14.2.2.1.1.2	Method 2:	From a (Cyanomethyl)arene with Carboxylic Acid Derivatives (as C1 Component)	246
14.2.2.1.2	By Formation of One Heteroatom—Carbon Bond		246
14.2.2.1.2.1	Method 1:	Synthesis from 1,2-Dicarbofunctional Arenes	246
14.2.2.1.2.1.1	Variation 1:	Ring Closure of 2-Acyl-1-(2-oxoalkyl)arenes	246
14.2.2.1.2.1.2	Variation 2:	Ring Closure of (2-Acylaryl)acetic Acid Derivatives	247
14.2.2.1.2.1.3	Variation 3:	Ring Closure of 2-Formyl-1-(2-oxoalkyl)arenes	247

14.2.2.1.2.1.4	Variation 4:	Ring Closure of 2-Cyano-1-(2-oxoalkyl)arenes	248
14.2.2.1.2.1.5	Variation 5:	By Ring Closure and Aryl Migration of [2-(Diarylmethyl)phenyl]acetic Acids	248
14.2.2.1.3		By Formation of One C—C Bond	248
14.2.2.1.3.1	Method 1:	Ring Closure of the <i>O</i> -Acylenol Form of Aryl Benzyl Ketones with Polyphosphoric Acid	248
14.2.2.2		Aromatization	249
14.2.2.2.1	Method 1:	By Addition of Grignard Reagents to 1 <i>H</i> -2-Benzopyran-1-ones (Isocoumarins)	249
14.2.2.2.2	Method 2:	By Oxidative Fragmentation of 1 <i>H</i> -2-Benzopyrans (Isochromans)	250
14.2.3		Product Subclass 3: Dibenzo[<i>b,d</i>]pyrylium Salts	250
14.2.3.1		Synthesis by Ring-Closure Reactions	251
14.2.3.1.1		By Formation of One O—C and One C—C Bond	251
14.2.3.1.1.1	Method 1:	Ring Closure of an <i>o</i> -Acyloxybiphenyl Derivative with Polyphosphoric Acid	251
14.2.3.1.2		By Formation of One C—C Bond	251
14.2.3.1.2.1	Method 1:	Ring Closure of a 3-(2-Carboxymethylaryl)-2-benzo- pyrylium Salt with Phosphorus Pentachloride	251
14.2.3.2		Synthesis by Ring Transformation	252
14.2.3.2.1	Method 1:	By Autoxidation of a 9-Arylfluorene to a 9-Hydroperoxide Followed by Acid-Catalyzed Ring Expansion	252
14.2.3.3		Aromatization	253
14.2.3.3.1	Method 1:	Nucleophilic Addition to the Carbonyl Group of 6 <i>H</i> -Dibenzo[<i>b,d</i>]pyran-6-ones Followed by Dehydration	253
14.2.3.3.2	Method 2:	Dehydrogenation of a Dibenzo[<i>b,d</i>]pyran by Phosphorus Pentachloride/Thionyl Chloride	253
14.2.4		Product Subclass 4: Dibenzo[<i>b,e</i>]pyrylium Salts (Xanthylum Salts)	254
14.2.4.1		Synthesis by Ring-Closure Reactions	255
14.2.4.1.1		By Formation of One O—C Bond and Two C—C Bonds	255
14.2.4.1.1.1	Method 1:	Use of a Reagent Providing C10 of the Dibenzo[<i>b,e</i>]pyrylium Salt	255
14.2.4.1.1.1.1	Variation 1:	Introduction of C10 with 2-Chloro-1,1-diethoxyethane Followed by Dehydrohalogenation	255
14.2.4.1.1.1.2	Variation 2:	Introduction of C10 with Trifluoroacetic Anhydride	256
14.2.4.1.1.1.3	Variation 3:	Introduction of C10 with an Arylcarboxylic Acid Equivalent	257
14.2.4.1.1.1.4	Variation 4:	Introduction of C10 with an Arylaldehyde	258
14.2.4.1.1.1.5	Variation 5:	Introduction of C10 with an Aldehyde Acetal	258
14.2.4.1.2		By Formation of One O—C and One C—C Bond	259
14.2.4.1.2.1	Method 1:	Reaction of an Activated Phenol with a 2-Hydroxybenzaldehyde	259

14.2.4.1.2.2	Method 2: Dimerization of an <i>o</i> -Methylquinone	259
14.2.4.1.3	By Formation of Two C—C Bonds	260
14.2.4.1.3.1	Method 1: C10 Introduced by Dichloromethyl Methyl Ether/Tin(IV) Chloride	260
14.2.4.2	Synthesis by Ring Transformation	260
14.2.4.2.1	Method 1: Thermolysis of a 1,3-Dibromo-7,7-diphenylbicyclo[4.1.0]-hept-3-ene-2,5-dione	260
14.2.4.3	Aromatization	261
14.2.4.3.1	Method 1: Aromatization of 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyran-10-ones	261
14.2.4.3.1.1	Variation 1: Transformation of a 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyran-10-one by Protonation Followed by Dehydration with Trifluoromethanesulfonic Anhydride	261
14.2.4.3.1.2	Variation 2: Reduction and Dehydration of 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyran-10-ones	262
14.2.4.3.1.3	Variation 3: Addition of a Nucleophile to a 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyran-10-one Followed by Dehydration	262
14.2.4.3.1.4	Variation 4: Aromatization of a 10-Alkylidene-10 <i>H</i> -dibenzo[<i>b,e</i>]pyran by Protonation	263
14.2.4.3.2	Method 2: Aromatization by Dehydrogenation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyrans	264
14.2.4.4	Synthesis by Substituent Modification	265
14.2.4.4.1	Method 1: Alkylation of Xanthylium Salts in the Pyrylium Ring	265
14.3	Product Class 3: Pyranones and Pyranthiones K. Afarinkia and V. Vinader	
14.3	Product Class 3: Pyranones and Pyranthiones	275
14.3.1	Product Subclass 1: 2<i>H</i>-Pyran-2-ones	275
14.3.1.1	Synthesis by Ring-Closure Reactions	277
14.3.1.1.1	By Formation of One O—C and Two C—C Bonds	277
14.3.1.1.1.1	Method 1: Cyclization of Carbon Dioxide and Two Alkynes	277
14.3.1.1.2	By Formation of One O—C and One C—C Bond	279
14.3.1.1.2.1	Method 1: Cyclizations Utilizing Carbon Dioxide	279
14.3.1.1.2.2	Method 2: Cyclizations Utilizing β -Haloacrylates	279
14.3.1.1.2.3	Method 3: Reaction of Enols and Enolates with Malonyl Chlorides	280
14.3.1.1.2.4	Method 4: Reaction of Enolates with Acetoacetates	282
14.3.1.1.2.5	Method 5: Addition of Enolates to Propynoates and Related Reactions	282
14.3.1.1.2.6	Method 6: From α -Oxoketene Dithioacetals and Related Compounds	283
14.3.1.1.2.7	Method 7: Addition of Enolates and Enols to Enamino Esters, Enamino Ketones, and Related Compounds	285
14.3.1.1.2.7.1	Variation 1: Of Active Methylene Compounds to β -Substituted Acrylates	286

14.3.1.1.2.7.2	Variation 2:	Of Glycine Derivatives and Active Methylene Compounds to Enamino Ketones	288
14.3.1.1.2.7.3	Variation 3:	From Enols and Glycine Derivatives	288
14.3.1.1.2.8	Method 8:	Reaction of Ylides with Diphenylcyclopropanone	289
14.3.1.1.2.9	Method 9:	Self-Condensation of 3-Oxo Esters and Related Compounds	289
14.3.1.1.2.10	Method 10:	[4 + 2] Cycloaddition Reactions	291
14.3.1.1.3		By Formation of Two C—C Bonds	292
14.3.1.1.3.1	Method 1:	[4 + 2] Cycloaddition Reactions	292
14.3.1.1.4		By Formation of One O—C Bond	293
14.3.1.1.4.1	Method 1:	Synthesis by Electrocyclization	293
14.3.1.1.4.2	Method 2:	Synthesis from 5-Oxo Esters and Related Compounds	294
14.3.1.1.4.2.1	Variation 1:	From 3,5-Dioxo Esters	295
14.3.1.1.4.2.2	Variation 2:	From Enol Derivative Reactions of 3,5-Dioxo Esters	297
14.3.1.1.4.2.3	Variation 3:	From 5-Oxo Unsaturated Esters	297
14.3.1.1.5		By Formation of One C—C Bond	298
14.3.1.1.5.1	Method 1:	Synthesis by Horner–Wittig Reaction	298
14.3.1.2		Synthesis by Ring Transformation	298
14.3.1.2.1	Method 1:	From Rearrangements of 4 <i>H</i> -Pyran-4-ones	298
14.3.1.2.1.1	Variation 1:	By Photochemical Rearrangement	299
14.3.1.2.1.2	Variation 2:	By Acid-Catalyzed Rearrangement	299
14.3.1.2.2	Method 2:	By Oxidation of Furans	300
14.3.1.2.3	Method 3:	Oxidation of Catechols and Veratroles	301
14.3.1.3		Aromatization	302
14.3.1.3.1	Method 1:	By Elimination	302
14.3.1.3.2	Method 2:	By Oxidative Dehydrogenation	302
14.3.1.4		Synthesis by Substituent Modification	303
14.3.1.4.1		Substitution of Hydrogen	303
14.3.1.4.1.1	Method 1:	Electrophilic Substitution of 2 <i>H</i> -Pyran-2-ones	303
14.3.1.4.1.2	Method 2:	Metalation of 2 <i>H</i> -Pyran-2-ones	305
14.3.1.4.2		Substitution of Metals	306
14.3.1.4.2.1	Method 1:	Halogenation	306
14.3.1.4.2.2	Method 2:	Sulfanylation	307
14.3.1.4.2.3	Method 3:	Alkylation	307
14.3.1.4.3		Substitution of Halogen	307
14.3.1.4.3.1	Method 1:	Halogen–Metal Exchange	308
14.3.1.4.3.2	Method 2:	Alkenyl and Aryl Coupling Reactions	309
14.3.1.4.3.3	Method 3:	Reduction	310
14.3.1.4.3.4	Method 4:	Direct Substitution	310
14.3.1.4.4		Modification of Oxygen and Nitrogen Substituents	311
14.3.1.4.4.1	Method 1:	Alkylation of Oxygen or Nitrogen Substituents	311
14.3.1.4.5		Modification of Carbon Substituents	311

14.3.1.4.5.1	Carbonyl and Carboxy Substituents	311
14.3.1.4.5.1.1	Method 1: Interconversion of Carboxy Functions	311
14.3.1.4.5.1.2	Method 2: Reduction of Carbonyl and Carboxy Functions	312
14.3.1.4.5.1.3	Method 3: Decarboxylation	312
14.3.1.4.5.2	Alkyl Substituents	313
14.3.1.4.5.2.1	Method 1: Deprotonation and Alkylation	313
14.3.1.5	Applications of Product Subclass 1 in Organic Synthesis	314
14.3.2	Product Subclass 2: 2H-Pyran-2-thiones	317
14.3.2.1	Synthesis by Ring-Closure Reactions	317
14.3.2.1.1	Method 1: Cyclization of a Thioate	317
14.3.2.1.2	Method 2: Reaction Between Diphenylcyclopropenethione and Ylides ..	318
14.3.2.2	Synthesis by Substituent Modification	318
14.3.2.2.1	Method 1: Thiation	318
14.3.2.2.1.1	Variation 1: Use of Lawesson's Reagent	319
14.3.2.2.1.2	Variation 2: Use of Phosphorus Pentasulfide	319
14.3.2.3	Applications of Product Subclass 2 in Organic Synthesis	320
14.3.3	Product Subclass 3: 4H-Pyran-4-ones	320
14.3.3.1	Synthesis by Ring-Closure Reactions	322
14.3.3.1.1	By Formation of One O—C and Two C—C Bonds	322
14.3.3.1.1.1	Method 1: By C-Formylation and C-Acylation of Dibenzyl Ketones	322
14.3.3.1.2	By Formation of One O—C and One C—C Bond	322
14.3.3.1.2.1	Method 1: Synthesis by [4 + 2] Cycloaddition	322
14.3.3.1.2.2	Method 2: Synthesis by Addition of Enolates to Propynoates and Haloacrylates	324
14.3.3.1.2.3	Method 3: Reactions of Enols and Enolates with Diketene and β -Oxo Esters	325
14.3.3.1.2.4	Method 4: By C-Formylation and C-Acylation of 1,3-Diketones and Their Derivatives	325
14.3.3.1.2.5	Method 5: Synthesis from Hexa-1,5-diyne-3-ones	326
14.3.3.1.3	By Formation of One O—C Bond	327
14.3.3.1.3.1	Method 1: Cyclization of 1,3,5-Triketones	327
14.3.3.2	Synthesis by Ring Transformation	328
14.3.3.2.1	Method 1: From 4-Hydroxy-2H-pyran-2-ones	328
14.3.3.2.2	Method 2: From Tetrahydropyren-3-one	329
14.3.3.3	Aromatization	330
14.3.3.3.1	Method 1: By Elimination	330
14.3.3.3.2	Method 2: By Oxidative Dehydrogenation	331
14.3.3.3.3	Method 3: By Isomerization	331
14.3.3.4	Synthesis by Substituent Modification	332

14.3.3.4.1	Substitution of Hydrogen	332
14.3.3.4.1.1	Method 1: Electrophilic Substitution of 4 <i>H</i> -Pyran-4-ones	332
14.3.3.4.1.1.1	Variation 1: Deuteration	332
14.3.3.4.1.1.2	Variation 2: Halogenation	333
14.3.3.4.1.1.3	Variation 3: Alkylation, Formylation, and Friedel–Crafts Reactions	333
14.3.3.4.2	Substitution of Halogen	333
14.3.3.4.2.1	Method 1: Aryl Coupling Reactions	333
14.3.3.4.3	Substitution of Oxygen	334
14.3.3.4.3.1	Method 1: Direct Substitution	334
14.3.3.4.4	Modification of Oxygen and Nitrogen Substituents	334
14.3.3.4.5	Modification of Carbon Substituents	335
14.3.3.4.5.1	Method 1: Carboxy Substituents	335
14.3.3.4.5.2	Method 2: Alkyl Substituents	336
14.3.3.4.5.2.1	Variation 1: Deprotonation	336
14.3.3.4.5.2.2	Variation 2: Substitution	336
14.3.4	Product Subclass 4: 4<i>H</i>-Pyran-4-thiones	337
14.3.4.1	Synthesis by Ring-Closure Reactions	337
14.3.4.1.1	By Formation of One O–C and One C–C Bond	337
14.3.4.1.1.1	Method 1: From Aroylacetonitriles	337
14.3.4.2	Synthesis by Substituent Modification	337
14.3.4.2.1	Method 1: Thiation	337
14.4	Product Class 4: Benzopyranones and Benzopyranthiones A. C. Williams and N. Camp	
14.4	Product Class 4: Benzopyranones and Benzopyranthiones	347
14.4.1	Product Subclass 1: 2<i>H</i>-1-Benzopyran-2-ones	350
14.4.1.1	Synthesis by Ring-Closure Reactions	351
14.4.1.1.1	By Annulation to an Arene	351
14.4.1.1.1.1	By Formation of One O–C and Two C–C Bonds	351
14.4.1.1.1.1.1	With Formation of the 1–2, 2–3, and 4–4a Bonds	351
14.4.1.1.1.1.1.1	Method 1: Palladium-Catalyzed Carbonylative Annulation of Internal Alkynes by 2-Iodophenols	351
14.4.1.1.1.2	By Formation of One O–C and One C–C Bond	352
14.4.1.1.1.2.1	With Formation of the 1–2 and 2–3 Bonds	352
14.4.1.1.1.2.1.1	Method 1: Rhodium-Catalyzed Carbonylative Cyclization of (2-Hydroxyphenyl)alkynes	352
14.4.1.1.1.2.1.2	Method 2: 4-Hydroxy-2 <i>H</i> -1-benzopyran-2-ones by Carbonylation of 2-Hydroxyphenyl Ketones	353

14.4.1.1.1.2.1.3	Method 3:	Base-Catalyzed Reaction of 2-Hydroxyphenyl Ketones with Diethyl Carbonate	354
14.4.1.1.1.2.1.4	Method 4:	Base-Catalyzed Reaction of 2-Hydroxyphenyl Ketones with Alkyl Chloroformates	355
14.4.1.1.1.2.2		With Formation of the 1–2 and 3–4 Bonds	355
14.4.1.1.1.2.2.1	Method 1:	Wittig Reaction of 2-Hydroxybenzaldehydes and 2-Hydroxyphenyl Ketones	355
14.4.1.1.1.2.2.2	Method 2:	Condensation of 2-Hydroxybenzaldehydes and 2-Hydroxyphenyl Ketones with Acetic Acid Derivatives	357
14.4.1.1.1.2.2.2.1	Variation 1:	Condensation of 2-Hydroxybenzaldehydes with Acetic Anhydride	357
14.4.1.1.1.2.2.2.2	Variation 2:	Condensation of 2-Hydroxyphenyl Ketones with Halo- or Arylacetyl Chlorides	358
14.4.1.1.1.2.2.2.3	Variation 3:	Condensation of 2-Hydroxybenzaldehydes with Other Arylacetic Acid Derivatives	359
14.4.1.1.1.2.2.2.4	Variation 4:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with Ethyl Nitroacetate	361
14.4.1.1.1.2.2.2.5	Variation 5:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with Glycine and Glycolic Acid Derivatives	361
14.4.1.1.1.2.2.2.6	Variation 6:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes or 2-Hydroxyphenyl Ketones with Ethyl Cyanoacetate	363
14.4.1.1.1.2.2.2.7	Variation 7:	Synthesis of 3-Substituted 2 <i>H</i> -1-Benzopyran-2-ones by Knoevenagel Condensation of Substituted Acetic Acid Derivatives	364
14.4.1.1.1.2.2.2.8	Variation 8:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with Phosphorylacetate Derivatives	365
14.4.1.1.1.2.2.2.9	Variation 9:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with Malonic Acid and Its Derivatives	367
14.4.1.1.1.2.2.2.10	Variation 10:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with β -Oxo Esters	369
14.4.1.1.1.2.2.2.11	Variation 11:	Knoevenagel Condensation of 2-Hydroxybenzaldehydes with Acrylates	370
14.4.1.1.1.2.3	Method 3:	Reaction of 2-Hydroxybenzaldehyde Imines and Oximes and 2-Hydroxybenzamides with Carbon Suboxide	371
14.4.1.1.1.2.2.4	Method 4:	Rearrangement of [(2-Hydroxybenzylidene)amino]acetates and <i>N'</i> -(2-Hydroxybenzylidene)acetohydrazides	372
14.4.1.1.1.2.3		With Formation of the 1–2 and 4–4a Bonds	374
14.4.1.1.1.2.3.1	Method 1:	Acid-Catalyzed Condensation of Phenols and 1,3-Dicarbonyl Compounds (The Pechmann Reaction)	374
14.4.1.1.1.2.3.1.1	Variation 1:	Sulfuric Acid as Condensing Agent	374
14.4.1.1.1.2.3.1.2	Variation 2:	Zinc(II) Chloride as Condensing Agent	376
14.4.1.1.1.2.3.1.3	Variation 3:	Sulfonic Acids as Condensing Agents	377
14.4.1.1.1.2.3.1.4	Variation 4:	Hydrogen Chloride or Fluoride as Condensing Agents	377
14.4.1.1.1.2.3.1.5	Variation 5:	Aluminum Trichloride as Condensing Agent	379
14.4.1.1.1.2.3.1.6	Variation 6:	Phosphoryl Chloride as Condensing Agent	379
14.4.1.1.1.2.3.1.7	Variation 7:	Other Phosphoric Acid Derivatives as Condensing Agents	380

14.4.1.1.1.2.3.1.8	Variation 8:	Montmorillonite K 10 and KSF as Condensing Agents	381
14.4.1.1.1.2.3.1.9	Variation 9:	Trifluoroacetic Acid as Condensing Agent	382
14.4.1.1.1.2.3.1.10	Variation 10:	Sulfonic Acid Resins as Condensing Agents	383
14.4.1.1.1.2.3.2	Method 2:	Reaction of Phenols with Alkynoates and Alkynoic Acids	384
14.4.1.1.1.2.3.2.1	Variation 1:	Palladium-Catalyzed Coupling of Phenols with Alkynoates and Alkynoic Acids	384
14.4.1.1.1.2.3.2.2	Variation 2:	Acid-Catalyzed Coupling of Phenols with Alkynoic Acids	385
14.4.1.1.1.2.3.2.3	Variation 3:	Coupling of Phenols and Acetylenedicarboxylates Using Triphenylphosphine	386
14.4.1.1.1.2.3.2.4	Variation 4:	Zinc-Catalyzed Coupling of Phenols with Alkynoates	388
14.4.1.1.1.2.3.3	Method 3:	Reaction of Phenols with 3-(Dialkylamino)acrylates and Cinnamates	388
14.4.1.1.1.3	By Formation of One O—C Bond		389
14.4.1.1.1.3.1	With Formation of the 1—2 Bond		389
14.4.1.1.1.3.1.1	Method 1:	Lactonization of 3-(2-Hydroxyphenyl)propanoic or -acrylic Acids	389
14.4.1.1.1.3.1.2	Method 2:	Lactonization of 3-(2-Alkoxyphenyl)propanoic or -acrylic Acids	391
14.4.1.1.1.3.1.3	Method 3:	Lactonization of 3-(2-Hydroxyphenyl)propanoates or -acrylates	393
14.4.1.1.1.3.1.3.1	Variation 1:	Acid-Catalyzed Lactonization of 3-(2-Hydroxyphenyl)propanoates or -acrylates	393
14.4.1.1.1.3.1.3.2	Variation 2:	Base-Catalyzed Lactonization of 3-(2-Hydroxyphenyl)propanoates or -acrylates	394
14.4.1.1.1.3.1.3.3	Variation 3:	Neutral, Thermal Lactonization of 3-(2-Hydroxyphenyl)propanoates or -acrylates	395
14.4.1.1.1.3.1.4	Method 4:	Lactonization of 3-(2-Alkoxyphenyl)- or 3-(2-Acyloxyphenyl)acrylates	396
14.4.1.1.1.3.1.4.1	Variation 1:	Acid-Catalyzed Lactonization of 3-(2-Alkoxyphenyl)acrylates	397
14.4.1.1.1.3.1.4.2	Variation 2:	Base-Catalyzed Lactonization of 3-(2-Alkoxyphenyl)- and 3-(2-Acyloxyphenyl)acrylates	398
14.4.1.1.1.3.1.4.3	Variation 3:	Neutral or Thermal Lactonization of 3-(2-Alkoxyphenyl)acrylates, with Concomitant Claisen Rearrangement	399
14.4.1.1.1.3.1.5	Method 5:	Lactonization of 3-(2-Hydroxyphenyl)acrylamides	401
14.4.1.1.1.3.1.6	Method 6:	Lactonization of 3-(2-Hydroxyphenyl)-3-oxopropanamides	403
14.4.1.1.1.3.1.7	Method 7:	Lactonization of 3-(2-Alkoxy- and 3-(2-Hydroxyphenyl)acrylonitriles	404
14.4.1.1.1.3.1.8	Method 8:	Oxidative Cyclization of 2-Allylphenols	405
14.4.1.1.1.3.2	With Formation of the 1—8a Bond		406
14.4.1.1.1.3.2.1	Method 1:	Cyclization of 2-(2-Nitrobenzylidene)malonic Acids	406
14.4.1.1.1.3.2.2	Method 2:	Cyclization of Benzyl 3-(2-Halophenyl)acrylates	407
14.4.1.1.1.4	By Formation of One C—C Bond		407
14.4.1.1.1.4.1	With Formation of the 2—3 Bond		407
14.4.1.1.1.4.1.1	Method 1:	Cyclization of a 2-Propanoylphenyl <i>N,N</i> -Dialkylcarbamate	407
14.4.1.1.1.4.2	With Formation of the 3—4 Bond		408

14.4.1.1.1.4.2.1	Method 1:	Cyclization of 2-Acyloxyaryl Ketones and Cyanides	408
14.4.1.1.1.4.2.2	Method 2:	Base-Catalyzed Cyclization of 2-Acyloxybenzoates	409
14.4.1.1.1.4.2.3	Method 3:	Intramolecular Bayliss–Hillman Reaction of 2-Formylphenyl Acrylate	410
14.4.1.1.1.4.2.4	Method 4:	Ring-Closing Metathesis of a Polymer-Supported 2-(Propenoxyloxy)styrene	410
14.4.1.1.1.4.3	With Formation of the 4–4a Bond		411
14.4.1.1.1.4.3.1	Method 1:	Palladium-Catalyzed Intramolecular Cyclization of Phenyl Propynoates	411
14.4.1.1.1.4.3.2	Method 2:	Intramolecular Heck Reaction	412
14.4.1.1.1.4.3.3	Method 3:	Acid-Catalyzed Cyclization of Aryl 3-Ethoxyacrylates	412
14.4.1.1.1.4.3.4	Method 4:	Lewis Acid Catalyzed Cyclization of Aryl 3-Phenylacrylates	413
14.4.1.1.1.4.3.5	Method 5:	Acid-Catalyzed or Thermal Cyclization of Diaryl Malonates	414
14.4.1.2	Synthesis by Ring Transformation		415
14.4.1.2.1	By Ring Enlargement		415
14.4.1.2.1.1	Method 1:	Baeyer–Villiger Reaction of 2,3-Dihydro-1 <i>H</i> -inden-1-ones with Subsequent Aromatization	415
14.4.1.2.1.2	Method 2:	Base-Catalyzed Isomerization of 3,3'-Bibenzo[<i>b</i>]furanylidene-2,2'-diones	416
14.4.1.2.2	With Retention of Ring Size		417
14.4.1.2.2.1	Method 1:	Reaction of Ethyl 4-Oxo-4 <i>H</i> -1-benzopyran-3-carboxylates with Hydroxylamine	417
14.4.1.3	Aromatization		418
14.4.1.3.1	By Oxidation		418
14.4.1.3.1.1	Method 1:	Dehydrogenation of 3,4-Dihydro-2 <i>H</i> -1-benzopyran-2-ones with Palladium on Charcoal	418
14.4.1.3.1.2	Method 2:	Dehydrogenation of 3,4-Dihydro-2 <i>H</i> -1-benzopyran-2-ones with Other Agents	418
14.4.1.3.1.3	Method 3:	Dehydrogenation of 5,6-Dihydro-2 <i>H</i> -1-benzopyran-2-ones with Quinones	419
14.4.1.3.1.4	Method 4:	Oxidation of 2 <i>H</i> -1-Benzopyrans to 2 <i>H</i> -1-Benzopyran-2-ones	420
14.4.1.3.1.5	Method 5:	Oxidation of 2 <i>H</i> -1-Benzopyran-2-ols	422
14.4.1.3.2	By Elimination		423
14.4.1.3.2.1	Method 1:	Base-Catalyzed Dehydrohalogenation of 3-Halo-3,4-dihydro-2 <i>H</i> -1-benzopyran-2-ones	423
14.4.1.3.2.2	Method 2:	Debromination of 3,4-Dibromo-3,4-dihydro-2 <i>H</i> -1-benzo- pyran-2-ones	424
14.4.1.3.3	By Formal Aromatizations Resulting from Tautomerism		425
14.4.1.3.3.1	Method 1:	Reactions of 3-Diazo-2 <i>H</i> -1-benzopyran-2,4(3 <i>H</i>)-diones	425
14.4.1.3.3.2	Method 2:	Reaction of Aldehydes with Ylides and Phosphonates of 3,4-Dihydro-2 <i>H</i> -1-benzopyran-2-ones	426
14.4.1.3.3.3	Method 3:	Acylation of 3-Acyl-3,4-dihydro-2 <i>H</i> -1-benzopyran-2-ones	427

14.4.1.3.3.4	Method 4:	Reaction of 4-Acyl-3,4-dihydro-2 <i>H</i> -1-benzopyran-2-ones with Secondary Amines	428
14.4.1.3.3.5	Method 5:	Isomerization of 3-[(Arylamino)methylene]-2 <i>H</i> -1-benzopyran-2,4(3 <i>H</i>)-diones to 4-(Arylamino)-2-oxo-2 <i>H</i> -1-benzopyran-3-carbaldehydes	429
14.4.1.3.3.6	Method 6:	Hydrolysis of 3-Acetyl- and 3-(Ethoxycarbonyl)-2 <i>H</i> -1-benzopyran-2,4(3 <i>H</i>)-diones	429
14.4.1.3.3.7	Method 7:	Reaction of 3-[(Dialkylamino)methylene]-4-thioxo-3,4-dihydro-2 <i>H</i> -1-benzopyran-2-ones with Propenal	430
14.4.1.3.3.8	Method 8:	O-Methylation of 2 <i>H</i> -1-Benzopyran-2,4(3 <i>H</i>)-diones	430
14.4.1.3.3.9	Method 9:	Reactions of 2 <i>H</i> -1-Benzopyran-2,7,8-triones and 2 <i>H</i> -1-Benzopyran-2,7,8-trione 7-(<i>O</i> -Methyloximes)	431
14.4.1.4	Synthesis by Substituent Modification		436
14.4.1.4.1	Substitution of Existing Substituents		436
14.4.1.4.1.1	Of Nitrogen		436
14.4.1.4.1.1.1	Method 1:	Hydrolysis of 2 <i>H</i> -1-Benzopyran-2-imines	436
14.4.1.4.1.1.2	Method 2:	Hydrolysis of 2-(Dialkylamino)-4 <i>H</i> -1-benzopyran-4-ones	437
14.4.1.4.1.2	Of Sulfur		437
14.4.1.4.1.2.1	Method 1:	Hydrolysis of 2 <i>H</i> -1-Benzopyran-2-thiones	437
14.4.2	Product Subclass 2: 2<i>H</i>-1-Benzopyran-2-thiones		438
14.4.2.1	Synthesis by Ring-Closure Reactions		438
14.4.2.1.1	By Annulation to an Arene		438
14.4.2.1.1.1	By Formation of One O—C and One C—C Bond		438
14.4.2.1.1.1.1	With Formation of the 1—2 and 2—3 Bonds		438
14.4.2.1.1.1.1.1	Method 1:	Condensation of 2-Hydroxyphenyl Ketones with Carbon Disulfide	438
14.4.2.1.1.1.2	With Formation of the 1—2 and 3—4 Bonds		439
14.4.2.1.1.1.2.1	Method 1:	Reaction of Phosphacumulenes with 2-Hydroxybenzaldehydes	439
14.4.2.1.1.2	By Formation of One O—C Bond		440
14.4.2.1.1.2.1	With Formation of the 1—2 Bond		440
14.4.2.1.1.2.1.1	Method 1:	Reaction of Polyfluoroalkyl Phenyl Ketones with Sodium Sulfide	440
14.4.2.2	Synthesis by Substituent Modification		440
14.4.2.2.1	Substitution of Existing Substituents		440
14.4.2.2.1.1	Of Oxygen		440
14.4.2.2.1.1.1	Method 1:	Conversion of 2 <i>H</i> -1-Benzopyran-2-ones into 2 <i>H</i> -1-Benzopyran-2-thiones	440
14.4.2.2.1.1.1.1	Variation 1:	Direct Thionation of 2 <i>H</i> -1-Benzopyran-2-ones with Phosphorus Pentasulfide	441

14.4.2.2.1.1.1.2	Variation 2: Direct Thionation of 2 <i>H</i> -1-Benzopyran-2-ones with Lawesson's Reagent	443
14.4.2.2.2	Addition Reactions	444
14.4.2.2.2.1	Method 1: Oxidation of 2 <i>H</i> -1-Benzopyran-2-thiones with 3-Chloroperoxybenzoic Acid	444
14.4.3	Product Subclass 3: 4<i>H</i>-1-Benzopyran-4-ones	444
14.4.3.1	Synthesis by Ring-Closure Reactions	445
14.4.3.1.1	By Annulation to an Arene	445
14.4.3.1.1.1	By Formation of One O—C and Two C—C Bonds	445
14.4.3.1.1.1.1	With Formation of the 1—2, 3—4, and 4—4a Bonds	445
14.4.3.1.1.1.1.1	Method 1: Reaction of 2-Iodophenols with Alkynes or Allenes and Carbon Monoxide	445
14.4.3.1.1.1.2	By Formation of One O—C and One C—C Bond	447
14.4.3.1.1.2.1	With Formation of the 1—2 and 2—3 Bonds	447
14.4.3.1.1.2.1.1	Method 1: Condensation of 2-Hydroxyphenyl Ketones with Carboxylic Acid Derivatives	447
14.4.3.1.1.2.1.1.1	Variation 1: Condensation of 2-Hydroxyphenyl Ketones with Carboxylic Acids	447
14.4.3.1.1.2.1.1.2	Variation 2: Condensation of 2-Hydroxyphenyl Ketones with Acyl Chlorides	450
14.4.3.1.1.2.1.1.3	Variation 3: Condensation of 2-Hydroxyphenyl Ketones with Carboxylic Acid Anhydrides	455
14.4.3.1.1.2.1.1.4	Variation 4: Condensation of 2-Hydroxyphenyl Ketones with Carboxylic Esters	456
14.4.3.1.1.2.1.1.5	Variation 5: Condensation of 2-Hydroxyphenyl Ketones with Carboxamides	459
14.4.3.1.1.2.1.1.6	Variation 6: Condensation of 2-Hydroxyphenyl Ketones with Diaminomethyl Ethers, Formamide Acetals, or Ortho Esters	460
14.4.3.1.1.2.1.2	Method 2: Condensation of 2-Hydroxyphenyl (Methylsulfinyl)methyl Ketones with Aldehydes	461
14.4.3.1.1.2.1.3	Method 3: Condensation of 2-Hydroxyphenyl Ketones with Aldehydes with Subsequent Oxidation	462
14.4.3.1.1.2.2	With Formation of the 1—2 and 3—4 Bonds	463
14.4.3.1.1.2.2.1	Method 1: Condensation of 2-Hydroxybenzoic Acid Derivatives with 2-Hydroxybenzaldehydes and Naphthaldehydes	463
14.4.3.1.1.2.2.1.1	Variation 1: Reaction of Enamines with Aldehydes with Subsequent Oxidation	463
14.4.3.1.1.2.2.1.2	Variation 2: Reaction of Enamines with Mixed Anhydrides	465
14.4.3.1.1.2.2.1.3	Variation 3: Reaction of Enamines with Acyl Chlorides	466
14.4.3.1.1.2.2.1.4	Variation 4: Reaction of Enolates with Acyl Chlorides	467
14.4.3.1.1.2.2.1.5	Variation 5: Reactions of Aldehyde and Ketone Enolates with Carboxylic Acid Esters	468

14.4.3.1.1.2.2	Method 2:	Reaction of 2-Hydroxybenzoates with Ylides and Acyl Chlorides	471
14.4.3.1.1.2.3		With Formation of the 1–2 and 4–4a Bonds	471
14.4.3.1.1.2.3.1	Method 1:	Condensation of Phenols with 1,3-Dicarbonyl Compounds (The Simonis Reaction)	471
14.4.3.1.1.2.3.1.1	Variation 1:	Sulfuric Acid Catalyzed Condensation of Phenols with 1,3-Dicarbonyl Compounds	472
14.4.3.1.1.2.3.1.2	Variation 2:	Phosphoric Acid and Phosphorus Pentoxide Catalyzed Condensation of Phenols with 1,3-Dicarbonyl Compounds	472
14.4.3.1.1.2.3.1.3	Variation 3:	Thermal Condensation of Phenols with 1,3-Dicarbonyl Compounds	473
14.4.3.1.1.2.3.1.4	Variation 4:	Trifluoroacetic Acid Catalyzed Condensation of Phenols with 1,3-Dicarbonyl Compounds	474
14.4.3.1.1.2.3.1.5	Variation 5:	Condensation of (Aminocarbonyl)acetic Acid Esters with Phenols	474
14.4.3.1.1.2.3.2	Method 2:	Condensation of Phenols with 3-Haloacrylic Acid Derivatives	475
14.4.3.1.1.2.3.3	Method 3:	Condensation of Phenols with Alkynoic Acids or Acid Chlorides	478
14.4.3.1.1.3		By Formation of One O–C Bond	480
14.4.3.1.1.3.1		With Formation of the 1–2 Bond	480
14.4.3.1.1.3.1.1	Method 1:	Cyclization of 1-(2-Hydroxyphenyl)- and 1-(2-Alkoxyphenyl)alkane-1,3-diones	480
14.4.3.1.1.3.1.1.1	Variation 1:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Hydrogen Chloride	481
14.4.3.1.1.3.1.1.2	Variation 2:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Sulfuric Acid	482
14.4.3.1.1.3.1.1.3	Variation 3:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Hydrogen Bromide	484
14.4.3.1.1.3.1.1.4	Variation 4:	Cyclization of 1-(2-Alkoxyphenyl)alkane-1,3-diones with Hydrogen Iodide	484
14.4.3.1.1.3.1.1.5	Variation 5:	Cyclization of 1-(2-Alkoxyphenyl)- or 1-(2-Hydroxyphenyl)-alkane-1,3-diones with Acetic Acid	485
14.4.3.1.1.3.1.1.6	Variation 6:	Cyclization of Solid-Supported 1-(2-Hydroxyphenyl)-alkane-1,3-diones with Trifluoroacetic Acid	486
14.4.3.1.1.3.1.1.7	Variation 7:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Iodine	487
14.4.3.1.1.3.1.1.8	Variation 8:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with 4-Toluenesulfonic Acid	487
14.4.3.1.1.3.1.1.9	Variation 9:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Sulfonic Acid Resins	488
14.4.3.1.1.3.1.1.10	Variation 10:	Cyclization of 1-(2-Hydroxyphenyl)alkane-1,3-diones with Montmorillonite K 10	488
14.4.3.1.1.3.1.2	Method 2:	Cyclization of 3-(Dialkylamino)-1-(2-hydroxyphenyl)-prop-2-en-1-ones	489

14.4.3.1.1.3.1.2.1	Variation 1:	Cyclization of 3-(Dialkylamino)-1-(2-hydroxyphenyl)-prop-2-en-1-ones with Hydrogen Chloride	489
14.4.3.1.1.3.1.2.2	Variation 2:	Cyclization of 3-(Dialkylamino)-1-(2-hydroxyphenyl)-prop-2-en-1-ones with Sulfuric Acid	489
14.4.3.1.1.3.1.2.3	Variation 3:	Cyclization of 3-(Dialkylamino)-1-(2-hydroxyphenyl)-prop-2-en-1-ones with Halogens	490
14.4.3.1.1.3.1.2.4	Variation 4:	Cyclization of 3-(Dialkylamino)-1-(2-hydroxyphenyl)-prop-2-en-1-ones with Chlorosulfonyl Isocyanate and Anilines	490
14.4.3.1.1.3.1.2.5	Variation 5:	Cyclization of Polymer-Bound 3-(Dialkylamino)-1-[2-(<i>tert</i> -butyldimethylsiloxy)phenyl]prop-2-en-1-ones	491
14.4.3.1.1.3.1.2.6	Variation 6:	Other Electrophilic Cyclizations of 3-(Dialkylamino)-1-(2-hydroxyphenyl)prop-2-en-1-ones	492
14.4.3.1.1.3.1.3	Method 3:	Cyclization of <i>N,N</i> -Dialkyl-3-(2-hydroxyphenyl)-3-oxopropanamides	494
14.4.3.1.1.3.1.4	Method 4:	Cyclization of 3-Halo-1-(2-hydroxyphenyl)prop-2-en-1-ones	495
14.4.3.1.1.3.1.5	Method 5:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones	496
14.4.3.1.1.3.1.5.1	Variation 1:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones with Iodine	496
14.4.3.1.1.3.1.5.2	Variation 2:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones with Selenium Dioxide	498
14.4.3.1.1.3.1.5.3	Variation 3:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones with Quinones	499
14.4.3.1.1.3.1.5.4	Variation 4:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones with Hypervalent Iodine Reagents	500
14.4.3.1.1.3.1.5.5	Variation 5:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-en-1-ones with Bromine	501
14.4.3.1.1.3.1.6	Method 6:	Oxidative Cyclization of 1-(2-Hydroxyphenyl)-prop-2-en-1-ones with Thallium(III) Salts	501
14.4.3.1.1.3.1.7	Method 7:	Oxidative Cyclization of 1-(2-Hydroxyphenyl)-prop-2-en-1-ones with Alkaline Peroxide	503
14.4.3.1.1.3.1.8	Method 8:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-yn-1-ones	504
14.4.3.1.1.3.1.8.1	Variation 1:	Acid-Catalyzed Cyclization of 1-(2-Hydroxyphenyl)-prop-2-yn-1-ones	504
14.4.3.1.1.3.1.8.2	Variation 2:	Base-Catalyzed Cyclization of 1-(2-Hydroxyphenyl)-prop-2-yn-1-ones	505
14.4.3.1.1.3.1.8.3	Variation 3:	Cyclization of 1-(2-Hydroxyphenyl)prop-2-yn-1-ones with Secondary Amines	506
14.4.3.1.1.3.2	With Formation of the 1–8a Bond		507
14.4.3.1.1.3.2.1	Method 1:	Cyclization of 1-(2-Fluorophenyl)-1,3-diones	507
14.4.3.1.1.4	By Formation of One C–C Bond		509
14.4.3.1.1.4.1	With Formation of the 2–3 Bond		509
14.4.3.1.1.4.1.1	Method 1:	Cyclization of 2-Acyloxyphenyl Ketones	509
14.4.3.1.1.4.1.1.1	Variation 1:	Cyclization of 2-Acyloxyphenyl Ketones with Inorganic Bases	509
14.4.3.1.1.4.1.1.2	Variation 2:	Cyclization of 2-Acyloxyphenyl Ketones with Organic Bases	510
14.4.3.1.1.4.1.1.3	Variation 3:	Thermal Cyclization of 2-Acyloxyphenyl Ketones	511

14.4.3.1.1.4.1.2	Method 2:	Cyclization of 2-Acyloxyphenyl Ketones by Intramolecular Wittig Reaction	512
14.4.3.1.1.4.2		With Formation of the 4–4a Bond	513
14.4.3.1.1.4.2.1	Method 1:	Intramolecular Friedel–Crafts Reaction of 3-Phenoxyacrylic Acid Derivatives	513
14.4.3.2		Synthesis by Ring Transformation	514
14.4.3.2.1		By Ring Enlargement	514
14.4.3.2.1.1	Method 1:	Cyanide-Catalyzed Rearrangement of 2-Benzylidene-benzo[<i>b</i>]furan-3-ones	514
14.4.3.2.2		By Formal Exchange of Ring Members with Retention of Ring Size	515
14.4.3.2.2.1	Method 1:	Rearrangements of 4 <i>H</i> -1-Benzopyran-4-one Containing Systems	515
14.4.3.3		Aromatization	517
14.4.3.3.1		By Oxidation	517
14.4.3.3.1.1	Method 1:	Aromatization of 2,3-Dihydro-4 <i>H</i> -1-benzopyran-4-ones Using Thallium(III) Salts and Hypervalent Iodine Reagents ...	517
14.4.3.3.1.2	Method 2:	Aromatization of 2,3-Dihydro-4 <i>H</i> -1-benzopyran-4-ones with Quinones	518
14.4.3.3.1.3	Method 3:	Oxidative Rearrangement of 2-Monosubstituted and 2,2-Disubstituted 2,3-Dihydro-4 <i>H</i> -benzopyran-4-ones	518
14.4.3.3.1.4	Method 4:	Oxidation of 4 <i>H</i> -1-Benzopyrans to 4 <i>H</i> -1-Benzopyran-4-ones ·	520
14.4.3.3.1.5	Method 5:	Oxidation of 2 <i>H</i> -1-Benzopyrans to 4 <i>H</i> -1-Benzopyran-4-ones ·	521
14.4.3.3.2		By Elimination	522
14.4.3.3.2.1	Method 1:	Dehydrohalogenation	522
14.4.3.3.2.2	Method 2:	Dehydration of 2-Hydroxy-2,3-dihydro-4 <i>H</i> -1-benzopyran-4-ones	525
14.4.3.3.2.3	Method 3:	Elimination of Alcohols from 2-Alkoxy-2,3-dihydro-4 <i>H</i> -1-benzopyran-4-ones	526
14.4.3.3.2.4	Method 4:	Elimination of Benzenesulfinic Acid from 3-Alkyl-3-(phenylsulfonyl)-2,3-dihydro-4 <i>H</i> -benzopyran-4-ones	527
14.4.3.4		Synthesis by Substituent Modification	527
14.4.3.4.1		Substitution of Existing Substituents	527
14.4.3.4.1.1		Of Hydrogen	527
14.4.3.4.1.1.1	Method 1:	Oxidation and Hydrolysis of 1-Benzopyrylium Salts to 4 <i>H</i> -1-Benzopyran-4-ones	527
14.4.3.4.1.2		Of Carbon	528
14.4.3.4.1.2.1	Method 1:	Oxidative Cleavage of 4,4'-Bi-4 <i>H</i> -1-benzopyranylidenes to 4 <i>H</i> -1-Benzopyran-4-ones	528
14.4.3.4.1.3		Of Sulfur	529
14.4.3.4.1.3.1	Method 1:	Conversion of 4 <i>H</i> -1-Benzopyran-4-thiones into 4 <i>H</i> -1-Benzopyran-4-ones	529

14.4.3.4.2	Modification of Substituents	530
14.4.3.4.2.1	Formal Oxidation State Changes Resulting from Tautomerism	530
14.4.3.4.2.1.1	Method 1: Base-Catalyzed Condensation of 2,3-Dihydro-4 <i>H</i> -1-benzopyran-4-ones and Aldehydes	530
14.4.3.4.2.1.2	Method 2: Oxidation of 3-Benzylidene-2-phenyl-2,3-dihydro-4 <i>H</i> -1-benzopyran-4-ones	530
14.4.3.4.2.1.3	Method 3: S-Alkylation of 4-Hydroxy-2 <i>H</i> -1-benzopyran-2-thiones	532
14.4.4	Product Subclass 4: 4<i>H</i>-1-Benzopyran-4-thiones	532
14.4.4.1	Synthesis by Substituent Modification	533
14.4.4.1.1	Substitution of Existing Substituents	533
14.4.4.1.1.1	Of Oxygen	533
14.4.4.1.1.1.1	Method 1: Conversion of 4 <i>H</i> -1-Benzopyran-4-ones into 4 <i>H</i> -1-Benzopyran-4-thiones	533
14.4.4.1.1.1.1.1	Variation 1: Direct Conversion of 4 <i>H</i> -1-Benzopyran-4-ones into 4 <i>H</i> -1-Benzopyran-4-thiones	533
14.4.4.1.1.1.1.2	Variation 2: Indirect Conversion via Imines	535
14.4.5	Product Subclass 5: 1<i>H</i>-2-Benzopyran-1-ones	536
14.4.5.1	Synthesis by Ring-Closure Reactions	536
14.4.5.1.1	By Annulation to an Arene	536
14.4.5.1.1.1	By Formation of One O—C and One C—C Bond	536
14.4.5.1.1.1.1	With Formation of the 1—2 and 3—4 Bonds	536
14.4.5.1.1.1.1.1	Method 1: From 2-Carboxyphenylacetic Acid and Acid Chlorides	536
14.4.5.1.1.1.2	With Formation of the 1—2 and 1—8a Bonds	537
14.4.5.1.1.1.2.1	Method 1: Palladium- or Nickel-Catalyzed Carbonylative Cyclization of 2-Iodobenzyl Ketones	537
14.4.5.1.1.1.3	With Formation of the 2—3 and 3—4 Bonds	538
14.4.5.1.1.1.3.1	Method 1: From 2-Benzoyl- or 2-Acetylbenzoates with Trimethylsulfoxonium Ylide	538
14.4.5.1.1.1.4	With Formation of the 2—3 and 4—4a Bonds	539
14.4.5.1.1.1.4.1	Method 1: Cyclization of Thallated Benzoic Acids with Alkenes under Palladium Catalysis	539
14.4.5.1.1.1.4.2	Method 2: Cyclization of 2-Iodobenzoates with Alkynes	541
14.4.5.1.1.1.4.2.1	Variation 1: Cyclization Using Palladium Catalysis	541
14.4.5.1.1.1.4.2.2	Variation 2: Cyclization Using Palladium and Zinc Catalysis	542
14.4.5.1.1.1.4.2.3	Variation 3: Cyclization Using Palladium and Lithium Catalysis	542
14.4.5.1.1.1.4.2.4	Variation 4: Cyclization Using Preformed Copper Acetylides	543
14.4.5.1.1.2	By Formation of One O—C Bond	544
14.4.5.1.1.2.1	With Formation of the 1—2 Bond	544
14.4.5.1.1.2.1.1	Method 1: Cyclization of Derivatives of 2-(Formylmethyl)- and 2-(2-Oxoethyl)benzoic Acids	544

14.4.5.1.1.2.1.1.1	Variation 1:	From 2-Halobenzoates via Palladium Catalysis Followed by Acid-Mediated Cyclization	544
14.4.5.1.1.2.1.1.2	Variation 2:	Cyclization of 2-(Formylmethyl)benzoic Acids	546
14.4.5.1.1.2.1.1.3	Variation 3:	Cyclization of 2-(2-Oxoethyl)benzoic Acids	546
14.4.5.1.1.2.1.1.4	Variation 4:	Cyclization of 2-(Formylmethyl)benzoates	548
14.4.5.1.1.2.1.1.5	Variation 5:	Cyclization of 2-(2-Oxoethyl)benzoates	549
14.4.5.1.1.2.1.1.6	Variation 6:	Cyclization of 2-(Formylmethyl)benzamides	550
14.4.5.1.1.2.1.1.7	Variation 7:	Cyclization of 2-(2-Oxoethyl)benzonitriles	551
14.4.5.1.1.2.2	With Formation of the 2–3 Bond		551
14.4.5.1.1.2.2.1	Method 1:	Cyclization of 2-Vinylbenzoic Acids	551
14.4.5.1.1.2.2.1.1	Variation 1:	Cyclization with Stoichiometric Palladium	552
14.4.5.1.1.2.2.1.2	Variation 2:	Cyclization with Palladium Catalysts and Oxygen	552
14.4.5.1.1.2.2.1.3	Variation 3:	Cyclization with <i>N</i> -(Phenylselanyl)succinimide and Acid	553
14.4.5.1.1.2.2.2	Method 2:	Cyclization of 2-Allylbenzoic Acids	553
14.4.5.1.1.2.2.2.1	Variation 1:	Using Stoichiometric Palladium	553
14.4.5.1.1.2.2.2.2	Variation 2:	Using Catalytic Palladium	554
14.4.5.1.1.2.2.3	Method 3:	Cyclization of 2-(2-Bromovinyl)benzoates	555
14.4.5.1.1.2.2.4	Method 4:	Cyclization of 2-Alk-1-ynylbenzoic Acids	556
14.4.5.1.1.2.2.4.1	Variation 1:	Cyclization Using Palladium Catalysts	556
14.4.5.1.1.2.2.4.2	Variation 2:	Cyclization Using Mercury Salts	557
14.4.5.1.1.2.2.4.3	Variation 3:	Halolactonization	558
14.4.5.1.1.2.2.5	Method 5:	Cyclization of 2-(Phenylethynyl)benzonitrile	559
14.4.5.1.1.3	By Formation of One C–C Bond		560
14.4.5.1.1.3.1	With Formation of the 4–4a Bond		560
14.4.5.1.1.3.1.1	Method 1:	Acid-Catalyzed Cyclization of 2-Oxopropyl Benzoates	560
14.4.5.1.2	By Annulation to a Heterocycle		561
14.4.5.1.2.1	By Formation of Two C–C Bonds		561
14.4.5.1.2.1.1	With Formation of the 4a–5 and 8–8a Bonds		561
14.4.5.1.2.1.1.1	Method 1:	Base-Catalyzed Condensation of 2-Methylbenzoates and 4-Methoxy-2 <i>H</i> -pyran-2-ones	561
14.4.5.2	Synthesis by Ring Transformation		561
14.4.5.2.1	By Ring Enlargement		561
14.4.5.2.1.1	Method 1:	Acid-Catalyzed Rearrangement of 3-(1-Hydroxyalkyl)-3 <i>H</i> -benzo[<i>c</i>]furan-1-ones	561
14.4.5.2.2	By Ring Contraction		562
14.4.5.2.2.1	Method 1:	Acid-Catalyzed Rearrangement of Dibenz[<i>b,f</i>]azocine-6,12-diones	562
14.4.5.3	Aromatization		562
14.4.5.3.1	Method 1:	Elimination of Hydrogen Bromide	562
14.4.5.3.2	Method 2:	Other Eliminations	564
14.4.5.4	Synthesis by Substituent Modification		564

14.4.5.4.1	Substitution of Existing Substituents	564
14.4.5.4.1.1	Of Carbon	564
14.4.5.4.1.1.1	Method 1: Oxidation of 1-Benzylidene-1 <i>H</i> -2-benzopyrans	564
14.4.5.4.1.2	Of Oxygen	565
14.4.5.4.1.2.1	Method 1: Reaction of 4-Acyl-1 <i>H</i> -2-benzopyran-1,3(4 <i>H</i>)-diones with Hydrazine	565
14.4.6	Product Subclass 6: 1<i>H</i>-2-Benzopyran-1-thiones	565
14.4.6.1	Synthesis by Substituent Modification	565
14.4.6.1.1	Substitution of Existing Substituents	565
14.4.6.1.1.1	Of Oxygen	565
14.4.6.1.1.1.1	Method 1: Conversion of 1 <i>H</i> -2-Benzopyran-1-ones into 1 <i>H</i> -2-Benzopyran-1-thiones with Lawesson's Reagent	565
14.4.7	Product Subclass 7: 3<i>H</i>-2-Benzopyran-3-ones	566
14.4.7.1	Synthesis by Ring-Closure Reactions	566
14.4.7.1.1	By Annulation to an Arene	566
14.4.7.1.1.1	By Formation of One O—C Bond	566
14.4.7.1.1.1.1	With Formation of the 2—3 Bond	566
14.4.7.1.1.1.1.1	Method 1: Cyclization of 2-Substituted Arylacetic Acids	566
14.4.7.1.1.1.1.1.1	Variation 1: Dehydration of (2-Acylphenyl)acetic Acids with Acetic Anhydride or Carbodiimides	566
14.4.7.1.1.1.1.2	Variation 2: Cyclization of 9,10-Dioxo-9,10-dihydroanthracene-1-acetates	567
14.4.7.1.1.1.1.2	Method 2: Photocyclization of a 2-(Diazoacetyl)benzoate	568
14.4.7.1.1.1.2	By Formation of One C—C Bond	569
14.4.7.1.1.1.2.1	With Formation of the 4—5 Bond	569
14.4.7.1.1.1.2.1.1	Method 1: Intramolecular Friedel–Crafts Alkylation of 1-Naphthyl Acetates	569
14.4.7.2	Synthesis by Ring Transformation	571
14.4.7.2.1	By Ring Expansion	571
14.4.7.2.1.1	Method 1: Rearrangement of 1,3-Diaryl-1,3-dihydroxy-1,3-dihydro-2 <i>H</i> -inden-2-ones	571
14.4.8	Product Subclass 8: 6<i>H</i>-Dibenzo[<i>b,d</i>]pyran-6-ones	571
14.4.8.1	Synthesis by Ring-Closure Reactions	572
14.4.8.1.1	By Annulation to an Arene	572
14.4.8.1.1.1	By Formation of One O—C and One C—C Bond	572
14.4.8.1.1.1.1	With Formation of the 5—6 and 10a—10b Bonds	572
14.4.8.1.1.1.1.1	Method 1: Reaction of 2-Bromobenzonitriles with Phenols and Phenyl Ethers	572
14.4.8.1.1.2	By Formation of One O—C Bond	573

14.4.8.1.1.2.1	With Formation of the 4a–5 Bond	573
14.4.8.1.1.2.1.1	Method 1: Cyclization of 2'-Nitrobiphenyl-2-carboxylic Acids	573
14.4.8.1.1.2.1.2	Method 2: Oxidative Cyclization of Biphenyl-2-carboxylic Acid	574
14.4.8.1.1.2.2	With Formation of the 5–6 Bond	574
14.4.8.1.1.2.2.1	Method 1: By Lactonization	574
14.4.8.1.1.2.2.1.1	Variation 1: Lactonization of 2'-Methoxybiphenyl-2-carboxylic Acids	574
14.4.8.1.1.2.2.1.2	Variation 2: Lactonization of Hydroxy Esters	575
14.4.8.1.1.2.2.1.3	Variation 3: Lactonization of Hydroxy Amides	577
14.4.8.1.1.2.2.1.4	Variation 4: Lactonization of 2-(2'-Hydroxy-2-bisphenyl)- 4,5-dihydrooxazoles	577
14.4.8.1.1.2.2.1.5	Variation 5: Reductive Lactonization of Naphthoquinones	578
14.4.8.1.1.3	By Formation of One C–C Bond	579
14.4.8.1.1.3.1	With Formation of the 10a–10b Bond	579
14.4.8.1.1.3.1.1	Method 1: Intramolecular Metal-Catalyzed Arylation	579
14.4.8.1.1.3.1.1.1	Variation 1: Palladium-Catalyzed Cyclization of 2-(Trifluoromethylsulfonyloxy)benzoates	579
14.4.8.1.1.3.1.1.2	Variation 2: Palladium-Catalyzed Cyclization of 2-Bromobenzoates	580
14.4.8.1.1.3.1.1.3	Variation 3: Copper-Catalyzed Cyclization of 2-Bromobenzoates	582
14.4.8.1.1.3.1.1.4	Variation 4: Palladium-Catalyzed Cyclization of 2-Iodobenzoates	583
14.4.8.1.2	By Annulation to a Heterocycle	584
14.4.8.1.2.1	By Formation of Two C–C Bonds	584
14.4.8.1.2.1.1	With Formation of the 6a–7 and 10–10a Bonds	584
14.4.8.1.2.1.1.1	Method 1: Base-Catalyzed Addition of 3-(Phenylsulfonyl)- benzo[c]furan-1(3H)-one to 2H-1-Benzopyran-2-one	584
14.4.8.1.2.1.2	With Formation of the 7–8 and 9–10 Bonds	584
14.4.8.1.2.1.2.1	Method 1: Condensation of 4-Methyl-2-oxo-2H-1-benzopyran- 3-carbonitrile with Malononitrile and Aldehydes	584
14.4.8.1.2.2	By Formation of One C–C Bond	586
14.4.8.1.2.2.3	With Formation of the 7–8 Bond	586
14.4.8.1.2.2.3.1	Method 1: Intramolecular Friedel–Crafts Reaction	586
14.4.8.2	Synthesis by Ring Transformation	586
14.4.8.2.1	Ring Enlargement	586
14.4.8.2.1.1	Method 1: Baeyer–Villiger Reaction of 9H-Fluoren-9-one	586
14.4.8.3	Aromatization	587
14.4.8.3.1	Method 1: Aromatization of 1,2,3,4-Tetrahydro-6H-dibenzo[b,d]pyran- 6-ones with Palladium	587
14.4.8.3.2	Method 2: Aromatization of 1,2,3,4-Tetrahydro-6H-dibenzo[b,d]pyran- 6-ones by Additional Methods	588
14.4.9	Product Subclass 9: 6H-Dibenzo[b,d]pyran-6-thiones	588
14.4.9.1	Synthesis by Substituent Modification	588

14.4.9.1.1	Substitution of Existing Substituents	588
14.4.9.1.1.1	Of Oxygen	588
14.4.9.1.1.1.1	Method 1: Conversion of 6 <i>H</i> -Dibenzo[<i>b,d</i>]pyran-6-ones into 6 <i>H</i> -Dibenzo[<i>b,d</i>]pyran-6-thiones with Lawesson's Reagent ..	588
14.4.9.1.2	Addition Reactions	589
14.4.9.1.2.1	Method 1: Oxidation of 6 <i>H</i> -Dibenzo[<i>b,d</i>]pyran-6-thione	589
14.4.10	Product Subclass 10: 9<i>H</i>-Xanthen-9-ones	589
14.4.10.1	Synthesis by Ring-Closure Reactions	590
14.4.10.1.1	By Annulation to an Arene	590
14.4.10.1.1.1	By Formation of One O—C and One C—C Bond	590
14.4.10.1.1.1.1	With Formation of the 4 <i>a</i> —10 and 9—9 <i>a</i> , the 8 <i>a</i> —9 and 10—10 <i>a</i> , the 4 <i>a</i> —10 and 8 <i>a</i> —9, or the 9—9 <i>a</i> and 10—10 <i>a</i> Bonds	590
14.4.10.1.1.1.1.1	Method 1: Condensation of Phenols and Naphthols with 2-Hydroxybenzoates	590
14.4.10.1.1.1.1.1.1	Variation 1: Thermal Condensation of Phenols and Naphthols with 2-Hydroxybenzoates	590
14.4.10.1.1.1.1.1.2	Variation 2: Lewis Acid Catalyzed Condensation of Phenols and Naphthols with 2-Hydroxybenzoic Acids	591
14.4.10.1.1.1.1.1.3	Variation 3: Friedel–Crafts Acylation of Dimethoxybenzenes with 2-Alkoxybenzoyl Halides with Concomitant Cyclization	591
14.4.10.1.1.1.1.2	Method 2: Biaryl Ether Formation with Subsequent Intramolecular Friedel–Crafts Cyclization	593
14.4.10.1.1.1.1.2.1	Variation 1: <i>O</i> -Arylation Using 2-Halobenzoic Acids with Subsequent Acid-Mediated Cyclization	593
14.4.10.1.1.1.1.2.2	Variation 2: Rearrangement of Phenyl Benzoates with Subsequent Intramolecular Friedel–Crafts Cyclization	593
14.4.10.1.1.1.3	Method 3: Pyrolysis of Phenyl 2-Hydroxybenzoate	594
14.4.10.1.1.2	By Formation of Two C—C Bonds	595
14.4.10.1.1.2.1	With Formation of the 8 <i>a</i> —9 and 9—9 <i>a</i> Bonds	595
14.4.10.1.1.2.1.1	Method 1: Lithiation and Carboxylation of Diphenyl Ethers	595
14.4.10.1.1.2.1.2	Method 2: Friedel–Crafts Reaction of Diphenyl Ethers	596
14.4.10.1.1.3	By Formation of One O—C Bond	596
14.4.10.1.1.3.1	With Formation of the 4 <i>a</i> —10 or 10—10 <i>a</i> Bonds	596
14.4.10.1.1.3.1.1	Method 1: Ring Closure of 2,2'-Disubstituted Benzophenones	596
14.4.10.1.1.3.1.1.1	Variation 1: Base-Catalyzed Ring Closure of (2-Hydroxyphenyl)(2-halo- or 2-methoxyphenyl)methanones	596
14.4.10.1.1.3.1.1.2	Variation 2: Ring Closure of Bis(2-alkoxyphenyl)methanones	597
14.4.10.1.1.3.1.1.3	Variation 3: Ring Closure of Bis(2-hydroxyphenyl)methanones	598
14.4.10.1.1.3.1.2	Method 2: Base-Catalyzed Condensation of 2-Hydroxyphenyl Methyl Ketones and 2-(Methoxycarbonyl)phenylacetates	599
14.4.10.1.1.4	By Formation of One C—C Bond	599

14.4.10.1.1.4.1	With Formation of the 8a–9 or 9–9a Bonds	599
14.4.10.1.1.4.1.1	Method 1: Intramolecular Friedel–Crafts Acylation	599
14.4.10.1.1.4.1.1.1	Variation 1: Polyphosphoric Acid Catalyzed Intramolecular Friedel–Crafts Acylation of 2-Phenoxybenzoic Acids	599
14.4.10.1.1.4.1.1.2	Variation 2: Intramolecular Friedel–Crafts Acylation of 2-Phenoxybenzoic Acids Catalyzed by Phosphorus Pentoxide/Methanesulfonic Acid	600
14.4.10.1.1.4.1.1.3	Variation 3: Sulfuric Acid Catalyzed Intramolecular Friedel–Crafts Acylation of 2-Phenoxybenzoic Acids	601
14.4.10.1.1.4.1.1.4	Variation 4: Nafion-H Resin-Catalyzed Intramolecular Friedel–Crafts Acylation of 2-Phenoxybenzoic Acids	601
14.4.10.1.1.4.1.1.5	Variation 5: Intramolecular Friedel–Crafts Acylation via Mixed Anhydride Formation	602
14.4.10.1.1.4.1.2	Method 2: Base-Catalyzed Cyclization of <i>N,N</i> -Dialkyl-2-phenoxybenzamides	602
14.4.10.1.1.4.1.3	Method 3: Copper(II)-Catalyzed Cyclization of 2-Phenoxybenzaldehydes	603
14.4.10.1.2	By Annulation to a Heterocycle	604
14.4.10.1.2.1	By Formation of Two C–C Bonds	604
14.4.10.1.2.1.1	With Formation of the 1–9a and 4–4a Bonds	604
14.4.10.1.2.1.1.1	Method 1: Cycloaddition of 3-(Phenylsulfinyl)-4 <i>H</i> -1-benzopyran-4-ones and Danishefsky’s Diene	604
14.4.10.1.2.1.2	With Formation of the 2–3 and 4–4a Bonds	604
14.4.10.1.2.1.2.1	Method 1: Cycloaddition of 3,3-Dialkyl-3,4-dihydro-9 <i>H</i> -xanthen-9-ones with Dimethyl Acetylenedicarboxylate	604
14.4.10.1.2.2	By Formation of One C–C Bond	605
14.4.10.1.2.2.1	With Formation of the 1–9a Bond	605
14.4.10.1.2.2.1.1	Method 1: Photochemical Rearrangement of 2-Styryl-4 <i>H</i> -1-benzopyran-4-ones	605
14.4.10.1.2.2.4	With Formation of the 3–4 or 5–6 Bonds	606
14.4.10.1.2.2.4.1	Method 1: Intramolecular Friedel–Crafts Reaction of 3-Benzyl-4-oxo-4 <i>H</i> -1-benzopyran-2-carboxylic Acid	606
14.4.10.1.2.2.3	With Formation of the 4–4a Bond	606
14.4.10.1.2.2.3.1	Method 1: Photochemical Cyclization of 3-(2-Methylbenzoyl)-4 <i>H</i> -1-benzopyran-4-one	606
14.4.10.2	Aromatization	607
14.4.10.2.1	Method 1: Oxidation of 1,2,3,4-Tetrahydro-9 <i>H</i> -xanthen-9-ones Using Quinones	607
14.4.10.2.2	Method 2: Oxidation of 1,2,3,4-Tetrahydro-9 <i>H</i> -xanthen-9-ones Using Sulfur	607
14.4.10.2.3	Method 3: Oxidation of 1,2,3,4,4a,9a-Hexahydro-9 <i>H</i> -xanthen-9-ones Using Palladium on Charcoal	608
14.4.10.3	Synthesis by Substituent Modification	609

14.4.10.3.1	Substitution of Existing Substituents	609
14.4.10.3.1.1	Of Hydrogen	609
14.4.10.3.1.1.1	Method 1: Oxidation of 9 <i>H</i> -Xanthenes to 9 <i>H</i> -Xanthen-9-ones	609
14.4.10.3.1.1.1.1	Variation 1: Oxidation with Manganese Reagents	609
14.4.10.3.1.1.1.2	Variation 2: Oxidation with Cerium Reagents	610
14.4.11	Product Subclass 11: 9<i>H</i>-Xanthene-9-thiones	610
14.4.11.1	Synthesis by Ring-Closure Reactions	610
14.4.11.1.1	By Annulation to the Heterocyclic Ring	610
14.4.11.1.1.1	By Formation of Two C—C Bonds	610
14.4.11.1.1.1.1	With Formation of the 1—9a and 4—4a Bonds	610
14.4.11.1.1.1.1.1	Method 1: Cycloaddition of 4-Thioxo-4 <i>H</i> -1-benzopyran-3-carbonitriles and Buta-1,3-dienylamines	610
14.4.11.2	Synthesis by Substituent Modification	611
14.4.11.2.1	Substitution of Existing Substituents	611
14.4.11.2.1.1	Of Silicon	611
14.4.11.2.1.1.1	Method 1: Conversion of 9-(Trimethylsilyl)-9 <i>H</i> -Xanthene into 9 <i>H</i> -Xanthene-9-thione <i>S</i> -Oxide	611
14.4.11.2.1.1.2	Method 2: Conversion of 9-(Trimethylsilyl)-9 <i>H</i> -Xanthene into a 9 <i>H</i> -Xanthene-9-thione <i>S</i> -Imide	612
14.4.11.2.1.2	Of Carbon	612
14.4.11.2.1.2.1	Method 1: Conversion of 9-Alkylidene-9 <i>H</i> -xanthenes into 9 <i>H</i> -Xanthene-9-thione	612
14.4.11.2.1.2.2	Method 2: Conversion of Bi-9 <i>H</i> -xanthen-9-ylidene Sulfide into 9 <i>H</i> -Xanthene-9-thione	613
14.4.11.2.1.3	Of Oxygen	614
14.4.11.2.1.3.1	Method 1: Conversion of 9 <i>H</i> -Xanthen-9-ones into 9 <i>H</i> -Xanthene-9-thiones	614
14.4.11.2.1.3.1.1	Variation 1: Direct Thionation of 9 <i>H</i> -Xanthen-9-one with Lawesson's Reagent	614
14.4.11.2.1.3.1.2	Variation 2: Indirect Thionation of 9 <i>H</i> -Xanthen-9-ones via Imines	614
14.4.11.2.1.3.1.3	Variation 3: Synthesis of 9 <i>H</i> -Xanthene-9-thiones from 9 <i>H</i> -Xanthen-9-ones via 9,9-Dichloro-9 <i>H</i> -xanthenes	615
14.4.11.2.2	Modification of Substituents	616
14.4.11.2.2.1	Cycloreversion	616
14.4.11.2.2.1.1	Method 1: Thermolysis of 4',5'-Dimethyl-3',6'-dihydro-spiro[9 <i>H</i> -xanthene-9,2'-2 <i>H</i> -thiopyran]	616

14.5	Product Class 5: 3-Oxidopyrylium Salts and Their Thio and Benzo-Fused Analogues A. Nelson	
<hr/>		
14.5	Product Class 5: 3-Oxidopyrylium Salts and Their Thio and Benzo-Fused Analogues	639
14.5.1	Synthesis of Product Class 5	640
14.5.1.1	Method 1: By Condensation of an α,β -Unsaturated Ketone and an α -Acyloxy Ketone	640
14.5.1.2	Method 2: By Deacylation of 3-(Acyloxy)pyrylium or 3-(Acyloxy)thiopyrylium Salts	640
14.5.1.3	Method 3: By Oxidation of Thiopyran-3-ones	641
14.5.1.4	Method 4: By Oxidation of Thiabenzenes with Molecular Oxygen	641
14.5.2	Applications of Product Class 5 in Organic Synthesis	642
14.5.2.1	Method 1: [3 + 2]-Cycloaddition Reactions of 3-Oxidopyrylium Salts	642
14.5.2.1.1	Variation 1: In Situ Generation of the 3-Oxidopyrylium Salt from a 6-(Acyloxy)-2 <i>H</i> -pyran-3(6 <i>H</i>)-one	643
14.5.2.1.2	Variation 2: In Situ Generation of the 3-Oxidopyrylium Salt from Methyl 2-(Diazoacetyl)benzoate	644
14.5.2.1.3	Variation 3: In Situ Generation of the 3-Oxidopyrylium Salt by Migration of a Silyl Group	644
14.5.2.2	Method 2: Dimerization of 3-Oxidopyrylium and 3-Oxidothiopyrylium Salts by [3 + 3] Cycloaddition	645
14.6	Product Class 6: Thiopyrylium Salts W.-D. Rudolf	
<hr/>		
14.6	Product Class 6: Thiopyrylium Salts	649
14.6.1	Synthesis by Ring-Closure Reactions	652
14.6.1.1	By Formation of Two S—C and Two C—C Bonds	652
14.6.1.1.1	Method 1: Reaction of Methyl Ketones with Triethyl Orthoformate and Hydrogen Sulfide	652
14.6.1.2	By Formation of Two S—C Bonds and One C—C Bond	653
14.6.1.2.1	Method 1: Reaction of 3-Aryl-3-chloroprop-2-eniminium Salts with Cyanoacetic Acid Derivatives and Sulfur Transfer Reagents ..	653
14.6.1.3	By Formation of Two S—C Bonds	655
14.6.1.3.1	Method 1: Reaction of 1,5-Diketones with Sulfur Transfer Reagents	655
14.6.1.3.1.1	Variation 1: With Phosphorus Pentasulfide	656
14.6.1.3.1.2	Variation 2: With Hydrogen Sulfide in the Presence of Acid	657
14.6.1.3.1.3	Variation 3: With Hydrogen Sulfide in the Presence of Hydride Acceptors	659
14.6.1.3.1.4	Variation 4: With Hydrogen Sulfide in the Presence of a Lewis Acid	659
14.6.1.3.1.5	Variation 5: From Unsaturated 1,5-Diketones with Hydrogen Sulfide	660
14.6.1.4	By Formation of One S—C and One C—C Bond	661

14.6.1.4.1	Method 1:	Condensation of 3-Aminoprop-2-enethiones and Cyanoacetic Acid Derivatives	661
14.6.1.4.2	Method 2:	Reaction of 3-Aminoprop-2-enethiones with <i>N</i> -(1-Chloroalkylidene)formamidium Perchlorates	661
14.6.1.4.3	Method 3:	Reaction of Thiophene-2- or Thiophene-3-thiols with 1,3-Diketones	662
14.6.1.4.4	Method 4:	Reaction of 1,3-Dihydro-2 <i>H</i> -indole-2-thiones with 1,3-Diketones	662
14.6.1.4.5	Method 5:	Reaction of 3-Aryl-3-chloroprop-2-eniminium Salts with Thioacetamides	663
14.6.1.4.6	Method 6:	Reaction of Buta-1,3-dienes with Thiophosgene	663
14.6.1.5		By Formation of Two C—C Bonds	664
14.6.1.5.1	Method 1:	Reaction of Bis-hetaryl Sulfides with Dichloromethyl Methyl Ether	664
14.6.1.6		By Formation of One S—C Bond	665
14.6.1.6.1	Method 1:	Reaction of 6-Sulfanylhexa-3,5-dien-2-ones in the Presence of Phosphoryl Chloride	665
14.6.1.6.2	Method 2:	Reaction of 5-(Dimethylamino)penta-2,4-dienethioamides with Perchloric Acid	665
14.6.2		Synthesis by Ring Transformation	666
14.6.2.1		Ring Enlargement	666
14.6.2.1.1	Method 1:	Rearrangement of a 2-Thiabicyclo[3.1.0]hex-3-ene	666
14.6.2.2		Formal Exchange of Ring Members with Retention of Ring Size	667
14.6.2.2.1	Method 1:	From Pyrylium Salts	667
14.6.2.2.2	Method 2:	From 4 <i>H</i> -Pyrans	671
14.6.3		Aromatization	671
14.6.3.1		By Elimination	671
14.6.3.1.1	Method 1:	Dehydration–Hydride Abstraction of Fused Dihydrothiopyranols or Tetrahydrothiopyranols	671
14.6.3.1.2	Method 2:	Reaction of 4 <i>H</i> -Thiopyran-4-ones with Grignard Reagents and Subsequent Elimination	674
14.6.3.1.3	Method 3:	Reduction of Thiopyranones with Hydrides and Subsequent Elimination	677
14.6.3.1.4	Method 4:	Reformatsky Reaction of 4 <i>H</i> -Thiopyran-4-ones	678
14.6.3.1.5	Method 5:	Reaction of Tetrahydro-4 <i>H</i> -thiopyran-4-ones with Grignard Reagents and Subsequent Dehydration–Dehydrogenation	679
14.6.3.1.6	Method 6:	Reaction of 2 <i>H</i> -Thiopyran-2-thiones with Peroxyacetic Acid	680
14.6.3.2		By Dehydrogenation	680
14.6.3.2.1	Method 1:	Dehydrogenation of Dihydrothiopyranones	681
14.6.3.2.2	Method 2:	Dehydrogenation of Fused Hydrothiopyrans	681
14.6.3.2.3	Method 3:	Dehydrogenation of 2 <i>H</i> -Thiopyrans	682

14.6.3.2.4	Method 4:	Dehydrogenation of 4 <i>H</i> -Thiopyrans	686
14.6.3.2.5	Method 5:	Disproportionation of 2 <i>H</i> - or 4 <i>H</i> -Thiopyrans or Dihydrothiopyrans	689
14.6.3.3	By O-Alkylation		690
14.6.3.3.1	Method 1:	O-Alkylation of 4 <i>H</i> -Thiopyran-4-ones	690
14.6.3.4	By S-Alkylation or S-Acylation		690
14.6.3.4.1	Method 1:	S-Alkylation of Thiopyranthiones	690
14.6.3.4.2	Method 2:	S-Acylation of Thiopyranthiones	694
14.6.3.5	By O- or S-Functionalization and Substitution		694
14.6.3.5.1	Method 1:	O-Functionalization and Substitution of 4 <i>H</i> -Thiopyran-4-ones with Thionyl Chloride or Phosgene	694
14.6.3.5.2	Method 2:	O-Functionalization and Substitution of 2 <i>H</i> -Thiopyran-2-ones with Oxalyl Halides or Phosphorus Pentachloride	695
14.6.3.5.3	Method 3:	O-Functionalization and Substitution of 4 <i>H</i> -Thiopyran-4-ones with Chlorosulfonyl Isocyanate	696
14.6.3.5.4	Method 4:	S-Functionalization and Substitution of 2 <i>H</i> -Thiopyran- 2-thiones with Oxalyl Halides or Phosphorus Pentachloride	697
14.6.3.6	By N-Protonation or N-Alkylation		698
14.6.3.6.1	Method 1:	N-Protonation or N-Alkylation of Thiopyranimines	698
14.6.3.7	By Protonation of Alkylidenethiopyrans		699
14.6.3.7.1	Method 1:	Protonation of Alkylidenethiopyrans and Their Derivatives	699
14.6.4	Synthesis by Substituent Modification		700
14.6.4.1	Substitution of Existing Substituents		700
14.6.4.1.1	Of Hydrogen		700
14.6.4.1.1.1	Method 1:	Reaction with C-Nucleophiles	700
14.6.4.1.1.2	Method 2:	Reaction with P-Nucleophiles	702
14.6.4.1.2	Of Heteroatoms		702
14.6.4.1.2.1	Method 1:	Substitution of Halogen with C-Nucleophiles	702
14.6.4.1.2.2	Method 2:	Substitution of Halogen by Oxygen, Sulfur, and Nitrogen Groups	703
14.6.4.1.2.3	Method 3:	Substitution of Oxygen and Sulfur Groups	705
14.6.4.2	Modification of Substituents		706
14.6.4.2.1	Method 1:	Condensation of Methyl Groups with Electrophiles	706
14.6.4.2.2	Method 2:	Reactions of Substituents Other than Alkyl Groups	710

14.7	Product Class 7: Benzothiopyrylium Salts	
	W.-D. Rudorf	
14.7	Product Class 7: Benzothiopyrylium Salts	719
14.7.1	Product Subclass 1: 1-Benzothiopyrylium Salts	723
14.7.1.1	Synthesis by Ring-Closure Reactions	724
14.7.1.1.1	By Annulation to an Arene	724
14.7.1.1.1.1	By Formation of One S—C and One C—C Bond	724
14.7.1.1.1.1.1	Method 1: Cyclization of Benzenethiols with 1,3-Diketones	724
14.7.1.1.1.1.2	Method 2: Cyclization of Benzenethiols with Alkynals	724
14.7.1.1.1.1.3	Method 3: Cyclization of Benzenethiols with Haloalkenones	725
14.7.1.1.1.1.4	Method 4: Condensation of Benzenethiols with (2Z)-2-(Hydroxymethylene)cyclohexanones	726
14.7.1.1.1.2	By Formation of Two C—C Bonds	728
14.7.1.1.1.2.1	Method 1: Reaction of Diarylsulfanes with 1,1-Dichlorodimethyl Ether	728
14.7.1.1.1.3	By Formation of One C—C Bond	729
14.7.1.1.1.3.1	Method 1: Intramolecular Condensation of (Arylsulfanyl)ketones and Subsequent Intermolecular Disproportionation	729
14.7.1.1.1.3.2	Method 2: Intramolecular Condensation of (Arylsulfanyl)ketones in the Presence of Trityl Chloride/Perchloric Acid	729
14.7.1.2	Aromatization	731
14.7.1.2.1	By Elimination	731
14.7.1.2.1.1	Method 1: From 2 <i>H</i> -1-Benzothiopyrans	731
14.7.1.2.1.2	Method 2: From 4 <i>H</i> -1-Benzothiopyrans	732
14.7.1.2.1.3	Method 3: From 4-Hydroxy-3,4-dihydro-2 <i>H</i> -1-benzothiopyran <i>S</i> -Oxides	733
14.7.1.2.1.4	Method 4: From 1-Benzothiopyran-4(4 <i>H</i>)-ones with Phosphoryl Chloride	733
14.7.1.2.1.5	Method 5: From 2-Hydroxy-2 <i>H</i> -1-benzothiopyrans	734
14.7.1.2.1.6	Method 6: From 4-Hydroxy-4 <i>H</i> -1-benzothiopyrans	735
14.7.1.2.1.7	Method 7: From 4-Hydroxy-3,4-dihydro-2 <i>H</i> -1-benzothiopyrans	736
14.7.1.2.2	By Dehydrogenation	737
14.7.1.2.2.1	Method 1: From 2 <i>H</i> -1-Benzothiopyrans	738
14.7.1.2.2.2	Method 2: From 4 <i>H</i> -1-Benzothiopyrans	739
14.7.1.2.2.3	Method 3: From 3,4-Dihydro-2 <i>H</i> -1-benzothiopyrans	740
14.7.1.2.3	By Reduction or Grignard Addition and Dehydration	741
14.7.1.2.3.1	Method 1: Grignard Addition and Dehydration of 1-Benzothiopyran-4(4 <i>H</i>)-ones	741
14.7.1.2.3.2	Method 2: Reduction–Dehydration of 1-Benzothiopyran-4(4 <i>H</i>)-ones	742
14.7.1.2.4	By O-Alkylation	743
14.7.1.2.4.1	Method 1: From 1-Benzothiopyran-2(2 <i>H</i>)- or 1-Benzothiopyran-4(4 <i>H</i>)-ones	743
14.7.1.2.5	By Oxidation	744

14.7.1.2.5.1	Method 1: From 4-Alkylidene-4 <i>H</i> -1-benzothiopyrans	744
14.7.1.3	Synthesis by Substituent Modification	745
14.7.1.3.1	Of Hydrogen	745
14.7.1.3.1.1	Method 1: Reaction with 1-Benzothiopyrylium Perchlorate	745
14.7.1.3.1.2	Method 2: Reaction with <i>N,N</i> -Dialkylanilines	746
14.7.1.3.1.3	Method 3: Oxidative Addition of Malonic Acid	747
14.7.1.3.2	Substitution of Heteroatoms	748
14.7.1.3.2.1	Method 1: Replacement of Halogen by Amines	748
14.7.2	Product Subclass 2: 2-Benzothiopyrylium Salts	748
14.7.2.1	Synthesis by Ring Transformation	749
14.7.2.1.1	By Formal Exchange of Ring Members with Retention of Ring Size	749
14.7.2.1.1.1	Method 1: Synthesis from Condensed Benzopyrylium Salts	749
14.7.2.2	Aromatization	749
14.7.2.2.1	By Elimination	749
14.7.2.2.1.1	Method 1: From 4-Hydroxy-3,4-dihydro-1 <i>H</i> -2-benzothiopyrans	749
14.7.2.2.1.2	Method 2: Reaction of 1-Methyl-3-phenyl-2-benzopyrylium Salt with 1 <i>H</i> -2-Benzothiopyran-1-thione	752
14.7.2.2.2	By Dehydrogenation	753
14.7.2.2.2.1	Method 1: From 1 <i>H</i> -2-Benzothiopyrans	753
14.7.2.2.3	By Hydrolysis and Decarboxylation	755
14.7.2.2.3.1	Method 1: Cleavage of 1-(2,2-Dimethyl-4,6-dioxo-1,3-dioxan-5-ylidene)-3-phenyl-1 <i>H</i> -2-benzothiopyran	755
14.7.2.2.4	By O-Functionalization	756
14.7.2.2.4.1	Method 1: Reaction of 1 <i>H</i> -2-Benzothiopyran-4(3 <i>H</i>)-ones with Triphenylcarbenium Perchlorate	756
14.7.3	Product Subclass 3: Dibenzo[<i>b,d</i>]thiopyrylium Salts	757
14.7.3.1	Aromatization	757
14.7.3.1.1	By Dehydrogenation	757
14.7.3.1.1.1	Method 1: From 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyrans with Sulfuryl Chloride/ Perchloric Acid or Trifluoromethanesulfonic Acid	757
14.7.3.1.1.2	Method 2: From 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyrans with Triphenylcarbenium Perchlorate	758
14.7.3.1.2	By Elimination	758
14.7.3.1.2.1	Method 1: From 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyran 5-Oxides with Perchloric Acid	758
14.7.3.1.2.2	Method 2: From 6-Hydroxy-6 <i>H</i> -dibenzo[<i>b,d</i>]thiopyrans with Perchloric Acid	759
14.7.4	Product Subclass 4: Dibenzo[<i>b,e</i>]thiopyrylium Salts	759
14.7.4.1	Synthesis by Ring-Closure Reactions	760

14.7.4.1.1	By Formation of Two S—C Bonds	760
14.7.4.1.1.1	Method 1: From Diarylmethanes and Sulfur	760
14.7.4.1.2	By Formation of Two C—C Bonds	760
14.7.4.1.2.1	Method 1: From Diarylsulfanes and 1,1-Dichlorodimethyl Ether	760
14.7.4.1.2.2	Method 2: From Diarylsulfanes and an Acid Chloride	761
14.7.4.2	Aromatization	762
14.7.4.2.1	By Elimination	762
14.7.4.2.1.1	Method 1: From 10-Hydroxy-10 <i>H</i> -dibenzo[<i>b,e</i>]thiopyrans	762
14.7.4.2.2	By Dehydrogenation	764
14.7.4.2.2.1	Method 1: From 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyrans with Bromine or by Reaction with Triphenylcarbenium Perchlorate	764
14.7.4.2.3	By Reduction or Grignard Addition and Dehydration	765
14.7.4.2.3.1	Method 1: Dehydration of 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-ones	765
14.8	Product Class 8: Thiopyranones and Thiopyranthiones S. Faulkner, R. C. Whitehead, and R. J. Aarons	
14.8	Product Class 8: Thiopyranones and Thiopyranthiones	771
14.8.1	Product Subclass 1: 2<i>H</i>-Thiopyran-2-ones	771
14.8.1.1	Synthesis by Ring-Closure Reactions	771
14.8.1.1.1	By Formation of One S—C and One C—C Bond	771
14.8.1.1.1.1	Method 1: Cyclization of Ester Enolates with Unsaturated Thiocarbonyl Compounds	771
14.8.1.1.1.1.1	Variation 1: Using Acyclic Thiocarbonyl Compounds	771
14.8.1.1.1.1.2	Variation 2: Using Cyclic Thiocarbonyl Compounds	772
14.8.1.1.2	By Formation of One S—C Bond	773
14.8.1.1.2.1	Method 1: Cyclization of 2,3,4,5-Tetrachloro-5-(methylsulfanyl)- penta-2,4-dienoyl Chloride	773
14.8.1.2	Synthesis by Ring Transformation	773
14.8.1.2.1	Method 1: Rearrangement of 2 <i>H</i> -Pyran-2-thiones	773
14.8.1.2.1.1	Variation 1: Thermal Rearrangement by Reversible Electrocyclic Ring Opening	773
14.8.1.2.1.2	Variation 2: Hydrolytic Ring Opening Followed by Ring Closure	774
14.8.1.3	Synthesis by Substituent Modification	775
14.8.1.3.1	Method 1: Transchalcogenation of 2 <i>H</i> -Thiopyran-2-thiones	775
14.8.1.3.1.1	Variation 1: Lewis-Acid Mediated Hydrolysis	775
14.8.1.3.1.2	Variation 2: Oxidation Using the Nitronium Ion	775
14.8.2	Product Subclass 2: 2<i>H</i>-Thiopyran-2-thiones	776
14.8.2.1	Synthesis by Ring-Closure Reactions	776

14.8.2.1.1	By Formation of One S—C and Two C—C bonds	776
14.8.2.1.1.1	Method 1: Reaction of Enamines with Carbon Disulfide	776
14.8.3	Product Subclass 3: 4<i>H</i>-Thiopyran-4-ones	776
14.8.3.1	Synthesis by Ring-Closure Reactions	777
14.8.3.1.1	By Formation of One S—C and Two C—C Bonds	777
14.8.3.1.1.1	Method 1: Cyclization of Ketones with Thiocarbonyl Compounds	777
14.8.3.1.1.1.1	Variation 1: Base-Mediated Cyclization with Carbon Disulfide	777
14.8.3.1.1.1.2	Variation 2: Sequential Thio-Claisen Reactions	778
14.8.3.1.1.1.3	Variation 3: Reaction of 2-Acylketene Dithioacetals with Aryl Isothiocyanates	778
14.8.3.1.2	By Formation of Two S—C Bonds	779
14.8.3.1.2.1	Method 1: Addition of Hydrogen Sulfide, or its Equivalent, to Dialkynyl Ketones	779
14.8.3.1.2.1.1	Variation 1: Addition of Hydrogen Sulfide in Ethanol	780
14.8.3.1.2.1.2	Variation 2: Addition of Thioureas	780
14.8.3.1.2.1.3	Variation 3: Addition of Hydrogen Sulfide under Basic Conditions	781
14.8.3.2	Aromatization	781
14.8.3.2.1	Method 1: Dehydrogenation of Tetrahydrothiopyran-4-ones	781
14.8.3.2.1.1	Variation 1: With Phosphorus Pentachloride	781
14.8.3.2.1.2	Variation 2: With 2,3-Dichloro-5,6-dicyanobenzo-1,4-quinone	782
14.8.3.2.1.3	Variation 3: Dehydrogenation via an Intermediate Dihydrothiopyran-4-one	783
14.8.3.3	Synthesis by Substituent Modification	784
14.8.3.3.1	Method 1: Transchalcogenation of 4 <i>H</i> -Thiopyran-4-thiones	784
14.8.4	Product Subclass 4: 4<i>H</i>-Thiopyran-4-thiones	784
14.8.4.1	Synthesis by Substituent Modification	784
14.8.4.1.1	Method 1: Transchalcogenation of Thiopyran-4-ones	784
14.8.5	Product Subclass 5: 3-Hydroxythiopyrylium Salts	785
14.8.5.1	Aromatization	785
14.8.5.1.1	Method 1: Hydride Abstraction from Dihydrothiopyran-3-ones	785
14.9	Product Class 9: Benzothiopyranones and Benzothiopyranthiones A. Nelson	
14.9	Product Class 9: Benzothiopyranones and Benzothiopyranthiones	787
14.9.1	Product Subclass 1: 2<i>H</i>-1-Benzothiopyran-2-ones and 2<i>H</i>-1-Benzothiopyran-2-thiones	787
14.9.1.1	Synthesis by Ring-Closure Reactions	788
14.9.1.1.1	By Formation of One Heteroatom—Carbon and One C—C Bond	788

14.9.1.1.1.1	Method 1:	Synthesis of 4-Hydroxy-2 <i>H</i> -1-benzothiopyran-2-ones by Condensation of Benzenethiols with Malonic Acid Derivatives	788
14.9.1.1.1.2	Method 2:	Synthesis of 4-Hydroxy-2 <i>H</i> -1-benzothiopyran-2-ones by Claisen Condensation of a 2-Sulfanylbenzoate Ester with an Acetate Ester	788
14.9.1.1.1.3	Method 3:	Synthesis of 4-Hydroxy-2 <i>H</i> -1-benzothiopyran-2-thiones by Condensation of 2-Chlorophenyl Ketones with Carbon Disulfide	789
14.9.1.1.2	By Formation of One Heteroatom—Carbon Bond		790
14.9.1.1.2.1	Method 1:	Cyclization of 3-(2-Sulfanylphenyl)prop-2-enoate Esters and Related Compounds	790
14.9.1.1.2.1.1	Variation 1:	Cyclization of 3-(2-Sulfanylphenyl)prop-2-enoic Acids	790
14.9.1.1.2.1.2	Variation 2:	Cyclization of 3-[2-(<i>tert</i> -Butylsulfanyl)phenyl]prop-2-enitriles and Related Compounds	790
14.9.1.1.3	By Formation of One C—C Bond		791
14.9.1.1.3.1	Method 1:	Cyclization of Substituted <i>S</i> -Aryl Prop-2-enethioate Esters	791
14.9.1.1.3.1.1	Variation 1:	Cyclization of an <i>S</i> -Aryl 3-Phenylprop-2-enethioate Ester	791
14.9.1.1.3.1.2	Variation 2:	Cyclization of an <i>S</i> -Aryl 3-Methoxyprop-2-enethioate Ester	792
14.9.1.1.3.2	Method 2:	Cyclization of an <i>S</i> -Aryl β -Oxo Thioate Ester	792
14.9.1.1.3.3	Method 3:	Intramolecular Aldol Reactions	793
14.9.1.1.3.4	Method 4:	Synthesis of 2 <i>H</i> -1-Benzothiopyran-2-thiones by Rearrangement of Allyl Phenyl Sulfides and Oxidation	794
14.9.1.2	Aromatization		794
14.9.1.2.1	Method 1:	Oxidation of a 3,4-Dihydro-2 <i>H</i> -1-benzothiopyran-2-one	794
14.9.1.3	Synthesis by Substituent Modification		795
14.9.1.3.1	Modification of Heteroatoms		795
14.9.1.3.1.1	Method 1:	Synthesis of 2 <i>H</i> -1-Benzothiopyran-2-thiones by Reaction of 2 <i>H</i> -1-Benzothiopyran-2-ones with Phosphorus Pentasulfide	795
14.9.2	Product Subclass 2: 4<i>H</i>-1-Benzothiopyran-4-ones and 4<i>H</i>-1-Benzothiopyran-4-thiones		795
14.9.2.1	Synthesis by Ring-Closure Reactions		796
14.9.2.1.1	By Formation of One Heteroatom—Carbon and Two C—C Bonds		796
14.9.2.1.1.1	Method 1:	Coupling of 2-Iodobenzenethiol, an Allene, and Carbon Monoxide	796
14.9.2.1.2	By Formation of One Heteroatom—Carbon and One C—C Bond		797
14.9.2.1.2.1	Method 1:	Condensation of a Benzenethiol Derivative with a β -Oxo Ester	797
14.9.2.1.2.2	Method 2:	Condensation of a 2-Sulfanylbenzoic Acid with a β -Diketone	798
14.9.2.1.2.3	Method 3:	Condensation of a 2-Sulfanylbenzoate Ester with a Penta-2,3-dienedioate	798
14.9.2.1.3	By Formation of Two C—C Bonds		799
14.9.2.1.3.1	Method 1:	Reaction of Phosphorus Ylides with a 2-(Benzoylsulfanyl)benzoate Derivative	799

14.9.2.1.4	By Formation of One Heteroatom—Carbon Bond	800
14.9.2.1.4.1	Method 1: Cyclization of 2-(Methylsulfanyl)phenyl Alkynyl Ketones	800
14.9.2.1.4.2	Method 2: Cyclization of an 2-[2-(Acetylsulfanyl)benzoyl]-3-oxobutanoate	800
14.9.2.1.5	By Formation of One C—C Bond	801
14.9.2.1.5.1	Method 1: Base-Catalyzed Cyclization of <i>S</i> -(2-Acetylphenyl) Dialkylthiocarbamate Esters	801
14.9.2.2	Synthesis by Ring Transformation	801
14.9.2.2.1	Method 1: Tautomerization of a 4-Hydroxy-2 <i>H</i> -1-benzothiopyran-2-thione	801
14.9.2.3	Aromatization	802
14.9.2.3.1	Method 1: Oxidation of a 2,3-Dihydro-4 <i>H</i> -1-benzothiopyran-4-one	802
14.9.2.4	Synthesis by Substituent Modification	802
14.9.2.4.1	Method 1: Aldol Reaction and Isomerization	802
14.9.2.4.2	Method 2: Synthesis of 4 <i>H</i> -1-Benzothiopyran-4-thiones by Reaction of 4 <i>H</i> -1-Benzothiopyran-4-ones with Phosphorus Pentasulfide	803
14.9.3	Product Subclass 3: 1<i>H</i>-2-Benzothiopyran-1-ones and 1<i>H</i>-2-Benzothiopyran-1-thiones	803
14.9.3.1	Synthesis by Ring-Closure Reactions	804
14.9.3.1.1	By Formation of One Heteroatom—Carbon and Two C—C Bonds	804
14.9.3.1.1.1	Method 1: From 2-Chlorobenzoic Acid Derivatives by Halogen—Metal Exchange and Reaction with Carbon Disulfide and Iodomethane	804
14.9.3.1.2	By Formation of One Heteroatom—Carbon and One C—C Bond	805
14.9.3.1.2.1	Method 1: From <i>N,N</i> -Diethyl-2-methylbenzamide by Lithiation and Reaction with an <i>O</i> -Alkyl Benzenecarbothioate	805
14.9.3.1.3	By Formation of One Heteroatom—Carbon Bond	805
14.9.3.1.3.1	Method 1: By Hydrolysis and Cyclization of a Rhodanine Derivative	805
14.9.3.2	Aromatization	806
14.9.3.2.1	Method 1: From 4-Bromo-3,4-dihydro-1 <i>H</i> -2-benzothiopyran-1-ones by Elimination	806
14.9.4	Product Subclass 4: 6<i>H</i>-Dibenzo[<i>b,d</i>]thiopyran-6-ones and 6<i>H</i>-Dibenzo[<i>b,d</i>]thiopyran-6-thiones	807
14.9.4.1	Synthesis by Ring-Closure Reactions	807
14.9.4.1.1	By Formation of One Heteroatom—Carbon and One C—C Bond	807
14.9.4.1.1.1	Method 1: Synthesis of 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyran-6-ones from Dibenzo[<i>b,d</i>]thiophene by Reductive Cleavage, Condensation with Carbon Dioxide, and Cyclization	807
14.9.4.1.2	By Formation of One Heteroatom—Carbon Bond	807

14.9.4.1.2.1	Method 1: Synthesis of 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyran-6-ones by Intramolecular Acylation	807
14.9.4.1.3	By Formation of One C—C Bond	808
14.9.4.1.3.1	Method 1: Synthesis of 6 <i>H</i> -Dibenzo[<i>b,d</i>]thiopyran-6-thiones by Intramolecular Friedel–Crafts Reaction of a Chlorido-dithiocarbonate	808
14.9.5	Product Subclass 5: 10<i>H</i>-Dibenzo[<i>b,e</i>]thiopyran-10-ones and 10<i>H</i>-Dibenzo[<i>b,e</i>]thiopyran-10-thiones	808
14.9.5.1	Synthesis by Ring-Closure Reactions	809
14.9.5.1.1	By Formation of Two Heteroatom—Carbon Bonds	809
14.9.5.1.1.1	Method 1: From Diaryl Ketones by Reaction with Methanethiol Under Basic Conditions	809
14.9.5.1.2	By Formation of One Heteroatom—Carbon and One C—C Bond	810
14.9.5.1.2.1	Method 1: Condensation of a 2-Sulfanylbenzoic Acid with an Arene	810
14.9.5.1.2.2	Method 2: Condensation of a 2-Sulfanylbenzoate Derivative with a Benzyne	810
14.9.5.1.3	By Formation of Two C—C Bonds	811
14.9.5.1.3.1	Method 1: Diels–Alder Reactions of 3-Vinyl-4 <i>H</i> -1-benzothiopyran-4-ones	811
14.9.5.1.4	By Formation of One C—C Bond	812
14.9.5.1.4.1	Method 1: Cyclization of 2-(Arylsulfanyl)benzoic Acids	812
14.9.5.2	Aromatization	812
14.9.5.2.1	Method 1: Oxidation of a 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran	812
14.9.5.3	Synthesis by Substituent Modification	813
14.9.5.3.1	Modification of Heteroatoms	813
14.9.5.3.1.1	Method 1: Conversion of 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-ones into 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-thiones	813
14.10	Product Class 10: Selenopyrylium and Benzoselenopyrylium Salts P. J. Murphy	
14.10	Product Class 10: Selenopyrylium and Benzoselenopyrylium Salts	817
14.10.1	Product Subclass 1: Selenopyrylium Salts	818
14.10.1.1	Synthesis by Ring-Closure Reactions	818
14.10.1.1.1	By Formation of Two Heteroatom—Carbon Bonds	818
14.10.1.1.1.1	Method 1: By Reaction of 1,5-Diketones with Hydrogen Selenide	818
14.10.1.1.1.2	Method 2: By Reaction of 5-Chloropenta-2,4-dienenitriles with Sodium Hydrogen Selenide	820
14.10.1.1.2	By Formation of One Heteroatom—Carbon and One C—C Bond	820

14.10.1.1.2.1	Method 1: From 2-Aminovinyl Selenoketones and Active Methylene Compounds	820
14.10.1.2	Aromatization	820
14.10.1.2.1	Method 1: By Aromatization of Selenopyrans	820
14.10.1.2.2	Method 2: By Dehydration of 4-Hydroxyselenopyrans	823
14.10.1.3	Synthesis by Substituent Modification	824
14.10.1.3.1	Substitution of Existing Substituents	825
14.10.1.3.1.1	Of Hydrogen	825
14.10.1.3.2	Modification of Substituents	825
14.10.1.3.2.1	Of Carbon Functionalities	825
14.10.1.3.2.1.1	Method 1: By Protonation of 4-Methylene-4 <i>H</i> -selenopyrans	825
14.10.1.3.2.1.2	Method 2: From 4-Methylene-4 <i>H</i> -selenopyrans by Modification of Remote Functions	826
14.10.1.3.2.1.3	Method 3: Condensation of 2- and 4-Alkylselenopyrylium Salts with Carbonyl Compounds	826
14.10.1.3.2.1.4	Method 4: Condensation of 4-Alkylselenopyrylium Salts with Ethyl <i>N</i> -Phenylformimidate	833
14.10.1.3.2.1.5	Method 5: By Dimerization of Selenopyran-2-ylidene Aldehydes	834
14.10.1.3.2.1.6	Method 6: Nitrosation of 2,6-Dialkylselenopyrylium Salts	834
14.10.1.3.2.2	Of Oxygen Functionalities	835
14.10.1.3.2.2.1	Method 1: By Condensation of Selenopyran-4-ones with 4-Methyl-2,6-diorganotelluroopyrylium Salts	835
14.10.1.3.2.2.2	Method 2: By Chlorination of Selenopyran-4-ones Using Oxalyl Chloride	835
14.10.1.4	Miscellaneous Reactions	836
14.10.2	Product Subclass 2: Benzo- and Dibenzoselenopyrylium Salts	836
14.10.2.1	Synthesis by Ring-Closure Reactions	836
14.10.2.1.1	By Formation of Two Heteroatom—Carbon Bonds	836
14.10.2.1.1.1	Method 1: From <i>N,N,N',N'</i> -Tetramethyl-4,4'-methylenedianiline and Selenious Acid	836
14.10.2.1.2	By Formation of One Heteroatom—Carbon Bond	836
14.10.2.1.2.1	Method 1: From Bis-selenocyanates	836
14.10.2.2	Aromatization	837
14.10.2.2.1	Method 1: By Aromatization of Benzo- and Dibenzoselenopyrans	837
14.10.2.2.2	Method 2: By Decarbonylation or Decarboxylation of Dibenzoselenopyrans	840
14.10.2.2.3	Method 3: By Elimination of <i>N</i> -Methyltoluenesulfonamide from Arylsulfonylselenimines	840
14.10.2.2.4	Method 4: By Dehydration of 4-Hydroxyselenopyrans	841
14.10.2.3	Synthesis by Substituent Modification	843
14.10.2.3.1	Substitution of Existing Substituents	843

14.10.2.3.1.1	Of Hydrogen	843
14.10.2.3.1.2	Of Heteroatoms	844
14.10.2.3.2	Modification of Substituents	844
14.10.2.3.2.1	Of Carbon Functionalities	844
14.10.2.3.2.1.1	Method 1: By Condensation of 4-Alkyl-1-benzoselenopyrylium and 10-Alkyldibenzoselenopyrylium Salts with Aldehydes	844
14.10.2.3.2.1.2	Method 2: By Condensation of 4-Alkyl-1-benzo- and 10-Alkyl-dibenzo[<i>b,e</i>]selenopyrylium Salts with Formamides	847
14.10.2.3.2.1.3	Method 3: By Condensation of 4-Alkyl-1-benzoselenopyrylium Salts with Ethyl <i>N</i> -Phenylformimidate	848
14.10.2.3.2.1.4	Method 4: By Condensation of 4-Alkyl-1-benzoselenopyrylium Salts with Thiazolium Betaines	849
14.10.2.3.2.1.5	Method 5: By Condensation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ylidene-acetaldehyde with Active Methyl Compounds	849
14.10.2.3.2.2	Of Oxygen Functionalities	850
14.10.2.3.2.2.1	Method 1: By Methylation of Selenopyran-4-ones	850
14.11	Product Class 11: Selenopyranones and Benzoselenopyranones P. J. Murphy	
14.11	Product Class 11: Selenopyranones and Benzoselenopyranones	855
14.11.1	Product Subclass 1: 2<i>H</i>-Selenopyran-2-ones and 4<i>H</i>-Selenopyran-4-ones	856
14.11.1.1	Synthesis by Ring-Closure Reactions	856
14.11.1.1.1	By Formation of Two Se—C Bonds	856
14.11.1.1.1.1	Method 1: 4 <i>H</i> -Selenopyran-4-ones by Addition of Dibasic Selenide to Diethynyl Ketones	856
14.11.1.1.2	By Formation of One Se—C and One C—C Bond	858
14.11.1.1.2.1	Method 1: 2 <i>H</i> -Selenopyran-2-ones from 2-Aminovinyl Selenoketones	858
14.11.1.2	Synthesis by Substituent Modification	858
14.11.1.2.1	Substitution of Existing Substituents	858
14.11.1.2.1.1	Of Hydrogen	858
14.11.1.2.1.1.1	Method 1: Lithiation of 4 <i>H</i> -Selenopyran-4-ones	858
14.11.1.2.1.1.2	Method 2: 4 <i>H</i> -Selenopyran-4-ones by Oxidation of 4 <i>H</i> -Selenopyrans	859
14.11.1.2.1.1.3	Method 3: 4 <i>H</i> -Selenopyran-4-ones by Oxidation of 1-Methyl-1 λ^4 -selenopyrans	859
14.11.1.2.1.2	Of Metals	860
14.11.1.2.1.2.1	Of Lithium	860
14.11.1.2.1.2.1.1	Method 1: Reaction of (2,6-Di- <i>tert</i> -butyl-4-oxo-4 <i>H</i> -selenopyran-3-yl)-lithium with Electrophiles	860
14.11.1.2.1.3	Of Carbon Functionalities	860

14.11.1.2.1.3.1	Method 1: 4 <i>H</i> -Selenopyran-4-ones by Oxidation of 4-Methylene-4 <i>H</i> -selenopyrans	860
14.11.1.2.2	Modification of Substituents	861
14.11.1.2.2.1	Method 1: 4 <i>H</i> -Selenopyran-4-thiones from 4 <i>H</i> -Selenopyran-4-ones	861
14.11.2	Product Subclass 2: Benzo- and Dibenzoselenopyranones	862
14.11.2.1	Synthesis by Ring-Closure Reactions	862
14.11.2.1.1	By Annulation to an Arene	862
14.11.2.1.1.1	By Formation of Two Se—C Bonds	862
14.11.2.1.1.1.1	Method 1: By Reaction of 2-Bromophenyl Ethynyl Ketones with Sodium Hydrogen Selenide	862
14.11.2.1.1.2	By Formation of One Se—C and One C—C Bond	863
14.11.2.1.1.2.1	Method 1: By the Simonis Reaction	863
14.11.2.1.1.2.2	Method 2: From 2-(Chloroselanyl)benzoyl Chloride via Electrophilic Aromatic Substitution	863
14.11.2.1.1.2.3	Method 3: By Reaction of Se-Lithiated Selenosalicylamide Derivatives with Benzyne	864
14.11.2.1.1.2.4	Method 4: By Photochemical Rearrangement of Aryl Selenoesters	865
14.11.2.1.1.3	By Formation of One Se—C Bond	865
14.11.2.1.1.3.1	Method 1: By Cyclization of Ethynyl 2-(Methylselanyl)phenyl Ketones	865
14.11.2.1.1.3.2	Method 2: By Cyclization of Phenyl Selenocinnamates	866
14.11.2.1.1.3.3	Method 3: By Electrophilic Cyclization of Methyl Selenides	866
14.11.2.1.1.3.4	Method 4: By Selenolactonization	868
14.11.2.1.1.4	By Formation of One C—C Bond	868
14.11.2.1.1.4.1	Method 1: By Aromatic Electrophilic Substitution	868
14.11.2.2	Synthesis by Ring Transformation	872
14.11.2.2.1	Method 1: By Rearrangement of Substituted Benzo[<i>b</i>]selenophen-3(2 <i>H</i>)-ones	872
14.11.2.3	Aromatization	872
14.11.2.3.1	Method 1: By Dehydrogenation of 2,3-Dihydro-4 <i>H</i> -1-benzoselenopyran-4-ones	872
14.11.2.3.2	Method 2: Oxidation of Benzoselenopyrans	873
14.11.2.4	Synthesis by Substituent Modification	873
14.11.2.4.1	Substitution of Existing Substituents	873
14.11.2.4.1.1	Of Hydrogen	874
14.11.2.4.1.1.1	Method 1: Lithiation of 4 <i>H</i> -1-Benzoselenopyran-4-ones	874
14.11.2.4.1.1.2	Method 2: Electrophilic Alkylation of 4-Hydroxy-2 <i>H</i> -1-benzoselenopyran-2-one	874
14.11.2.4.1.1.3	Method 3: Oxidation of Dibenzoselenopyrylium Salts	875
14.11.2.4.1.2	Of Carbon Functionalities	875
14.11.2.4.1.2.1	Method 1: Decarboxylation	875

14.11.2.4.1.3	Of Oxygen	875
14.11.2.4.1.3.1	Method 1: Preparation of a 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-one Ylide	875
14.11.2.4.2	Addition Reactions	876
14.11.2.4.2.1	Method 1: Oxidation of the Selenium Atom	876
14.11.2.4.2.2	Method 2: Addition of Dihalogen to the Selenium Atom	876
14.11.2.4.3	Modification of Substituents	876
14.11.2.4.3.1	Method 1: Preparation of Benzo- and Dibenzoselenopyranthiones	877
14.11.2.4.3.2	Method 2: By Condensation of 2-Methyl-4 <i>H</i> -1-benzoselenopyran-4-one with a Thiazolium Betaine	877
14.12	Product Class 12: Telluropyrylium and Benzotelluropyrylium Salts P. J. Murphy	
14.12	Product Class 12: Telluropyrylium and Benzotelluropyrylium Salts	881
14.12.1	Product Subclass 1: Telluropyrylium Salts	882
14.12.1.1	Aromatization	882
14.12.1.1.1	Method 1: By Aromatization of Telluropyrans	882
14.12.1.1.2	Method 2: By Dehydration of Telluropyran-4-ols	882
14.12.1.2	Synthesis by Substituent Modification	884
14.12.1.2.1	By Modification of Carbon Functionalities	884
14.12.1.2.1.1	Method 1: By Isomerization of 4-Methylenetelluropyrans	884
14.12.1.2.1.2	Method 2: By Hydrolysis of 4-Methylenetelluropyrans	884
14.12.1.2.1.3	Method 3: By Condensation of 4-Alkyltelluropyrylium Salts with Carbonyl and Thiocarbonyl Compounds	885
14.12.1.2.1.4	Method 4: By Condensation of 4-(Formylmethylene)telluropyrans with 4-Alkyl-2,6-diorganochalcogenopyrylium Salts	888
14.12.1.2.2	By Modification of Oxygen Functionalities	889
14.12.1.2.2.1	Method 1: By Alkylation of 4 <i>H</i> -Telluropyran-4-ones	889
14.12.2	Product Subclass 2: Benzo- and Dibenzotelluropyrylium Salts	890
14.12.2.1	Aromatization	890
14.12.2.1.1	Method 1: By Aromatization of Benzo- and Dibenzotelluropyrans	890
14.12.2.1.2	Method 2: By Dehydration of Benzotelluropyran-4-ols	891
14.12.2.2	Synthesis by Substituent Modification	893
14.12.2.2.1	By Modification of Carbon Functionalities	893
14.12.2.2.1.1	Method 1: By Condensation of 2-Methylbenzotelluropyrylium Salts with Carbonyl Compounds	893
14.12.2.2.2	By Modification of Oxygen Functionalities	894
14.12.2.2.2.1	Method 1: By Alkylation of Benzotelluropyran-4-ones	894
14.12.2.2.2.2	Method 2: By Reaction with Fluorides	894

14.13 Product Class 13: Telluropyranones and Benzotelluropyranones

P. J. Murphy

14.13	Product Class 13: Telluropyranones and Benzotelluropyranones	897
14.13.1	Product Subclass 1: 2H-Telluropyran-2-ones and 4H-Telluropyran-4-ones	898
14.13.1.1	Synthesis by Ring-Closure Reactions	898
14.13.1.1.1	By Formation of Two Te—C Bonds	898
14.13.1.1.1.1	Method 1: By Addition of Sodium/Lithium Telluride to Diethynyl Ketones	898
14.13.1.2	Synthesis by Substituent Modification	900
14.13.1.2.1	Substitution of Existing Substituents	900
14.13.1.2.1.1	Of Hydrogen	900
14.13.1.2.1.1.1	Method 1: Lithiation of 4H-Telluropyran-4-ones	900
14.13.1.2.1.2	Of Metals	901
14.13.1.2.1.2.1	Of Lithium	901
14.13.1.2.1.2.1.1	Method 1: Telluration of (2,6-Di- <i>tert</i> -butyl-4-oxo-4H-telluropyran-3-yl)-lithium	901
14.13.1.2.1.2.1.2	Method 2: Reaction of (2,6-Di- <i>tert</i> -butyl-4-oxo-4H-telluropyran-3-yl)-lithium with Benzaldehyde	901
14.13.1.2.1.3	Of Carbon Functionalities	902
14.13.1.2.1.3.1	Method 1: Oxidation of 4-Methylene-4H-telluropyrans	902
14.13.1.2.2	Addition Reactions	902
14.13.1.2.2.1	Method 1: Addition of Dihalogen to the Tellurium Atom	902
14.13.1.2.2.2	Method 2: Formation of <i>Te</i> , <i>Te</i> -Diacetates	903
14.13.1.2.3	Modification of Substituents	903
14.13.1.2.3.1	Method 1: 4H-Telluropyran-4-thiones from 4H-Telluropyran-4-ones	903
14.13.2	Product Subclass 2: Benzo- and Dibenzotelluropyranones	904
14.13.2.1	Synthesis by Ring-Closure Reactions	904
14.13.2.1.1	By Annulation to an Arene	904
14.13.2.1.1.1	By Formation of Two Te—C Bonds	904
14.13.2.1.1.1.1	Method 1: By Reaction of 2-Bromophenyl Ethynyl Ketones with Sodium Hydrogen Telluride	904
14.13.2.1.1.1.2	Method 2: Preparation of 10H-Dibenzo[<i>b,e</i>]telluropyran-10-one from a Bis-diazonium Salt	904
14.13.2.1.1.2	By Formation of One Te—C and One C—C Bond	905
14.13.2.1.1.2.1	Method 1: By Photochemical Rearrangement of Phenyl Telluroesters	905
14.13.2.1.1.3	By Formation of One Te—C Bond	905
14.13.2.1.1.3.1	Method 1: 4H-1-Benzotelluropyran-4-ones by Cyclization of Benzenetellurenyl Bromides	905
14.13.2.1.1.3.2	Method 2: By Electrophilic Cyclization of Methyl Tellurides	906

14.13.2.1.1.4	By Formation of One C—C Bond	906
14.13.2.1.1.4.1	Method 1: By Cyclization of Carboxyvinyl Phenyl Tellurides	906
14.13.2.2	Synthesis by Substituent Modification	908
14.13.2.2.1	Substitution of Existing Substituents	908
14.13.2.2.1.1	Of Hydrogen	908
14.13.2.2.1.1.1	Method 1: Lithiation of 4 <i>H</i> -1-Benzotelluropyran-4-one	908
14.13.2.2.1.1.2	Method 2: Oxidation of Dibenzotelluropyrans	908
14.13.2.2.1.1.3	Method 3: Hydrolysis of Benzotelluropyrylium Salts	909
14.13.2.2.2	Addition Reactions	909
14.13.2.2.2.1	Method 1: Addition of Dihalogen to the Tellurium Atom	909
14.13.2.2.2.2	Method 2: Formation of <i>Te</i> , <i>Te</i> -Diacetates	910
14.13.2.2.3	Modification of Substituents	910
14.13.2.2.3.1	Method 1: Preparation of Benzo- and Dibenzotelluopyranthiones Using Lawesson's Reagent	910
14.13.2.2.3.2	Method 2: Reduction of <i>Te</i> , <i>Te</i> -Dihalo- and <i>Te</i> , <i>Te</i> -Bis(acetyloxy)- dibenzotelluopyranones	911
14.13.2.2.3.3	Method 3: Hydrolysis of Benzotelluopyrylium Salts	912
	Keyword Index	915
	Author Index	959
	Abbreviations	1005

