
Volume 16: Six-Membered Hetarenes with Two Identical Heteroatoms

	Introduction	
	Y. Yamamoto	1
16.1	Product Class 1: 1,2-Dioxins and Benzo- and Dibenzo-Fused Derivatives	
	M. Matsumoto	13
16.2	Product Class 2: 1,4-Dioxins and Benzo- and Dibenzo-Fused Derivatives	
	M. Matsumoto	15
16.3	Product Class 3: 1,2-Dithiins	
	R. Sato	39
16.4	Product Class 4: 1,4-Dithiins	
	R. Sato	57
16.5	Product Class 5: 1,2-Diselenins	
	R. Sato	95
16.6	Product Class 6: 1,4-Diselenins	
	R. Sato	103
16.7	Product Class 7: 1,4-Ditellurins	
	R. Sato	119
16.8	Product Class 8: Pyridazines	
	N. Haider and W. Holzer	125
16.9	Product Class 9: Cinnolines	
	N. Haider and W. Holzer	251
16.10	Product Class 10: Phthalazines	
	N. Haider and W. Holzer	315
16.11	Product Class 11: Pyridazino[1,2-<i>a</i>]pyridazines	
	N. Haider and W. Holzer	373
16.12	Product Class 12: Pyrimidines	
	S. von Angerer	379
16.13	Product Class 13: Quinazolines	
	D. Kikelj	573
16.14	Product Class 14: Pyrazines	
	N. Sato	751

16.15	Product Class 15: Quinoxalines S. Gobec and U. Urleb	845
16.16	Product Class 16: Phenazines U. Urleb and S. Gobec	913
16.17	Product Class 17: Purines F. Seela, N. Ramzaeva, and H. Rosemeyer	945
16.18	Product Class 18: Pyridopyridazines M. Sako	1109
16.19	Product Class 19: Pyridopyrimidines M. Sako	1155
16.20	Product Class 20: Pyridopyrazines M. Sako	1269
16.21	Product Class 21: Pteridines and Related Structures T. Ishikawa	1291
16.22	Product Class 22: Other Diazinodiazines T. Ishikawa	1337
16.23	Product Class 23: Diphosphinines M. Yoshifuji and S. Ito	1399
	Keyword Index	1411
	Author Index	1465
	Abbreviations	1563

Table of Contents

Introduction

Y. Yamamoto

	Introduction	1
16.1	Product Class 1: 1,2-Dioxins and Benzo- and Dibenzo-Fused Derivatives M. Matsumoto	
16.1	Product Class 1: 1,2-Dioxins and Benzo- and Dibenzo-Fused Derivatives ..	13
16.2	Product Class 2: 1,4-Dioxins and Benzo- and Dibenzo-Fused Derivatives M. Matsumoto	
16.2	Product Class 2: 1,4-Dioxins and Benzo- and Dibenzo-Fused Derivatives ..	15
16.2.1	Synthesis by Ring-Closure Reactions	18
16.2.1.1	By Formation of Two O—C Bonds	18
16.2.1.1.1	Fragments O—C—C—O and C—C	18
16.2.1.1.1.1	Method 1: 1,4-Benzodioxins by Condensation of Benzene-1,2-diols with an Unsaturated Dielectrophile	18
16.2.1.1.1.2	Method 2: Dibenzo[<i>b,e</i>][1,4]dioxins by Base-Induced Coupling of Benzene-1,2-diols with Activated Chlorobenzenes	19
16.2.1.1.1.3	Method 3: Dibenzo[<i>b,e</i>][1,4]dioxins from Benzene-1,2-diols and 1,2-Dichlorobenzenes Activated by Complexation with Metals	20
16.2.1.1.2	Fragments O—C—C and O—C—C	21
16.2.1.1.2.1	Method 1: Dibenzo[<i>b,e</i>][1,4]dioxins from 2-Halophenols by Base-Induced Self-Condensation	21
16.2.1.2	By Formation of One O—C Bond	22
16.2.1.2.1	Fragment O—C—C—O—C—C	22
16.2.1.2.1.1	Method 1: Dibenzo[<i>b,e</i>][1,4]dioxins from 2-(2-Halophenoxy)phenolates	22
16.2.2	Aromatization	23
16.2.2.1	Method 1: 1,4-Dioxins by Elimination of Halogens or Hydrogen Halides from Polyhalo-1,4-dioxanes	23
16.2.2.2	Method 2: 1,4-Dioxins by Elimination of Methanol from 2,5-Dimethoxy-1,4-dioxanes	24
16.2.2.3	Method 3: 1,4-Benzodioxins by Elimination of Bromine or Hydrogen Bromide from 2,3-Dibromo-2,3-dihydro-1,4-benzodioxins	25
16.2.2.4	Method 4: 1,4-Benzodioxins by Elimination of Water from 2-Hydroxy-2,3-dihydro-1,4-benzodioxins	26

16.2.3	Synthesis by Substituent Modification	27
16.2.3.1	Substitution of Existing Substituents	27
16.2.3.1.1	Of Hydrogen	27
16.2.3.1.1.1	Method 1: Friedel–Crafts Acylation of 1,4-Benzodioxins Bearing an Electron-Withdrawing Substituent at the 2-Position	27
16.2.3.1.1.2	Method 2: Friedel–Crafts Acylation of Dibenzo[<i>b,e</i>][1,4]dioxins	27
16.2.3.1.1.3	Method 3: Lewis Acid Catalyzed Acylation of 2-(Trimethylsilyl)- 1,4-benzodioxin	28
16.2.3.1.1.4	Method 4: Polyhalogenated Dibenzo[<i>b,e</i>][1,4]dioxins by Direct Halogenation of Dibenzo[<i>b,e</i>][1,4]dioxins with Chlorine or Bromine	28
16.2.3.1.1.4.1	Variation 1: Halogenation with Inorganic Chlorides or Bromides	29
16.2.3.1.1.5	Method 5: Nitration of Dibenzo[<i>b,e</i>][1,4]dioxins	30
16.2.3.1.2	Of Metals	30
16.2.3.1.2.1	Method 1: 2-Substituted 1,4-Benzodioxins from 2-Lithio-1,4-benzodioxins	30
16.2.3.1.2.2	Method 2: 1-Monosubstituted and 1,9-Disubstituted Dibenzo[<i>b,e</i>][1,4]- dioxins from 1-Lithio- or 1,9-Dilithiodibenzo[<i>b,e</i>][1,4]dioxin ..	32
16.2.3.1.2.3	Method 3: 5-Substituted 1,4-Benzodioxins via Lithiation of η^6 -Chromium(0) Complexes of 1,4-Benzodioxins	33
16.2.3.1.2.4	Method 4: Metal-Catalyzed Coupling of 1,4-Benzodioxin-2-ylmagnesium Bromide with Halides	33
16.2.3.1.3	Of Heteroatoms	33
16.2.3.1.3.1	Method 1: Metal-Catalyzed Coupling of 2-Bromo-1,4-benzodioxin with Organometallics	33
16.2.3.1.3.2	Method 2: Sandmeyer Reaction of Polychlorodibenzo[<i>b,e</i>][1,4]- dioxinamines	34
16.2.3.2	Modification of Substituents	35
16.2.3.2.1	Method 1: Dibenzo[<i>b,e</i>][1,4]dioxinamines by Reduction of Nitrodibenzo[<i>b,e</i>][1,4]dioxins	35
16.2.3.2.2	Method 2: 1,4-Dioxins by Isomerization of Exocyclic Double Bonds of Substituted 1,4-Dioxanes	35
16.2.3.2.3	Method 3: Diels–Alder Addition of 2,3-Bis(methylene)-2,3-dihydro- 1,4-dioxin with Dienophiles	36
16.3	Product Class 3: 1,2-Dithiins R. Sato	
16.3	Product Class 3: 1,2-Dithiins	39
16.3.1	Synthesis by Ring-Closure Reactions	41
16.3.1.1	By Formation of One S–S Bond	41
16.3.1.1.1	Method 1: Ring Closure of Butan-1,3-diene-1,4-dithiol	41
16.3.1.1.1.1	Variation 1: Synthesis of 1,2-Dithiin	41
16.3.1.1.1.2	Variation 2: Synthesis of a Substituted 1,2-Dithiin	41
16.3.1.1.1.3	Variation 3: Synthesis of 1,2-Dithiin-3,6-diyldimethanol	42

16.3.1.1.1.4	Variation 4: Synthesis of Thiarubrine A	43
16.3.1.1.2	Method 2: Synthesis from 1,1'-Binaphthalene-2,2'-dithiol	44
16.3.1.1.3	Method 3: Synthesis from Biphenyl-2,2',6,6'-tetrol	45
16.3.1.1.4	Method 4: Ring Closure with Sulfur Monochloride	45
16.3.1.1.5	Method 5: Synthesis via the Thermolysis or Photolysis of 1,9-Bis(methylsulfanyl)dibenzo[<i>b,d</i>]thiophene	46
16.3.1.1.6	Method 6: Synthesis of 1,4-Dihydro-2,3-benzodithiin	46
16.3.1.1.7	Method 7: Synthesis of 1,4-Diphenyl-1,4-dihydro-2,3-benzodithiin	47
16.3.2	Synthesis by Ring Transformation	48
16.3.2.1	Method 1: Synthesis from 1,2,3-Benzothiadiazole	48
16.3.2.2	Method 2: Synthesis of [1]Benzothieno[2'3':5,6][1,2]dithiino[4,3- <i>b</i>][1]- benzothiophene	48
16.3.3	Synthesis by Other Methods	49
16.3.3.1	Method 1: Reaction of Diphenylmethanethione with Tetracyanoethene	49
16.3.4	Synthesis by Substituent Modification	50
16.3.4.1	Addition of Heteroatoms	50
16.3.4.1.1	Formation of a Sulfonium Salt	50
16.3.4.1.1.1	Method 1: Synthesis of 3-(Methylsulfanyl)dinaphtho[1,2- <i>e</i> :2',1'- <i>c</i>][1,2]- dithiin-3-ium Salt	50
16.3.4.1.2	Oxidation of the Dithiin Ring	50
16.3.4.1.2.1	Method 1: Oxidation of Dibenzo[<i>c,e</i>][1,2]dithiin with (+)-Percamphoric Acid	50
16.3.4.1.2.2	Method 2: Oxidation with 3-Chloroperoxybenzoic Acid	51
16.3.4.1.2.2.1	Variation 1: Oxidation of 1,2-Dithiin	51
16.3.4.1.2.2.2	Variation 2: Oxidation of 1,4-Diphenyl-1,4-dihydro-2,3-benzodithiin	52
16.4	Product Class 4: 1,4-Dithiins R. Sato	
16.4	Product Class 4: 1,4-Dithiins	57
16.4.1	Synthesis by Ring-Closure Reactions	62
16.4.1.1	By Formation of Four S—C Bonds	62
16.4.1.1.1	Fragments C—C, C—C and Two S Fragments	62
16.4.1.1.1.1	Method 1: From 2,3-Dihaloquinones	62
16.4.1.1.1.2	Method 2: From a 1,2-Dihalobenzene	63
16.4.1.1.1.3	Method 3: From 2-Chloro-1,3-dinitro-5-(trifluoromethyl)benzene	64
16.4.1.1.1.4	Method 4: From Alkynes or Aryne Precursors and Sulfur	65
16.4.1.1.1.5	Method 5: From Arenes	66
16.4.1.1.1.5.1	Variation 1: With Sulfur Monochloride	66
16.4.1.1.1.6	Method 6: From 1,2-Dilithiohetarenes and Sulfur(II) Compounds	66
16.4.1.2	By Formation of Two S—C Bonds and One C—C Bond	67
16.4.1.2.1	Fragments S—C, S—C, and C—C	67

16.4.1.2.1.1	Method 1: Formation of 2,3-Diphenyl-1,4-dithiin	67
16.4.1.3	By Formation of Two S—C Bonds	68
16.4.1.3.1	Fragments C—C—S—C and S	68
16.4.1.3.1.1	Method 1: From Bis(3-bromoquinolin-4-yl) Sulfide with Sodium Sulfide ..	68
16.4.1.3.1.2	Method 2: From Bis(2-oxoalkyl) Sulfides	68
16.4.1.3.1.3	Method 3: From Dialkynyl Sulfides with Sodium Sulfide	69
16.4.1.3.1.4	Method 4: From Bis(2-lithioaryl) Sulfides	70
16.4.1.3.1.5	Method 5: By Arylsulfanyl Migration	70
16.4.1.3.2	Fragments S—C—C—S and C—C	71
16.4.1.3.2.1	Method 1: From Benzopentathiepins and Arenes	71
16.4.1.3.2.2	Method 2: From 1,2-Dithiones	71
16.4.1.3.2.3	Method 3: From 1,2-Dithiones and Alkynes	72
16.4.1.3.2.4	Method 4: From 1,2-Dithiones and Alkenes	73
16.4.1.3.2.5	Method 5: From 1,2-Dihalo Compounds	74
16.4.1.3.2.6	Method 6: From Arene-1,2-dithiols and Substituted Acetyl Halides	76
16.4.1.3.3	Fragments S—C—C and S—C—C	77
16.4.1.3.3.1	Method 1: From 4,5-Disulfanyl-3 <i>H</i> -1,2-dithiole-3-thione	77
16.4.1.3.3.2	Method 2: From Substituted Sodium Thiosulfates	77
16.4.1.3.3.3	Method 3: From Two Halosulfanylarenes	78
16.4.1.3.3.4	Method 4: Pyrolysis of an Isoxazole	80
16.4.1.3.3.5	Method 5: Photolysis and Thermolysis of Benzothiadiazoles	81
16.4.1.4	By Formation of One S—C and One C—C Bond	81
16.4.1.4.1	Fragments C—C—S—C and C—S	81
16.4.1.4.1.1	Method 1: From Substituted Propynyl Sulfides	81
16.4.1.5	By Formation of Two C—C Bonds	82
16.4.1.5.1	Fragments C—S—C and C—S—C	82
16.4.1.5.1.1	Method 1: Photolysis of Mesoionic Compounds	82
16.4.1.6	By Formation of One S—C Bond	83
16.4.1.6.1	Fragment S—C—C—S—C—C	83
16.4.1.6.1.1	Method 1: From 1-Ethyl-1,2-dipenyldisulfan-1-ium	83
16.4.2	Synthesis by Ring Transformation	83
16.4.2.1	By Ring Enlargement	83
16.4.2.1.1	Method 1: From 1,2-Benzodithiole Sulfoxide	83
16.4.2.1.2	Method 2: From a Bisfulvene Tetraester	84
16.4.2.2	By Ring Contraction	84
16.4.2.2.1	Method 1: By Photolysis of 1,2,5,6-Tetrathiocins	84
16.4.3	Aromatization	85
16.4.3.1	Method 1: Oxidation of 1,4-Dithianes	85
16.4.3.2	Method 2: Aromatization Using 2,3-Dichloro-5,6-dicyanobenzo- 1,4-quinone	86

16.4.4	Synthesis by Substituent Modification	87
16.4.4.1	Addition Reactions	87
16.4.4.1.1	Addition of Heteroatoms	87
16.4.4.1.1.1	Method 1: Oxidation Using Benzenediazonium Salts	87
16.4.4.1.1.2	Method 2: Oxidation Using 3-Chloroperoxybenzoic Acid	87
16.4.4.1.1.3	Method 3: Oxidation Using Hydrogen Peroxide	88
16.4.4.1.1.4	Method 4: Asymmetric Oxidation Using the Sharpless Reagent	88
16.4.4.1.1.5	Method 5: Formation of a Tetraone	88
16.4.4.2	Modification of Substituents	89
16.4.4.2.1	Method 1: Reaction of 1,4-Dithiin-2,3,5,6-tetracarbonitrile with Sulfur	89
16.4.4.2.2	Method 2: Diels–Alder Reaction with Dimethylacetylene Dicarboxylate	89
16.4.5	Formation of Radical Cations	89
16.4.5.1	Method 1: With Sulfuric Acid	89
16.4.5.2	Method 2: Oxidation with Antimony(V) Fluoride	90
16.4.5.3	Method 3: Oxidation with Nitrosonium Hexafluorophosphate	90
16.5	Product Class 5: 1,2-Diselenins	
	R. Sato	
16.5	Product Class 5: 1,2-Diselenins	95
16.5.1	Synthesis by Ring-Closure Reactions	96
16.5.1.1	By Formation of One Se–Se and Two Se–C Bonds	96
16.5.1.1.1	Fragment C–C–C–C and Two Se Fragments	96
16.5.1.1.1.1	Method 1: Selenylation of an Organolithium Compound with Elemental Selenium	96
16.5.1.2	By Formation of One Se–Se and One C–C Bond	97
16.5.1.2.1	Fragments Se–C–C–C and C–Se	97
16.5.1.2.1.1	Method 1: By a Hetero-Diels–Alder Dimerization Reaction	97
16.5.1.3	By Formation of One Se–Se Bond	98
16.5.1.3.1	Fragment Se–C–C–C–C–Se	98
16.5.1.3.1.1	Method 1: Synthesis of 1,2-Diselenins from 1,4-Bis(benzylselanyl)-buta-1,3-dienes by Debenzylation	98
16.5.1.3.1.2	Method 2: Thermolytic or Photolytic Synthesis of Polycyclic 1,2-Diselenins from Diaryl Selenides	99
16.6	Product Class 6: 1,4-Diselenins	
	R. Sato	
16.6	Product Class 6: 1,4-Diselenins	103
16.6.1	Synthesis by Ring-Closure Reactions	103
16.6.1.1	By Formation of Four Se–C Bonds	103

16.6.1.1.1	Fragments C—C, C—C, and Two Se Fragments	103
16.6.1.1.1.1	Method 1: From Benzyne and Elemental Selenium	103
16.6.1.1.1.2	Method 2: From 1,2-Dimethoxybenzene and a Selenium Reagent	104
16.6.1.1.1.2.1	Variation 1: Cyclization with Selenium Dioxide	104
16.6.1.1.1.2.2	Variation 2: Cyclization with Dimethyl Diselenide	104
16.6.1.1.1.3	Method 3: From 1,2,3,4-Tetrafluoro-5,6-diiodobenzene and Selenium	105
16.6.1.1.1.4	Method 4: From 2,3-Dichloronaphthoquinone and Sodium Selenide	105
16.6.1.1.1.5	Method 5: From Selenium and an Organometallic Compound	105
16.6.1.2	By Formation of Two Se—C Bonds	107
16.6.1.2.1	Fragments C—C—Se—C—C and Se	107
16.6.1.2.1.1	Method 1: From a Diaryl Selenide and Selenium Dioxide	107
16.6.1.2.2	Fragments Se—C—C—Se and C—C	107
16.6.1.2.2.1	Method 1: Diels–Alder Reaction of a 1,2-Diselone	107
16.6.1.2.2.2	Method 2: From Zinc Selenolates	108
16.6.1.2.3	Fragments C—C—Se and C—C—Se	109
16.6.1.2.3.1	Method 1: Thermolysis of Selenadiazoles	109
16.6.1.2.3.2	Method 2: Oxidative Coupling of 2-Chloroetheneselenol Derivatives	110
16.6.1.2.3.3	Method 3: From a Selenide and Selenourea	111
16.6.1.2.3.4	Method 4: From Diphenyl Selenide with Potassium Amide	111
16.6.2	Synthesis by Ring Transformation	112
16.6.2.1	By Ring Enlargement	112
16.6.2.1.1	Method 1: Transformation of a 1,3-Diselenol-1-ium Salt	112
16.6.3	Synthesis by Substituent Modification	113
16.6.3.1	Method 1: Formation of Metal Complexes with 1,4-Diselenins	113
16.6.3.2	Method 2: Formation of a Charge-Transfer Complex	114
16.6.3.3	Method 3: Oxidation of the Selenium Atoms in Selenanthrene	115
16.6.3.3.1	Variation 1: With Nitric Acid	115
16.6.3.3.2	Variation 2: With Sulfuryl Chloride	115
16.7	Product Class 7: 1,4-Ditellurins	
	R. Sato	
16.7	Product Class 7: 1,4-Ditellurins	119
16.7.1	Synthesis by Ring-Closure Reactions	119
16.7.1.1	By Formation of Four Te—C Bonds	119
16.7.1.1.1	Fragments C—C, C—C, and Two Te Fragments	119
16.7.1.1.1.1	Method 1: 1,4-Ditellurin from Acetylene and Elemental Tellurium	119
16.7.1.1.1.2	Method 2: Telluranthrenes from 1,2-Diiodobenzene Derivatives and Tellurium	120
16.7.1.1.1.2.1	Variation 1: From 1,2,3,4-Tetrafluoro-5,6-diiodobenzene and Tellurium	120
16.7.1.1.1.2.2	Variation 2: From 1,2-Diiodo-4-nitrobenzene and a Tellurium–Copper Reagent	121

16.7.1.1.1.3	Method 3: A 1,4-Ditellurin from a Tetrathiafulvalene and a Bis(alkynyl) Telluride	121
16.7.1.1.1.4	Method 4: Telluranthrene from Tellurium and an Organomercury Compound	122
16.7.1.2	By Formation of Two Te—C Bonds	123
16.7.1.2.1	Fragments C—C—Te—C—C and Te	123
16.7.1.2.1.1	Method 1: Telluranthrene from Diaryl Telluride and Tellurium	123
16.8	Product Class 8: Pyridazines N. Haider and W. Holzer	
16.8	Product Class 8: Pyridazines	125
16.8.1	Synthesis by Ring-Closure Reactions	130
16.8.1.1	By Formation of Two N—C Bonds and One C—C Bond	130
16.8.1.1.1	Fragments N—N, C—C, and C—C	130
16.8.1.1.1.1	Method 1: Condensation of 1,2-Diketones with Cyanoacetic Acid Derivatives and Hydrazine	130
16.8.1.1.1.2	Method 2: Reaction of 1-Aryl-2-nitroprop-1-enes with Acetoacetic Acid Derivatives and Hydrazine	131
16.8.1.2	By Formation of Two N—C Bonds	132
16.8.1.2.1	Fragments C—C—C—C and N—N	132
16.8.1.2.1.1	Method 1: Condensation of 4-Oxo Acids and Derivatives with Hydrazine	132
16.8.1.2.1.1.1	Variation 1: From Saturated 4-Oxo Acids and Derivatives, with Subsequent Oxidation	133
16.8.1.2.1.1.2	Variation 2: From 2-Hydroxy-4-oxo Acids	134
16.8.1.2.1.2	Method 2: Condensation of 3-Formyl Acids with Hydrazine	136
16.8.1.2.1.3	Method 3: Condensation of Maleic Acids or Derivatives with Hydrazine	136
16.8.1.2.1.4	Method 4: Condensation of 1,4-Dicarbonyl Compounds with Hydrazine	137
16.8.1.3	By Formation of One N—C and One C—C Bond	138
16.8.1.3.1	Fragments N—N—C—C and C—C	138
16.8.1.3.1.1	Method 1: Reaction of Methylene-Activated Acid Hydrazides with 1,2-Dicarbonyl Compounds	138
16.8.1.3.1.2	Method 2: Reaction of 1,2-Dicarbonyl Monohydrazones with Methylene-Activated Compounds	139
16.8.1.3.1.3	Method 3: Hetero-Diels–Alder Reactions of Electron-Rich Alkenes	141
16.8.1.3.1.3.1	Variation 1: With 1,2-Diaza-1,3-dienes	141
16.8.1.3.1.3.2	Variation 2: With Halogen-Substituted 1,2-Diaza-1,3-dienes	142
16.8.1.3.1.4	Method 4: Reaction of Alkyl 3-(Carbamoyldiazenyl)but-2-enoates with Alkyl 2-Acetylacetoacetates and Similar Compounds	145
16.8.1.4	By Formation of One N—N Bond	148
16.8.1.4.1	Fragment N—C—C—C—N	148

16.8.1.4.1.1	Method 1: Oxidative Cyclization of Unsaturated 1,4-Dioximes into Pyridazine 1,2-Dioxides	148
16.8.1.5	By Formation of One N—C Bond	148
16.8.1.5.1	Fragment N—N—C—C—C—C	148
16.8.1.5.1.1	Method 1: Cyclization of Hydrazones of 4-Oxoalkenoic Acid Derivatives	148
16.8.1.5.1.2	Method 2: Reductive Cyclization of Diazo(vinyl)methanes Bearing a Carbonyl Group	150
16.8.1.6	By Formation of One C—C Bond	151
16.8.1.6.1	Fragment C—C—N—N—C—C	151
16.8.1.6.1.1	Method 1: Cyclization of <i>N</i> -Chloroacetyl Derivatives of 1,2-Dicarbonyl Monophenylhydrazones	151
16.8.2	Synthesis by Ring Transformation	152
16.8.2.1	By Ring Enlargement	152
16.8.2.1.1	Method 1: From Furan Derivatives	152
16.8.2.1.2	Method 2: By Addition of Diazoalkanes to Bromocyclopropenes	153
16.8.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	155
16.8.2.2.1	Method 1: By [4 + 2]-Cycloaddition Reactions of 1,2,4,5-Tetrazines	155
16.8.2.2.1.1	Variation 1: With Dienophiles Containing a C≡C Bond	157
16.8.2.2.1.2	Variation 2: With Dienophiles Containing a C=C Bond	161
16.8.2.2.2	Method 2: By Rearrangement of 1,2,4-Triazines	165
16.8.2.3	By Ring Contraction	167
16.8.2.3.1	Method 1: From 1,2-Diazepines	167
16.8.2.3.2	Method 2: From Seven-Membered Rings Containing an Additional Heteroatom	167
16.8.3	Aromatization	168
16.8.3.1	Method 1: Oxidation of Dihydro Compounds	168
16.8.3.2	Method 2: Elimination Reactions	170
16.8.4	Synthesis by Substituent Modification	171
16.8.4.1	Substitution of Existing Substituents	171
16.8.4.1.1	Of Hydrogen	171
16.8.4.1.1.1	At a Ring Nitrogen Atom of a Pyridazinone	171
16.8.4.1.1.1.1	Method 1: <i>N</i> -Alkylation	171
16.8.4.1.1.1.1.1	Variation 1: Via a Pyridazinone Anion	171
16.8.4.1.1.1.1.2	Variation 2: Via an Alkyl or Silyl Lactim Ether (The Hilbert–Johnson Reaction)	172
16.8.4.1.1.2	At a Ring Carbon Atom	174
16.8.4.1.1.2.1	Method 1: By Lithiation	174
16.8.4.1.1.2.2	Method 2: By Radical Substitution Reactions	177
16.8.4.1.1.2.2.1	Variation 1: Introduction of Carboxylic Acid Functionalities	178
16.8.4.1.1.2.2.2	Variation 2: Introduction of Acyl and Aroyl Groups	180
16.8.4.1.1.2.2.3	Variation 3: Introduction of Alkyl and Other Groups	181

16.8.4.1.1.2.3	Method 3:	Introduction of Cyano Groups by the Reissert Reaction	183
16.8.4.1.1.2.4	Method 4:	Direct Cyanation of Electron-Deficient Pyridazinones	184
16.8.4.1.1.2.5	Method 5:	Vicarious Nucleophilic Substitution	185
16.8.4.1.1.2.6	Method 6:	Direct Amination	187
16.8.4.1.1.2.7	Method 7:	Electrophilic Substitution Reactions	189
16.8.4.1.1.2.7.1	Variation 1:	Vilsmeier Formylation of Pyridazinones	189
16.8.4.1.1.2.7.2	Variation 2:	Introduction of Hetero Substituents	190
16.8.4.1.2	Of Metals		191
16.8.4.1.2.1	Method 1:	Replacement of Stannyl or Silyl Groups by Carbon Substituents	191
16.8.4.1.2.2	Method 2:	Replacement of Magnesium Halide in Pyridazinyl Grignard Compounds	193
16.8.4.1.3	Of Carbon Functionalities		194
16.8.4.1.3.1	Method 1:	By Decarboxylation	194
16.8.4.1.3.2	Method 2:	By Hofmann or Curtius Degradation of Appropriate Carboxylic Acid Derivatives	195
16.8.4.1.4	Of Heteroatoms		196
16.8.4.1.4.1	Method 1:	By Hydrogen	196
16.8.4.1.4.1.1	Variation 1:	Reductive Dehalogenation of Halopyridazines	196
16.8.4.1.4.1.2	Variation 2:	Oxidative Dehydrazination of Hydrazinopyridazines	197
16.8.4.1.4.2	Method 2:	By Metal–Halogen Exchange	198
16.8.4.1.4.3	Method 3:	By Carbon Nucleophiles via Nucleophilic Substitution	198
16.8.4.1.4.4	Method 4:	By Carbon Substituents via Cross-Coupling Reactions	199
16.8.4.1.4.4.1	Variation 1:	Introduction of Ester Groups	200
16.8.4.1.4.4.2	Variation 2:	Introduction of Aryl Groups	201
16.8.4.1.4.4.3	Variation 3:	Introduction of Alkynyl Groups	203
16.8.4.1.4.5	Method 5:	By Hetero Nucleophiles via Nucleophilic Substitution	204
16.8.4.1.4.5.1	Variation 1:	Introduction of Halogen Substituents	204
16.8.4.1.4.5.2	Variation 2:	Introduction of Oxygen Substituents	206
16.8.4.1.4.5.3	Variation 3:	Introduction of Sulfur Substituents	207
16.8.4.1.4.5.4	Variation 4:	Introduction of Nitrogen Substituents	208
16.8.4.1.4.6	Method 6:	Deoxygenation of <i>N</i> -Oxides	209
16.8.4.2	Addition Reactions		210
16.8.4.2.1	Addition of Organic Groups		210
16.8.4.2.1.1	Method 1:	<i>N</i> -Alkylation (Quaternization)	210
16.8.4.2.2	Addition of Heteroatoms		211
16.8.4.2.2.1	Method 1:	<i>N</i> -Oxidation	211
16.8.4.2.2.2	Method 2:	<i>N</i> -Amination	212
16.8.4.3	Modification of Substituents		212
16.8.4.3.1	Of Carbon Substituents		213
16.8.4.3.1.1	Method 1:	Modification of Carboxylic Acids and Derivatives	213
16.8.4.3.1.2	Method 2:	Modification of Ketones, Aldehydes, and Derivatives	215
16.8.4.3.1.3	Method 3:	Modification of Hydroxyalkyl and Similar Substituents	219
16.8.4.3.1.4	Method 4:	Modification of Alkyl Substituents	220

16.8.4.3.1.4.1	Variation 1: Oxidation	220
16.8.4.3.1.4.2	Variation 2: Condensation Reactions	221
16.8.4.3.2	Of Heteroatom Substituents	223
16.8.4.3.2.1	Method 1: Modification of Hydroxy Groups	223
16.8.4.3.2.1.1	Variation 1: Acylation	223
16.8.4.3.2.1.2	Variation 2: Alkylation	223
16.8.4.3.2.2	Method 2: Modification of Sulfur-Containing Groups	224
16.8.4.3.2.2.1	Variation 1: Alkylation of Sulfanyl Groups	224
16.8.4.3.2.2.2	Variation 2: Oxidation of Sulfanyl and Alkylsulfanyl Groups	225
16.8.4.3.2.3	Method 3: Reduction of Nitro Groups	226
16.8.4.3.2.4	Method 4: Modification of Azido Groups	227
16.8.4.3.2.5	Method 5: Reduction of Hydrazino Groups	227
16.8.4.3.2.6	Method 6: Modification of Amino Groups	228
16.8.4.3.2.6.1	Variation 1: Acylation	228
16.8.4.3.2.6.2	Variation 2: Alkylation	229
16.8.4.3.3	Ring Opening of Bicyclic Pyridazines	231
16.8.4.3.3.1	Method 1: Oxidative Cleavage of Benzo-1,2-diazines	231
16.8.4.3.3.2	Method 2: Oxidative or Reductive Cleavage of Isoxazolopyridazines	231
16.8.4.3.3.3	Method 3: Reductive Cleavage of [1,2,5]Oxadiazolopyridazines	232
16.8.4.3.3.4	Method 4: Cleavage of Tetrazolopyridazines with Phosphines (The Staudinger Reaction)	233
16.9	Product Class 9: Cinnolines	
	N. Haider and W. Holzer	
16.9	Product Class 9: Cinnolines	251
16.9.1	Synthesis by Ring-Closure Reactions	253
16.9.1.1	By Annulation to an Arene	253
16.9.1.1.1	By Formation of Two N—C Bonds	253
16.9.1.1.1.1	Fragments Arene—C—C and N—N	253
16.9.1.1.1.1.1	Method 1: By Reaction of Cyclopentadienyliron Complexes of 2-Chlorobenzyl Ketones with Hydrazine	253
16.9.1.1.2	By Formation of One N—N Bond	254
16.9.1.1.2.1	Fragment N—Arene—C—C—N	254
16.9.1.1.2.1.1	Method 1: Cyclization of Aminohetarenes Containing a 2-Nitrophenyl Substituent	254
16.9.1.1.3	By Formation of One N—C Bond	256
16.9.1.1.3.1	Fragment N—N—Arene—C—C	256
16.9.1.1.3.1.1	Method 1: Cyclization of Diazotized 2-(Alken-1-yl)anilines (The Widman–Stoermer Synthesis)	256
16.9.1.1.3.1.2	Method 2: Cyclization of Diazotized 2-Acylanilines (The Borsche Synthesis)	257

16.9.1.1.3.1.3	Method 3:	Cyclization of (2-Hydrazinophenyl)(hydroxy)acetic Acids (The Neber–Bossel Synthesis)	260
16.9.1.1.3.1.4	Method 4:	Cyclization of Diazotized 2-Alkynylanilines (The Richter Synthesis)	260
16.9.1.1.3.1.5	Method 5:	Cyclization of (2-Ethynylphenyl)triazenes	261
16.9.1.1.4	By Formation of One C—C Bond		262
16.9.1.1.4.1	Fragment Arene—N—N—C—C		262
16.9.1.1.4.1.1	Method 1:	Cyclization of Phenylhydrazones	262
16.9.1.1.4.1.1.1	Variation 1:	Cyclization of Oxomalonic Acid Derivatives	263
16.9.1.1.4.1.1.2	Variation 2:	Cyclization of Aryltrifluoromethyl Ketone Derivatives	266
16.9.1.1.4.1.1.3	Variation 3:	Synthesis of 3-Aroylcinnolines from Aryl Methyl Ketones	267
16.9.1.1.4.1.1.4	Variation 4:	Synthesis of 3-Arylcinnoline-4-carbonitriles by Reaction of Acetophenone Methyl(phenyl)hydrazones and Tetracyano- ethene	268
16.9.1.1.4.2	Fragment C—N—N—Arene—C		268
16.9.1.1.4.2.1	Method 1:	Cyclization of Benzaldehyde [2-(Trifluoromethyl)phenyl]- hydrazones	268
16.9.1.1.4.2.2	Method 2:	Cyclization of Hydrazones Derived from Diazotized 2-Formyl- or 2-Acetylanilines	270
16.9.2	Synthesis by Ring Transformation		271
16.9.2.1	By Ring Enlargement		271
16.9.2.1.1	Method 1:	From Isatin and Isatogen Derivatives	271
16.9.2.1.2	Method 2:	From 1 <i>H</i> -Indol-1-amines	272
16.9.3	Aromatization		273
16.9.3.1	Method 1:	Oxidation of Dihydrocinnolines	273
16.9.4	Synthesis by Substituent Modification		274
16.9.4.1	Substitution of Existing Substituents		274
16.9.4.1.1	Of Hydrogen		274
16.9.4.1.1.1	Method 1:	By Lithiation	274
16.9.4.1.1.2	Method 2:	By Halogenation	275
16.9.4.1.1.3	Method 3:	By Nitration	276
16.9.4.1.1.4	Method 4:	By Amination	276
16.9.4.1.2	Of Metals		277
16.9.4.1.2.1	Method 1:	Replacement of a Silyl Substituent by Hydrogen	277
16.9.4.1.3	Of Carbon Functionalities		278
16.9.4.1.3.1	Method 1:	By Decarboxylation	278
16.9.4.1.3.2	Method 2:	By Nucleophilic Displacement of Nitrile Groups	279
16.9.4.1.4	Of Heteroatoms		279
16.9.4.1.4.1	Method 1:	By Hydrogen	279
16.9.4.1.4.1.1	Variation 1:	Reductive Dehalogenation of Halocinnolines	279
16.9.4.1.4.1.2	Variation 2:	Oxidative Dehydrazination of Hydrazinocinnolines	281
16.9.4.1.4.2	Method 2:	By Halogen–Metal Exchange	281

16.9.4.1.4.3	Method 3:	By Carbon Nucleophiles via Nucleophilic Substitution	282
16.9.4.1.4.4	Method 4:	By Carbon Substituents via Cross-Coupling Reactions	284
16.9.4.1.4.5	Method 5:	By Heteroatom Nucleophiles via Nucleophilic Substitution	286
16.9.4.1.4.5.1	Variation 1:	Introduction of Halogen Substituents	286
16.9.4.1.4.5.2	Variation 2:	Introduction of Chalcogen Substituents	287
16.9.4.1.4.5.3	Variation 3:	Introduction of Nitrogen Substituents	289
16.9.4.1.4.6	Method 6:	Deoxygenation of <i>N</i> -Oxides	292
16.9.4.2	Addition Reactions		293
16.9.4.2.1	Addition of Organic Groups		293
16.9.4.2.1.1	Method 1:	<i>N</i> -Alkylation (Quaternization)	293
16.9.4.2.2	Addition of Heteroatoms		296
16.9.4.2.2.1	Method 1:	<i>N</i> -Oxidation	296
16.9.4.3	Modification of Substituents		296
16.9.4.3.1	Of Carbon Substituents		296
16.9.4.3.1.1	Method 1:	Of Carboxylic Acids and Derivatives	296
16.9.4.3.1.2	Method 2:	Of Ketones, Aldehydes, and Derivatives	297
16.9.4.3.1.3	Method 3:	Of Hydroxyalkyl and Similar Substituents	299
16.9.4.3.1.4	Method 4:	Of Alkyl Substituents	300
16.9.4.3.2	Of Heteroatom Substituents		303
16.9.4.3.2.1	Method 1:	Of Hydroxy, Alkoxy, and Aryloxy Groups	303
16.9.4.3.2.2	Method 2:	Of Sulfur-Containing Groups	304
16.9.4.3.2.3	Method 3:	Of Nitro Groups	305
16.9.4.3.2.4	Method 4:	Of Amino Groups	306

16.10 Product Class 10: Phthalazines

N. Haider and W. Holzer

16.10	Product Class 10: Phthalazines		315
16.10.1	Synthesis by Ring-Closure Reactions		318
16.10.1.1	By Annulation to an Arene		318
16.10.1.1.1	By Formation of Two <i>N</i> — <i>C</i> Bonds		318
16.10.1.1.1.1	Fragments <i>C</i> —Arene— <i>C</i> and <i>N</i> — <i>N</i>		318
16.10.1.1.1.1.1	Method 1:	Condensation of Phthalic Acid Derivatives with Hydrazine	318
16.10.1.1.1.1.2	Method 2:	Condensation of 2-Acyl- and 2-Formylbenzoic Acid Derivatives with Hydrazine	322
16.10.1.1.1.1.3	Method 3:	Condensation of 1,2-Diacylbenzenes and Phthalaldehyde Derivatives with Hydrazine	325
16.10.1.1.2	By Formation of One <i>N</i> — <i>C</i> and One <i>C</i> — <i>C</i> Bond		327
16.10.1.1.2.1	Fragments Arene— <i>C</i> and <i>N</i> — <i>N</i> — <i>C</i>		327
16.10.1.1.2.1.1	Method 1:	Reaction of 2-(Alkoxycarbonyl)quinones with Methylglyoxal 1-Methylhydrazone	327
16.10.1.1.3	By Formation of Two <i>C</i> — <i>C</i> Bonds		327

16.10.1.1.3.1	Fragments Arene and C—N—N—C	327
16.10.1.1.3.1.1	Method 1: [4 + 2]-Cycloaddition Reactions of 1,2,4,5-Tetrazines with Benzene	327
16.10.1.1.4	By Formation of One N—C Bond	328
16.10.1.1.4.1	Fragment N—N—C—Arene—C	328
16.10.1.1.4.1.1	Method 1: Cyclization of Arylhydrazones of 2-Acyl- and 2-Formylbenzoic Acid Derivatives	328
16.10.1.1.5	By Formation of One C—C Bond	329
16.10.1.1.5.1	Fragment C—N—N—C—Arene	329
16.10.1.1.5.1.1	Method 1: Acid-Promoted Cyclization of Azines	329
16.10.1.1.5.1.1.1	Variation 1: Cyclization of 2-Amino-2-(aroylhydrazono)ethyl Aryl Ethers	330
16.10.1.1.5.1.1.2	Variation 2: Cyclization of 1-Aroyl-2-benzylidenehydrazines	331
16.10.1.2	By Annulation to the Heterocyclic Ring	332
16.10.1.2.1	Method 1: Condensation Reactions of 4,5-Disubstituted Pyridazines	332
16.10.2	Synthesis by Ring Transformation	333
16.10.2.1	By Ring Enlargement	333
16.10.2.1.1	Method 1: From Benzofuran Derivatives	333
16.10.2.1.2	Method 2: From Isoindole Derivatives	335
16.10.2.1.3	Method 3: From Indane-1,3-dione Derivatives	338
16.10.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	338
16.10.2.2.1	Method 1: By [4 + 2]-Cycloaddition Reactions of Pyridazino[4,5- <i>d</i>]-pyridazines with Electron-Rich C—C Dienophiles	338
16.10.3	Aromatization	340
16.10.3.1	Method 1: Oxidation of Dihydrophthalazines	340
16.10.4	Synthesis by Substituent Modification	341
16.10.4.1	Substitution of Existing Substituents	341
16.10.4.1.1	Of Hydrogen	341
16.10.4.1.1.1	At a Ring Nitrogen Atom of a Phthalazinone	341
16.10.4.1.1.1.1	Method 1: N-Acylation	341
16.10.4.1.1.1.2	Method 2: N-Arylation	342
16.10.4.1.1.1.3	Method 3: N-Alkylation	342
16.10.4.1.1.2	At a Ring Carbon Atom	343
16.10.4.1.1.2.1	Method 1: By Lithiation	343
16.10.4.1.1.2.2	Method 2: Introduction of Cyano Groups by the Reissert Reaction	344
16.10.4.1.1.2.3	Method 3: Nitration	345
16.10.4.1.2	Of Carbon Functionalities	346
16.10.4.1.2.1	Method 1: By N-Dealkylation	346
16.10.4.1.3	Of Heteroatoms	346
16.10.4.1.3.1	Method 1: By Hydrogen	346
16.10.4.1.3.1.1	Variation 1: Reductive Dehalogenation of Halophthalazines	346

16.10.4.1.3.1.2	Variation 2:	Oxidative Dehydrazination of Hydrazinophthalazines	347
16.10.4.1.3.2	Method 2:	By Carbon Nucleophiles via Nucleophilic Substitution	348
16.10.4.1.3.3	Method 3:	By Hetero Nucleophiles via Nucleophilic Substitution	350
16.10.4.1.3.3.1	Variation 1:	Introduction of Halogen Substituents	350
16.10.4.1.3.3.2	Variation 2:	Introduction of Chalcogen Substituents	352
16.10.4.1.3.3.3	Variation 3:	Introduction of Nitrogen Substituents	353
16.10.4.1.3.4	Method 4:	Deoxygenation of <i>N</i> -Oxides	355
16.10.4.2	Addition Reactions		356
16.10.4.2.1	Addition of Organic Groups		356
16.10.4.2.1.1	Method 1:	<i>N</i> -Alkylation (Quaternization)	356
16.10.4.2.2	Addition of Heteroatoms		357
16.10.4.2.2.1	Method 1:	<i>N</i> -Oxidation	357
16.10.4.3	Modification of Substituents		358
16.10.4.3.1	Of Carbon Substituents		358
16.10.4.3.1.1	Method 1:	Modification of Carboxylic Acids and Derivatives	358
16.10.4.3.1.2	Method 2:	Modification of Ketones, Aldehydes, and Derivatives	358
16.10.4.3.1.3	Method 3:	Modification of Alkyl Substituents	359
16.10.4.3.2	Of Heteroatom Substituents		360
16.10.4.3.2.1	Method 1:	Modification of Hydroxy Groups	360
16.10.4.3.2.2	Method 2:	Modification of Sulfur-Containing Groups	361
16.10.4.3.2.3	Method 3:	Modification of Amino Groups	362
16.11	Product Class 11: Pyridazino[1,2-<i>a</i>]pyridazines N. Haider and W. Holzer		
16.11	Product Class 11: Pyridazino[1,2-<i>a</i>]pyridazines		373
16.11.1	Synthesis by Ring-Closure Reactions		373
16.11.1.1	By Formation of Four <i>N</i> — <i>C</i> Bonds		374
16.11.1.1.1	Fragments <i>C</i> — <i>C</i> — <i>C</i> — <i>C</i> , <i>C</i> — <i>C</i> — <i>C</i> — <i>C</i> , and <i>N</i> — <i>N</i>		374
16.11.1.1.1.1	Method 1:	By Condensation of Succinonitrile with Hydrazine	374
16.11.1.2	By Formation of Two <i>N</i> — <i>C</i> Bonds		375
16.11.1.2.1	Fragments Hetarene and <i>C</i> — <i>C</i> — <i>C</i> — <i>C</i>		375
16.11.1.2.1.1	Method 1:	By Cycloaddition Reactions of Pyridazine-3,6-diones	375
16.12	Product Class 12: Pyrimidines S. von Angerer		
16.12	Product Class 12: Pyrimidines		379
16.12.1	Synthesis by Ring-Closure Reactions		384
16.12.1.1	By Formation of Four <i>N</i> — <i>C</i> Bonds and One <i>C</i> — <i>C</i> Bond		384
16.12.1.1.1	Fragments <i>C</i> — <i>C</i> , <i>N</i> , <i>N</i> , <i>C</i> , and <i>C</i>		384

16.12.1.1.1	Method 1: Reaction of 1(2-Oxoethyl)pyridinium Bromides with 4-Nitrobenzaldehyde and Ammonia	384
16.12.1.2	By Formation of Four N—C Bonds	384
16.12.1.2.1	Fragments C—C—C, N, N, and C	384
16.12.1.2.1.1	Method 1: Reaction of β -Dicarbonyl Derivatives with Benzaldehyde and Ammonia	384
16.12.1.2.1.2	Method 2: Reaction of β -Dicarbonyl Derivatives with Ortho Esters	385
16.12.1.3	By Formation of Three N—C Bonds	385
16.12.1.3.1	Fragments C—C—C, N—C, and N	385
16.12.1.3.1.1	Method 1: Reaction of β -Dicarbonyl Derivatives with Formamide	385
16.12.1.3.1.1.1	Variation 1: Reaction of 1,3-Diketones	386
16.12.1.3.1.1.2	Variation 2: Reaction of 4,4-Dimethoxybutan-2-one	386
16.12.1.3.1.1.3	Variation 3: Reaction of Malonaldehyde Diacetal	386
16.12.1.3.1.1.4	Variation 4: Reaction of 3-Heterosubstituted Propenals and Propenones	387
16.12.1.3.1.2	Method 2: Reaction of Malonyl Chlorides with Nitriles	388
16.12.1.3.1.3	Method 3: Reaction of β -Diketones with Cyanamide	388
16.12.1.4	By Formation of Two N—C Bonds and One C—C Bond	388
16.12.1.4.1	Fragments N—C, N—C, and C—C	388
16.12.1.4.1.1	Method 1: Trimerization of Nitriles	388
16.12.1.4.1.2	Method 2: Reaction of Alkynes with Nitriles	390
16.12.1.4.1.3	Method 3: Reaction of Alkyne Precursors with Nitriles	391
16.12.1.4.1.3.1	Variation 1: Reaction of Enol Trifluoromethanesulfonates	391
16.12.1.4.1.3.2	Variation 2: Reaction of Ketones Activated with Acid Anhydrides	391
16.12.1.4.1.3.3	Variation 3: Reaction of Heterosubstituted Alkenes	393
16.12.1.4.1.4	Method 4: Reaction of Diethyl Malonate with Trifluoroacetonitrile	393
16.12.1.4.1.5	Method 5: Reaction of C—H Acidic Compounds with Formamide and Equivalents	394
16.12.1.4.1.5.1	Variation 1: Reaction of Phenylacetonitrile	394
16.12.1.4.1.5.2	Variation 2: Reaction of Malononitrile	395
16.12.1.4.1.5.3	Variation 3: Reaction of Ketones	395
16.12.1.4.1.5.4	Variation 4: Reaction of Dimethyl Malonate	396
16.12.1.4.1.6	Method 6: Reaction of Acetonitriles with Aryl Cyanates	396
16.12.1.4.2	Fragments N—C—C, N—C, and C	396
16.12.1.4.2.1	Method 1: Reaction of Acetonitriles with Phosgene	396
16.12.1.4.3	Fragments C—N—C, C—C, and N	397
16.12.1.4.3.1	Method 1: Reaction of Vinylamines with Benzoyl Isocyanate	397
16.12.1.4.4	Fragments N—C—N, C—C, and C	398
16.12.1.4.4.1	Method 1: Reaction of a Polymer-Bound Thiouronium Salt with Ethyl Cyanoacetate and Benzaldehydes	398
16.12.1.5	By Formation of Two N—C Bonds	398
16.12.1.5.1	Fragments N—C—C—C—N and C	398
16.12.1.5.1.1	Method 1: Reaction of Malonamides with Ethyl Formate	399

16.12.1.5.1.2	Method 2:	Reaction of Amidinoacetamides with Formamide	399
16.12.1.5.1.3	Method 3:	Reaction of Malonimide Esters with Acid Chlorides	399
16.12.1.5.1.4	Method 4:	Reaction of Malonimidamides with Esters	400
16.12.1.5.1.5	Method 5:	Reaction of 3-Aminoacrylamides with Acid Derivatives	400
16.12.1.5.1.6	Method 6:	Reaction of 3-Amino-2-cyanoacrylamides with Anhydrides ..	401
16.12.1.5.2	Fragments C—C—N—C and N		402
16.12.1.5.2.1	Method 1:	Reaction of <i>N</i> -Acylacrylamides with Ammonia	402
16.12.1.5.2.2	Method 2:	Reaction of <i>N</i> ,2-Diacylvinylamines with Formamide	403
16.12.1.5.3	Fragments C—C—N and N—C		404
16.12.1.5.3.1	Method 1:	Reaction of 3-Chloroacrylonitriles with Nitriles	404
16.12.1.5.3.2	Method 2:	Reaction of 3,3-Bis(methylsulfanyl)acrylonitrile with Amides	404
16.12.1.5.3.3	Method 3:	Reaction of 3-Aminoacrylates	405
16.12.1.5.3.3.1	Variation 1:	Reaction with Amides	406
16.12.1.5.3.3.2	Variation 2:	Reaction with Benzimidate	406
16.12.1.5.3.3.3	Variation 3:	Reaction with Nitriles	407
16.12.1.5.3.4	Method 4:	Reaction of 3-Aminoprop-2-en-1-ones with Nitriles	407
16.12.1.5.3.5	Method 5:	Reaction of 1,3-Diketimines with Benzonitrile	408
16.12.1.5.3.6	Method 6:	Reaction of 3-Aminopropenals with Formamide	409
16.12.1.5.3.7	Method 7:	Reaction of 3-Aminoacrylonitriles with Nitriles	410
16.12.1.5.4	Fragments N—C—N and C—C—C		410
16.12.1.5.4.1	Method 1:	Reaction of β -Diketones with Amidine Derivatives	410
16.12.1.5.4.1.1	Variation 1:	Reaction with Guanidines	410
16.12.1.5.4.1.2	Variation 2:	Reaction with <i>O</i> -Methyluronium Salts	411
16.12.1.5.4.1.3	Variation 3:	Reaction with Urea	412
16.12.1.5.4.2	Method 2:	Reaction of Prop-2-yn-1-ones with Amidine Derivatives	413
16.12.1.5.4.3	Method 3:	Reaction of α -Formyl Esters or Equivalents with Amidine Derivatives	414
16.12.1.5.4.4	Method 4:	Reaction of 3-Alkoxyacrylates with Amidine Derivatives or Cyanamide	416
16.12.1.5.4.5	Method 5:	Reaction of β -Oxo Esters with Amidine Derivatives	417
16.12.1.5.4.6	Method 6:	Reaction of β -Dialdehydes or Equivalents with Amidine Derivatives	418
16.12.1.5.4.6.1	Variation 1:	Reaction of Malonaldehydes	418
16.12.1.5.4.6.2	Variation 2:	Reaction of Sodium 3,3-Dimethoxy-2-(methoxycarbonyl)- prop-1-en-1-olate with Amidines	419
16.12.1.5.4.6.3	Variation 3:	Reactions of Malonaldehyde Diacetals	420
16.12.1.5.4.6.4	Variation 4:	Reaction of 3-Heterosubstituted Propenals with Amidine Derivatives	421
16.12.1.5.4.7	Method 7:	Reaction of 3,3-Dialkoxypropan-1-ones with Amidine Derivatives	423
16.12.1.5.4.8	Method 8:	Reaction of 3-Heterosubstituted Prop-2-en-1-ones with Amidine Derivatives	424
16.12.1.5.4.8.1	Variation 1:	Reaction of 3-Alkoxy-Substituted Prop-2-en-1-ones	424
16.12.1.5.4.8.2	Variation 2:	Reaction of 3-Sulfanyl-Substituted Prop-2-en-1-ones	425
16.12.1.5.4.8.3	Variation 3:	Reaction of 3-Amino-Substituted Prop-2-en-1-ones	425

16.12.1.5.4.9	Method 9:	Reaction of 3,3-Disulfanylprop-2-en-1-ones with Amidine Derivatives	426
16.12.1.5.4.10	Method 10:	Reaction of 3,3-Diaminoprop-2-en-1-one Derivatives with Amidine Derivatives	427
16.12.1.5.4.11	Method 11:	Reaction of 1,1-Difluoroprop-2-enes with Amidine Derivatives	428
16.12.1.5.4.12	Method 12:	Reaction of Vinamidinium Salts with Amidine Derivatives ...	428
16.12.1.5.4.13	Method 13:	Reaction of Prop-2-ynoates and Alka-2,3-dienoates with Amidine Derivatives	429
16.12.1.5.4.14	Method 14:	Reaction of 3-Heterosubstituted Acrylonitriles with Amidine Derivatives	430
16.12.1.5.4.14.1	Variation 1:	3-Haloacrylonitriles	430
16.12.1.5.4.14.2	Variation 2:	3-Alkoxy- and 3,3-Dialkoxyacrylonitriles	431
16.12.1.5.4.14.3	Variation 3:	3-(Methylsulfanyl)- and 3,3-Bis(Methylsulfanyl)acrylonitriles	433
16.12.1.5.4.14.4	Variation 4:	3-Aminoacrylonitriles	434
16.12.1.5.4.14.5	Variation 5:	Propynenitriles and Buta-2,3-dienenitriles	435
16.12.1.5.4.15	Method 15:	Reaction of Malonates with Amidine Derivatives	436
16.12.1.5.4.16	Method 16:	Reaction of 3,3-Diheterosubstituted Acrylates with Amidine Derivatives	437
16.12.1.5.4.16.1	Variation 1:	Reaction of 3,3-Dialkoxyacrylates with Amidine Derivatives	437
16.12.1.5.4.16.2	Variation 2:	Reaction of 3,3-Bis(methylsulfanyl)acrylates with Amidine Derivatives	438
16.12.1.5.4.16.3	Variation 3:	Reaction of 3-Amino-3-(methylsulfanyl)acrylates with Guanidine and Thiourea	438
16.12.1.5.4.17	Method 17:	Reaction of Cyanoacetates with Amidine Derivatives	439
16.12.1.5.4.18	Method 18:	Reaction of Malononitriles with Amidine Derivatives	439
16.12.1.5.4.19	Method 19:	Reaction of 3-Arylprop-2-en-1-ones with Amidine Derivatives	440
16.12.1.5.4.20	Method 20:	Reaction of 3-Arylacrylonitriles with Amidine Derivatives ...	441
16.12.1.5.4.21	Method 21:	Reaction of Resin-Bound 3-Arylacrylates with Amidine Derivatives	442
16.12.1.5.4.22	Method 22:	Reaction of 2-Bromoacrylates with Benzimidamide	443
16.12.1.6	By Formation of One N—C and One C—C Bond		443
16.12.1.6.1	Fragments N—C—N—C and C—C		443
16.12.1.6.1.1	Method 1:	Reaction of 3-Cyano-2-methylisothiourea or 2-Cyanoguanidine with Ketones	443
16.12.1.6.1.2	Method 2:	Reaction of 1,3-Diazabuta-1,3-dienes with Alkynes	444
16.12.1.6.1.2.1	Variation 1:	Reaction of 4,4-Bis(methylsulfanyl)-1,3-diazabuta-1,3-diene	444
16.12.1.6.1.2.2	Variation 2:	Reaction of 4-(Dimethylamino)-1,3-diazabuta-1,3-dienes ...	445
16.12.1.6.2	Fragments C—C—N—C and N—C		446
16.12.1.6.2.1	Method 1:	Reaction of Azapropenylium Perchlorates with 1,1,3,3-Tetramethylguanidine	446
16.12.1.6.2.2	Method 2:	Reaction of 2-Azabuta-1,3-dienes with Nitriles	447
16.12.1.6.2.3	Method 3:	Reaction of Ethyl (Cyanoacetyl)carbamate with Trifluoroacetonitrile	448
16.12.1.6.2.4	Method 4:	Dimerization of <i>N</i> -Cyanothioacetimidate	449
16.12.1.6.3	Fragments N—C—C and C—N—C		449

16.12.1.6.3.1	Method 1:	Reaction of Enamines with <i>N</i> -(Dichloromethylene)-trichloromethylamine	449
16.12.1.6.3.2	Method 2:	Reaction of Enamines with Acyl Isothiocyanates	450
16.12.1.6.3.3	Method 3:	Reaction of Cyanothioacetamide with Benzoyl Isothiocyanate	451
16.12.1.6.3.4	Method 4:	Reaction of Enamines with [Bis(methylsulfanyl)methylene]-cyanamide	451
16.12.1.6.3.5	Method 5:	Reaction of Acetonitriles with <i>N</i> -(Dichloromethylene)-trichloromethylamine	451
16.12.1.6.3.6	Method 6:	Reaction of Acetamides with <i>N</i> -Cyanoimidates or <i>N</i> -Acylimidates	452
16.12.1.7	By Formation of One N—C Bond		453
16.12.1.7.1	Fragment N—C—C—N—C		453
16.12.1.7.1.1	Method 1:	Cyclization of 3-(Acylamino)but-2-enamides	453
16.12.1.7.1.2	Method 2:	Cyclization of 3-Amino- <i>N</i> -acylthioacrylamides	454
16.12.1.7.1.3	Method 3:	Cyclization of 3-Amino- <i>N</i> -cyano-3-methoxyacrylimidate	455
16.12.1.7.1.4	Method 4:	Cyclization of 3-(Acylamino)-2-cyano- and 2-Cyano-3-(thioacylamino)acrylates	456
16.12.1.7.1.5	Method 5:	Cyclization of <i>N</i> -(2-Cyanovinyl)amidines	457
16.12.1.7.1.6	Method 6:	Cyclization of 1-(Dimethylamino)-5-(dimethyliminio)-2-azapenta-1,3-dienes	457
16.12.1.7.1.7	Method 7:	Cyclization of 3-(Vinylamino)but-2-enamide	458
16.12.1.7.2	Fragment N—C—N—C—C		458
16.12.1.7.2.1	Method 1:	Cyclization of <i>N</i> -(3-Substituted Acryloyl)ureas	458
16.12.1.7.2.2	Method 2:	Cyclization of 3-Ureidoacrylates	459
16.12.1.7.2.3	Method 3:	Cyclization of <i>N</i> -[2-(Methoxycarbonyl)ethylidene]ureas	461
16.12.1.7.2.4	Method 4:	Cyclization of 3-Ureidoacrylonitriles	461
16.12.1.7.2.5	Method 5:	Cyclization of <i>N</i> -(2-Cyanovinyl)imidamides	462
16.12.1.7.2.6	Method 6:	Cyclization of 1-(Cyanoacetyl)-2-methylisoureas	463
16.12.1.7.2.7	Method 7:	Cyclization of 3-(Cyanoamino)acrylonitriles	463
16.12.1.7.2.8	Method 8:	Cyclization of (Cyanoacetyl)cyanamides and Equivalents	464
16.12.1.8	By Formation of One C—C Bond		466
16.12.1.8.1	Fragment C—C—N—C—N—C		466
16.12.1.8.1.1	Method 1:	Cyclization of 1-Acetyl-3-cyanourea	466
16.12.1.8.1.2	Method 2:	Cyclization of <i>N</i> ² -Carbamoyl- <i>N</i> ¹ -vinylbenzimidamides	467
16.12.2	Synthesis by Ring Transformation		467
16.12.2.1	By Ring Enlargement		467
16.12.2.1.1	Of Three-Membered Carbocycles		467
16.12.2.1.1.1	Method 1:	Reaction of Cyclopropenones with Amidoximes	467
16.12.2.1.2	Of Four-Membered Heterocycles		468
16.12.2.1.2.1	Method 1:	Reaction of Azetes with Nitriles	468
16.12.2.1.2.2	Method 2:	Reaction of Azetidinone with Imidates	468
16.12.2.1.3	Of Five-Membered Heterocycles		469
16.12.2.1.3.1	Method 1:	Reaction of Furans	469

16.12.2.1.3.2	Method 2:	Reaction of 3-Acyl-2-oxo-tetrahydrothiophenes with Amidine Derivatives	470
16.12.2.1.3.3	Method 3:	Reaction of 2,3,4,5-Tetraphenylpyrrole with Sulfenamides ...	471
16.12.2.1.3.4	Method 4:	Reaction of Isoxazoles	471
16.12.2.1.3.4.1	Variation 1:	Rearrangement of 5-(Acylamino)isoxazoles	471
16.12.2.1.3.4.2	Variation 2:	Rearrangement of <i>N</i> -(Isoxazol-4-ylcarbonyl)urea and <i>N</i> ¹ -(Isoxazol-4-ylcarbonyl)benzimidamide	472
16.12.2.1.3.5	Method 5:	Reaction of Oxazoles	472
16.12.2.1.3.6	Method 6:	Reaction of Pyrazoles	473
16.12.2.1.3.7	Method 7:	Reaction of Imidazoles	474
16.12.2.1.3.7.1	Variation 1:	Reaction with Chloroform	474
16.12.2.1.3.7.2	Variation 2:	Rearrangement of 1-Benzoyldihydroimidazoles	475
16.12.2.1.3.7.3	Variation 3:	Reaction with Acetylenes	475
16.12.2.1.3.7.4	Variation 4:	Rearrangement of Methyleneimidazolidin-4-one	476
16.12.2.1.3.8	Method 8:	Hydrogenation of 3-[(3-Oxoprop-1-enyl)amino]-1,2,4-oxadiazoles	476
16.12.2.1.3.9	Method 9:	Reaction of 1,2,4-Dithiazolium Salts with Nitrogen-Containing Derivatives of Carboxylic Acids	477
16.12.2.2		Formal Exchange of Ring Members With Retention of the Ring Size	478
16.12.2.2.1	Method 1:	Reaction of Pyran-2-ones with Amidine Derivatives	478
16.12.2.2.2	Method 2:	Reaction of Pyran-4-ones with Amidine Derivatives	480
16.12.2.2.3	Method 3:	Reaction of 1,3-Oxazines	481
16.12.2.2.3.1	Variation 1:	Reaction of 1,3-Oxazin-4-ones with Ammonia	481
16.12.2.2.3.2	Variation 2:	Rearrangement of 2-Amino-1,3-oxazin-4-one	481
16.12.2.2.3.3	Variation 3:	Reaction of 1,3-Oxazin-4-one with Thioamides	482
16.12.2.2.3.4	Variation 4:	Reaction of 1,3-Oxazin-6-ones with Ammonia	482
16.12.2.2.3.5	Variation 5:	Rearrangement of 1,3-Oxazine-5-carboxamide	483
16.12.2.2.3.6	Variation 6:	Reaction of 1,3-Oxazonium Perchlorates with Ammonia	483
16.12.2.2.4	Method 4:	Reaction of 1,3-Thiazinones or 1,4-Benzothiazines	483
16.12.2.2.5	Method 5:	Reaction of Pyrimidinones	485
16.12.2.2.6	Method 6:	Rearrangement of 1,2,4-Oxadiazines	486
16.12.2.2.7	Method 7:	Reaction of 1,3,5-Oxadiazinium or 1,3,5-Thiadiazinium Salts with Active Methylene Compounds	486
16.12.2.2.8	Method 8:	Reaction of 1,2,4-Triazines with <i>N,N</i> -Diethylprop-1-ynamine ..	487
16.12.2.2.9	Method 9:	Reaction of 1,3,5-Triazines with Dienophiles	488
16.12.2.2.10	Method 10:	Reactions of 1,3,5-Triazines with Active Methylene Compounds	491
16.12.2.2.11	Method 11:	Rearrangement of 2-(Acylmethyl)-1,3,5-triazines	491
16.12.2.2.12	Method 12:	Thermolysis of 2-Alkyl-1,2-dihydro-1,3,5-triazines	492
16.12.2.2.13	Method 13:	Reaction of 1,3,5-Triazinediones	492
16.12.2.2.14	Method 14:	Reaction of 1,2,3,5-Oxathiadiazine 2,2-Dioxide with Active Methylene Compounds	492
16.12.2.3		By Ring Contraction	493
16.12.3		Aromatization	494
16.12.3.1		By Oxidation	494
16.12.3.1.1	Method 1:	By Dehydrogenation of Dihydropyrimidines	494

16.12.3.1.2	Method 2:	By Dehydrogenation of Tetrahydropyrimidines	495
16.12.3.1.3	Method 3:	Pyrimidinones by Dehydrogenation	496
16.12.3.2	By Elimination		497
16.12.3.2.1	Method 1:	Acid-Catalyzed Elimination of Water	497
16.12.3.2.2	Method 2:	Base-Catalyzed Elimination of HX	497
16.12.4	Synthesis by Substituent Modification		499
16.12.4.1	Substitution of Existing Substituents		499
16.12.4.1.1	Of Hydrogen		499
16.12.4.1.1.1	Method 1:	Hydrogen/Deuterium Exchange	499
16.12.4.1.1.2	Method 2:	Metalation	499
16.12.4.1.1.3	Method 3:	Silylation	500
16.12.4.1.1.4	Method 4:	C-Acylation	501
16.12.4.1.1.4.1	Variation 1:	Formylation	501
16.12.4.1.1.4.2	Variation 2:	Acylation by Radicals	501
16.12.4.1.1.4.3	Variation 3:	Carboxylation	502
16.12.4.1.1.4.4	Variation 4:	Carbamoylation	502
16.12.4.1.1.5	Method 5:	Cyanation	503
16.12.4.1.1.6	Method 6:	Hydroxyalkylation and Related Reactions	504
16.12.4.1.1.7	Method 7:	C-Alkylation	504
16.12.4.1.1.8	Method 8:	Halogenation	505
16.12.4.1.1.9	Method 9:	Nitration	507
16.12.4.1.1.10	Method 10:	Nitrosation	508
16.12.4.1.1.11	Method 11:	Amination	508
16.12.4.1.2	Of Metals		509
16.12.4.1.2.1	Method 1:	Reaction of (Trialkylstannyl)pyrimidines with Acid Chlorides and Aryl Halides	509
16.12.4.1.3	Of Carbon Functionalities		510
16.12.4.1.3.1	Method 1:	Decarboxylation	510
16.12.4.1.3.2	Method 2:	N-Deacylation	511
16.12.4.1.3.3	Method 3:	N-Dealkylation	511
16.12.4.1.3.4	Method 4:	Removal of Protecting Groups	512
16.12.4.1.3.4.1	Variation 1:	Benzyloxymethyl Group	512
16.12.4.1.3.4.2	Variation 2:	Cyanoethyl Group	513
16.12.4.1.3.4.3	Variation 3:	Benzyl Group	513
16.12.4.1.4	Of Heteroatoms		514
16.12.4.1.4.1	Dehalogenation		514
16.12.4.1.4.1.1	Method 1:	Dehalogenation with Palladium on Carbon	514
16.12.4.1.4.1.2	Method 2:	Dechlorination by Zinc Dust	515
16.12.4.1.4.1.3	Method 3:	Dechlorination of 3-Chloropyrimidines with Tosylhydrazine ..	515
16.12.4.1.4.2	Halogen-Exchange Reactions		516
16.12.4.1.4.2.1	Method 1:	Exchange of Chlorine for Fluorine	516
16.12.4.1.4.2.2	Method 2:	Exchange of Chlorine for Iodine	516
16.12.4.1.4.3	Substitution of Halogen by Oxygen Functions		517

16.12.4.1.4.3.1	Method 1:	Exchange of Halogen for Alkoxides	517
16.12.4.1.4.3.2	Method 2:	Hydrolysis of Halopyrimidines	520
16.12.4.1.4.4		Substitution of Halogens by Sulfur Functionalities	520
16.12.4.1.4.4.1	Method 1:	Reaction of Halopyrimidines with Thiolates	520
16.12.4.1.4.4.2	Method 2:	Conversion of Halopyrimidines into Thiols	521
16.12.4.1.4.5		Substitution of Halogens by Nitrogen Functionalities	523
16.12.4.1.4.5.1	Method 1:	Aminolysis of Halopyrimidines	523
16.12.4.1.4.5.2	Method 2:	Substitution of Halogens by Hydrazine	527
16.12.4.1.4.5.3	Method 3:	Substitution of Halogens by Azide	528
16.12.4.1.4.6		Substitution of Halogens by Carbofunctional Groups	528
16.12.4.1.4.6.1	Method 1:	Reaction with Carbonyl Compounds via Lithiated Intermediates	528
16.12.4.1.4.6.2	Method 2:	Palladium-Catalyzed Cross Coupling with Alkenes and Alkynes (Heck-Type Reactions)	530
16.12.4.1.4.6.2.1	Variation 1:	Coupling with Alkenes	530
16.12.4.1.4.6.2.2	Variation 2:	Coupling with Alkynes	531
16.12.4.1.4.6.3	Method 3:	Palladium-Catalyzed Cross Coupling with Organostannanes (Stille Reaction)	533
16.12.4.1.4.6.4	Method 4:	Reaction with Grignard Reagents	536
16.12.4.1.4.6.5	Method 5:	Reaction with Arylboronic Acids (Suzuki Coupling)	537
16.12.4.1.4.6.6	Method 6:	Reaction with Active Methylene Compounds	537
16.12.4.1.4.6.7	Method 7:	Reaction with Perfluoroalkyl Iodides	538
16.12.4.1.4.7		Substitution of Oxygen Functions	539
16.12.4.1.4.7.1	Method 1:	Exchange of Hydroxy for Halogen	539
16.12.4.1.4.7.1.1	Variation 1:	Introduction of Chlorine	539
16.12.4.1.4.7.1.2	Variation 2:	Introduction of Bromine	540
16.12.4.1.4.7.2	Method 2:	Exchange of Oxygen for Sulfur	540
16.12.4.1.4.8		Desulfurization	542
16.12.4.1.4.8.1	Method 1:	Of Pyrimidinethiols with Raney Nickel	542
16.12.4.1.4.8.2	Method 2:	Detosylation	542
16.12.4.1.4.9		Substitution of Sulfur Functions by Hydroxy and Alkoxy Groups	543
16.12.4.1.4.9.1	Method 1:	Conversion of (Alkylsulfonyl)pyrimidines into Pyrimidinones	543
16.12.4.1.4.10		Substitution of Sulfur Functions for Amines	543
16.12.4.1.4.10.1	Method 1:	Aminolysis of Sulfur-Containing Functional Groups	543
16.12.4.1.4.11		Substitution of Sulfur by Carbofunctional Groups	546
16.12.4.1.4.11.1	Method 1:	Sulfur Extrusion from [(Acylmethyl)sulfanyl]pyrimidines	546
16.12.4.1.4.12		Substitution of Amino Groups by Halogens and Hydroxy Groups	546
16.12.4.2		Addition Reactions	547
16.12.4.2.1		Addition of Organic Groups	547
16.12.4.2.1.1	Method 1:	N-Alkylations	547
16.12.4.2.1.2	Method 2:	C-Alkylations	547

16.12.4.2.2	Addition of Heteroatoms	548
16.12.4.2.2.1	Method 1: Generation of <i>N</i> -Oxides	548
16.12.4.3	Rearrangement of Substituents	550
16.12.4.3.1	Method 1: Dimroth Rearrangement	550
16.12.4.3.2	Method 2: Conversion of 3-Phenyl-2 <i>H</i> -isoxazolo[2,3- <i>a</i>]pyrimidin-2-ones into 2-Benzoylpyrimidines	552
16.12.4.3.3	Method 3: Conversion of a 3 <i>H</i> -[1,2,4]Thiadiazolo[4,3- <i>c</i>]pyrimidin-3-one into Pyrimidin-4-ylcarbamate and Related Examples	552
16.12.4.4	Modification of Substituents	552
16.12.4.4.1	Method 1: O-Alkylation	553
16.12.4.4.2	Method 2: O-Acylation	553
16.12.4.4.3	Method 3: O-Silylation	554
16.12.4.4.4	Method 4: S-Oxidation	554
16.12.4.4.5	Method 5: S-Alkylation	555
16.13	Product Class 13: Quinazolines	
	D. Kikelj	
16.13	Product Class 13: Quinazolines	573
16.13.1	Synthesis by Ring-Closure Reactions	581
16.13.1.1	By Annulation to an Arene	581
16.13.1.1.1	By Formation of Three N—C Bonds	581
16.13.1.1.1.1	Fragments Arene—C, N—C, and N	581
16.13.1.1.1.1.1	Method 1: From 2-Hydroxybenzoyl or 2-Chlorobenzoyl Chlorides and Carboxamides	581
16.13.1.1.2	By Formation of Two N—C Bonds	582
16.13.1.1.2.1	Fragments Arene—C and N—C—N	582
16.13.1.1.2.1.1	Method 1: From 2-Halobenzonitriles or 2-Alkoxybenzonitriles and Guanidine	582
16.13.1.1.2.1.2	Method 2: From 2-Fluorophenyl Ketones and Guanidine	582
16.13.1.1.2.1.3	Method 3: From 2-Fluorobenzaldehydes and Amidines	583
16.13.1.1.2.1.4	Method 4: From Acetates of 6-Acyl- <i>o</i> -quinol and Amidines, Guanidine, 2-Alkylisoureas, or 2-Alkylisothioureas	583
16.13.1.1.2.1.5	Methods 5: Additional Methods	584
16.13.1.1.2.2	Fragments N—Arene—C and N—C	584
16.13.1.1.2.2.1	Method 1: From Anthranilic Acid Derivatives and Cyanates, Thiocyanates, Urea, or Carbamates	584
16.13.1.1.2.2.2	Method 2: From Anthranilic Acid Derivatives and Guanidine, Imidates, or Formimidamides	585
16.13.1.1.2.2.3	Method 3: From Anthranilic Acid Derivatives and Nitriles	586
16.13.1.1.2.2.4	Method 4: From Anthranilic Acid Derivatives and Amides or Thioamides (Niemętowski's Synthesis)	588

16.13.1.1.2.2.5	Method 5:	From Anthranilic Acid Derivatives and Other N—C Synthons (1,3,5-Triazine, Gold's Reagent, Activated Nitriles)	589
16.13.1.1.2.2.6	Method 6:	From 2-Aminobenzonitriles and Chlorosulfonyl Isocyanate, Urea, or Thiourea	590
16.13.1.1.2.2.7	Method 7:	From 2-Aminobenzonitriles and Guanidines, Imidates, or Formimidamides	591
16.13.1.1.2.2.8	Method 8:	From 2-Aminobenzonitriles and Nitriles	592
16.13.1.1.2.2.9	Method 9:	From 2-Aminobenzonitriles and Formamide or 1,3,5-Triazine	593
16.13.1.1.2.2.10	Method 10:	From 2-Aminophenyl Ketones and Cyanates, Isocyanates, or Thiocyanates	594
16.13.1.1.2.2.11	Method 11:	From 2-Aminophenyl Ketones or 2-Aminobenzaldehydes and Urea, Carbamates, Guanidine, Imidates, or Carboxamides ...	595
16.13.1.1.2.2.12	Method 12:	From 2-Aminophenyl Ketones and Nitriles	596
16.13.1.1.2.2.13	Methods 13:	Additional Methods	596
16.13.1.1.2.3	Fragments N—C—Arene and N—C		597
16.13.1.1.2.3.1	Method 1:	From 2-(Azidomethyl)benzenediazonium Tetrafluoroborate and Nitriles	597
16.13.1.1.2.4	Fragments C—N—Arene—C and N		597
16.13.1.1.2.4.1	Method 1:	From <i>N</i> -(2-Alkoxy-carbonylphenyl)- or <i>N</i> -(2-Cyanophenyl)-carbodiimides, <i>N</i> -(2-Cyanophenyl-5-methylisothioureas, or -isocyanates and Ammonia, Ammonium Chloride, or Hydroxylamine	597
16.13.1.1.2.4.2	Method 2:	From 2-(Acylamino)benzoic Acid Derivatives and Ammonia	599
16.13.1.1.2.4.3	Method 3:	From <i>N'</i> -[2-(Trifluoromethyl)phenyl]carboximidamides	601
16.13.1.1.2.4.4	Method 4:	From 2-(Acylamino)benzaldehydes or 2-(Acylamino)phenyl Ketones and Ammonia (Bischler's Synthesis)	602
16.13.1.1.2.4.5	Methods 5:	Additional Methods	604
16.13.1.1.2.5	Fragments C—N—C—Arene and N		605
16.13.1.1.2.5.1	Method 1:	From <i>N</i> -(2-Hydroxybenzoyl)benzamides or <i>N</i> -(2-Chlorobenzoyl)benzamides and Benzamides	605
16.13.1.1.2.6	Fragments N—C—Arene—N and C		605
16.13.1.1.2.6.1	Method 1:	From 2-Nitrobenzonitrile and Alcohols	605
16.13.1.1.2.6.2	Method 2:	From 2-Aminobenzohydroxamic Acids and Formic Acid or Carboxylic Acid Derivatives	606
16.13.1.1.2.6.3	Method 3:	From 2-Aminobenzamides or 2-Aminothiobenzamides and Carbon Monoxide, Carbon Disulfide, Alkyl Chloroformates, Chlorocarbonylsulfenyl Chloride, or Chloroformamidine Hydrochloride	606
16.13.1.1.2.6.4	Method 4:	From 2-Aminobenzamides and Carboxylic Acids, Esters, Ortho Esters, or Carboxamides	607
16.13.1.1.2.6.5	Method 5:	From 2-Aminobenzamides and Aldehydes	609
16.13.1.1.2.6.6	Method 6:	From 2-Aminobenzamides and Other One-Carbon-Unit Transfer Reagents	609

16.13.1.1.2.6.7	Method 7:	From 2-Aminobenzonitriles and Carbon Dioxide, Carbon Monoxide, Carbon Disulfide, or Potassium O-Ethyl Dithiocarbonate	611
16.13.1.1.2.6.8	Method 8:	From 2-Aminobenzonitriles and Formic Acid	612
16.13.1.1.2.6.9	Method 9:	From 2-Aminobenzonitriles and Thioamides or Thioacetic Acid	613
16.13.1.1.2.6.10	Method 10:	From 2-Aminobenzonitriles, Grignard Reagents, and Carbonyl Compounds or Phosgene Iminium Chlorides	614
16.13.1.1.2.6.11	Method 11:	From 2-Amino- <i>N</i> -arylbenzamidines and Formic Acid	615
16.13.1.1.2.6.12	Method 12:	From Oximes of 2-Aminoaryl Carbonyl Compounds and One-Carbon-Unit Transfer Reagents	615
16.13.1.1.2.6.13	Methods 13:	Additional Methods	616
16.13.1.1.3	By Formation of One N—C and One C—C Bond		617
16.13.1.1.3.1	Fragments N—C—N—C and Arene		617
16.13.1.1.3.1.1	Method 1:	From Pentachlorophenyllithium and Aryl Nitriles	617
16.13.1.1.3.2	Fragments C—N—Arene and N—C		618
16.13.1.1.3.2.1	Method 1:	From Phenyl Isothiocyanates and Dialkylcyanamides	618
16.13.1.1.3.2.2	Method 2:	From <i>N</i> -Arylcarbodiimides or <i>N</i> -Arylketenimines and Ethyl Aminocarbonylcarbamate or <i>N,N</i> -Disubstituted Cyanamides	618
16.13.1.1.3.2.3	Method 3:	From Anilides and Carbamates, Isocyanates, or <i>N,N</i> -Disubstituted Cyanamides	619
16.13.1.1.3.2.4	Method 4:	From <i>N</i> -Arylnitrilium Salts, <i>N</i> -Arylimidoyl Chlorides, or <i>N</i> -Arylimidates and Nitriles (Meerwein's Quinazoline Synthesis)	621
16.13.1.1.3.2.5	Method 5:	From <i>N</i> -(α -Alkoxyalkyl)benzotriazoles and Nitriles	623
16.13.1.1.3.2.6	Methods 6:	Additional Methods	623
16.13.1.1.3.3	Fragments N—Arene and C—N—C		623
16.13.1.1.3.3.1	Method 1:	From Arenediazonium Salts and Nitriles	623
16.13.1.1.3.3.2	Method 2:	From Anilines and <i>N</i> -(Chlorocarbonyl) Isocyanate, 1,3,3-Trichloro-2-azapropenes, <i>N</i> -Vinylformimidamides, or <i>N</i> -Vinylbenzimidoyl Chlorides	624
16.13.1.1.3.3.3	Methods 3:	Additional Methods	625
16.13.1.1.3.4	Fragments N—C—N—Arene and C		626
16.13.1.1.3.4.1	Method 1:	From <i>N</i> -Arylguanidines, <i>N</i> -Arylbenzimidamides, or <i>N</i> -Arylthioureas and Aryl Isothiocyanates, 4-Tosylcarbonimidic Dichloride, Phosgene, Alkyl Chloroformates, or Carbon Monoxide	626
16.13.1.1.3.4.2	Method 2:	From <i>N</i> -Aryl- <i>N'</i> -ylidenebenzimidamides and Enamines, Aldehydes, or Ketenes	627
16.13.1.1.4	By Formation of One N—C Bond		628
16.13.1.1.4.1	Fragment N—C—N—Arene—C		628
16.13.1.1.4.1.1	Method 1:	From 2-Ureidobenzoic Acids or Derivatives	628
16.13.1.1.4.1.2	Method 2:	From 2-Ureidobenzonitriles	629
16.13.1.1.4.1.3	Method 3:	From 2-Ureidophenyl Ketones or <i>N</i> -(2-Acylphenyl)amidines	630

16.13.1.1.4.1.4	Method 4:	From <i>N</i> -[2-(Dichloromethyl)phenyl]ureas	630
16.13.1.1.4.1.5	Methods 5:	Additional Methods	631
16.13.1.1.4.2		Fragment N—C—N—C—Arene	631
16.13.1.1.4.2.1	Method 1:	From 3-(Aroylamino)- and 5-Aryl-1,2,4-oxadiazoles	631
16.13.1.1.4.2.2	Method 2:	From <i>N</i> -[Amino(phenyl)methylidene]benzimidamides and <i>N</i> -[Amino(phenyl)methylidene]benzamides	632
16.13.1.1.4.2.3	Methods 3:	Additional Methods	633
16.13.1.1.4.3		Fragment N—Arene—C—N—C	633
16.13.1.1.4.3.1	Method 1:	From <i>N</i> -(2-Nitrobenzoyl)amides or <i>N</i> -(2-Nitrobenzoyl)imides	633
16.13.1.1.4.3.2	Method 2:	From 5- and 3-(2-Aminophenyl)-1,2,4-oxadiazoles	634
16.13.1.1.4.3.3	Method 3:	From 2-Nitro- <i>N</i> -(1,2-oxazol-5-yl)benzamides	635
16.13.1.1.4.3.4	Method 4:	From 2,4-Diaryl-4-(2-nitrophenyl)oxazol-5(4 <i>H</i>)-ones	635
16.13.1.1.4.3.5	Method 5:	From (Formylamino)(2-nitrophenyl)methylformamides (Riedel's Synthesis)	635
16.13.1.1.4.3.6	Methods 6:	Additional Methods	637
16.13.1.1.4.4		Fragment N—C—Arene—N—C	637
16.13.1.1.4.4.1	Method 1:	From 2-Isocyanato- or 2-Isothiocyanatobenzonitriles	637
16.13.1.1.4.4.2	Method 2:	From 2-(Acylamino)benzamides	637
16.13.1.1.4.4.3	Method 3:	From 2-(Alkoxyethyleneamino)benzonitriles	639
16.13.1.1.4.4.4	Method 4:	From 2-(Acylamino)benzonitriles	640
16.13.1.1.4.4.5	Method 5:	From 2-(Acylamino)benzamide Oximes, 2-(Acylamino)- benzaldehyde Oximes, or Hydrazones and 2-(Acylamino)- phenyl Ketone Oximes or <i>N</i> -Acylhydrazones	641
16.13.1.1.4.4.6	Method 6:	From 2-[(4-Chloro-5 <i>H</i> -1,2,3-dithiazol-5-ylidene)amino]- benzonitrile	643
16.13.1.1.4.4.7	Method 7:	From 2-(Vinylamino)benzamides	643
16.13.1.1.4.4.8	Method 8:	From <i>N</i> -[2-(1-Amino-3-oxoalk-1-enyl)phenyl]acetamides	644
16.13.1.1.4.4.9	Methods 9:	Additional Methods	645
16.13.1.1.5		By Formation of One C—C Bond	645
16.13.1.1.5.1		Fragment C—N—C—N—Arene	645
16.13.1.1.5.1.1	Method 1:	From Carbamimidoyl Isothiocyanates	645
16.13.1.1.5.1.2	Method 2:	From Imidoyl Isocyanates, Imidoyl Isothiocyanates, Imidoylcarbodiimides, or Imidoylketenimines	646
16.13.1.1.5.1.3	Method 3:	From 1-Acyl-3-phenylureas	647
16.13.1.1.5.1.4	Method 4:	From <i>N</i> '-Substituted <i>N</i> -Arylimidamides or <i>N</i> -Arylthioureas	648
16.13.1.1.5.1.5	Method 5:	From <i>N</i> -Aryl- <i>N</i> '-(dimethylaminomethylene)guanidines or <i>N</i> -Aryl- <i>N</i> '-(dimethylaminomethylene)imidamides	649
16.13.1.1.5.1.6	Methods 6:	Additional Methods	650
16.13.1.2		By Annulation to the Heterocyclic Ring	650
16.13.1.2.1	Method 1:	From 6-Methylpyrimidine-5-carboxylates and Alkynes or Alkenes	650
16.13.1.2.2	Method 2:	From 4-Methyl-6-thioxo-1,6-dihydropyrimidine-5-carbonitriles and 2-Ylidenemalononitriles	651

16.13.1.2.3	Method 3:	From Annulated Pyrimidine-2,4-diones and Dimethyl Acetylenedicarboxylate	651
16.13.1.2.4	Method 4:	From 3 <i>H</i> -1,2,3-Triazolo[4,5- <i>d</i>]pyrimidin-3-amines and 2,3,4,5-Tetraarylcyclopentadienone	651
16.13.1.2.5	Methods 5:	Additional Methods	652
16.13.2	Synthesis by Ring Transformation		652
16.13.2.1	By Ring Enlargement		652
16.13.2.1.1	Method 1:	From Isoindole Derivatives	652
16.13.2.1.2	Method 2:	From Indole Derivatives	653
16.13.2.1.3	Method 3:	From Benzisothiazole Derivatives	655
16.13.2.1.4	Method 4:	From Benzisoxazole Derivatives	655
16.13.2.1.5	Method 5:	From Indazole Derivatives	655
16.13.2.2	Formal Exchange of Ring Members with Retention of the Ring Size		656
16.13.2.2.1	Method 1:	From Quinolines	656
16.13.2.2.2	Method 2:	From 3,1-Benzoxazinium Salts	658
16.13.2.2.3	Method 3:	From 2 <i>H</i> -3,1-Benzoxazine-2,4(1 <i>H</i>)-diones (Isatoic Anhydrides)	658
16.13.2.2.4	Method 4:	From 4 <i>H</i> -3,1-Benzoxazin-4-ones, 4 <i>H</i> -3,1-Benzothiazin-4-ones, and 4 <i>H</i> -3,1-Benzothiazine-4-thiones	661
16.13.2.2.5	Method 5:	From 2 <i>H</i> -3,2,1-Benzoxathiazine-2,4(1 <i>H</i>)-dione	663
16.13.2.2.6	Method 6:	From Cinnolines	664
16.13.2.2.7	Method 7:	From Phthalazines	664
16.13.2.2.8	Method 8:	From 1,2,3-Benzotriazin-4(3 <i>H</i>)-ones	664
16.13.2.3	By Ring Contraction		665
16.13.2.3.1	Method 1:	Of 4,1-Benzoxazepine-2,5(1 <i>H</i> ,3 <i>H</i>)-diones	665
16.13.2.3.2	Method 2:	Of 4,1-Benzodiazepines	665
16.13.2.3.3	Method 3:	Of 1,3,4-Benzotriazepines	668
16.13.2.3.4	Method 4:	Of 4,1,5-Benzoxadiazocines	669
16.13.2.3.5	Method 5:	Of 1,5-Benzodiazocines	669
16.13.3	Aromatization		670
16.13.3.1	Of the Heterocyclic Ring		670
16.13.3.1.1	Method 1:	Oxidation of Hydro Precursors	670
16.13.3.1.2	Method 2:	Removal of Carbofunctional Groups from Hydro Precursors ..	673
16.13.3.1.3	Method 3:	Removal of Heterofunctional Groups	675
16.13.3.2	Of the Carbocyclic Ring		676
16.13.3.2.1	Method 1:	Oxidation of Hydro Precursors	676
16.13.3.2.2	Method 2:	Removal of Heterofunctional Groups from Hydro Precursors ..	677
16.13.4	Synthesis by Substituent Modification		678
16.13.4.1	Substitution of Existing Substituents		678
16.13.4.1.1	Of Hydrogen		678
16.13.4.1.1.1	Method 1:	By Deuterium or Metals	678
16.13.4.1.1.2	Method 2:	By Carbofunctional Groups	679
16.13.4.1.1.3	Method 3:	By Heterofunctional Groups	683
16.13.4.1.1.3.1	Variation 1:	Halogenation	683

16.13.4.1.1.3.2	Variation 2: Introduction of an Oxygen Functionality	685
16.13.4.1.1.3.3	Variation 3: Introduction of a Sulfur Functionality	686
16.13.4.1.1.3.4	Variation 4: Introduction of a Nitrogen Functionality	687
16.13.4.1.2	Of Metals	690
16.13.4.1.3	Of Carbon Functionalities	690
16.13.4.1.4	Of Heteroatoms	695
16.13.4.1.4.1	Method 1: Reduction of Quinazoline <i>N</i> -Oxides	695
16.13.4.1.4.2	Method 2: By Hydrogen	696
16.13.4.1.4.3	Method 3: By Deuterium or Metals	698
16.13.4.1.4.4	Method 4: By Heterofunctional Groups	699
16.13.4.1.4.4.1	Variation 1: Oxo Group Transformations	699
16.13.4.1.4.4.2	Variation 2: Thioxo Group Transformations	704
16.13.4.1.4.4.3	Variation 3: Alkoxy, Aryloxy, Alkylsulfanyl, and Arylsulfanyl Group Transformations	705
16.13.4.1.4.4.4	Variation 4: Amino Group Transformations	707
16.13.4.1.4.4.5	Variation 5: Halogen Group Transformations	708
16.13.4.2	Addition Reactions	714
16.13.4.2.1	Protonation	714
16.13.4.2.2	Addition of Carbofunctional Groups	714
16.13.4.2.2.1	Method 1: Quaternization	714
16.13.4.2.2.2	Method 2: <i>N</i> -Alkylation	715
16.13.4.2.3	Addition of Heteroatoms	718
16.13.4.2.3.1	Method 1: <i>N</i> -Oxidation	718
16.13.4.3	Rearrangement of Substituents	719
16.13.4.4	Modification of Substituents	722
16.13.4.4.1	<i>O/S</i> -Functional Group Modification	722
16.13.4.4.2	Nitro Group Modification	724
16.13.4.4.3	Methyl Group Modification	725
16.14	Product Class 14: Pyrazines N. Sato	
16.14	Product Class 14: Pyrazines	751
16.14.1	Synthesis by Ring-Closure Reactions	756
16.14.1.1	By Formation of Four <i>N</i> – <i>C</i> Bonds	756
16.14.1.1.1	Fragments <i>C</i> – <i>C</i> , <i>C</i> – <i>C</i> , and Two <i>N</i> Fragments	756
16.14.1.1.1.1	Method 1: From a 1,2-Bifunctional Compound and Ammonia or Ammonium	756
16.14.1.2	By Formation of Two <i>N</i> – <i>C</i> and Two <i>C</i> – <i>C</i> Bonds	757
16.14.1.2.1	Fragments <i>N</i> – <i>C</i> , <i>N</i> – <i>C</i> , and Two <i>C</i> Fragments	757

16.14.1.2.1.1	Method 1: From Four Equivalents of a Nitrile	757
16.14.1.3	By Formation of Three N—C Bonds	758
16.14.1.3.1	Fragments N—C—C, C—C, and N	758
16.14.1.4	By Formation of Two N—C Bonds	758
16.14.1.4.1	Fragments N—C—C—N and C—C	758
16.14.1.4.1.1	Method 1: From Alkane-1,2-diamines	758
16.14.1.4.1.2	Method 2: From Alkene-1,2-diamines	760
16.14.1.4.1.3	Method 3: From α -Amino Amides	763
16.14.1.4.1.4	Method 4: From α -Amino Oximes	766
16.14.1.4.1.5	Method 5: From 1,4-Diazabutadienes	766
16.14.1.4.1.6	Method 6: From Cyanogen	767
16.14.1.4.2	Fragments N—C—C and N—C—C	768
16.14.1.4.2.1	Method 1: By Cyclodimerization of Azirines or 3-Azaallyl 1,3-Diradicals	768
16.14.1.4.2.2	Method 2: By Self-Condensation	768
16.14.1.4.2.3	Method 3: By Condensation of Two Different α -Amino Ketones or Cyanides	771
16.14.1.4.3	Fragments C—C—N—C—C and N	773
16.14.1.4.3.1	Method 1: From β,β' -Difunctional Secondary Amines (or Amides) and Ammonia	773
16.14.1.5	By Formation of One N—C and One C—C Bond	774
16.14.1.5.1	Fragments N—C—C—N—C and C	774
16.14.1.5.1.1	Method 1: From a 2,3-Diaminoacrylonitrile and an Aldehyde or Ortho Ester	774
16.14.1.6	By Formation of Two C—C Bonds	775
16.14.1.6.1	Fragments C—N—C and C—N—C	775
16.14.1.6.1.1	Method 1: Dimerization of a 2-Azapropene or a Ketoxime	775
16.14.1.7	By Formation of One N—C Bond	776
16.14.1.7.1	Fragment N—C—C—N—C—C	776
16.14.1.7.1.1	Method 1: Intramolecular Cyclization of a N—C—C—N—C—C Fragment	776
16.14.1.8	By Formation of One C—C Bond	778
16.14.1.8.1	Fragment C—N—C—C—N—C	778
16.14.1.8.1.1	Method 1: Intramolecular Cyclization of a C—N—C—C—N—C Fragment	778
16.14.2	Synthesis by Ring Transformation	779
16.14.2.1	Method 1: Ring Transformation of Pyridazines, 1,2,4-Triazines, or 1,2,5-Oxadiazines	779
16.14.3	Aromatization	780
16.14.3.1	Method 1: Dehydrogenation of Dihydropyrazines and Oxidative Chlorination of Piperazine-2,5-diones	780
16.14.4	Synthesis by Substituent Modification	783
16.14.4.1	Substitution of Existing Substituents	783

16.14.4.1.1	Of Hydrogen	783
16.14.4.1.1.1	Method 1: Replacement of Hydrogen by Deuterium	783
16.14.4.1.1.2	Method 2: Metalation	783
16.14.4.1.1.3	Method 3: Acylation, Amidation, and Alkylation	784
16.14.4.1.1.3.1	Variation 1: Homolytic Acylation	784
16.14.4.1.1.3.2	Variation 2: Homolytic Alkoxyacylation and Amidation	785
16.14.4.1.1.3.3	Variation 3: Alkylation	786
16.14.4.1.1.4	Method 4: Deoxidative Cyanation of Pyrazine <i>N</i> -Oxides	787
16.14.4.1.1.5	Method 5: Halogenation	788
16.14.4.1.1.5.1	Variation 1: Direct Chlorination	788
16.14.4.1.1.5.2	Variation 2: Halogenation of Pyrazinamines	788
16.14.4.1.1.5.3	Variation 3: Halogenation of Pyrazinols	791
16.14.4.1.1.5.4	Variation 4: Deoxidative Chlorination of Pyrazine <i>N</i> -Oxides	791
16.14.4.1.1.6	Method 6: Hydroxylation and Alkoxylation	793
16.14.4.1.1.7	Method 7: Deoxidative Acetoxylation of Pyrazine <i>N</i> -Oxides	794
16.14.4.1.1.8	Method 8: Deoxidative Sulfanylation of Pyrazine <i>N</i> -Oxides	796
16.14.4.1.1.9	Method 9: Substitution with Nitrogen Functionalities	796
16.14.4.1.2	Of Metals	797
16.14.4.1.3	Of Carbon Functionalities	799
16.14.4.1.4	Of Halogens	802
16.14.4.1.4.1	Method 1: Reduction	802
16.14.4.1.4.2	Method 2: Metalation	803
16.14.4.1.4.3	Method 3: Alkylation, Arylation, and Related Reactions	804
16.14.4.1.4.4	Method 4: Carboxylation and Cyanation	807
16.14.4.1.4.5	Method 5: Halogenation	809
16.14.4.1.4.6	Method 6: Hydroxylation, Alkoxylation, and Sulfanylation	810
16.14.4.1.4.7	Method 7: Amination, Hydrazination, and Azidation	812
16.14.4.1.5	Of Oxygen and Sulfur Functionalities	814
16.14.4.1.5.1	Method 1: Deoxygenation of <i>N</i> -Oxides	814
16.14.4.1.5.2	Method 2: Halogenation	815
16.14.4.1.5.3	Method 3: Sulfanylation	817
16.14.4.1.5.4	Method 4: Miscellaneous Reactions	817
16.14.4.1.6	Of Nitrogen Functionalities	818
16.14.4.1.6.1	Method 1: Halopyrazines and Pyrazinols from Amino- or Nitropyrazines	818
16.14.4.2	Addition Reactions	820
16.14.4.2.1	Method 1: <i>N</i> -Alkylation	820
16.14.4.2.2	Method 2: <i>N</i> -Oxidation	822
16.14.4.3	Rearrangement of Substituents	826
16.14.4.3.1	Method 1: Hofmann or Curtius Rearrangement	826
16.14.4.4	Modification of Substituents	828
16.14.4.4.1	Method 1: Degradation of Condensed Pyrazines	828
16.14.4.4.1.1	Variation 1: Pyrazines from Quinoxalines and Phenazines	828
16.14.4.4.1.2	Variation 2: From Pteridines	829

16.14.4.4.1.3	Variation 3:	From [1,2,5]Oxadiazolo- and [1,2,5]Thiadiazolo[3,4- <i>b</i>]-pyrazines	830
16.14.4.4.2	Method 2:	Modification of Carbon Substituents	830
16.14.4.4.3	Method 3:	Modification of Nitrogen and Chalcogen Substituents	833

16.15 Product Class 15: Quinoxalines

S. Gobec and U. Urleb

16.15	Product Class 15: Quinoxalines	845
16.15.1	Synthesis by Ring-Closure Reactions	847
16.15.1.1	By Annulation to an Arene	847
16.15.1.1.1	By Formation of Two N—C Bonds	847
16.15.1.1.1.1	Fragments N—Arene—N and C—C	847
16.15.1.1.1.1.1	Method 1: From 2-Nitrosoanilines	847
16.15.1.1.1.1.2	Method 2: From Benzene-1,2-diamines and α -Oxoaldehydes	848
16.15.1.1.1.1.2.1	Variation 1: From Benzene-1,2-diamine and 1,4-Dioxane-2,3-diol	849
16.15.1.1.1.1.3	Method 3: From Benzene-1,2-diamines and 1,2-Diketones	849
16.15.1.1.1.1.3.1	Variation 1: Synthesis of Quinoxalinium Salts from N-Substituted Benzene-1,2-diamines and Biacetyl	850
16.15.1.1.1.1.4	Method 4: From Benzene-1,2-diamines and α -Oxo Acids and Derivatives (The Hinsberg Reaction)	850
16.15.1.1.1.1.5	Method 5: From Benzene-1,2-diamines and Oxalic Acid Derivatives	851
16.15.1.1.1.1.6	Method 6: From Benzene-1,2-diamines and Ethyl Ethoxy(imino)acetate	852
16.15.1.1.1.1.7	Method 7: From Benzene-1,2-diamines and Diiminosuccinonitrile	852
16.15.1.1.1.1.8	Method 8: From Benzene-1,2-diamines and Prop-2-yn-1-ols	852
16.15.1.1.1.1.9	Method 9: From Benzene-1,2-diamines and 2-Oxopropanal Oxime	853
16.15.1.1.1.1.10	Method 10: From Benzene-1,2-diamines and α -Oxo Imino Compounds	853
16.15.1.1.1.1.11	Method 11: From Benzene-1,2-diamines and Aryl(arylimino)acetonitriles	854
16.15.1.1.1.1.12	Method 12: From Benzene-1,2-diamines and 2,2-Bis(trifluoromethyl)-oxazol-5(2 <i>H</i>)-ones	854
16.15.1.1.1.1.13	Method 13: From Benzene-1,2-diamine and α -Methylsulfinyl Ketones	855
16.15.1.1.1.1.14	Method 14: From Benzene-1,2-diamines and 3-Arylisoxazol-5(4 <i>H</i>)-ones	855
16.15.1.1.1.1.15	Method 15: From Benzene-1,2-diamines and α -Azido Carbonyl Compounds	855
16.15.1.1.1.1.16	Method 16: From Benzene-1,2-diamines and Epoxides	856
16.15.1.1.1.1.16.1	Variation 1: From Benzene-1,2-diamine and Epoxides by a Bismuth-Catalyzed Coupling	856
16.15.1.1.1.1.16.2	Variation 2: From Benzene-1,2-diamine and Chlorocyanohydrins Obtained from Epoxides	857
16.15.1.1.1.1.17	Method 17: Solid-Phase Synthesis from a Polymer-Bound Benzene-1,2-diamine and α -Bromo Ketones	857
16.15.1.1.1.2	Fragments N—C—N and C—C (Arene)	857
16.15.1.1.1.2.1	Method 1: From Ethane-1,2-diamine and Benzo-1,4-quinones	857
16.15.1.1.1.3	Fragments N—Arene and N—C—C	858
16.15.1.1.1.3.1	Method 1: From 1-Halo-2-nitroarenes and Phenylacetimidamides	858

16.15.1.1.1.4	Fragments Arene—N—C—C and N	858
16.15.1.1.1.4.1	Method 1: 2-Chloroquinoxalines from Anilides under Vilsmeier Conditions	858
16.15.1.1.2	By Formation of One N—C and One C—C Bond	858
16.15.1.1.2.1	Fragments N—Arene—N—C and C	858
16.15.1.1.2.1.1	Method 1: Cyclization of <i>N</i> -(2-Nitrobenzylidene)benzene-1,2-diamine with Potassium Cyanide	858
16.15.1.1.3	By Formation of One N—C Bond	859
16.15.1.1.3.1	Fragment N—Arene—N—C—C	859
16.15.1.1.3.1.1	Method 1: Intramolecular Cyclization of Amidines	859
16.15.1.1.3.1.2	Method 2: Intramolecular Cyclization of Enamino Ketones	859
16.15.1.1.3.1.3	Method 3: Intramolecular Cyclization of <i>N</i> -(2-Nitrophenyl)acetamides	860
16.15.1.1.3.1.4	Method 4: Intramolecular Cyclization of <i>N</i> -(2-Nitro-4-substituted phenyl)-3-oxobutanamides	861
16.15.1.1.3.1.5	Method 5: Intramolecular Reductive Cyclization of DL- <i>N</i> -(4-Bromo-2-nitrophenyl)alanine	861
16.15.1.1.3.1.6	Method 6: Intramolecular Reductive Cyclization of <i>N</i> -(3,5-Dimethoxy-2-nitrophenyl)-2-oxo-2-phenylacetamide	862
16.15.1.1.3.1.7	Method 7: Intramolecular Cyclization of 4-Nitro- <i>N</i> ¹ -prop-2-ynylbenzene-1,2-diamine	862
16.15.1.1.3.1.8	Method 8: Intramolecular Cyclization of 3-[(2-Aminophenyl)amino]-2-chlorobut-2-enenitrile	862
16.15.1.1.3.1.9	Method 9: Intramolecular Cyclization of [(2-Aminophenyl)amino]acetonitrile	863
16.15.1.1.3.1.10	Method 10: Intramolecular Cyclization of <i>N</i> -(3-Arylprop-2-ynyl)- <i>N,N'</i> -1,2-phenylenebis(4-toluenesulfonamides) through Copper Catalysis	863
16.15.1.1.3.2	Fragment Arene—N—C—C—N	864
16.15.1.1.3.2.1	Method 1: Intramolecular Cyclization of (Phenylimino)acetaldehyde <i>O</i> -Acetyloxime Derivatives	864
16.15.1.1.3.2.1.1	Variation 1: 2,3-Diphenylquinoxaline 1-Oxides by Oxidative Cyclization of 2-(Arylimino)-1,2-diphenylethanone Oximes	865
16.15.1.2	By Annulation to the Heterocyclic Ring	865
16.15.1.2.1	By Formation of Two C—C Bonds	865
16.15.1.2.1.1	Fragments C—Hetarene—C and C—C	865
16.15.1.2.1.1.1	Method 1: Cycloaddition of 2,3-Bis(bromomethylene)-2,3-dihydropyrazine to Electron-Rich Dienophiles	865
16.15.2	Synthesis by Ring Transformation	866
16.15.2.1	By Ring Enlargement	866
16.15.2.1.1	Method 1: Quinoxaline 1,4-Dioxides from Benzofuroxan Derivatives and Enamines or Ynamines	866
16.15.2.1.2	Method 2: Quinoxaline 1,4-Dioxides from Benzofuroxan and Enolate Anions Prepared In Situ	867

16.15.2.1.3	Method 3:	Quinoxaline 1,4-Dioxides from Benzofuroxan and Dienamines	868
16.15.2.1.4	Method 4:	3-(2-Hydroxyaryl)quinoxaline 1-Oxides from Benzofuroxan and Benzo[<i>b</i>]furan-3(2 <i>H</i>)-ones	869
16.15.2.1.5	Methods 5:	Additional Methods	869
16.15.2.2	By Ring Contraction		870
16.15.2.2.1	Method 1:	2-Acylquinoxalines by Oxidative Ring Contraction of 2,4-Disubstituted 1,5-Benzodiazepines	870
16.15.3	Aromatization		871
16.15.3.1	Method 1:	Oxidation of 1,2,3,4-Tetrahydroquinoxalines	871
16.15.2.3.2	Method 2:	Oxidation of 1,2-Dihydroquinoxaline Derivatives	871
16.15.3.3	Method 3:	Oxidation of Quinoxaline-2,3(1 <i>H</i> ,4 <i>H</i>)-dione Derivatives	872
16.15.3.4	Method 4:	Oxidation of 3,4-Dihydroquinoxalin-2(1 <i>H</i>)-one Derivatives	872
16.15.4	Synthesis by Substituent Modification		874
16.15.4.1	Substitution of Existing Substituents		874
16.15.4.1.1	Of Hydrogen		874
16.15.4.1.1.1	Method 1:	Hydrogen–Deuterium Exchange	874
16.15.4.1.1.2	Method 2:	Alkylation	874
16.15.4.1.1.3	Method 3:	Acylation	875
16.15.4.1.1.4	Method 4:	Cyanation	877
16.15.4.1.1.5	Method 5:	Halogenation	878
16.15.4.1.1.6	Method 6:	Sulfonation and Chlorosulfonation	879
16.15.4.1.1.7	Method 7:	Oxidation	879
16.15.4.1.1.8	Method 8:	Nitration	879
16.15.4.1.1.9	Method 9:	Amination	881
16.15.4.1.2	Of Carbon Functionalities		882
16.15.4.1.2.1	Method 1:	By Hydrogen	882
16.15.4.1.2.2	Method 2:	By Heterofunctional Groups	882
16.15.4.1.3	Of Heteroatoms		883
16.15.4.1.3.1	Reduction of Quinoxaline <i>N</i> -Oxides		883
16.15.4.1.3.1.1	Method 1:	Deoxygenation of Quinoxaline 1-Oxides and Quinoxaline 1,4-Dioxides	883
16.15.4.1.3.2	By Hydrogen		885
16.15.4.1.3.3	By Carbofunctional Groups		885
16.15.4.1.3.3.1	Method 1:	Substitution of Halogen	885
16.15.4.1.3.3.2	Method 2:	Substitution of an Oxygen Functionality	888
16.15.4.1.3.3.3	Method 3:	Substitution of a Sulfur Functionality	888
16.15.4.1.3.4	By Heterofunctional Groups		889
16.15.4.1.3.4.1	Substitution of Halogen		889
16.15.4.1.3.4.1.1	Method 1:	With Halogens	889
16.15.4.1.3.4.1.2	Method 2:	With O-Nucleophiles	889
16.15.4.1.3.4.1.3	Method 3:	With S-Nucleophiles	891
16.15.4.1.3.4.1.4	Method 4:	With N-Nucleophiles	891

16.15.4.1.3.4.2	Substitution of an Oxygen Functionality	892
16.15.4.1.3.4.2.1	Method 1: Haloquinoxalines from the Corresponding Oxo Derivatives	892
16.15.4.1.3.4.2.2	Method 2: Quinoxalinethiones from the Corresponding Oxo Derivatives	893
16.15.4.1.3.4.3	Substitution of a Sulfur Functionality	894
16.15.4.1.3.4.4	Substitution of a Nitrogen Functionality	894
16.15.4.2	Addition Reactions	895
16.15.4.2.1	Protonation	895
16.15.4.2.2	Addition of Carbofunctional Groups	896
16.15.4.2.2.1	Method 1: N-Alkylation	896
16.15.4.2.2.2	Method 2: Synthesis of Onium Salts	896
16.15.4.2.2.3	Cycloaddition Reactions	897
16.15.4.2.2.4	Additions of Grignard Reagents	898
16.15.4.2.3	N-Oxidation	898
16.15.4.3	Modification of Substituents	899
16.15.4.3.1	Method 1: Alkylation of an α -Methyl Substituent	899
16.15.4.3.2	Method 2: Oxidation of Alkyl Groups to Aldehydes	901
16.15.4.3.3	Method 3: Bromination	901
16.15.4.3.4	Method 4: O-Methylation and O-Demethylation	901
16.15.4.5	Method 5: Reduction of a Nitro Group	902

16.16 Product Class 16: Phenazines

U. Urleb and S. Gobec

16.16	Product Class 16: Phenazines	913
16.16.1	Synthesis by Ring-Closure Reactions	915
16.16.1.1	By Annulation to an Arene	915
16.16.1.1.1	By Formation of Two N—C Bonds	915
16.16.1.1.1.1	Fragments N—Arene—N and Arene	915
16.16.1.1.1.1.1	Method 1: From Benzene-1,2-diamines and Benzo-1,2-quinones	915
16.16.1.1.1.1.2	Method 2: Oxidation of Benzene-1,2-diamine	916
16.16.1.1.1.1.3	Method 3: From Benzene-1,2-diamine and 1-Nitroso-2-naphthol	916
16.16.1.1.1.1.4	Method 4: Electrochemical Reduction of Benzo-1,2-quinone Dioxime	916
16.16.1.1.1.2	Fragments N—Arene and N—Arene	917
16.16.1.1.1.2.1	Method 1: Phenazine 5-Oxides by Oxidative Condensation of Anilines and Substituted Nitrobenzenes	917
16.16.1.1.1.2.2	Method 2: Condensation of 2-Halonitrobenzenes	918
16.16.1.1.1.2.3	Method 3: Cyclodimerization of 4-Substituted Nitrosobenzenes	918
16.16.1.1.1.2.4	Method 4: Oxidation of 4-Substituted Benzenesulfenilides	918
16.16.1.1.2	By Formation of One N—C Bond	919
16.16.1.1.2.1	Fragment N—Arene—N—Arene	919
16.16.1.1.2.1.1	Method 1: Cyclization of <i>N,N</i> -Bis(nitrophenyl)amines	919

16.16.1.1.2.1.2	Method 2:	Cyclization of <i>N,N</i> -Bis(aminophenyl)amines	919
16.16.1.1.2.1.3	Method 3:	Reductive Cyclization of <i>N</i> -(2-Nitrophenyl)- <i>N</i> -phenylamines	920
16.16.1.1.2.1.3.1	Variation 1:	2-Nitrophenazine 10-Oxide by Photochemical Reaction of 2,4-Dinitrodiphenylacetamide	922
16.16.1.1.2.1.4	Method 4:	Phenazine-1-carboxylic Acids by Reductive Cyclization of 3-Nitro- <i>N</i> -phenylanthranilic Acids	922
16.16.1.1.2.1.5	Method 5:	Phenazine 5-Oxides by Cyclization of 2-Nitrosodiphenylamines	923
16.16.1.1.2.1.6	Method 6:	Cyclization of <i>N</i> -(2-Aminophenyl)- <i>N</i> -phenylamines	924
16.16.1.1.2.1.7	Method 7:	Cyclization of 2-Aminoindophenols	924
16.16.2	Synthesis by Ring Transformation		925
16.16.2.1	Method 1:	By Ring Enlargement of Benzofurazan 1-Oxides	925
16.16.2.1.1	Variation 1:	Phenazin-1-ol 10-Oxides and 5,10-Dioxides from Benzofurazan 1-Oxides and Cyclohexane-1,2-dione	925
16.16.2.1.2	Variation 2:	Phenazin-2-ol 5,10-Dioxides from Benzofurazan 1-Oxides and Phenolates	926
16.16.2.1.3	Variation 3:	From Benzofurazan 1-Oxides and Benzo-1,4-quinone	927
16.16.2.1.4	Variation 4:	From Benzofurazan 1-Oxide and Benzene-1,4-diol Derivatives Catalyzed by Molecular Sieves	927
16.16.3	Aromatization		927
16.16.3.1	Method 1:	Dehydrogenation of 1,2,3,4-Tetrahydrophenazines	927
16.16.3.1.1	Variation 1:	Aromatization of 1,1,4-Trichloro-1,2,3,4-tetrahydrophenazine by 2,6-Dimethylpyridine to 1-Chlorophenazine Derivatives	928
16.16.3.2	Method 2:	Dehydrogenation of 1,2,3,4,6,7,8,9-Octahydrophenazine	928
16.16.3.3	Method 3:	Oxidation of Diethyl 5,10-Dihydrophenazine- 1,4-dicarboxylate	929
16.16.4	Synthesis by Substituent Modification		929
16.16.4.1	Substitution of Existing Substituents		929
16.16.4.1.1	Of Hydrogen		929
16.16.4.1.1.1	Method 1:	Iron(II)-Catalyzed C-Alkylation	929
16.16.4.1.1.2	Method 2:	Radical Substitution Reactions	929
16.16.4.1.1.3	Method 3:	Chlorination	930
16.16.4.1.1.4	Method 4:	Bromination	930
16.16.4.1.1.5	Method 5:	Nitration Using Nitric(V) Acid and Sulfuric Acid	930
16.16.4.1.1.6	Method 6:	Nitration of Phenazine 5-Oxides	931
16.16.4.1.1.7	Method 7:	Using Hydroxylamine Hydrochloride	932
16.16.4.1.1.8	Method 8:	Using Amines	932
16.16.4.1.2	Of Carbon Functionalities		933
16.16.4.1.2.1	Method 1:	Decarboxylation	933
16.16.4.1.3	Of Heteroatoms		933
16.16.4.1.3.1	Method 1:	Deamination	933
16.16.4.1.3.2	Method 2:	Substitution of Halogen	933
16.16.4.1.3.3	Method 3:	Substitution of a Nitrogen Functional Group	934
16.16.4.2	Elimination Reactions		935

16.16.4.2.1	Method 1: Deoxygenation of Phenazine 5-Oxides by Noncatalytic Reactions	935
16.16.4.2.2	Method 2: Deoxygenation of Phenazine 5,10-Dioxide by Catalytic Reductions	935
16.16.4.3	Addition Reactions	935
16.16.4.3.1	N-Acylation	935
16.16.4.3.2	N-Alkylation	936
16.16.4.3.2.1	Method 1: Addition of Grignard Reagents	936
16.16.4.3.2.2	Method 2: Using Iodomethane	936
16.16.4.3.2.3	Method 3: Synthesis of Onium Salts	936
16.16.4.3.3	N-Oxidation	937
16.16.4.3.3.1	Method 1: Synthesis of Phenazine 5-Oxides	937
16.16.4.3.3.2	Method 2: Synthesis of Phenazine 5,10-Dioxides	937
16.16.4.4	Modification of Substituents	938
16.16.4.4.1	Oxidation and Reduction of Carbofunctional Groups	938
16.16.4.4.2	Of Heterofunctional Groups	938
16.16.4.4.2.1	O-Alkylation and O-Dealkylation	938
16.16.4.4.2.2	Modification of a Nitro Group	939
16.17	Product Class 17: Purines	
	F. Seela, N. Ramzaeva, and H. Rosemeyer	
16.17	Product Class 17: Purines	945
16.17.1	Synthesis by Ring-Closure Reactions	964
16.17.1.1	From Acyclic Precursors	964
16.17.1.1.1	Method 1: Synthesis of Purine from Formamide	964
16.17.1.1.2	Method 2: Synthesis of 7-Substituted Purines	965
16.17.1.1.3	Method 3: Synthesis of Adenine	965
16.17.1.1.4	Method 4: Synthesis of Hypoxanthine	966
16.17.1.2	From Pyrimidine-4,5-diamines (Traube Synthesis)	966
16.17.1.2.1	Method 1: Cyclization with Acids	967
16.17.1.2.1.1	Variation 1: Cyclization with Formic Acid	967
16.17.1.2.1.2	Variation 2: Cyclization with Trifluoroacetic Acid	968
16.17.1.2.1.3	Variation 3: Cyclization with Glycolic Acid	968
16.17.1.2.1.4	Variation 4: Cyclization with Sulfocinnamic Acid	969
16.17.1.2.2	Method 2: Cyclization with Ortho Esters and Diethoxymethyl Acetate	970
16.17.1.2.2.1	Variation 1: Cyclization with an Ortho Ester Alone	970
16.17.1.2.2.2	Variation 2: Cyclization with an Ortho Ester/Acid Mixture	971
16.17.1.2.2.3	Variation 3: Cyclization with an Ortho Ester/Acid Anhydride Mixture	973
16.17.1.2.2.4	Variation 4: Cyclization with Diethoxymethyl Acetate	973
16.17.1.2.3	Method 3: Cyclization with Aldehydes	974
16.17.1.2.3.1	Variation 1: Oxidative Cyclization with Iodine/1,2-Dimethoxyethane	975

16.17.1.2.3.2	Variation 2: Oxidative Cyclization with Iron(III) Chloride/Ethanol	976
16.17.1.2.3.3	Variation 3: Oxidative Cyclization with Air	977
16.17.1.3	From Other Disubstituted Pyrimidines	977
16.17.1.3.1	Method 1: Syntheses from 5-Nitrosopyrimidin-4-amines	977
16.17.1.3.2	Method 2: Synthesis from 5-Diazenylpyrimidin-4-amines	980
16.17.1.3.3	Method 3: Synthesis from 5-Unsubstituted Pyrimidin-4-amines	981
16.17.1.4	From Imidazole Precursors	983
16.17.1.4.1	Method 1: From 4(5)-Aminoimidazole-5(4)-carboxamides	983
16.17.1.4.2	Method 2: From 5-Amino-1 <i>H</i> -imidazole-4-carboxamide Riboside and Related Compounds	985
16.17.1.4.3	Method 3: From 4(5)-Aminoimidazole-5(4)-carbonitriles	988
16.17.1.4.4	Method 4: From 5-Aminoimidazole-4-carbonitrile Riboside or 2'-Deoxyriboside	989
16.17.1.4.5	Method 5: From 4(5)-Aminoimidazole-5(4)-carboxylates and Related Compounds	991
16.17.1.4.6	Method 6: From 4(5)-Aminoimidazole-5(4)-carbaldehydes	992
16.17.1.4.7	Method 7: From 4(5)-Aminoimidazole-5(4)-carbothioamides	993
16.17.1.4.8	Method 8: From 4-[Cyano(imino)methyl]imidazol-5-amines	994
16.17.1.4.9	Method 9: Syntheses from 5-Aminoimidazole-4-carboximidamide Derivatives	995
16.17.2	Synthesis by Ring Transformation	996
16.17.2.1	From Pyrimidine-Containing Heterocycles	996
16.17.2.1.1	Method 1: From Thiazolo- or Oxazolo[5,4- <i>d</i>]pyrimidines	996
16.17.2.1.2	Method 2: From Furazano[3,4- <i>d</i>]pyrimidines	996
16.17.3	Synthesis by Substituent Modification	997
16.17.3.1	By Introduction of Substituents Using Oxidation	997
16.17.3.1.1	Method 1: Oxidation with Peracids	997
16.17.3.1.2	Method 2: Enzymatic Oxidation	999
16.17.3.2	By Removal of Substituents	1000
16.17.3.2.1	Method 1: Dehalogenation	1000
16.17.3.2.2	Method 2: Desulfurization	1002
16.17.3.3	By Introduction of Substituents (Exchange of Hydrogen)	1003
16.17.3.3.1	Method 1: By Deuteration and Tritiation	1003
16.17.3.3.2	Method 2: By Halogenation	1004
16.17.3.3.2.1	Variation 1: By Fluorination	1005
16.17.3.3.2.2	Variation 2: By Chlorination	1005
16.17.3.3.2.3	Variation 3: By Bromination	1007
16.17.3.3.2.4	Variation 4: By Iodination	1009
16.17.3.3.3	Method 3: By Nitration	1010
16.17.3.3.4	Method 4: By C-Alkylation	1011
16.17.3.3.4.1	Variation 1: By Photochemical Reaction	1011
16.17.3.3.4.2	Variation 2: By Free-Radical Reaction Catalyzed by Iron(II) Ions	1013
16.17.3.3.4.3	Variation 3: By Addition of Grignard Reagents	1014
16.17.3.3.4.4	Variation 4: By Lithiation-Based Electrophilic Substitution	1015

16.17.3.3.4.5	Variation 5:	By Electrochemical Approach	1017
16.17.3.3.5	Method 5:	By N-Alkylation	1018
16.17.3.3.5.1	Variation 1:	By Base-Induced Coupling	1018
16.17.3.3.5.2	Variation 2:	By Phase-Transfer Catalysis	1020
16.17.3.3.5.3	Variation 3:	From Preformed Purine Salts	1021
16.17.3.3.5.4	Variation 4:	By Transpurination	1023
16.17.3.3.5.5	Variation 5:	By Michael Addition	1024
16.17.3.3.5.6	Variation 6:	By Mitsunobu Reaction	1025
16.17.3.3.5.7	Variation 7:	By Palladium-Catalyzed Coupling	1026
16.17.3.3.5.8	Variation 8:	By Microwave-Assisted Methods	1027
16.17.3.3.6	Method 6:	By N-Glycosylation	1027
16.17.3.3.6.1	Variation 1:	By the Fusion Reaction	1028
16.17.3.3.6.2	Variation 2:	By the Metal Salt Procedure	1029
16.17.3.3.6.3	Variation 3:	By Nucleobase Anion Glycosylation	1030
16.17.3.3.6.4	Variation 4:	By the Silyl-Hilbert–Johnson Reaction	1034
16.17.3.3.6.5	Variation 5:	By Transglycosylation	1037
16.17.3.4	By Exchange of Substituents	1038	
16.17.3.4.1	Halopurines	1039	
16.17.3.4.1.1	Method 1:	By Halogen Exchange	1039
16.17.3.4.1.1.1	Variation 1:	By Exchange of Chlorine for Fluorine	1039
16.17.3.4.1.1.2	Variation 2:	By Exchange of Chlorine for Iodine	1041
16.17.3.4.1.2	Method 2:	From Hydroxypurines	1041
16.17.3.4.1.2.1	Variation 1:	Chlorination with Phosphoryl Chloride	1042
16.17.3.4.1.2.2	Variation 2:	Chlorination with the Vilsmeier Reagent	1043
16.17.3.4.1.2.3	Variation 3:	Chlorination with Thionyl Chloride/Dimethylformamide ...	1043
16.17.3.4.1.3	Method 3:	From Sulfanylpurines	1045
16.17.3.4.1.4	Method 4:	From Aminopurines	1046
16.17.3.4.1.4.1	Variation 1:	By Diazotization/Fluorination	1046
16.17.3.4.1.4.2	Variation 2:	By Diazotization/Chlorination	1047
16.17.3.4.1.4.3	Variation 3:	By Diazotization/Iodination or Bromination	1048
16.17.3.4.2	Hydroxypurines	1049	
16.17.3.4.2.1	Method 1:	From Halopurines	1050
16.17.3.4.2.2	Method 2:	From Alkoxypurines	1051
16.17.3.4.2.3	Method 3:	From Sulfanyl- and (Alkylsulfanyl)purines	1053
16.17.3.4.2.4	Method 4:	From Aminopurines	1054
16.17.3.4.2.4.1	Variation 1:	Diazotization/Replacement	1054
16.17.3.4.2.4.2	Variation 2:	Deamination by Adenosine Deaminase	1055
16.17.3.4.3	Alkoxypurines	1056	
16.17.3.4.3.1	Method 1:	From Halopurines	1056
16.17.3.4.3.1.1	Variation 1:	With Sodium Alkoxides	1056
16.17.3.4.3.1.2	Variation 2:	Under Phase-Transfer Conditions	1057
16.17.3.4.3.2	Method 2:	From Hydroxypurines	1058
16.17.3.4.3.3	Method 3:	From (Methylsulfanyl)- and Mesylpurines	1059
16.17.3.4.3.4	Method 4:	From Ammonium Salts	1060
16.17.3.4.4	Sulfanylpurines	1061	

16.17.3.4.4.1	Method 1:	From Halopurines	1061
16.17.3.4.4.2	Method 2:	From Hydroxypurines	1062
16.17.3.4.5	Aminopurines		1063
16.17.3.4.5.1	Method 1:	From Halopurines	1063
16.17.3.4.5.1.1	Variation 1:	By Direct Amination	1064
16.17.3.4.5.1.2	Variation 2:	By the Solid-Phase Approach	1065
16.17.3.4.5.1.3	Variation 3:	By Palladium-Catalyzed Synthesis	1067
16.17.3.4.5.2	Method 2:	From Alkoxy purines or (Trimethylsiloxy)purines	1068
16.17.3.4.5.3	Method 3:	From Sulfanyl purines	1071
16.17.3.4.6	C-Alkyl-, C-Alkenyl-, and C-Alkynylpurines		1072
16.17.3.4.6.1	Method 1:	Synthesis with Active Methylene Compounds	1072
16.17.3.4.6.2	Method 2:	With Cyanides	1073
16.17.3.4.6.3	Method 3:	With Grignard Reagents	1075
16.17.3.4.6.4	Method 4:	By Sulfur Extrusion	1076
16.17.3.4.6.5	Method 5:	By Radical Photochemical Reactions	1076
16.17.3.4.6.6	Method 6:	With Boronic Acids	1077
16.17.3.4.6.7	Method 7:	With Trialkylaluminum	1078
16.17.3.4.6.8	Method 8:	With Alkylcuprates	1078
16.17.3.4.6.9	Method 9:	With Organostannanes	1080
16.17.3.4.6.9.1	Variation 1:	From Halopurines	1080
16.17.3.4.6.9.2	Variation 2:	From Trifluoromethanesulfonates or 4-Toluenesulfonates ..	1081
16.17.3.4.6.10	Method 10:	With Organozinc Reagents	1083
16.17.3.4.6.11	Method 11:	With Terminal Alkynes	1084
16.17.4	Oxidation of Purines with Destruction of the Aromatic System		1086
16.17.4.1	Method 1:	By Thiation	1086
16.17.4.2	Method 2:	By Halogenation	1086
16.17.4.3	Method 3:	Oxidation with Other Acid Reagents	1087
16.17.4.4	Method 4:	Oxidation Under Alkaline or Neutral Conditions	1087
16.17.4.5	Method 5:	Oxidation of Theophylline Derivatives with Lead(IV) Acetate	1088
16.17.5	Reduction of Purines with Destruction of the Aromatic System		1088
16.17.5.1	Purines Reduced in the Pyrimidine Ring		1088
16.17.5.1.1	Method 1:	By Electrochemical Reduction	1088
16.17.5.1.2	Method 2:	By Catalytic Hydrogenation	1089
16.17.5.1.3	Method 3:	By Reduction with Sodium Borohydride	1089
16.17.5.1.4	Method 4:	By Direct Synthesis	1090
16.17.5.2	Purines Reduced in the Imidazole Ring		1090
16.17.5.2.1	Method 1:	By Reduction with Sodium Nitrite	1090
16.17.5.2.2	Method 2:	By Traube Reaction of Pyrimidine-4,5-diamine with Glyoxal	1090
16.17.6	Addition Reactions to Purine Double Bonds		1091

16.18	Product Class 18: Pyridopyridazines M. Sako	
16.18	Product Class 18: Pyridopyridazines	1109
16.18.1	Product Subclass 1: Pyrido[2,3-c]pyridazines	1111
16.18.1.1	Synthesis by Ring-Closure Reactions	1111
16.18.1.1.1	By Formation of Two N—C Bonds and One C—C Bond	1111
16.18.1.1.1.1	Method 1: Intermolecular Cyclizations of Malononitrile Dimer and Hydrazones, or Acetonitriles and Pyridazinediones	1111
16.18.1.1.2	By Formation of Two N—C Bonds	1112
16.18.1.1.2.1	Method 1: Cycloamination with Diazenes and Hydrazines	1112
16.18.1.1.3	By Formation of One N—C and One C—C Bond	1113
16.18.1.1.3.1	Method 1: Condensation of Enamines, Acetamide Acetals, and Acetoacetates with Suitably Activated Pyridazines	1113
16.18.1.1.4	By Formation of One N—C Bond	1114
16.18.1.1.4.1	Method 1: Intramolecular Cyclization of Suitably Modified Diazo Compounds, Hydrazones, Azides, and Hydrazides ...	1114
16.18.1.1.5	By Formation of One C—C Bond	1115
16.18.1.1.5.1	Method 1: Intramolecular Cyclizations Induced by Base Treatment of Active Methylene and Methine Compounds	1115
16.18.1.2	Synthesis by Ring Transformation	1117
16.18.1.2.1	Formal Exchange of Ring Members with Retention of the Ring Size	1117
16.18.1.2.1.1	Method 1: Intramolecular [4 + 2] Cycloaddition of 3-(Alkynylamino)-1,2,4,5-tetrazines	1117
16.18.1.3	Aromatization	1117
16.18.1.4	Synthesis by Substituent Modification	1118
16.18.1.4.1	Substitution of Existing Substituents	1118
16.18.1.4.2	Addition Reactions	1118
16.18.2	Product Subclass 2: Pyrido[2,3-d]pyridazines	1118
16.18.2.1	Synthesis by Ring-Closure Reactions	1118
16.18.2.1.1	By Formation of Two N—C Bonds and One C—C Bond	1118
16.18.2.1.1.1	Method 1: Condensation of Hydrazones with Malononitriles	1118
16.18.2.1.2	By Formation of Two N—C Bonds	1119
16.18.2.1.2.1	Method 1: Condensation of Pyridine-2,3-dicarbonyl Compounds with Hydrazines	1119
16.18.2.1.3	By Formation of One N—C and One C—C Bond	1121
16.18.2.1.3.1	Method 1: Condensation of 5-Chloropyridazine-4-carbonyl Chloride with Enamines	1121
16.18.2.1.3.2	Method 2: Condensation of 5-Acylpyridazin-4-amines with Acetals ...	1121

16.18.2.1.3.3	Method 3: Condensation of 5-Aminopyridazin-3(2 <i>H</i>)-ones with Malonates	1122
16.18.2.1.4	By Formation of One N—C Bond	1123
16.18.2.1.4.1	Method 1: Intramolecular Cyclization of Hydrazides and Hydrazones ..	1123
16.18.2.1.5	By Formation of One C—C Bond	1124
16.18.2.1.5.1	Method 1: Intramolecular Cyclization of 5-Acylpyridazin-4-amines	1124
16.18.2.2	Synthesis by Ring Transformation	1125
16.18.2.2.1	By Ring Enlargement	1125
16.18.2.2.1.1	Method 1: Condensation of 5,7-Dihydrofuro[3,4- <i>b</i>]pyridines with Hydrazines	1125
16.18.2.2.1.2	Method 2: Of Pyrrolo[3,4- <i>b</i>]pyridinones	1126
16.18.2.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	1127
16.18.2.2.2.1	Method 1: Intermolecular [4 + 2] Cyclization of 1,2,4,5-Tetrazines	1127
16.18.2.3	Aromatization	1128
16.18.2.4	Synthesis by Substituent Modification	1129
16.18.2.4.1	Substitution of Existing Substituents	1129
16.18.2.4.2	Addition Reactions	1129
16.18.2.4.3	Modification of Substituents	1129
16.18.2.4.3.1	Method 1: Oxidation of Pyridazino[4,5- <i>b</i>]quinoline	1129
16.18.3	Product Subclass 3: Pyrido[3,2-<i>c</i>]pyridazines	1129
16.18.3.1	Synthesis by Ring-Closure Reactions	1129
16.18.3.1.1	By Formation of Two N—C and Two C—C Bonds	1129
16.18.3.1.1.1	Method 1: Cyclocondensation of Arylhydrazones with Malononitrile ...	1129
16.18.3.1.2	By Formation of One N—N and One N—C Bond	1130
16.18.3.1.2.1	Method 1: Diazotization of 2-Vinylpyridin-3-amines	1130
16.18.3.1.3	By Formation of Two N—C Bonds	1131
16.18.3.1.3.1	Method 1: Hetero-Diels–Alder Reactions of 2-Vinylpyridines	1131
16.18.3.1.4	By Formation of One N—C and One C—C Bond	1132
16.18.3.1.4.1	Method 1: Cyclocondensation of 4-Amino-6-methylpyridazine-3-carbaldehyde with Ketones	1132
16.18.3.1.4.2	Method 2: Cyclocondensation of 4-Chloropyridazine-3-carbonyl Chloride with Enamines	1132
16.18.3.1.5	By Formation of One N—C Bond	1133
16.18.3.1.5.1	Method 1: Intramolecular Cyclization of 2-Substituted 3-Hydrazonepyridines	1133
16.18.3.2	Aromatization	1133
16.18.3.3	Synthesis by Substituent Modification	1133

16.18.4	Product Subclass 4: Pyrido[3,4-c]pyridazines	1134
16.18.4.1	Synthesis by Ring-Closure Reactions	1134
16.18.4.1.1	By Formation of One N—N and One N—C Bond	1134
16.18.4.1.1.1	Method 1: Cyclization of 4-Vinylpyridin-3-amines by Diazotization	1134
16.18.4.1.2	By Formation of Two N—C Bonds	1134
16.18.4.1.2.1	Method 1: Hetero-Diels–Alder Reactions of 4-Vinylpyridine with Diazenes	1134
16.18.4.1.2.2	Method 2: Cycloamination of 4-Vinylpyridazine-3-carboxylates	1135
16.18.4.1.3	By Formation of One N—C and One C—C Bond	1135
16.18.4.1.3.1	Method 1: Cyclocondensation of 3-Hydrazonepyridines with Aldehydes	1135
16.18.4.1.3.2	Method 2: Cyclocondensation of Pyridazine-3-carbohydrazides with Aldehydes	1136
16.18.4.1.4	By Formation of One C—C Bond	1136
16.18.4.1.4.1	Method 1: Intramolecular Cyclization of 3-Pyridylhydrazones	1136
16.18.5	Product Subclass 5: Pyrido[3,4-d]pyridazines	1137
16.18.5.1	Synthesis by Ring-Closure Reactions	1137
16.18.5.1.1	By Formation of Two N—C Bonds	1137
16.18.5.1.1.1	Method 1: Cycloamination of Pyridine-3,4-dicarboxylates with Hydrazines	1137
16.18.5.1.1.2	Method 2: Cycloamination of 4-Carbofunctional 5-Vinylpyridazines	1139
16.18.5.1.2	By Formation of One N—C and One C—C Bond	1140
16.18.5.1.2.1	Method 1: Condensation of 4,5-Dicarbofunctional Pyridazines with Amines	1140
16.18.5.1.2.2	Method 2: Condensation of 4-(Iminomethyl)pyridazines with Enolates	1140
16.18.5.1.3	By Formation of One N—C Bond	1141
16.18.5.1.3.1	Method 1: Intramolecular Cyclization of Pyridinecarbohydrazides	1141
16.18.5.1.3.2	Method 2: Intramolecular Cyclization of 4-Vinylpyridazine-5-carbonitriles	1142
16.18.5.2	Synthesis by Ring Transformation	1142
16.18.5.2.1	By Ring Enlargement	1142
16.18.5.2.1.1	Method 1: Reaction of Furo[3,4-c]pyridine-1,3-diones with Hydrazines	1142
16.18.5.2.1.2	Method 2: Reaction of 1 <i>H</i> -Pyrrolo[3,4-c]pyridine-1,3(2 <i>H</i>)-diones with Hydrazines	1143
16.18.5.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	1143
16.18.5.2.2.1	Method 1: Reaction of 8-Phenyl-5 <i>H</i> -pyrano[3,4- <i>d</i>]pyridazin-5-one with Amines	1143
16.18.5.2.2.2	Method 2: Intermolecular [4 + 2] Cycloaddition of 1,2,4,5-Tetrazines	1144
16.18.5.2.3	By Ring Contraction	1144
16.18.5.2.3.1	Method 1: Of 2 <i>H</i> -1,2,4-Triazepines	1144
16.18.5.3	Aromatization	1145

16.18.5.4	Synthesis by Substituent Modification	1145
16.18.6	Product Subclass 6: Pyrido[4,3-c]pyridazines	1145
16.18.6.1	Synthesis by Ring-Closure Reactions	1145
16.18.6.1.1	By Formation of Two N—C Bonds	1145
16.18.6.1.1.1	Method 1: Cyclocondensation of 4-Oxopiperidine-3-acetates with Hydrazines	1145
16.18.6.1.1.2	Method 2: Hetero-Diels–Alder Reactions of 2-Methyl-5-vinylpyridine with Diazenes	1145
16.18.6.1.1.3	Method 3: Cycloamination of 3-Vinylpyridazine-4-carboxylates	1146
16.18.6.1.2	By Formation of One N—C and One C—C Bond	1146
16.18.6.1.2.1	Method 1: Condensation of 1,2,3,6-Tetrahydropyridin-4-amines with Semicarbazones	1146
16.18.6.2	Synthesis by Ring Transformation	1147
16.18.6.2.1	By Ring Enlargement	1147
16.18.6.2.1.1	Method 1: Reaction of Furo[3,2-c]pyridines with Hydrazine	1147
16.18.6.3	Aromatization	1147
16.19	Product Class 19: Pyridopyrimidines M. Sako	
16.19	Product Class 19: Pyridopyrimidines	1155
16.19.1	Product Subclass 1: Pyrido[2,3-d]pyrimidines	1158
16.19.1.1	Synthesis by Ring-Closure Reactions	1158
16.19.1.1.1	By Formation of Three N—C Bonds and One C—C Bond	1158
16.19.1.1.1.1	Method 1: Cyclization of Arylidenemalononitriles or Enamines with Isothiocyanates or Isocyanates	1158
16.19.1.1.1.2	Method 2: Cyclization of Pyridin-2-amines with Carbon Dioxide	1158
16.19.1.1.2	By Formation of Three N—C Bonds	1159
16.19.1.1.2.1	Method 1: Condensation of 2-Aminonicotinic Acids with Acid Anhydrides and Ammonia	1159
16.19.1.1.3	By Formation of Two N—C Bonds and One C—C Bond	1159
16.19.1.1.3.1	Method 1: Cyclization of <i>N</i> ',2-Dicyanoamidethanimide and 1,3-Diketones	1159
16.19.1.1.4	By Formation of One N—C and Two C—C Bonds	1160
16.19.1.1.4.1	Method 1: Condensation of 6-Aminouracils with Aldehydes and Acetoacetates	1160
16.19.1.1.5	By Formation of Two N—C Bonds	1160
16.19.1.1.5.1	Method 1: Cycloamination of 2-Halonicotinamides	1160
16.19.1.1.5.2	Method 2: Cycloamination of <i>N</i> -Substituted 2-Aminonicotinates	1161

16.19.1.1.5.3	Method 3:	Cyclization of 2-Aminonicotinamides and 2-Aminonicotinonitriles by Carbonates	1163
16.19.1.1.5.4	Method 4:	Cyclization of Nicotinamides	1167
16.19.1.1.5.5	Method 5:	Cyclization of 2-Aminonicotinates with Carboxamides or Ureas	1168
16.19.1.1.5.6	Method 6:	Condensation of 2-Halonicotinates with Ureas and Amidines	1174
16.19.1.1.5.7	Method 7:	Cycloamination of (4-Halopyrimidin-5-yl)propanoates	1175
16.19.1.1.6	By Formation of One N—C and One C—C Bond		1176
16.19.1.1.6.1	Method 1:	Cyclization of 5-Acetylpyrimidin-4-amines or 5-Vinylpyrimidin-4-amines with Active Carbonyl Compounds	1176
16.19.1.1.6.2	Method 2:	Condensation of 5-Formyl- or 5-Carboxypyrimidin-4-amines with Malonates	1176
16.19.1.1.6.3	Method 3:	Condensation of 5-Carbo-Functionalized Pyrimidines with Enamines, Acetamides, or Acetonitriles	1178
16.19.1.1.6.4	Method 4:	Condensation of Pyrimidin-4-amines with a Three-Carbon Synthone	1180
16.19.1.1.6.5	Method 5:	Base-Catalyzed Cyclization of Uracils with Nitriles	1191
16.19.1.1.7	By Formation of Two C—C Bonds		1192
16.19.1.1.7.1	Method 1:	Cyclization of 6-(Acylamino)pyrimidines with a One-Carbon Synthone	1192
16.19.1.1.7.2	Method 2:	Hetero-Diels–Alder Reaction of 6-(Methyleneamino)pyrimidines with Alkenes	1192
16.19.1.1.8	By Formation of One N—C Bond		1193
16.19.1.1.8.1	Method 1:	Intramolecular Cyclization of <i>N</i> -(Aminocarbonothioyl)-2-chloronicotinamides	1193
16.19.1.1.8.2	Method 2:	Intramolecular Cyclization of 3-(Acylamidino)pyridin-2-amines	1194
16.19.1.1.8.3	Method 3:	Intramolecular Cyclization of 2-(Acylamino)nicotinamides or 2-(Acylamino)nicotinonitriles	1194
16.19.1.1.8.4	Method 4:	Intramolecular Cyclization of Ethyl 2-[(Anilinocarbonyl)amino]nicotinates or 2-[(Anilinocarbonothioyl)amino]nicotinates	1197
16.19.1.1.8.5	Method 5:	Intramolecular Cyclization of 6-Amino-5-(cyanoacetyl)uracils or 6-Amino-5-propenyluracils	1198
16.19.1.1.8.6	Method 6:	Intramolecular Cyclization of [(Pyrimidin-5-yl)methylene]malononitriles	1202
16.19.1.1.9	By Formation of One C—C Bond		1202
16.19.1.1.9.1	Method 1:	Intramolecular Cyclization of [(Pyrimidin-4-yl)amino-methylene]malonates	1202
16.19.1.1.9.2	Method 2:	Intramolecular Cyclization of Ethyl <i>N</i> -[5-(2-Ethoxy-2-oxoethyl)pyrimidin-4-yl]- <i>N</i> -ethyl- β -alaninates	1204
16.19.1.1.9.3	Method 3:	Intramolecular Cyclization of [[4-(Arylmethylamino)pyrimidin-5-yl]methylene]malonates	1205
16.19.1.2	Synthesis by Ring Transformation		1205
16.19.1.2.1	By Ring Enlargement		1205

16.19.1.2.1.1	Method 1:	Of [1,2,4]Thiazolo[2,3- <i>a</i>]pyridines	1205
16.19.1.2.1.2	Method 2:	Of 1,3,7-Trimethylxanthine (Caffeine)	1206
16.19.1.2.2		Formal Exchange of Ring Members with Retention of the Ring Size	1206
16.19.1.2.2.1	Method 1:	From Pyrans or Perylum Salts	1206
16.19.1.2.2.2	Method 2:	From Oxazinones or Thiazinones	1207
16.19.1.2.2.3	Method 3:	From Oxazinediones	1208
16.19.1.2.2.4	Method 4:	From 1,2,4-Triazines	1208
16.19.1.2.2.5	Method 5:	From Pyrimidines	1209
16.19.1.2.2.6	Method 6:	From Pyrido[4,3- <i>d</i>]pyrimidines	1209
16.19.1.2.2.7	Method 7:	From Other Pyrido[2,3- <i>d</i>]pyrimidines	1210
16.19.1.2.2.8	Method 8:	From 1,3,5-Triazines	1210
16.19.1.2.3		By Ring Contraction	1211
16.19.1.2.3.1	Method 1:	Of Pyrimido[4,5- <i>c</i>][1,2]diazepines	1211
16.19.1.3		Aromatization	1211
16.19.1.3.1	Method 1:	Of Pyrido[2,3- <i>d</i>]pyrimidines with a Hydrogenated Pyrimidine Ring	1211
16.19.1.3.2	Method 2:	Of Pyrido[2,3- <i>d</i>]pyrimidines with a Hydrogenated Pyridine Ring	1212
16.19.1.4		Synthesis by Substituent Modification	1212
16.19.1.4.1		Substitution of Existing Substituents	1212
16.19.1.4.2		Addition Reactions	1213
16.19.1.4.3		Rearrangement of Substituents	1213
16.19.2		Product Subclass 2: Pyrido[3,2-<i>d</i>]pyrimidines	1213
16.19.2.1		Synthesis by Ring-Closure Reactions	1213
16.19.2.1.1		By Formation of Two N—C Bonds	1213
16.19.2.1.1.1	Method 1:	Cyclization of 3-Aminopyridine-2-carboxamides with Acetals	1213
16.19.2.1.1.2	Method 2:	Cycloamination of 3-Isothiocyanatopyridine-2-carboxylates	1213
16.19.2.1.1.3	Method 3:	Condensation of (3-Chloro-2-pyridyl)(phenyl)methanimines with Nitriles	1215
16.19.2.1.1.4	Method 4:	Condensation of 3-Aminopyridine-2-carboxylates with Isocyanates	1215
16.19.2.1.2		By Formation of One N—C and One C—C Bond	1217
16.19.2.1.2.1	Method 1:	Condensation of 5-Amino(or 5-Nitro)-4-methylpyrimidines with Esters or Aldehydes	1217
16.19.2.1.2.2	Method 2:	Condensation of Pyrimidin-5-amines with But-2-enal	1217
16.19.2.1.3		By Formation of One N—C Bond	1218
16.19.2.1.3.1	Method 1:	Intramolecular Cyclization of 3-(Acetylamino)pyridine- 2-carboxamides or 3-(Acetylamino)-2-pyridyl Oximes	1218
16.19.2.1.3.2	Method 2:	Intramolecular Cyclization of 3-[(Aminocarbonyl)amino]- pyridine-2-carboxylates	1218
16.19.2.1.3.3	Method 3:	Intramolecular Cyclization of 6-(3-Oxoalkyl)- pyrimidin-5-amines	1219

16.19.2.1.4	By Formation of One C—C Bond	1220
16.19.2.1.4.1	Method 1: Electrocyclization of 5-(Methyleneamino)-6-vinylpyrimidines	1220
16.19.2.1.4.2	Method 2: Intramolecular Cyclization of 6-Methyl-5-(methyleneamino)pyrimidines	1220
16.19.2.1.4.3	Method 3: Intramolecular Cyclization of 5-(Methyleneamino)pyrimidines	1220
16.19.2.2	Synthesis by Ring Transformation	1222
16.19.2.2.1	By Ring Enlargement	1222
16.19.2.2.1.1	Method 1: Of Quinolinimides via Rearrangement or Ring Opening and Cyclization	1222
16.19.2.2.1.1.1	Variation 1: Of <i>N</i> -[(Phenylsulfonyl)oxy]quinolinimide	1223
16.19.2.2.1.2	Method 2: Of 6-Phenylisosenazolo[4,3- <i>d</i>]pyrimidin-7(6 <i>H</i>)-one	1223
16.19.2.2.1.3	Method 3: Intermolecular [4 + 2] Cycloadditions of 1,2,4-Triazines with Imidazoles	1224
16.19.2.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	1224
16.19.2.2.2.1	Method 1: From 1,3-Oxazines	1224
16.19.2.2.2.2	Method 2: From 1,2,4-Triazines	1224
16.19.2.2.2.3	Method 3: From 1,5-Naphthyridines	1225
16.19.2.3	Aromatization	1225
16.19.2.4	Synthesis by Substituent Modification	1225
16.19.3	Product Subclass 3: Pyrido[3,4-<i>d</i>]pyrimidines	1225
16.19.3.1	Synthesis by Ring-Closure Reactions	1225
16.19.3.1.1	By Formation of Two N—C Bonds and One C—C Bond	1225
16.19.3.1.1.1	Method 1: Condensation of 3-Nitropyridines or 4-Pyridyllithiums with Nitriles	1225
16.19.3.1.2	By Formation of Two N—C Bonds	1226
16.19.3.1.2.1	Method 1: Cyclization of 3-Aminopyridine-4-carboxamides or 3-Aminopyridine-4-carbonitriles	1226
16.19.3.1.2.2	Method 2: Cyclization of 3-Aminopyridine-4-carboxylates with a N—C Unit	1227
16.19.3.1.2.3	Method 3: Cyclization of 3-Oxopiperidine-4-carboxylates and Related Compounds with Ureas or Amidines	1227
16.19.3.1.2.4	Method 4: Cycloamination of 5-Ethynylpyrimidine-4-carboxylates	1228
16.19.3.1.3	By Formation of One N—C and One C—C Bond	1228
16.19.3.1.3.1	Method 1: Condensation of Appropriately Modified Pyrimidine-5-carbaldehydes with Amines	1228
16.19.3.1.4	By Formation of One N—C Bond	1229
16.19.3.1.4.1	Method 1: Intramolecular Cyclization of Ethyl 3-[[<i>N</i> -(Benzoylamino)-carbonothioyl]amino]pyridine-4-carboxylates	1229
16.19.3.1.4.2	Method 2: Intramolecular Cyclization of 3-(Acylamino)pyridine-4-carboxamides	1230

16.19.3.1.4.3	Method 3: Intramolecular Cyclization of Pyridine-3,4-dicarboxamides via Rearrangement	1230
16.19.3.1.5	By Formation of One C—C Bond	1231
16.19.3.1.5.1	Method 1: Intramolecular Cyclization of [(Pyridylamino)methylene]-carbamates	1231
16.19.3.2	Synthesis by Ring Transformation	1231
16.19.3.2.1	By Ring Enlargement	1231
16.19.3.2.1.1	Method 1: From <i>N</i> -(1,3-Oxazol-5-yl)ureas	1231
16.19.3.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	1232
16.19.3.2.2.1	Method 1: From 4 <i>H</i> -Pyrido[3,4- <i>d</i>][1,3]oxazin-4-ones	1232
16.19.3.2.2.2	Method 2: From Fused Lactones or Thiolactones	1232
16.19.3.2.2.3	Method 3: From 1,7-Naphthyridines	1232
16.19.3.3	Aromatization	1233
16.19.3.4	Synthesis by Substituent Modification	1233
16.19.4	Product Subclass 4: Pyrido[4,3-<i>d</i>]pyrimidines	1233
16.19.4.1	Synthesis by Ring-Closure Reactions	1233
16.19.4.1.1	By Formation of Three N—C Bonds	1233
16.19.4.1.1.1	Method 1: Cycloamination of Malononitrile Dimers	1233
16.19.4.1.2	By Formation of Two N—C and Two C—C Bonds	1233
16.19.4.1.2.1	Method 1: Cyclization of 6-Methyl-3,4-dihydropyrimidine-2(1 <i>H</i>)-thiones Using the Mannich Reaction	1233
16.19.4.1.3	By Formation of Three N—C Bonds	1234
16.19.4.1.3.1	Method 1: Cyclization of 4-Aminonicotinic Acids with Acid Anhydrides and Ammonia	1234
16.19.4.1.4	By Formation of Two N—C Bonds	1234
16.19.4.1.4.1	Method 1: Condensation of 3-(Aminomethyl)pyridin-4-amines with a One-Carbon Donor	1234
16.19.4.1.4.2	Method 2: Cycloamination of 4-(Acylamino)pyridine-3-carboxylates, -3-carbaldehydes, or -3-carbonitriles	1235
16.19.4.1.4.3	Method 3: Cycloamination of 4-Vinylpyrimidine-5-carbaldehydes or 4-Ethynylpyrimidine-5-carboxylates	1236
16.19.4.1.4.4	Method 4: Cyclization of 4-Aminonicotines or 4-Aminonicotinonitriles with a N—C Donor	1237
16.19.4.1.4.5	Method 5: Cyclization of 4-Sulfanylnicotinonitriles or 4-Oxopiperidine-3-carboxylates with Amidines	1238
16.19.4.1.5	By Formation of One N—C and One C—C Bond	1239
16.19.4.1.5.1	Method 1: Cyclization of 4-Methylpyrimidine-5-carboxamides or 4-Methylpyrimidine-5-carbonitriles with a One-Carbon Donor	1239
16.19.4.1.5.2	Method 2: Cyclization of 4-Methylpyrimidine-5-carboxylates with a N—C Donor	1239

16.19.4.1.5.3	Method 3: Cyclization of Piperidones with a N—C—N—C Donor	1240
16.19.4.1.6	By Formation of One N—C Bond	1240
16.19.4.1.6.1	Method 1: Intramolecular Cyclization of 4-(Acylamino)nicotinamides or 4-(Methyleneamino)nicotinonitriles	1240
16.19.4.1.6.2	Method 2: Cyclization of Pyridine-3,4-dicarboxamides with Rearrangement	1241
16.19.4.1.6.3	Method 3: Intramolecular Cyclization of 4-(Cyanomethyl)pyrimidine-5-carbonitriles	1242
16.19.4.1.7	By Formation of One C—C Bond	1242
16.19.4.1.7.1	Method 1: Intramolecular Cyclization of 4-Methylpyrimidine-5-carboxamides	1242
16.19.4.2	Synthesis by Ring Transformation	1242
16.19.4.2.1	Formal Exchange of Ring Members with Retention of the Ring Size	1242
16.19.4.2.1.1	Method 1: From 2 <i>H</i> -1,3-Oxazine-2,4(3 <i>H</i>)-diones	1242
16.19.4.2.1.2	Method 2: From 2-Methyl-4 <i>H</i> -pyrido[4,3- <i>d</i>][1,3]oxazin-4-one	1243
16.19.4.2.1.3	Method 3: From Pyranopyrimidines	1243
16.19.4.2.1.4	Method 4: From 1,6-Naphthyridines	1244
16.19.4.3	Aromatization	1244
16.19.4.4	Synthesis by Substituent Modification	1244

16.20 Product Class 20: Pyridopyrazines

M. Sako

16.20	Product Class 20: Pyridopyrazines	1269
16.20.1	Product Subclass 1: Pyrido[2,3-<i>b</i>]pyrazines	1271
16.20.1.1	Synthesis by Ring-Closure Reactions	1271
16.20.1.1.1	By Formation of Two N—C Bonds	1271
16.20.1.1.1.1	Method 1: Condensation of 2-Halopyridin-3-amines with 2-Haloethanamines	1271
16.20.1.1.1.2	Method 2: Condensation of Pyridine-2,3-diamines with a Two Carbon Atom Donor	1271
16.20.1.1.1.3	Method 3: Condensation of 2,3-Dihalopyridines with Ethylenediamines	1274
16.20.1.1.2	By Formation of One N—C and One C—C Bond	1274
16.20.1.1.2.1	Method 1: Condensation of 3-Aminopyrazine-2-carboxylates and 3-Aminopyrazine-2-carbonitriles with Active Methylene Compounds	1274
16.20.1.1.3	By Formation of One N—C Bond	1275
16.20.1.1.3.1	Method 1: Cyclization of (3-Nitropyridin-2-yl)aminoacetates and Related Compounds	1275
16.20.1.1.3.2	Method 2: Cyclization of 3-(Cyanomethylamino)pyridin-2-amines	1277
16.20.1.1.3.3	Method 3: Cyclization of 3-(3-Aminopyrazin-2-yl)propenenitriles and Related Compounds	1277

16.20.1.1.3.4	Method 4: Cyclization of Diethyl [(Pyrazin-2-ylamino)methylene]-malonates and Related Compounds	1278
16.20.1.2	Synthesis by Ring Transformation	1279
16.20.1.2.1	Method 1: Of Pteridines	1279
16.20.1.2.2	Method 2: By Ring Enlargement of Oxadiazoles or Thiazoles	1279
16.20.1.3	Aromatization	1280
16.20.1.4	Synthesis by Substituent Modification	1280
16.20.2	Product Subclass 2: Pyrido[3,4-<i>b</i>]pyrazines	1281
16.20.2.1	Synthesis by Ring-Closure Reactions	1281
16.20.2.1.1	By Formation of Two N—C Bonds	1281
16.20.2.1.1.1	Method 1: Condensation of Pyridine-3,4-diamines with α -Ketones	1281
16.20.2.1.2	By Formation of One N—C Bond	1282
16.20.2.1.2.1	Method 1: Cyclization of [(4-Aminopyridin-3-yl)amino](oxo)acetic Acid	1282
16.20.2.1.2.2	Method 2: Reductive Cyclization of (3-Nitropyridin-4-yl)aminoacetates	1283
16.20.2.1.2.3	Method 3: Reductive Cyclization of (6-Aminopyrazin-2-yl)malonitriles	1285
16.20.2.2	Aromatization	1285
16.20.2.3	Synthesis by Substituent Modification	1285
16.21	Product Class 21: Pteridines and Related Structures T. Ishikawa	
16.21	Product Class 21: Pteridines and Related Structures	1291
16.21.1	Synthesis by Ring-Closure Reactions	1293
16.21.1.1	By Annulation to the Pyrimidine Ring	1293
16.21.1.1.1	By Formation of Two N—C Bonds and One C—C Bond	1293
16.21.1.1.1.1	Fragment N—C—C—N and Two C Fragments	1293
16.21.1.1.1.1.1	From Pyrimidine-4,5-diamines	1293
16.21.1.1.1.1.1.1	Method 1: With Two One-Carbon Carbonyl Fragments or Their Equivalents	1293
16.21.1.1.2	By Formation of Two N—C Bonds	1295
16.21.1.1.2.1	Fragments N—C—C—N and C—C	1295
16.21.1.1.2.1.1	From Pyrimidine-4,5-diamines	1295
16.21.1.1.2.1.1.1	Method 1: With Symmetrical 1,2-Dicarbonyl Systems	1295
16.21.1.1.2.1.1.1.1	Variation 1: Use of Glyoxal and Its Equivalents	1295
16.21.1.1.2.1.1.1.2	Variation 2: Use of Diketones	1296
16.21.1.1.2.1.1.1.3	Variation 3: Use of Oxalic Acid Derivatives	1297
16.21.1.1.2.1.1.2	Method 2: With Unsymmetrical 1,2-Dicarbonyl Systems	1297
16.21.1.1.2.1.1.2.1	Variation 1: Use of 2-Oxo Aldehydes and Their Equivalents	1297
16.21.1.1.2.1.1.2.2	Variation 2: Use of 2-Oxo Esters and Their Equivalents	1299
16.21.1.1.2.1.1.3	Method 3: With Modified 1,2-Dicarbonyl Systems	1301

16.21.1.1.2.1.2	From 5-Nitrosopyrimidin-4-amines	1304
16.21.1.1.2.1.2.1	Method 1: Reaction with a Methylenecarbonyl or Related Compound (Timmis Synthesis)	1304
16.21.1.1.2.1.2.1.1	Variation 1: Reaction with a Methylenecarbonyl or Related Compound in the Presence of Cyanide Ions (Pachter Modification)	1306
16.21.1.1.2.1.3	From Other 4,5-Disubstituted Pyrimidines	1307
16.21.1.1.2.1.3.1	Method 1: Pteridines from Other 4,5-Disubstituted Pyrimidines	1307
16.21.1.1.2.2	Fragments N—C—C and N—C—C	1308
16.21.1.1.2.2.1	From 4,5-Disubstituted Pyrimidines	1308
16.21.1.1.2.2.1.1	Method 1: From 4-Chloro-5-nitropyrimidines and α -Aminocarbonyl Compounds (Polonovski–Boon Reaction)	1308
16.21.1.2	By Annulation to the Pyrazine Ring	1309
16.21.1.2.1	By Formation of Two N—C Bonds	1310
16.21.1.2.1.1	Fragments N—C—C—C and N—C	1310
16.21.1.2.1.1.1	Method 1: From 3-Aminopyrazine-2-carbonitriles or -2-carboxylates and Guanidine, Amidines, or Isocyanates (Taylor Synthesis)	1310
16.21.1.2.1.2	Fragments N—C—N and C—C—C	1311
16.21.1.2.1.2.1	Method 1: From 3-Chloropyrazine-2-carboxylates and Guanidine or Synthetic Equivalents	1311
16.21.1.2.1.3	Fragments N—C—C—C—N and C	1312
16.21.1.2.1.3.1	Method 1: From 2,3-Disubstituted Pyrazines and One-Carbon Units	1312
16.21.1.2.1.4	Fragments C—N—C—C—C and N	1313
16.21.1.2.1.4.1	Method 1: From 2,3-Disubstituted Pyrazines and Ammonia Derivatives	1313
16.21.1.2.2	By Formation of One N—C Bond	1314
16.21.1.2.2.1	Fragment N—C—C—C—N—C	1314
16.21.1.2.2.1.1	Method 1: Intramolecular Cyclization of Substituted Pyrazines	1314
16.21.2	Synthesis by Ring Transformation	1315
16.21.2.1	Method 1: Synthesis from an Oxadiazole Ring	1315
16.21.2.2	Method 2: Synthesis by Ring Expansion of Purine Derivatives	1315
16.21.2.3	Method 3: Synthesis from a Pyrimidooxadiazinetriene	1316
16.21.3	Synthesis by Substituent Modification	1317
16.21.3.1	Substitution of Existing Substituents	1317
16.21.3.1.1	Substitution of Hydrogen	1317
16.21.3.1.1.1	Method 1: N-Alkylation of Pteridinones or Their Derivatives	1317
16.21.3.1.1.2	Method 2: Pteridinone Formation by Hydrolysis of N-Oxides	1318
16.21.3.1.1.3	Method 3: Amination	1318
16.21.3.1.1.4	Method 4: Chlorination	1319
16.21.3.1.1.5	Method 5: Direct Introduction of Substituents by Electrophilic Reactions	1319
16.21.3.1.1.6	Method 6: Direct Introduction of Substituents by Nucleophilic Reactions	1319
16.21.3.1.2	Substitution of Carbon Functionalities	1321

16.21.3.1.2.1	Method 1: Decarboxylation	1321
16.21.3.1.3	Substitution of Heteroatoms	1321
16.21.3.1.3.1	Method 1: Substitution by Alkoxy or Siloxy Groups	1321
16.21.3.1.3.2	Method 2: Hydrolysis and Alcoholysis	1322
16.21.3.1.3.3	Method 3: Amination	1323
16.21.3.1.3.4	Method 4: Chlorination	1324
16.21.3.1.3.5	Method 5: Thiation	1325
16.21.3.1.3.6	Method 6: Alkylation	1325
16.21.3.2	Addition Reactions	1326
16.21.3.2.1	Addition of Hydrogen	1326
16.21.3.2.1.1	Method 1: Reduction	1326
16.21.3.2.1.2	Method 2: Removal of Substituents by Reduction	1327
16.21.3.2.2	Addition of Carbon Functionalities	1327
16.21.3.2.2.1	Method 1: N-Alkylation of Pteridinamines	1327
16.21.3.2.3	Addition of Heteroatoms	1328
16.21.3.2.3.1	Method 1: N-Oxidation	1328
16.21.3.3	Modification of Substituents	1328
16.21.3.3.1	Method 1: Modification of Thioxo Groups	1328
16.21.3.3.2	Method 2: Modification of Amine Substituents	1329
16.21.3.3.3	Method 3: Oxidation of Alkyl Substituents	1329
16.22	Product Class 22: Other Diazinodiazines	
	T. Ishikawa	
16.22	Product Class 22: Other Diazinodiazines	1337
16.22.1	Product Subclass 1: Pyridazinopyridazines	1338
16.22.1.1	Synthesis by Ring-Closure Reactions	1340
16.22.1.1.1	By Annulation to an Arene	1340
16.22.1.1.1.1	By Formation of Two N—C Bonds	1340
16.22.1.1.1.1.1	Method 1: From Disubstituted Pyridazines	1340
16.22.1.1.1.1.1.1	Variation 1: From 3,4-Disubstituted Pyridazines	1340
16.22.1.1.1.1.1.2	Variation 2: From 4,5-Disubstituted Pyridazines	1340
16.22.1.1.2	By Cycloaddition Reactions	1341
16.22.1.1.2.1	By Formation of Four N—C Bonds	1341
16.22.1.1.2.1.1	Method 1: From Tetracarbonyl-Substituted Ethene	1341
16.22.1.1.2.2	By Formation of One N—C and One C—C Bond	1341
16.22.1.1.2.2.1	Method 1: By Michael-Type Reactions	1341
16.22.1.2	Synthesis by Substituent Modification	1342
16.22.1.2.1	Method 1: By Reductive Cleavage of Substituents	1342
16.22.1.2.2	Method 2: By Substitution of Chlorine	1343

16.22.1.2.3	Method 3: By Substitution of Hydroxy Groups	1344
16.22.1.2.4	Method 4: By Substitution of Sulfur-Containing Groups	1345
16.22.1.2.5	Method 5: By Alkylation	1346
16.22.2	Product Subclass 2: Pyrimidopyridazines	1346
16.22.2.1	Synthesis by Ring-Closure Reactions	1348
16.22.2.1.1	By Annulation to an Arene	1348
16.22.2.1.1.1	By Formation of Two N—C Bonds	1348
16.22.2.1.1.1.1	Method 1: From Substituted Pyridazines	1348
16.22.2.1.1.1.2	Method 2: From Substituted Pyrimidines	1350
16.22.2.1.1.2	By Formation of One N—C and One C—C Bond	1351
16.22.2.1.1.2.1	Method 1: From a 1,2-Dicarbonyl Compound	1351
16.22.2.1.1.3	By Formation of One N—C Bond	1351
16.22.2.1.1.3.1	Method 1: From a 2,4,5-Trisubstituted Pyrimidine	1351
16.22.2.2	Synthesis by Ring Transformation	1352
16.22.2.2.1	Method 1: By Ring Enlargement	1352
16.22.2.2.2	Method 2: By Exchange of Sulfur for Nitrogen	1352
16.22.2.3	Synthesis by Substituent Modification	1352
16.22.2.3.1	Substitution of Existing Substituents	1352
16.22.2.3.1.1	Method 1: By Substitution of Chlorine	1352
16.22.2.3.1.2	Method 2: By Substitution of Hydroxy Groups	1354
16.22.2.3.1.3	Method 3: By Substitution of a Sulfur-Containing Group	1355
16.22.2.3.2	Addition Reactions	1356
16.22.2.3.2.1	Addition of Organic Groups	1356
16.22.2.3.2.1.1	Method 1: Addition of an Aryl Group	1356
16.22.2.3.2.1.2	Method 2: Addition of an Alkyl Group	1356
16.22.2.3.2.2	Addition of Heteroatoms	1357
16.22.2.3.2.2.1	Method 1: Addition of Chlorine	1357
16.22.2.3.2.2.2	Method 2: N-Oxidation	1358
16.22.2.3.3	Rearrangement of Substituents	1358
16.22.2.3.3.1	Method 1: The Hofmann Rearrangement	1358
16.22.3	Product Subclass 3: Pyrazinopyridazines	1359
16.22.3.1	Synthesis by Ring-Closure Reactions	1360
16.22.3.1.1	By Annulation to an Arene	1360
16.22.3.1.1.1	By Formation of Two N—C Bonds	1360
16.22.3.1.1.1.1	Method 1: From 2,3-Disubstituted Pyrazines	1360
16.22.3.1.1.1.2	Method 2: From 3,4-Dihalopyridazines	1361
16.22.3.1.1.1.3	Method 3: From 1,2-Dicarbonyl Compounds	1362
16.22.3.1.2	By Cycloaddition Reactions	1363
16.22.3.1.2.1	By Formation of One N—C and One C—C Bond	1363

16.22.3.1.2.1.1	Method 1: By 1,3-Dipolar Cycloaddition	1363
16.22.3.1.2.2	By Formation of Two C—C Bonds	1363
16.22.3.1.2.2.1	Method 1: By Diels—Alder Cyclization	1363
16.22.3.1.3	By Formation of One N—C Bond	1364
16.22.3.1.3.1	Method 1: Cyclization with Potassium Cyanide	1364
16.22.3.2	Synthesis by Substituent Modification	1364
16.22.3.2.1	Substitution of Existing Substituents	1364
16.22.3.2.1.1	Method 1: By Reductive Cleavage of Chlorine	1364
16.22.3.2.1.2	Method 2: By Substitution of Chlorine	1364
16.22.3.2.1.3	Method 3: By Substitution of Hydroxy Groups	1365
16.22.3.2.1.4	Method 4: By Substitution of Sulfur-Containing Groups	1365
16.22.3.2.2	Addition Reactions	1366
16.22.3.2.2.1	Addition of Organic Groups	1366
16.22.3.2.2.1.1	Method 1: Addition of Alkyl Groups	1366
16.22.3.2.2.2	Addition of Heteroatoms	1366
16.22.3.2.2.2.1	Method 1: N-Oxidation	1366
16.22.4	Product Subclass 4: Pyrimidopyrimidines	1367
16.22.4.1	Synthesis by Ring-Closure Reactions	1368
16.22.4.1.1	By Annulation to an Arene	1368
16.22.4.1.1.1	By Formation of Two N—C Bonds	1368
16.22.4.1.1.1.1	Method 1: From 2,4,5-Trisubstituted Pyrimidines	1368
16.22.4.1.1.1.1.1	Variation 1: With Ammonium Hydroxide	1368
16.22.4.1.1.1.1.2	Variation 2: On Solid Support	1368
16.22.4.1.1.1.1.3	Variation 3: With Guanidine	1369
16.22.4.1.1.1.1.4	Variation 4: With Formamide	1370
16.22.4.1.1.1.1.5	Variation 5: With Diethoxymethyl Acetate	1370
16.22.4.1.1.1.2	Method 2: From 2,4,5,6-Tetrasubstituted Pyrimidines	1370
16.22.4.1.1.1.2.1	Variation 1: From 5-Amino-2,6-dihydropyrimidine-4-carboxylic Acid	1370
16.22.4.1.1.1.2.2	Variation 2: From 2,6-Disubstituted 4-Aminopyrimidine-5-carboxamides	1371
16.22.4.1.1.1.2.3	Variation 3: With Guanidine	1372
16.22.4.1.1.1.2.4	Variation 4: With an Amidine	1373
16.22.4.1.1.1.2.5	Variation 5: With Sulfur	1374
16.22.4.1.1.2	By Formation of One N—C Bond	1374
16.22.4.1.1.2.1	Method 1: From 4,5-Disubstituted Pyrimidines	1374
16.22.4.1.1.2.1.1	Variation 1: From 4-(Acylamino)pyrimidine-5-carbonitrile	1374
16.22.4.1.1.2.1.2	Variation 2: From 4-Aminopyrimidine-5-carbonitrile	1375
16.22.4.1.1.2.2	Method 2: From 2,4,5-Trisubstituted Pyrimidines	1375
16.22.4.1.1.2.2.1	Variation 1: From 4-Amino-N ² -benzoyl-2-propylpyrimidine-5-carboximidamide	1375
16.22.4.1.1.2.2.2	Variation 2: From 4-[(Hydroxyimino)methyl]amino]-2-(methylsulfanyl)pyrimidine-5-carbonitrile	1376
16.22.4.1.1.2.3	Method 3: From 2,4,6-Trisubstituted Pyrimidines	1376

16.22.4.1.1.2.3.1	Variation 1: From 2,6-Disubstituted Pyrimidin-4-amines	1376
16.22.4.1.1.2.4	Method 4: From 2,4,5,6-Tetrasubstituted Pyrimidines	1377
16.22.4.2	Synthesis from Non-heterocyclic Substrates	1378
16.22.4.2.1	By Formation of Four N—C Bonds	1378
16.22.4.2.1.1	Method 1: From Malononitrile and Guanidine	1378
16.22.4.2.1.2	Method 2: From Cyanide and Ammonia	1378
16.22.4.3	Synthesis by Ring Transformation	1379
16.22.4.3.1	By Ring Enlargement	1379
16.22.4.3.1.1	Method 1: From Purine Nucleosides	1379
16.22.4.4	Aromatization	1379
16.22.4.4.1	Method 1: With Potassium Hexacyanoferrate(III)	1379
16.22.4.5	Synthesis by Substituent Modification	1380
16.22.4.5.1	Substitution of Existing Substituents	1380
16.22.4.5.1.1	Method 1: By Reductive Cleavage of Chlorine	1380
16.22.4.5.1.2	Method 2: By Substitution of Chlorine	1380
16.22.4.5.1.3	Method 3: By Substitution of Hydroxy Groups	1384
16.22.4.5.1.4	Method 4: By Reductive Cleavage of Nitrogen	1385
16.22.4.5.2	Addition Reactions	1386
16.22.4.5.2.1	Addition of Organic Groups	1386
16.22.4.5.2.1.1	Method 1: Addition of Carbon Nucleophiles	1386
16.22.4.6	Rearrangement of Substituents	1387
16.22.4.6.1	Method 1: The Hofmann Rearrangement	1387
16.22.4.6.2	Method 2: Rearrangement of Oxygen and Sulfur	1387
16.22.4.6.3	Method 3: Via an Aza-Wittig-Type Reaction	1388
16.22.5	Product Subclass 5: Pyrazinopyrazines	1389
16.22.5.1	Synthesis by Ring-Closure Reactions	1389
16.22.5.1.1	By Formation of Two N—C Bonds	1389
16.22.5.1.1.1	Method 1: From 5,6-Dichloropyrazine-2,3-dicarbonitrile	1389
16.22.5.1.2	By Formation of One N—C Bond	1390
16.22.5.1.2.1	Method 1: From 1,2-Dicarbonyl Compounds	1390
16.22.5.2	Synthesis by Ring Transformation	1390
16.22.5.2.1	Method 1: By Ring Enlargement	1390
16.22.5.2.2	Method 2: By Reduction	1391
16.22.5.3	Synthesis by Substituent Modification	1391
16.22.5.3.1	Method 1: By Substitution of Halogen Atoms	1391
16.22.5.3.2	Method 2: By Substitution of Cyano Groups	1392

16.23	Product Class 23: Diphosphinines M. Yoshifuji and S. Ito	
16.23	Product Class 23: Diphosphinines	1399
16.23.1	Product Subclass 1: 1,2-Diphosphinines	1400
16.23.1.1	Synthesis by Ring-Closure Reactions	1400
16.23.1.1.1	Method 1: Synthesis of a 1,2-Diphosphininium Derivative	1400
16.23.1.2	Aromatization	1401
16.23.1.2.1	Method 1: Aromatization of a 1,2-Diphosphininium Derivative	1401
16.23.2	Product Subclass 2: 1,3-Diphosphinines	1401
16.23.2.1	Synthesis by Ring-Closure Reactions	1401
16.23.2.1.1	Method 1: By Decomplexation	1401
16.23.2.1.2	Method 2: By Elimination	1403
16.23.2.1.3	Method 3: By [4+2] Cycloaddition	1404
16.23.2.2	Synthesis by Ring Transformation	1405
16.23.2.2.1	Method 1: Ring Transformation of $1\lambda^5,3\lambda^5$ -Diphosphetes	1405
16.23.2.3	Aromatization	1407
16.23.2.3.1	Method 1: Aromatization of a Diphosponium Salt	1407
16.23.3	Product Subclass 3: 1,4-Diphosphinines	1407
16.23.3.1	Synthesis by Ring-Closure Reactions	1407
16.23.3.1.1	Method 1: Synthesis of a $1\lambda^5,4\lambda^5$ -Diphosphinine by a [4+2]-Cyclization Reaction	1407
16.23.3.2	Aromatization	1408
16.23.3.2.1	Method 1: Aromatization of a Diphosphabicyclo[2.2.2]octa-2,5-diene	1408
	Keyword Index	1411
	Author Index	1465
	Abbreviations	1563