

**Volume 17:
Six-Membered Hetarenes with Two Unlike
or More than Two Heteroatoms and Fully
Unsaturated Larger-Ring Heterocycles**

Preface	V
Table of Contents	VII
Introduction	
S. M. Weinreb and Y. R. Mahajan	1
17.1 Product Class 1: Six-Membered Hetarenes with Two Unlike Heteroatoms	
17.1.1 Product Subclass 1: Two Unlike Oxygen, Sulfur, Selenium, or Tellurium Atoms	
S. Yamazaki and K. Yamamoto	19
17.1.2 Product Subclass 2: One Oxygen and One Nitrogen or Phosphorus Atom	
H. Ulrich	55
17.1.3 Product Subclass 3: One Sulfur, Selenium, or Tellurium Atom and One Nitrogen or Phosphorus Atom	
H. Ulrich	117
17.2 Product Class 2: Six-Membered Hetarenes with Three Heteroatoms	
17.2.1 Product Subclass 1: 1,2,3-Triazines and Phosphorus Analogues	
H. Döpp and D. Döpp	223
17.2.2 Product Subclass 2: 1,2,4-Triazines	
C. W. Lindsley and M. E. Layton	357
17.2.3 Product Subclass 3: 1,3,5-Triazines and Phosphorus Analogues	
S. von Angerer	449
17.3 Product Class 3: Six-Membered Hetarenes with More Than Three Heteroatoms	
M. Bohle	585
17.4 Product Class 4: Seven-Membered Hetarenes with One Heteroatom	
17.4.1 Product Subclass 1: Oxepins	
S. von Angerer	627
17.4.2 Product Subclass 2: Benzoxepins	
S. von Angerer	653
17.4.3 Product Subclass 3: Thiepins and Selenium Analogues	
A. L. Schwan	705

17.4.4	Product Subclass 4: Benzothiepins and Selenium/Tellurium Analogues A. L. Schwan	717
17.4.5	Product Subclass 5: Azepines, Cyclopentazepines, and Phosphorus Analogues M. D. Surman and R. H. Hutchings	749
17.4.6	Product Subclass 6: Benzazepines and Their Group 15 Analogues J.-P. K. Meigh	825
17.5	Product Class 5: Seven-Membered Hetarenes with Two or More Heteroatoms R. J. Herr	929
17.6	Product Class 6: Eight- and Nine-Membered Hetarenes and Heteroannulenes with One or More Heteroatoms R. M. Borzilleri	979
17.7	Product Class 7: Cyclazines Y. Tominaga	1025
17.8	Product Class 8: Porphyrins and Related Compounds K. M. Smith and M. G. H. Vicente	1081
17.9	Product Class 9: Phthalocyanines and Related Compounds N. B. McKeown	1237
	Keyword Index	1369
	Author Index	1417
	Abbreviations	1495

Table of Contents

Introduction

S. M. Weinreb and Y. R. Mahajan

	Introduction	1
17.1	Product Class 1: Six-Membered Heteroarenes with Two Unlike Heteroatoms	
17.1.1	Product Subclass 1: Two Unlike Oxygen, Sulfur, Selenium, or Tellurium Atoms S. Yamazaki and K. Yamamoto	
17.1.1	Product Subclass 1: Two Unlike Oxygen, Sulfur, Selenium, or Tellurium Atoms	19
17.1.1.1	1,4-Oxathiins	21
17.1.1.1.1	Synthesis by Ring-Closure Reactions	21
17.1.1.1.1.1	Method 1: Reaction of Sulfur Dichloride with Divinyl Ether	21
17.1.1.1.2	Synthesis by Ring Transformation	22
17.1.1.1.2.1	Method 1: Rearrangement of 1,3-Oxathiolanes	22
17.1.1.1.3	Aromatization	22
17.1.1.1.3.1	Method 1: Dehydrochlorination	22
17.1.1.1.3.2	Method 2: Pummerer Reaction	22
17.1.1.1.4	Synthesis by Substituent Modification	23
17.1.1.1.4.1	Addition of Heteroatoms	23
17.1.1.1.4.1.1	Method 1: Oxidation of a Ring Sulfur	23
17.1.1.1.4.2	Modification of Substituents	24
17.1.1.1.4.2.1	Method 1: Condensation Reaction of the Carboxy Group with Aniline Derivatives	24
17.1.1.2	Annulated 1,4-Oxathiins	24
17.1.1.2.1	Synthesis by Ring-Closure Reactions	24
17.1.1.2.1.1	By Annulation to an Arene	24
17.1.1.2.1.1.1	By Formation of Three Heteroatom—Carbon Bonds	24
17.1.1.2.1.1.1.1	Fragments O—C—C, C—C, and S	24
17.1.1.2.1.1.1.1.1	Method 1: Reaction of Monoimines with Phosphorus Pentasulfide	24
17.1.1.2.1.1.2	By Formation of Two Heteroatom—Carbon Bonds	25
17.1.1.2.1.1.2.1	Fragments S—C—C—O and C—C	25
17.1.1.2.1.1.2.1.1	Method 1: Reactions Involving Nucleophilic Sulfur and Oxygen	25
17.1.1.2.1.1.2.1.2	Method 2: Cycloaddition Reactions	27
17.1.1.2.1.1.2.2	Fragments S—C—C and O—C—C	28

17.1.1.2.1.1.2.2.1	Method 1:	Reaction of Spiroepoxyhexadienones with Pentahalobenzenethiols	28
17.1.1.2.1.1.2.2.2	Method 2:	Autocondensation Reaction of a Sulfonated α -Tetralone Derivative	29
17.1.1.2.1.1.2.3		Fragments C—C—O—C—C and S	30
17.1.1.2.1.1.2.3.1	Method 1:	Reaction of Diaryl Ether with Sulfur (The Ferrario Reaction)	30
17.1.1.2.1.1.2.3.1.1	Variation 1:	Reaction of Diaryl Ether with Sulfur Dichloride	31
17.1.1.2.1.1.2.3.1.2	Variation 2:	Reaction of Diaryl Ether with Sulfur Dication	31
17.1.1.2.1.1.2.4		Fragments C—C—S—C—C and O	31
17.1.1.2.1.1.2.4.1	Method 1:	Reaction of Bis(chloroaryl) Sulfide with Oxygen Divalent Nucleophiles	31
17.1.1.2.1.1.2.4.2	Method 2:	Reaction of Bis(dihydroxyphenyl) Sulfone with Oxidant	32
17.1.1.2.1.1.3		By Formation of One Heteroatom—Carbon Bond	32
17.1.1.2.1.1.3.1		Fragment S—C—C—O—C—C	32
17.1.1.2.1.1.3.1.1	Method 1:	Cyclization of a 1,2-S,O-Substituted Diaryl Ether	32
17.1.1.2.1.1.3.2		Fragment O—C—C—S—C—C	33
17.1.1.2.1.1.3.2.1	Method 1:	Alkylative Cyclization of 2-(Arylsulfonyl)ethanone	33
17.1.1.2.1.1.3.2.2	Method 2:	Cyclization of Diaryl Sulfides and Sulfoxides	34
17.1.1.2.1.2		By Annulation to the Heterocyclic Ring	35
17.1.1.2.1.2.1	Method 1:	Annulation of Heterocycles	35
17.1.1.2.1.2.2	Method 2:	Annulation of Carbocycles	36
17.1.1.2.2		Synthesis by Ring Transformation	36
17.1.1.2.2.1	Method 1:	Ring Enlargement	36
17.1.1.2.2.2	Method 2:	Formal Exchange of Ring Members with Retention of the Ring Size	38
17.1.1.2.3		Aromatization	38
17.1.1.2.3.1	Method 1:	Elimination from 2,3-Dihydro-1,4-benzoxathiins	38
17.1.1.2.4		Synthesis by Substituent Modification	39
17.1.1.2.4.1		Substitution of Existing Substituents	39
17.1.1.2.4.1.1		Of Hydrogen	39
17.1.1.2.4.1.1.1	Method 1:	C-Formylation of 1,4-Benzoxathiins	39
17.1.1.2.4.1.1.2	Method 2:	Electrophilic Substitution of Phenoxathiin	39
17.1.1.2.4.1.2		Of Metals	42
17.1.1.2.4.1.2.1	Method 1:	Substitution Reactions Involving Organolithium Derivatives	42
17.1.1.2.4.1.2.2	Method 2:	Substitution Reactions Involving Transition-Metal Complexes	45
17.1.1.2.4.1.3		Of Carbon Functionalities	45
17.1.1.2.4.1.3.1	Method 1:	Reactions Involving Rearrangement of Nitrogen onto an Annulated Ring Carbon	45
17.1.1.2.4.1.3.2	Method 2:	Reactions Involving Decarboxylation at an Annulated Ring Carbon	46

17.1.1.2.4.1.3.3	Method 3: Reactions Involving Dealkylation at the Ring Sulfur	46
17.1.1.2.4.1.4	Of Heteroatoms	46
17.1.1.2.4.1.4.1	Method 1: Replacement of Heteroatoms on an Annulated Ring Carbon	46
17.1.1.2.4.1.4.2	Method 2: Removal of Oxygen from the Ring Sulfur or from an Annulated Ring Nitrogen	47
17.1.1.2.4.2	Addition Reactions	48
17.1.1.2.4.2.1	Method 1: Reactions of Phenoxathiins with Alkylating Reagents	48
17.1.1.2.4.2.2	Method 2: Reactions Involving Phenoxathiin Cation Radical	49
17.1.1.2.4.2.3	Method 3: Oxidation of a Ring Sulfur	49
17.1.1.2.4.3	Rearrangement of Substituents	50
17.1.1.2.4.3.1	Method 1: Reactions Involving Benzyne	50
17.1.1.2.4.4	Modification of Substituents	51
17.1.1.2.4.4.1	Method 1: Reactions Involving Acyl Groups	51
17.1.2	Product Subclass 2: One Oxygen and One Nitrogen or Phosphorus Atom H. Ulrich	
17.1.2	Product Subclass 2: One Oxygen and One Nitrogen or Phosphorus Atom	55
17.1.2.1	1,4-Oxazines	55
17.1.2.1.1	Synthesis by Ring-Closure Reactions	55
17.1.2.1.1.1	By Formation of One O—C and One N—C Bond	55
17.1.2.1.1.1.1	Method 1: From <i>N</i> -Phenacylideneaniline	55
17.1.2.1.1.2	By Formation of One O—C Bond	56
17.1.2.1.1.2.1	Method 1: From <i>N,N</i> -Diphenacylaniline	56
17.1.2.1.1.2.2	Method 2: From α -Aminocarboxylic Acid Derivatives	56
17.1.2.1.1.3	By Formation of One N—C Bond	57
17.1.2.1.1.3.1	Method 1: From Bis(β -oxoethyl) Ethers and Related Compounds	57
17.1.2.1.2	Synthesis by Ring Transformation	58
17.1.2.1.2.1	Method 1: From 1,4-Dioxanes	58
17.1.2.2	1,4-Benzoxazines	58
17.1.2.2.1	Synthesis by Ring-Closure Reactions	59
17.1.2.2.1.1	By Formation of One O—C and One N—C Bond	59
17.1.2.2.1.1.1	Method 1: From Sulfinylamines and Ynamines	59
17.1.2.2.1.1.2	Method 2: From Benzo-1,2-quinone Imines and Ynamines	60
17.1.2.2.1.1.3	Method 3: From Aminophenols and α -Carbonyl Compounds	61
17.1.2.2.1.1.3.1	Variation 1: From α -Halo Esters	61
17.1.2.2.1.1.3.2	Variation 2: From α -Halo Ketones	62
17.1.2.2.1.1.3.3	Variation 3: From Maleic Anhydride	63
17.1.2.2.1.1.3.4	Variation 4: From Ynones, Dimethyl 3-Methoxy-2-oxobutane-1,4-dioate, or Ethyl Ethoxy(imino)acetate	63
17.1.2.2.1.1.3.5	Variation 5: From α -Carbonyl Compounds	64

17.1.2.2.1.2	By Formation of One O—C Bond	65
17.1.2.2.1.2.1	Method 1: From 6,7,8-Trifluoroquinoline-1-acetaldehydes	66
17.1.2.2.1.2.2	Method 2: By Ring Closure of N-Substituted 2-Aminophenols	66
17.1.2.2.1.3	By Formation of One N—C Bond	67
17.1.2.2.1.3.1	Method 1: By Ring Closure of O-Substituted 2-Aminophenols	67
17.1.2.2.1.3.2	Method 2: Reductive Cyclization of 2-Nitrophenols	69
17.1.2.2.2	Synthesis by Ring Transformation	72
17.1.2.2.2.1	Method 1: By Ring Enlargement	72
17.1.2.2.2.2	Method 2: Heterocyclic Ring Size Retained	73
17.1.2.2.3	Aromatization	73
17.1.2.2.3.1	Method 1: By Dehydrogenation	73
17.1.2.2.3.1.1	Variation 1: By Oxidation of Dihydro-1,4-benzoxazines	74
17.1.2.2.3.1.2	Variation 2: By Aromatization of 1,4-Benzoxazin-3-ones	74
17.1.2.2.3.2	Method 2: By Elimination	75
17.1.2.2.4	Synthesis by Substituent Modification	75
17.1.2.2.4.1	Substitution of Existing Substituents	75
17.1.2.2.4.1.1	Of Hydrogen	75
17.1.2.2.4.1.1.1	Method 1: By Alkylation or Acetylation	75
17.1.2.2.4.1.1.2	Method 2: By Bromine	76
17.1.2.2.4.1.1.3	Method 3: By Oxygen	76
17.1.2.2.4.2	Synthesis by Reduction of 1,4-Benzoxazines	77
17.1.2.2.4.2.1	Method 1: By Hydrogenation	77
17.1.2.2.4.2.2	Method 2: By Electrochemical and Chemical Reduction	77
17.1.2.3	Phenoxazines	78
17.1.2.3.1	Synthesis by Ring-Closure Reactions	79
17.1.2.3.1.1	By Formation of One O—C and Two N—C Bonds	80
17.1.2.3.1.1.1	Method 1: From Nitrosoarenes and 2,5-Dihydroxybenzo-1,4-quinones	80
17.1.2.3.1.1.2	Method 2: Nitration of 3-Methoxyphenol	80
17.1.2.3.1.2	By Formation of One O—C and One N—C Bond	80
17.1.2.3.1.2.1	Method 1: From 2-Aminophenols	80
17.1.2.3.1.2.1.1	Variation 1: By Oxidation	81
17.1.2.3.1.2.1.2	Variation 2: By Self-Condensation	82
17.1.2.3.1.2.1.3	Variation 3: By Reactions with 2-Chloronitrobenzenes	82
17.1.2.3.1.2.1.4	Variation 4: By Reactions with Pyrocatechol	84
17.1.2.3.1.2.1.5	Variation 5: By Reactions with 2-Hydroxy- or 2-Halobenzo-1,4-quinones	85
17.1.2.3.1.2.1.6	Variation 6: By Reactions with Indazole-4,7-diones	92
17.1.2.3.1.2.1.7	Variation 7: By Reactions with Dimethyl 2-Amino-3-oxophenoxazine-1,9-dicarboxylate	92
17.1.2.3.1.2.2	Method 2: From Phenols and 1-Nitroso-2-naphthol	93
17.1.2.3.1.2.3	Method 3: From N-Chlorobenzoquinone Imines and Phenols	94
17.1.2.3.1.2.4	Method 4: From Nitrosoanilines and Phenols	95

17.1.2.3.1.3	By Formation of One O—C Bond	96
17.1.2.3.1.3.1	Method 1: From (2-Hydroxyaryl)(2-nitroaryl)amines	96
17.1.2.3.1.3.2	Method 2: From Bis(2-alkoxyaryl)amines	96
17.1.2.3.1.3.3	Method 3: From 2,5-Dianilinobenzo-1,4-quinones	97
17.1.2.3.1.4	By Formation of One N—C Bond	99
17.1.2.3.1.4.1	Method 1: From Diaryl Ethers	99
17.1.2.3.1.4.1.1	Variation 1: By Cyclization of 2-Aminoaryl 2-Haloaryl Ethers	99
17.1.2.3.1.4.1.2	Variation 2: By Cyclization of 2-Aminoaryl 2-Nitroaryl Ethers	101
17.1.2.3.1.4.1.3	Variation 3: By Cyclization of 2-Aminoaryl or 2-Nitroaryl Aryl Ethers	101
17.1.2.3.2	Synthesis by Substituent Modification	102
17.1.2.3.2.1	Substitution of Existing Substituents	102
17.1.2.3.2.1.1	Of Hydrogen	102
17.1.2.3.2.1.1.1	Method 1: By Metalation	102
17.1.2.3.2.1.1.2	Method 2: By Friedel–Crafts Acylation, Halogenation, or Nitration	103
17.1.2.3.2.1.1.3	Method 3: By Oxidative Substitution	104
17.1.2.3.2.1.2	Of Alkyl Groups	105
17.1.2.3.2.1.2.1	Method 1: Demethylation	105
17.1.2.3.2.1.3	Of Halogen	105
17.1.2.3.2.1.3.1	Method 1: Reductive Dehalogenation	105
17.1.2.3.2.2	Modification of Substituents	105
17.1.2.3.2.2.1	Method 1: Reductive O-Methylation of Phenoxazin-3-one	105
17.1.2.4	1,4-Oxaphosphinines and Phenoxaphosphines	106
17.1.2.4.1	Synthesis by Ring-Closure Reactions	106
17.1.2.4.1.1	By Formation of Two O—C Bonds	106
17.1.2.4.1.1.1	Method 1: From Phosphorylethenamines	106
17.1.2.4.1.1.2	Method 2: From Bis(2-oxo-2-phenylethyl)phosphinic acid	106
17.1.2.4.1.2	By Formation of One O—C and One P—C Bond	107
17.1.2.4.1.2.1	Method 1: From Alkynylphosphines and Bromo Ketones	107
17.1.2.4.1.2.2	Method 2: From 1-Phenyl-2-(triphenylphosphonio)ethenolate	107
17.1.2.4.1.3	By Formation of Two P—C Bonds	108
17.1.2.4.1.3.1	Method 1: From Diaryl Ethers	108
17.1.2.4.1.3.1.1	Variation 1: From Bis(2-lithiophenyl) Ether	108
17.1.2.4.1.3.1.2	Variation 2: With Phosphorus Chlorides and Aluminum Trichloride	108
17.1.2.4.1.3.1.3	Variation 3: From Diaryl Ether 2-Diazonium Salts	109
17.1.2.4.2	Synthesis by Substituent Modification	110
17.1.2.4.2.1	Substitution of Existing Substituents	110
17.1.2.4.2.1.1	Of Heteroatoms	110
17.1.2.4.2.1.1.1	Method 1: By Reduction of 4-Substituted Oxaphosphinines 4-Oxides	110

17.1.3	Product Subclass 3: One Sulfur, Selenium, or Tellurium Atom and One Nitrogen or Phosphorus Atom H. Ulrich	
17.1.3	Product Subclass 3: One Sulfur, Selenium, or Tellurium Atom and One Nitrogen or Phosphorus Atom	117
17.1.3.1	1,4-Thiazines	117
17.1.3.1.1	Synthesis by Ring-Closure Reactions	118
17.1.3.1.1.1	By Formation of Two S—C Bonds and One N—C Bond	118
17.1.3.1.1.1.1	Method 1: From Ketones, Aziridine, and Sulfur	118
17.1.3.1.1.1.2	Method 2: From β -Aminoacrylates and Sulfur Dichloride or Sulfur Monochloride	118
17.1.3.1.1.2	By Formation of One S—C and One N—C Bond	119
17.1.3.1.1.2.1	Method 1: From 2-Sulfanylacetamides and 2-Halocarbonyl Compounds	119
17.1.3.1.1.2.2	Method 2: From 2-Aminoethanethiols	120
17.1.3.1.1.2.3	Method 3: From 1-Aza-4-thiabutadienes and Alkynes or Alkenes	120
17.1.3.1.1.2.4	Method 4: From α -Sulfanyl Ketones and Aziridine	121
17.1.3.1.1.3	By Formation of Two N—C Bonds	122
17.1.3.1.1.3.1	Method 1: From Bis(2-oxoalkyl) Sulfides	122
17.1.3.1.1.4	By Formation of One S—C and One C—C Bond	122
17.1.3.1.1.4.1	Method 1: From Alkyl [(3-Phenyl-2-propynoyl)anilino]acetates and Aryl Isothiocyanates	122
17.1.3.1.1.5	By Formation of Two C—C Bonds	123
17.1.3.1.1.5.1	Method 1: From Cyanodithioimidocarbonates and Dimethyloxosulfonium Methylide	123
17.1.3.1.1.6	By Formation of One N—C Bond	123
17.1.3.1.1.6.1	Method 1: From (Acetonylsulfanyl)acetamides	123
17.1.3.1.2	Synthesis by Ring Transformation	124
17.1.3.1.2.1	By Ring Enlargement	124
17.1.3.1.2.1.1	Method 1: From 1,3-Thiazoles	124
17.1.3.1.2.1.2	Method 2: From 2-Oxazolidinones and Thioglycolates	124
17.1.3.1.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	125
17.1.3.1.2.2.1	Method 1: From 1,4-Oxathiin-3-carboxamides	125
17.1.3.1.2.2.2	Method 2: From 2,5-Diphenyl-1,4-dithiin 1,1,4,4-Tetroxide and Sodium Azide	125
17.1.3.1.3	Aromatization	125
17.1.3.1.3.1	Method 1: By Deprotonation and S-Alkylation of 2 <i>H</i> -1,4-Thiazines	125
17.1.3.1.4	Synthesis by Substituent Modification	126
17.1.3.1.4.1	Method 1: By Deamination of 3,4-Dihydro-2 <i>H</i> -1,4-thiazin-4-amines	126
17.1.3.1.4.2	Method 2: By Dealkoxylation of Pyrrolothiazines	126

17.1.3.2	1,4-Benzothiazines and Related Compounds	127
17.1.3.2.1	Synthesis by Ring-Closure Reactions	127
17.1.3.2.1.1	Annulation to an Arene or a Heteroarene	127
17.1.3.2.1.1.1	By Formation of One S—C and One N—C Bond	127
17.1.3.2.1.1.1.1	Method 1: From Benzoquinone Derivatives and 2-Aminoethanethiols	128
17.1.3.2.1.1.1.1.1	Variation 1: From Benzo-1,4-quinone Diimines	128
17.1.3.2.1.1.1.1.2	Variation 2: From Benzo-1,2-quinones	128
17.1.3.2.1.1.1.2	Method 2: From 2-Aminobenzenethiols and a Two-Carbon Component	128
17.1.3.2.1.1.1.2.1	Variation 1: From 2-Aminobenzenethiols and Alkynes or Alkenes	129
17.1.3.2.1.1.1.2.2	Variation 2: From 2-Aminobenzenethiols and 1,3-Dioxo Compounds	130
17.1.3.2.1.1.1.2.3	Variation 3: From 2-Aminobenzenethiols and α -Halo Carbonyl Compounds	131
17.1.3.2.1.1.1.2.4	Variation 4: From 2-Aminobenzenethiol and 3-Arylisoxazol-5(4 <i>H</i>)-ones	135
17.1.3.2.1.1.1.3	Method 3: From Bis(2-aminophenyl) Disulfides and Activated Carbonyl Compounds or Alkynes	135
17.1.3.2.1.1.2	By Formation of One S—C Bond	137
17.1.3.2.1.1.2.1	Method 1: From 2-(Acylamino)- or 2-(Alkylideneamino)benzenethiols	137
17.1.3.2.1.1.2.2	Method 2: From Anilinoquinone-2-thiolates	138
17.1.3.2.1.1.3	By Formation of One N—C Bond	138
17.1.3.2.1.1.3.1	Method 1: From α -[(2-Nitrophenyl)sulfanyl] Anhydrides, Acids, and Ketones	138
17.1.3.2.1.1.3.2	Method 2: Synthesis from (2-Aminophenyl)acetic Acids, (2-Aminophenyl)acetonitriles, and Related Compounds	142
17.1.3.2.1.1.4	By Formation of One C—C Bond	143
17.1.3.2.1.1.4.1	Method 1: From 2-(Acylamino)aryl Sulfides	143
17.1.3.2.1.1.4.2	Method 2: Cyclization of 2-[1-(1,4-Thiazin-3-ylamino)ethylidene]malononitriles	144
17.1.3.2.2	Synthesis by Ring Transformation	144
17.1.3.2.2.1	By Ring Enlargement	144
17.1.3.2.2.1.1	Method 1: From 2,3-Dihydrobenzothiazoles	144
17.1.3.2.2.1.2	Method 2: From 1,2,3-Benzodithiazoles	147
17.1.3.2.2.2	Formal Exchange of Ring Members with Retention of the Ring Size	147
17.1.3.2.2.2.1	Method 1: From 1,4-Benzoxazines	147
17.1.3.2.2.3	By Ring Contraction	148
17.1.3.2.2.3.1	Method 1: From 3,4-Dihydro-2 <i>H</i> -1,6-benzothiazocines	148
17.1.3.2.3	Synthesis by Substituent Modification	148
17.1.3.2.3.1	Substitution of Existing Substituents	148
17.1.3.2.3.1.1	Of Hydrogen	148
17.1.3.2.3.1.1.1	Method 1: By Metals	148
17.1.3.2.3.1.1.2	Method 2: By Carbon Electrophiles	149
17.1.3.2.3.1.1.2.1	Variation 1: Acylation	149

17.1.3.2.3.1.1.2.2	Variation 2:	Alkenylation and Alkylation	149
17.1.3.2.3.1.1.3	Method 3:	By Halogens	152
17.1.3.2.3.1.1.3.1	Variation 1:	Direct Halogenation	152
17.1.3.2.3.1.2		Of Halogens	152
17.1.3.2.3.1.2.1	Method 1:	By Nucleophiles	152
17.1.3.2.3.1.3		Of Oxygen	153
17.1.3.2.3.1.3.1	Method 1:	By Hydrogen	153
17.1.3.2.3.1.4		Of Nitrogen	153
17.1.3.2.3.1.4.1	Method 1:	Deacylation	153
17.1.3.2.3.1.4.2	Method 2:	Dealkylation	153
17.1.3.2.3.2		Addition Reactions	154
17.1.3.2.3.2.1		Of Hydrogen	154
17.1.3.2.3.2.1.1	Method 1:	By Reduction of 1,4-Benzothiazines	154
17.1.3.2.3.2.1.2	Method 2:	By Oxidation at Sulfur	155
17.1.3.2.3.3		Rearrangement of Substituents	157
17.1.3.2.3.3.1	Method 1:	Of an Acetoxy Group	157
17.1.3.2.3.3.2	Method 2:	Of an Alkoxy carbonyl Group	157
17.1.3.2.3.3.3	Method 3:	Of a Methyl Group	158
17.1.3.2.3.3.4	Method 4:	Of an Allyl Group	158
17.1.3.2.3.3.5	Method 5:	Configurational Isomerization	158
17.1.3.2.3.4		Modification of Substituents	159
17.1.3.2.3.4.1	Method 1:	By Aldolization	159
17.1.3.2.3.4.2	Method 2:	By Lithiation and Electrophilic Attack	159
17.1.3.3		Phenothiazines	160
17.1.3.3.1		Synthesis by Ring-Closure Reactions	163
17.1.3.3.1.1		Annulation to an Arene or a Heteroarene	163
17.1.3.3.1.1.1		By Formation of Two S—C Bonds	163
17.1.3.3.1.1.1.1	Method 1:	From S-[2-Amino-5-(dimethylamino)phenyl] Hydrogen Thiosulfate and <i>N,N</i> -Dimethylaniline	163
17.1.3.3.1.1.1.2	Method 2:	From Arylamines and Sulfur	164
17.1.3.3.1.1.1.2.1	Variation 1:	From Diarylamines and Sulfur	164
17.1.3.3.1.1.1.2.2	Variation 2:	From Oligomeric Diphenylamines and Related Compounds	168
17.1.3.3.1.1.1.2.3	Variation 3:	From Hetarylamines	170
17.1.3.3.1.1.1.2.4	Variation 4:	From Diarylamines and Sulfuryl Chloride, Thionyl Chloride, or Sulfur Dichloride	171
17.1.3.3.1.1.1.2.5	Variation 5:	From (Arylamino)-1,4-quinones and Sodium Sulfide	172
17.1.3.3.1.1.2		By Formation of One S—C and One N—C Bond	172
17.1.3.3.1.1.2.1	Method 1:	From Arylamines and 1-(Anilinosulfanyl)-2-nitrobenzenes	172
17.1.3.3.1.1.2.2	Method 2:	From Aminoarenethiols	173
17.1.3.3.1.1.2.2.1	Variation 1:	From 2-Aminoarenethiols and Quinones	173
17.1.3.3.1.1.2.2.2	Variation 2:	From Heterocyclic Quinones	175

17.1.3.3.1.1.2.2.3	Variation 3:	From 4,8-Bis(alkylamino)naphtho-1,5-quinones	177
17.1.3.3.1.1.2.2.4	Variation 4:	From 1,3-Diketones and Related Compounds	177
17.1.3.3.1.1.2.2.5	Variation 5:	From Polycyclic Quinones	178
17.1.3.3.1.1.2.3	Method 3:	From Zinc Aminoarenethiolates and Haloquinones	178
17.1.3.3.1.1.2.3.1	Variation 1:	From Chlorohydroquinones	178
17.1.3.3.1.1.2.3.2	Variation 2:	From Haloquinones	179
17.1.3.3.1.1.3	By Formation of One N—C Bond		183
17.1.3.3.1.1.3.1	Method 1:	From Diaryl Sulfides and Related Compounds	183
17.1.3.3.1.1.3.1.1	Variation 1:	From 2-Azidophenyl Phenyl Sulfides	183
17.1.3.3.1.1.3.1.2	Variation 2:	From 2-Nitrophenyl Phenyl Sulfides	184
17.1.3.3.1.1.3.1.3	Variation 3:	From 2-Aminophenyl 2-Nitrophenyl Sulfides or 2-(Acylamino)phenyl 2-Nitrophenyl Sulfides	185
17.1.3.3.1.1.3.1.4	Variation 4:	From 2-Aminophenyl 2-Nitrophenyl Sulfides via 2-Aminobenzenethiol and Halodinitrobenzenes	187
17.1.3.3.1.1.3.1.5	Variation 5:	From 2-Aminophenyl 2-Halophenyl Sulfides	189
17.1.3.3.1.1.3.1.6	Variation 6:	From 2-Aminophenyl and 2-Aminohetaryl 2-Halodiazinyl Sulfides	192
17.1.3.3.1.1.3.1.7	Variation 7:	From 5-[(2-Aminoaryl)sulfanyl]pyrimidin-4-ol, or from 6-[(2-Acetylamino)phenyl)sulfanyl]-1,3-dimethyluracil	195
17.1.3.3.1.1.4	Miscellaneous Ring-Closure Reactions		196
17.1.3.3.1.1.4.1	Method 1:	By Thermolysis of 1,2,4-Triazines	196
17.1.3.3.2	Synthesis by Ring Transformation		197
17.1.3.3.2.1	By Ring Enlargement		197
17.1.3.3.2.1.1	Method 1:	Of 2,3-Dihydrobenzothiazoles with <i>N</i> -Bromosuccinimide	197
17.1.3.3.2.1.2	Method 2:	Of 2,3-Dihydrobenzothiazoles with Sulfuryl Chloride	197
17.1.3.3.2.1.3	Method 3:	Of 1,2,3-Benzothiadiazole	198
17.1.3.3.2.2	Formal Exchange of Ring Members with Retention of the Ring Size		198
17.1.3.3.2.2.1	Method 1:	From 10-Chloro-5,10-dihydrophenarsenazine and Sulfuryl Chloride	198
17.1.3.3.2.3	By Ring Contraction		198
17.1.3.3.2.3.1	Method 1:	Of Pyrimido[1,5]benzothiazepines	198
17.1.3.3.3	Synthesis by Substituent Modification		199
17.1.3.3.3.1	Substitution of Existing Substituents		199
17.1.3.3.3.1.1	Of Hydrogen		199
17.1.3.3.3.1.1.1	Method 1:	By Metals	199
17.1.3.3.3.1.1.2	Method 2:	By Acylation or Alkylation	200
17.1.3.3.3.1.1.3	Method 3:	By Halogenation	201
17.1.3.3.3.1.1.4	Method 4:	By Nitration	202
17.1.3.3.3.1.2	Of Halogen		202
17.1.3.3.3.1.2.1	Method 1:	By Metals	202
17.1.3.3.3.1.2.2	Method 2:	By Hydrogen	203
17.1.3.3.3.2	Addition Reactions		203

17.1.3.3.3.2.1	Of Oxygen	203
17.1.3.3.3.3	Modification of Substituents	204
17.1.3.3.3.3.1	Method 1: Oxidation of Phenothiazin-3-ols and Related Compounds	204
17.1.3.3.3.3.2	Method 2: Reduction of Phenothiazinones and Phenothiazine 5-Oxides	205
17.1.3.4	1,4-Selenazines and Related Compounds	205
17.1.3.4.1	Synthesis by Ring-Closure Reactions	206
17.1.3.4.1.1	By Formation of Two Se—C Bonds and One N—C Bond	206
17.1.3.4.1.1.1	Method 1: From Pentan-3-one, Aziridine, and Selenium	206
17.1.3.4.1.2	By Formation of Two Se—C Bonds	206
17.1.3.4.1.2.1	Method 1: From Diarylamines and Selenium Dichloride	206
17.1.3.4.1.3	By Formation of One Se—C and One N—C Bond	207
17.1.3.4.1.3.1	Method 1: From 2-Aminoareneselenols	207
17.1.3.4.1.3.2	Method 2: From 3,3'-Diselane-1,2-diylbis(6-methylaniline) and <i>N,N</i> -Dimethyl-4-nitrosoaniline	207
17.1.3.5	1,4-Tellurazines	208
17.1.3.5.1	Synthesis by Ring-Closure Reactions	208
17.1.3.5.1.1	By Formation of Two Te—C Bonds	208
17.1.3.5.1.1.1	Method 1: From Diallylamine and Tellurium Tetrabromide	208
17.1.3.5.1.1.2	Method 2: From Diarylamines	208
17.1.3.6	1,4-Thiaphosphinines	210
17.1.3.6.1	Synthesis by Ring-Closure Reactions	210
17.1.3.6.1.1	By Formation of Two S—C Bonds	210
17.1.3.6.1.1.1	Method 1: From Dialkynylphosphine Oxides and Sodium Sulfide	210
17.1.3.6.1.1.2	Method 2: From Diacylphosphine Oxides and Phosphorus Pentasulfide	210
17.1.3.6.1.2	By Formation of Two P—C Bonds	211
17.1.3.6.1.2.1	Method 1: From Diaryl Sulfides with Phosphorus Trichloride and Aluminum Trichloride	211
17.1.3.6.1.2.2	Method 2: From Bis(2-dilithiophenyl) Sulfone and Ethyl Dichloridophosphate	211
17.1.3.7	1,4-Selenaphosphinines	211
17.1.3.7.1	Synthesis by Ring-Closure Reactions	212
17.1.3.7.1.1	By Formation of Two Se—C Bonds	212
17.1.3.7.1.1.1	Method 1: From Dialkynylphosphine Oxides and Disodium Diselenide	212
17.1.3.8	1,4-Telluraphosphinines	212
17.1.3.8.1	Synthesis by Ring-Closure Reactions	212
17.1.3.8.1.1	By Formation of Two Te—C Bonds	212
17.1.3.8.1.1.1	Method 1: From Dialkynylphosphine Oxides and Sodium Telluride	212

17.2	Product Class 2: Six-Membered Heteroarenes with Three Heteroatoms	
17.2.1	Product Subclass 1: 1,2,3-Triazines and Phosphorus Analogues H. Döpp and D. Döpp	
17.2.1	Product Subclass 1: 1,2,3-Triazines and Phosphorus Analogues	223
17.2.1.1	Monocyclic 1,2,3-Triazines	230
17.2.1.1.1	Synthesis by Ring-Closure Reactions	230
17.2.1.1.1.1	By Formation of One N–N and One N–C Bond	230
17.2.1.1.1.1.1	Method 1: Condensations of 3-Diazo-2-oxopropanoic Acid Derivatives with Hydrazine Hydrate or Hydroxylamine	230
17.2.1.1.1.2	By Formation of Two N–C Bonds	231
17.2.1.1.1.2.1	Method 1: Cyclization of Triazines with (Chloroformyl)ketenes	231
17.2.1.1.1.3	By Formation of One N–N Bond	231
17.2.1.1.1.3.1	Method 1: Cyclization of <i>N</i> -Benzyl-3-diazo-2-oxopropanamide	231
17.2.1.1.2	Synthesis by Ring Transformation	232
17.2.1.1.2.1	By Ring Enlargement	232
17.2.1.1.2.1.1	Method 1: From 2-Chloro-2,3-diphenyl-2 <i>H</i> -azirine with Diazomethane	232
17.2.1.1.2.1.1.1	Variation 1: From 4-Methyl- <i>N'</i> -[aryl(3-arylaziridin-2-yl)methylene]- benzenesulfonohydrazides	232
17.2.1.1.2.1.2	Method 2: From Tetrahalocyclopropenes and Trimethylsilyl Azide	233
17.2.1.1.2.1.3	Method 3: By Rearrangement of Cyclopropenyl Azides	233
17.2.1.1.2.1.4	Method 4: By Oxidation of Pyrazol-1-amines	236
17.2.1.1.2.1.4.1	Variation 1: From Pyrazol-1-amines by Oxidation and Halogenation	238
17.2.1.1.2.1.5	Method 5: Reactions of Substituted 1,2,3-Triazole 1-Oxides with Dialkyl Acetylenedicarboxylates	239
17.2.1.1.2.1.5.1	Variation 1: By Thermal Rearrangement of Pyrrolo[2,3- <i>d</i>][1,2,3]triazoles	239
17.2.1.1.3	Aromatization	240
17.2.1.1.3.1	Method 1: Dehydrogenation and Oxidation of 2,5-Dihydro-1,2,3-tria- zines	240
17.2.1.1.4	Synthesis by Substituent Modification	241
17.2.1.1.4.1	Substitution of Existing Substituents	241
17.2.1.1.4.1.1	Of Hydrogen	241
17.2.1.1.4.1.1.1	Method 1: Metalation	241
17.2.1.1.4.1.1.2	Method 2: Introduction of Amide Functions at C5	241
17.2.1.1.4.1.1.3	Method 3: Vicarious Nucleophilic Substitution	242
17.2.1.1.4.1.1.4	Method 4: C-Alkylation with Silyl Enol Ethers or Ketene Silyl Acetals in the Presence of 1-Chloroethyl Chloroformate	243
17.2.1.1.4.1.1.4.1	Variation 1: C-Alkylation (Arylation) of 2-Methyl-1,2,3-triazinium Iodides	244
17.2.1.1.4.1.1.5	Method 5: Halogenation	245
17.2.1.1.4.1.1.6	Method 6: Hydroxylation and Oxidation	245
17.2.1.1.4.1.2	Of Metals	246

17.2.1.1.4.1.2.1	Method 1:	1-Hydroxyalkylation of Lithio-1,2,3-triazines with Aromatic Aldehydes	246
17.2.1.1.4.1.3	Of Heteroatoms		247
17.2.1.1.4.1.3.1	Method 1:	Dehalogenation	247
17.2.1.1.4.1.3.2	Method 2:	Substitution of Halogens by Perfluoroalkyl Groups	248
17.2.1.1.4.1.3.3	Method 3:	Substitution of Halo-1,2,3-triazines by Hetero Nucleophiles ..	249
17.2.1.1.4.1.3.4	Method 4:	Hydroxylation of 5-Halo-1,2,3-triazines	250
17.2.1.1.4.1.3.5	Method 5:	Replacement of Halogen by Alkoxy, Aryloxy, Alkylsulfanyl, and Dialkylamino Groups	250
17.2.1.1.4.1.3.6	Method 6:	Substitution of Alkoxy by Hydrazino Groups	252
17.2.1.1.4.1.3.7	Method 7:	Hydrolysis of 5-(Dialkylamino)-1,2,3-triazinium Salts	252
17.2.1.1.4.2	Addition Reactions		253
17.2.1.1.4.2.1	Method 1:	Protonation of 1,2,3-Triazines by Tetrafluoroboric Acid	253
17.2.1.1.4.2.2	Method 2:	N-Acylation, N-Alkylation, and N-Arylation	254
17.2.1.1.4.2.3	Method 3:	N-Methylenation	256
17.2.1.1.4.2.4	Method 4:	Demethylation and Demethylenation	256
17.2.1.1.4.2.5	Method 5:	Oxidation to N-Oxides	256
17.2.1.1.4.2.6	Method 6:	N-Amination	257
17.2.1.1.4.2.7	Method 7:	Reduction of 1,2,3-Triazine N-Oxides	258
17.2.1.1.4.2.8	Method 8:	Diazotization of 2-Amino-4,6-dimethyl-1,2,3-triazinium	258
17.2.1.1.4.3	Modification of Substituents		258
17.2.1.1.4.3.1	Method 1:	Oxidation of α -Hydroxy-Substituted Benzyl Groups	258
17.2.1.1.4.3.2	Method 2:	Acylation of 4,6-Disubstituted 2-Amino-1,2,3-triaziniums ..	259
17.2.1.2	Annulated 1,2,3-Triazines		260
17.2.1.2.1	Synthesis by Ring-Closure Reactions		260
17.2.1.2.1.1	By Annulation to a Heterocycle or Carbocycle		260
17.2.1.2.1.1.1	By Formation of Two N—N Bonds		260
17.2.1.2.1.1.1.1	Method 1:	Reaction of (2-Aminophenyl)arylimines with Nitrous Acid ..	260
17.2.1.2.1.1.1.1.1	Variation 1:	Reaction of 2-Aminoaryl Oximes with Nitrous Acid	260
17.2.1.2.1.1.1.2	Method 2:	Reaction of 2-Aminobenzcarboxamides or Aminohetarencarboxamides with Nitrous Acid	261
17.2.1.2.1.1.1.2.1	Variation 1:	Reaction of 2-Aminoarenehydroxamic Acids and 2-Aminoarene-carbohydrazides with Nitrous Acid	265
17.2.1.2.1.1.1.2.2	Variation 2:	Reaction of 2-Aminothiobenzamides and Aminohetarene-carbothioamides with Nitrous Acid	266
17.2.1.2.1.1.1.2.3	Variation 3:	Reaction of 2-Aminobenzcarboxamidines and Related Compounds with Nitrous Acid	267
17.2.1.2.1.1.1.2.4	Variation 4:	Reaction of Aminohetarene carbonitriles with Nitrous Acid and Hydrochloric Acid	268
17.2.1.2.1.1.1.3	Method 3:	Cyclization of 2-Aminobenzonitriles and Related Compounds with Nitric Acid	269
17.2.1.2.1.1.1.4	Method 4:	Diazotization of Naphthalene-1,8-diamines	270
17.2.1.2.1.1.1.4.1	Variation 1:	Diazotization of (Aminohetaryl)azoles	271
17.2.1.2.1.1.1.4.2	Variation 2:	Diazotization of 2-(2-Aminophenyl)pyridines	274

17.2.1.2.1.1.4.3	Variation 3:	Diazotization of 2-(2-Aminophenyl)quinazolin-4-amines and 2-(2-Aminophenyl)-1,3,5-triazine-4,6-diamines	275
17.2.1.2.1.1.2		By Formation of One N—N and One N—C Bond	275
17.2.1.2.1.1.2.1	Method 1:	Diazotization of Ethyl Aminohetarene-carboxylates and Alkyl 2-Aminobenzcarboxylates/Cyclization with Ammonia and Primary Amines	275
17.2.1.2.1.1.2.1.1	Variation 1:	Diazotization of 2-Aminobenzonitrile or Aminohetarene-carbonitriles/Cyclization with Primary Amines	279
17.2.1.2.1.1.2.2	Method 2:	Nitrosation of Methylhetarenamines	280
17.2.1.2.1.1.2.2.1	Variation 1:	Nitrosation of Ethyl (1-Methylindol-2-yl)acetate	282
17.2.1.2.1.1.3		By Formation of Two N—C Bonds	282
17.2.1.2.1.1.3.1	Method 1:	Cyclization of Pyrazol-1-amines and 1,2,3-Triazol- <i>N</i> -amines with C—C—C Fragments	282
17.2.1.2.1.1.4		By Formation of One N—N Bond	284
17.2.1.2.1.1.4.1	Method 1:	Oxidation of 2-(Aminophenyl) Ketone Hydrazones	284
17.2.1.2.1.1.4.2	Method 2:	Oxidation of 2-Nitrobenzaldehyde Hydrazones	284
17.2.1.2.1.1.4.3	Method 3:	Cyclization of <i>N</i> -Aroyl-2-azidobenzamides	285
17.2.1.2.1.1.4.4	Method 4:	Cyclization of Diazoazolecarboxamides	286
17.2.1.2.1.1.4.4.1	Variation 1:	Cyclization of 5-Diazoimidazole-4-carbonitrile	288
17.2.1.2.1.1.5		By Formation of One N—C Bond	288
17.2.1.2.1.1.5.1	Method 1:	Cyclization of Azidohetarene-carbonyl Compounds	288
17.2.1.2.1.1.5.2	Method 2:	Cyclization of Pyrazol-1-ylaminomethylene Meldrum's Acid ..	289
17.2.1.2.1.1.6		By Formation of One C—C Bond	289
17.2.1.2.1.1.6.1	Method 1:	Cyclization of 1-Aryl-3,3-dialkyltriazenes	289
17.2.1.2.1.2		By Annulation to the 1,2,3-Triazine Ring	290
17.2.1.2.1.2.1	Method 1:	Annulation with (Chlorocarbonyl)phenylketene	290
17.2.1.2.1.2.2	Method 2:	Cyclization of Annulated <i>N</i> -(2-Nitrophenyl)-1,2,3-triazines ..	290
17.2.1.2.1.2.3	Method 3:	Reaction of 1,2,3-Benzotriazin-4(3 <i>H</i>)-one or 1,2,3-Benzotriazine-4(3 <i>H</i>)-thione with α -Halo Ketones	290
17.2.1.2.1.2.4	Method 4:	Cyclization of 4-(ω -Chloroalkylamino)pyrimido[5,4- <i>d</i>]-[1,2,3]triazines	291
17.2.1.2.1.2.5	Method 5:	Condensation Reactions of Annulated 4-Hydrazino-1,2,3-triazines	291
17.2.1.2.1.2.6	Method 6:	Thermolysis of 1,2,3-Benzotriazin-4(3 <i>H</i>)-one	292
17.2.1.2.1.2.7	Method 7:	Condensation Reactions of 4-Aroyl-5-ethoxy-1,2,3-triazines ..	292
17.2.1.2.2		Synthesis by Ring Transformation	293
17.2.1.2.2.1	Method 1:	From 3-(Aryldiazenyl)-2,1-benzisoxazoles	293
17.2.1.2.2.2	Method 2:	From Annulated Pyrazol- <i>N</i> -amines	293
17.2.1.2.2.3	Method 3:	From Annulated 1,2,3-Triazolium-1-arylimides	295
17.2.1.2.2.4	Method 4:	From Imidazo[4,5- <i>d</i>][1,2,3]thiadiazin-4-imines	296
17.2.1.2.2.5	Method 5:	From <i>N</i> -Aminoquinazolin-2-ones and Related Compounds ..	296
17.2.1.2.3		Aromatization	297
17.2.1.2.4		Synthesis by Substituent Modification	298

17.2.1.2.4.1	Substitution of Existing Substituents	298
17.2.1.2.4.1.1	Of Hydrogen	298
17.2.1.2.4.1.1.1	Method 1: Hydrogen–Deuterium Exchange	298
17.2.1.2.4.1.1.2	Method 2: Metalation	298
17.2.1.2.4.1.1.3	Method 3: C-Halogenation	298
17.2.1.2.4.1.1.4	Method 4: N-Acylation	299
17.2.1.2.4.1.1.5	Method 5: N-Alkylation and N-Arylation	300
17.2.1.2.4.1.1.6	Method 6: N-Thiolation and N-Tosylation	303
17.2.1.2.4.1.1.7	Method 7: N-Amination	303
17.2.1.2.4.1.2	Of Carbon Functionalities	304
17.2.1.2.4.1.2.1	Method 1: N-Deacylation and N-Dealkylation	304
17.2.1.2.4.1.3	Of Heteroatoms	304
17.2.1.2.4.1.3.1	Method 1: Substitution of Halogen	304
17.2.1.2.4.1.3.1.1	Variation 1: Replacement of the 4-Chloro Substituent by Sulfur	305
17.2.1.2.4.1.3.1.2	Variation 2: Replacement of the 4-Chloro Substituent by Amino or Hydrazino Groups	305
17.2.1.2.4.1.3.2	Method 2: Substitution of the 4-Oxo Group	305
17.2.1.2.4.1.3.2.1	Variation 1: Replacement of a 4-Oxo by a Thioxo Group	306
17.2.1.2.4.1.3.2.2	Variation 2: Replacement of a 4-Oxo by Amino Groups	307
17.2.1.2.4.1.3.3	Method 3: Substitution of the 4-Methoxy Group	307
17.2.1.2.4.1.3.4	Method 4: Substitution of the 4-Thioxo Group	308
17.2.1.2.4.1.3.5	Method 5: Substitution of the 4-(Methylsulfanyl) Group	309
17.2.1.2.4.1.3.6	Method 6: Substitution of Amino, 4-Hydrazino, and 4-(1,2,4-Triazol-1-yl) Groups	310
17.2.1.2.4.2	Addition Reactions	310
17.2.1.2.4.2.1	Method 1: Alkylation of 4-(Arylamino)-1,2,3-benzotriazines	310
17.2.1.2.4.2.2	Method 2: Oxidation to <i>N</i> -Oxides	311
17.2.1.2.4.2.3	Method 3: Deoxygenation of <i>N</i> -Oxides	312
17.2.1.2.4.3	Rearrangement of Substituents	313
17.2.1.2.4.3.1	Method 1: Photoisomerization of 2-Substituted 1,2,3-Benzotriazinium-4-olates	313
17.2.1.2.4.3.2	Method 2: Rearrangement of Annulated 3-Substituted 1,2,3-Triazin-4(3 <i>H</i>)-imines	313
17.2.1.2.4.4	Modification of Substituents	314
17.2.1.2.4.4.1	Method 1: Reactions of 2-Methyl Substituents of Naphtho[1,8- <i>d,e</i>][1,2,3]triazine	314
17.2.1.2.4.4.2	Method 2: Reactions of Chloromethyl Substituents	314
17.2.1.2.4.4.3	Method 3: Reactions of Hydroxyalkyl Substituents	314
17.2.1.2.4.4.4	Method 4: Modification of Oxygen Functionalities	315
17.2.1.2.4.4.5	Method 5: Modification of 4-Thioxo and 4-Methylsulfanyl Substituents	315
17.2.1.2.4.4.6	Method 6: Modification of Nitrogen Functionalities	316
17.2.1.3	Monocyclic 1,2,3λ ⁵ -Diazaphosphinines	317
17.2.1.3.1	Synthesis by Ring-Closure Reactions	317

17.2.1.3.1.1	By Formation of One P—C and One C—C Bond	317
17.2.1.3.1.1.1	Method 1: Reaction of <i>N</i> -Phosphino- <i>C</i> -thiophosphoranylnitrilimine with Dimethyl Acetylenedicarboxylate	317
17.2.1.4	Annulated 1,2,3λ ⁵ -Diazaphosphinines	318
17.2.1.4.1	Synthesis by Ring-Closure Reactions	318
17.2.1.4.1.1	By Formation of One N—P and One P—C Bond	318
17.2.1.4.1.1.1	Method 1: Cyclization of Hetarene-carbaldehyde Phenylhydrazones with Phosphorus Bromides	318
17.2.1.5	Monocyclic 1,3,2λ ⁵ -Diazaphosphinines and 1,3,2-Diazaphosphinines	320
17.2.1.5.1	Synthesis by Ring-Closure Reactions	320
17.2.1.5.1.1	By Formation of Two N—P Bonds	320
17.2.1.5.1.1.1	Method 1: From Malononitriles and Phosphorus Pentachloride	320
17.2.1.5.1.1.1.1	Variation 1: From Malononitrile and Tetrachlorophosphoranes	321
17.2.1.5.1.1.2	Method 2: From Substituted 3-Aminopropenenitriles and Tetra- or Trichlorophosphorane	322
17.2.1.5.1.1.3	Method 3: From Substituted 1-Azabutadien-4-amines and Various Phosphorus Chlorides	323
17.2.1.5.1.2	By Formation of One N—P and One C—C Bond	324
17.2.1.5.1.2.1	Method 1: From (1,1-Dichloroalkyl)phosphorimidic Acid Trichlorides and Alkyl nitriles or Propenenitrile	324
17.2.1.5.1.3	By Formation of One N—P Bond	325
17.2.1.5.1.3.1	Method 1: Cyclization of (2-Cyanoalk-1-enyl)phosphorimidic Acid Trichlorides	325
17.2.1.5.2	Synthesis by Ring Transformation	326
17.2.1.5.2.1	Method 1: From 1,3,2-Diazatitanacyclohexadienes with Phosphorus Trichloride	326
17.2.1.5.3	Synthesis by Substituent Modification	326
17.2.1.5.3.1	Substitution of Existing Substituents	326
17.2.1.5.3.1.1	Of Hydrogen	326
17.2.1.5.3.1.1.1	Method 1: By Chlorination	326
17.2.1.5.3.1.2	Of Heteroatoms	327
17.2.1.5.3.1.2.1	Method 1: Replacement of Chloro Substituents by Oxygen Functionalities	327
17.2.1.5.3.1.2.2	Method 2: Replacement of Chloro Substituents by Amino Groups	329
17.2.1.6	Annulated 1,3,2λ ⁵ -Diazaphosphinines	330
17.2.1.6.1	Synthesis by Ring-Closure Reactions	330
17.2.1.6.1.1	By Annulation to a Heterocycle or Carbocycle	330
17.2.1.6.1.1.1	By Formation of Two N—P Bonds	330

17.2.1.6.1.1.1.1	Method 1:	Cyclization of Aminohetarene-carboxamides, Aminohetarene-carbothioamides, 2-Aminobenzamides, and Related Compounds with Phosphorus(V) Reagents	330
17.2.1.6.1.1.1.1.1	Variation 1:	Cyclization of Aminohetarene-carbonitriles with Lawesson's Reagent	331
17.2.1.6.1.1.1.2	Method 2:	Cyclization of 2-Aminobenzamides with Phosphorus Trichloride	332
17.2.1.6.1.1.1.2.1	Variation 1:	Cyclization of 2-[(ω -Hydroxyalkyl)amino]benzamides with Tris(diethylamino)phosphine	334
17.2.1.6.1.1.1.3	Method 3:	Cyclization of Naphthalene-1,8-diamine with Phosphorus(V) Dichlorides	334
17.2.1.6.1.1.2	By Formation of One N—P Bond		335
17.2.1.6.1.1.2.1	Method 1:	Cyclization of <i>N</i> -(2-Cyanophenyl)phosphinimidic Acid Chlorides	335
17.2.1.6.1.1.3	By Formation of One N—C Bond		336
17.2.1.6.1.1.3.1	Method 1:	Cyclization of <i>N</i> -(Trimethylsilyl)- <i>N</i> -(phosphoranyl)benzamides	336
17.2.1.6.1.2	By Annulation to the 1,3,2 λ^5 -Diazaphosphinine Ring		337
17.2.1.6.1.2.1	Method 1:	Cyclization of 1- or 3-(ω -Haloalkyl)-1,3,2 λ^5 -benzodiazaphosphinines	337
17.2.1.6.1.2.2	Method 2:	Cyclization of 4-Chloro-1,3,2 λ^5 -diazaphosphinine-5-carbonitriles with Hydrazines	338
17.2.1.6.2	Synthesis by Substituent Modification		338
17.2.1.6.2.1	Substitution of Existing Substituents		338
17.2.1.6.2.1.1	Of Hydrogen		338
17.2.1.6.2.1.1.1	Method 1:	Substitution at Phosphorus with Carbon Functional Groups	338
17.2.1.6.2.1.2	Of Heteroatoms		339
17.2.1.6.2.1.2.1	Method 1:	Replacement of Chloro Substituents by Amino Groups	339
17.2.1.6.2.1.2.2	Method 2:	Replacement of Alkylsulfanyl Substituents by Alkyl, Alkoxy, or Amino Groups	340
17.2.1.6.2.2	Modification of Substituents		340
17.2.1.6.2.2.1	Method 1:	Alkylation of Sulfanyl and Thioxo Groups	340
17.2.1.7	Monocyclic 1,2 λ^5 ,6 λ^5 -Azadiphosphinines		341
17.2.1.7.1	Synthesis by Ring-Closure Reactions		341
17.2.1.7.1.1	By Formation of Two P—C Bonds		341
17.2.1.7.1.1.1	Method 1:	Cyclization of Propenes with Diphosphazanes	341
17.2.1.8	Monocyclic 1 λ^5 ,2,3 λ^5 -Triphosphinines		343
17.2.1.8.1	Synthesis by Ring-Closure Reactions		343
17.2.1.8.1.1	By Formation of Two P—P Bonds		343
17.2.1.8.1.1.1	Method 1:	Cyclization of 3-(Diphenylphosphino)-2-[(diphenylphosphino)methyl]prop-1-ene with Phosphorus Trichloride	343

17.2.2	Product Subclass 2: 1,2,4-Triazines	
	C. W. Lindsley and M. E. Layton	
<hr/>		
17.2.2	Product Subclass 2: 1,2,4-Triazines	357
17.2.2.1	Monocyclic 1,2,4-Triazines	361
17.2.2.1.1	Synthesis by Ring-Closure Reactions	361
17.2.2.1.1.1	By Formation of Three N—C Bonds	361
17.2.2.1.1.1.1	Fragments N—N—C, C—C, and N	361
17.2.2.1.1.1.1.1	Method 1: Reactions of Phenacyl Halides with Acylhydrazides	361
17.2.2.1.1.1.1.1.1	Variation 1: Microwave-Assisted Reactions of Phenacyl Halides with Acylhydrazides	362
17.2.2.1.1.1.1.2	Method 2: Condensation of 1,2-Dicarbonyl Compounds with Acylhydrazides and Ammonium Acetate	363
17.2.2.1.1.1.1.2.1	Variation 1: Microwave-Assisted Condensation of 1,2-Dicarbonyl Compounds, Acylhydrazides, and Ammonium Acetate	364
17.2.2.1.1.2	By Formation of Two N—C Bonds	365
17.2.2.1.1.2.1	Fragments N—N—C—N and C—C	365
17.2.2.1.1.2.1.1	Method 1: Reactions of 1,2-Dicarbonyl Compounds with Amidrazones	365
17.2.2.1.1.2.1.1.1	Variation 1: Reactions of 1,2-Dicarbonyl Compounds with Semicarbazides, Thiosemicarbazides, or Selenosemicarbazides	367
17.2.2.1.1.2.1.1.2	Variation 2: Reactions of 1,2-Dicarbonyl Compounds with Guanidin-2-amines or Guanidine-1,2-diamines	368
17.2.2.1.1.2.1.2	Method 2: Cyclization of Hydroxyamidrazones with 1,2-Diketones	368
17.2.2.1.1.2.1.3	Method 3: Cyclization of Bis(arylidene)- or Bis(alkylidene)acetone Diaminomethylenehydrazones	369
17.2.2.1.1.2.1.4	Method 4: Reactions of Guanidin-2-amines with 1,2-Dicarbonyl Equivalents	369
17.2.2.1.1.2.1.4.1	Variation 1: Cyclization of 1,2-Diketone Monooximes with Amidrazones and Related Compounds	370
17.2.2.1.1.2.1.5	Method 5: Reactions of Acyl Nitriles with Amidrazones or Guanidin-2-amines	371
17.2.2.1.1.2.1.6	Method 6: Synthesis from Phenacyl Bromides and 3-Methylisothiosemicarbazides	371
17.2.2.1.1.2.1.7	Method 7: Reactions of Diazo-1,2-diazoles and Electron-Rich Dipolarophiles	371
17.2.2.1.1.2.1.7.1	Variation 1: From Activated Methylene Compounds	372
17.2.2.1.1.2.2	Fragments C—C—N—N and C—N	373
17.2.2.1.1.2.2.1	Method 1: Reactions of 2-Hydrazono Ketones with Amides and Imidates	373
17.2.2.1.1.2.3	Fragments C—N—C—C and N—N	373
17.2.2.1.1.2.3.1	Method 1: Reactions of α -Acylamino or α -Thioacylamino Ketones with Hydrazine, then Oxidation	373
17.2.2.1.1.2.3.2	Method 2: Cyclization of Nitrones with Hydrazine, then Oxidation	374
17.2.2.1.1.2.4	Fragments N—C—C—N—N and C	374

17.2.2.1.1.2.4.1	Method 1:	Reactions of Ethanediol Hydrazone Oximes with Ortho Esters or Related One-Carbon Donors	374
17.2.2.1.1.2.4.1.1	Variation 1:	Condensation of Hydrazono(phenyl)acetaldehyde Oxime with Aldehydes	375
17.2.2.1.1.2.4.2	Method 2:	Synthesis of [1,2,3]Triazolo[5,1- <i>f</i>][1,2,4]triazine	376
17.2.2.1.1.2.4.3	Method 3:	Cyclization of 4-Hydrazonopyrazol-3(4 <i>H</i>)-amines with Acyl Nitriles	376
17.2.2.1.1.2.4.4	Method 4:	Reactions of Iminophosphoranes with Isocyanates	376
17.2.2.1.1.2.5		Fragments C—C—N—N—C and N	377
17.2.2.1.1.2.5.1	Method 1:	Cyclization of 2-Acylhydrazono Ketones with Ammonia or Ammonium Acetate	377
17.2.2.1.1.2.5.1.1	Variation 1:	Cyclization of (<i>N,N</i> -Dimethylamino)ethylenehydrazones and Related Compounds with Ammonium Acetate	378
17.2.2.1.1.2.5.2	Method 2:	Cyclization of 1,2-Diketone Monohydrazones with Hydroxylamine	379
17.2.2.1.1.2.5.3	Method 3:	Reactions of 3,5-Disubstituted 4-Nitrosopyrazoles with Phosphorus Pentachloride	379
17.2.2.1.1.2.5.4	Method 4:	Cyclization of Uracil Hydrazones with Potassium Nitrate	379
17.2.2.1.1.2.5.4.1	Variation 1:	Microwave Reactions of 2-Hydrazinoquinolines with Nitrous Acid	380
17.2.2.1.1.2.5.5	Method 5:	Reaction of 1-Phenyl-3-(pyrrol-1-yl)pyrazol-4-amine with Nitrous Acid	380
17.2.2.1.1.3		By Formation of One N—C Bond	381
17.2.2.1.1.3.1		Fragment C—C—N—N—C—N	381
17.2.2.1.1.3.1.1	Method 1:	Photolysis of 1,2-Bis(2-diazo-1-phenylethylidene)diazine	381
17.2.2.1.1.3.1.2	Method 2:	Cyclization of <i>N</i> -(1-Phenylethylidene)guanidin-2-amines	381
17.2.2.1.1.3.1.3	Method 3:	Cyclization of 1-Cyanoalkanone 1-Aminoalkylidenehydrazones	382
17.2.2.1.1.4		Fragment N—C—C—N—N—C	382
17.2.2.1.1.4.1	Method 1:	Cyclization of α -[1,2-Bis(ethoxycarbonyl)hydrazino]- α -(ethoxycarbonyl)acetimidamide	382
17.2.2.1.1.4.1.1	Variation 1:	Cyclization of 3-(Acylhydrazino)pyridin-2-amines	382
17.2.2.1.2		Annulation by the Formation of a Second Heterocyclic Ring	383
17.2.2.1.2.1	Method 1:	From 1,2,4-Triazine-5,6-diamines	383
17.2.2.1.2.2	Method 2:	From 3-Hydrazino-1,2,4-triazines	383
17.2.2.1.2.2.1	Variation 1:	Synthesis of 1,2,4-Triazolo[3,4- <i>c</i>][1,2,4]triazine 7-Oxide	384
17.2.2.1.2.3	Method 3:	Synthesis of Pyrazino[2,3- <i>e</i>][1,2,4]triazines	384
17.2.2.1.2.4	Method 4:	Cyclization of 5-Acyl-1,2,4-triazines with Arylhydrazines	385
17.2.2.1.2.5	Method 5:	Cyclization of 3-Allylamino-1,2,4-triazine with Bromine	385
17.2.2.1.3		Synthesis by Ring Transformation	386
17.2.2.1.3.1	Method 1:	Oxidation of Imidazole-1,2-diamines	386
17.2.2.1.3.2	Method 2:	Acidic Rearrangement of 2-(Hydroxyimino)imidazol-5-imines	386

17.2.2.1.3.3	Method 3:	Reactions of Pyrazolo[3,4-e][1,2,4]oxadiazine with Amines	387
17.2.2.1.3.4	Method 4:	Reactions of 1,2,4,5-Tetrazines with Imidates or Thioimidates	387
17.2.2.1.3.4.1	Variation 1:	Reactions of 1,2,4,5-Tetrazines with Cyanimides	388
17.2.2.1.3.5	Method 5:	Intramolecular Cycloaddition of Cyano-1,2,4,5-tetrazines	389
17.2.2.1.3.6	Method 6:	Reactions of 1,2,4,5-Tetrazines with <i>N</i> -(Trimethylsilyl)aldimines Followed by Oxidation	389
17.2.2.1.3.6.1	Variation 1:	Reactions of 1,2,4,5-Tetrazines with Benzaldehyde <i>O</i> -Methyloximes	390
17.2.2.1.3.7	Method 7:	Reactions of 1,2,4,5-Tetrazines with Dimethylamine	390
17.2.2.1.4	Aromatization		390
17.2.2.1.4.1	Method 1:	Conversion of 1,2,4-Triazin-5(2 <i>H</i>)-ones or 1,2,4-Triazine-5(2 <i>H</i>)-thiones into 1,2,4-Triazines	391
17.2.2.1.5	Synthesis by Substituent Modification		392
17.2.2.1.5.1	Substitution of Existing Substituents		392
17.2.2.1.5.1.1	Of Hydrogen		392
17.2.2.1.5.1.1.1	Method 1:	Lithiation	392
17.2.2.1.5.1.1.2	Method 2:	Reactions with Grignard Reagents	393
17.2.2.1.5.1.1.2.1	Variation 1:	Reactions with Enolate Anions	394
17.2.2.1.5.1.1.2.2	Variation 2:	Reactions with Nitroalkanes and Base	395
17.2.2.1.5.1.1.2.3	Variation 3:	Reactions with Chloromethyl Phenyl Sulfone and Base	395
17.2.2.1.5.1.1.3	Method 3:	Reactions with Hydrogen Cyanide	396
17.2.2.1.5.1.1.4	Method 4:	Vicarious Nucleophilic Substitution	396
17.2.2.1.5.1.1.5	Method 5:	Dimerization to 5,5'-Bi(1,2,4-triazines)	398
17.2.2.1.5.1.1.6	Method 6:	Coupling with Arenes and Indoles	398
17.2.2.1.5.1.1.7	Method 7:	Electrophilic Halogenation of 1,2,4-Triazine <i>N</i> -Oxides	399
17.2.2.1.5.1.1.8	Method 8:	By Nucleophilic Substitution with Ammonia, Amines, and Related Nucleophiles	399
17.2.2.1.5.1.1.8.1	Variation 1:	Other Chichibabin-Type Reactions	400
17.2.2.1.5.1.1.8.2	Variation 2:	Reactions with Hydrazine	401
17.2.2.1.5.1.1.8.3	Variation 3:	C3-Amination of 1,2,4-Triazine 4-Oxides	401
17.2.2.1.5.1.2	Of Carbon Functionalities		402
17.2.2.1.5.1.2.1	Method 1:	Decarboxylation of 1,2,4-Triazine-3-carboxylic Acid	402
17.2.2.1.5.1.2.2	Method 2:	Reactions of 3-Trichloromethyl-1,2,4-triazines with Nucleophiles	402
17.2.2.1.5.1.2.3	Method 3:	Reactions of 1,2,4-Triazinecarbonitriles with Nucleophiles	402
17.2.2.1.5.1.3	Of Heteroatoms		403
17.2.2.1.5.1.3.1	Method 1:	Reactions of Chloro-1,2,4-triazines with Nucleophiles	403
17.2.2.1.5.1.3.1.1	Variation 1:	Reactions of 3-Bromo-1,2,4-triazine 2-Oxides with Nucleophiles	404
17.2.2.1.5.1.3.1.2	Variation 2:	Reactions of Alkoxy-1,2,4-triazines with Nucleophiles	404
17.2.2.1.5.1.3.1.3	Variation 3:	Reactions of 3-Substituted 1,2,4-Triazine <i>N</i> -Oxides with Nucleophiles	405

17.2.2.1.5.1.3.1.4	Variation 4:	Reactions of 3-(Methylsulfonyl)-1,2,4-triazines with Nucleophiles	405
17.2.2.1.5.1.3.1.5	Variation 5:	Reactions of 3-(Alkylsulfonyl)-1,2,4-triazines with Nucleophiles	405
17.2.2.1.5.1.3.2	Method 2:	Suzuki Coupling Reactions with 3-(Alkylsulfonyl)-1,2,4-triazines	406
17.2.2.1.5.1.3.3	Method 3:	By Diazotization	407
17.2.2.1.5.2	Addition Reactions		407
17.2.2.1.5.2.1	Method 1:	Synthesis of 1,2,4-Triazine <i>N</i> -Oxides from 1,2,4-Triazines	407
17.2.2.1.5.2.2	Method 2:	Alkylation of 1,2,4-Triazine <i>N</i> -Oxides	408
17.2.2.1.5.3	Modification of Substituents		409
17.2.2.1.5.3.1	Method 1:	C—C Bond Formation at a Methyl Group	409
17.2.2.1.5.3.2	Method 2:	Oxidation of 3-Hydrazino-1,2,4-triazine 1-Oxides	409
17.2.2.2	1,2,4-Benzotriazines and Related Compounds		410
17.2.2.2.1	Synthesis by Ring-Closure Reactions		410
17.2.2.2.1.1	By Formation of One N—N and One N—C Bond		410
17.2.2.2.1.1.1	Fragments N—C—N and N—C		410
17.2.2.2.1.1.1.1	Method 1:	Reaction of 2-Nitroaniline with Cyanamide	410
17.2.2.2.1.1.2	Fragments N—C—N and N—C—C		411
17.2.2.2.1.1.2.1	Method 1:	Reactions of 2-Nitroarenes with Guanidines	411
17.2.2.2.1.1.2.2	Method 2:	Reactions of Nitronaphthalenes with Guanidine	412
17.2.2.2.1.1.3	Fragments N—C—N—C—C and N		413
17.2.2.2.1.1.3.1	Method 1:	Reactions of Arylbenzamidoximes with Nitrile Oxides	413
17.2.2.2.1.2	By Formation of Two N—C Bonds		414
17.2.2.2.1.2.1	Fragments N—N—C—N and C—C		414
17.2.2.2.1.2.1.1	Method 1:	Reactions of Cycloalkane-1,2-diones with Amidrazones	414
17.2.2.2.1.2.1.2	Method 2:	Cycloaddition of <i>N</i> -(Phenylmethylene)aniline and Diethyl Azodicarboxylate	415
17.2.2.2.1.2.2	Fragments N—N—C and N—C—C		415
17.2.2.2.1.2.2.1	Method 1:	Reactions of 6-Nitroquinoline with Aldehyde Hydrazones	415
17.2.2.2.1.2.3	Fragments N—C—C—N—N and C		416
17.2.2.2.1.2.3.1	Method 1:	Cyclization of 3,4-Dihydronaphthalene-1,2-dione 1-Hydrazone 2-Oxime with Ortho Esters	416
17.2.2.2.1.3	By Formation of One N—N Bond		417
17.2.2.2.1.3.1	Fragment N—C—N—C—C—N		417
17.2.2.2.1.3.1.1	Method 1:	Cyclization of (2-Nitronaphthyl)thioureas	417
17.2.2.2.1.3.1.1.1	Variation 1:	Cyclization of 2-(2-Nitrophenyl)pyrazol-3-amines	417
17.2.2.2.1.4	By Formation of One N—C Bond		418
17.2.2.2.1.4.1	Fragment N—N—C—N—C—C		418

17.2.2.2.1.4.1.1	Method 1:	Oxidation of <i>N</i> -Phenylsulfonylbenzamidrazones	418
17.2.2.2.1.4.1.2	Method 2:	Cyclization of <i>N</i> ¹ -Isopropylidene- <i>N</i> ³ -arylamidrazones	419
17.2.2.2.1.4.2		Fragment C—C—N—N—C—N	419
17.2.2.2.1.4.2.1	Method 1:	Reactions of 1,2-Dicarbonyl Compounds with Amidrazones and Related Compounds	420
17.2.2.2.1.4.2.2	Method 2:	Cyclization of Formazans	420
17.2.2.2.1.4.3		Fragment N—C—C—N—N—C	421
17.2.2.2.1.4.3.1	Method 1:	Cyclization of 1-(2-Nitrophenyl)-2-[nitro(phenyl)methylene]-hydrazines	422
17.2.2.2.1.4.3.1.1	Variation 1:	Cyclization of <i>N</i> -(2-Nitrophenyl)benzenecarbohydrazonoyl Bromide	422
17.2.2.2.1.4.3.1.2	Variation 2:	Cyclization of (2-Nitrophenyl)hydrazones	423
17.2.2.2.1.2.3.2	Method 2:	Cyclization of <i>N'</i> -(2-Aminophenyl)acetohydrazide	424
17.2.2.2.1.2.3.2.1	Variation 1:	Cyclization of Ethyl 2-(2-aminophenyl)hydrazinecarboxylate	424
17.2.2.2.2		Annulation by Formation of a Benzenoid Ring	425
17.2.2.2.2.1	Method 1:	Cycloaddition of 5,6-Bis(bromomethylene)-1,2,4-triazine with a Dieneophile	425
17.2.2.2.2.2	Method 2:	Photocyclization of 1-Methyl-3,5,6-triphenyl-1,2,4-triazinium Iodide	426
17.2.2.2.3		Synthesis by Ring Transformation	426
17.2.2.2.3.1	Method 1:	Cyclization of 3-(2-Acylaminophenyl)sydnones with Hydrogen Cyanide	426
17.2.2.2.3.2	Method 2:	Ring Enlargement of 2,1,3-Benzoxadiazole 1-Oxide with Diethylamine	427
17.2.2.2.3.3	Method 3:	Reactions of [1,2,5]-Oxadiazolo[3,4- <i>b</i>]quinoxaline 1-Oxides with Nitrile Oxides	427
17.2.2.2.3.4	Method 4:	Ring Scission of <i>N'</i> -[2-(1 <i>H</i> -1,2,3-Benzotriazol-1-yl)ethylidene]-4-methylbenzenesulfonohydrazides	428
17.2.2.2.3.5	Method 5:	Flash-Vacuum Pyrolysis of α -(1-Benzotriazolyl)- β -oxotributylphosphorus Ylides	428
17.2.2.2.3.6	Method 6:	Oxidation of Benzimidazole-1,2-diamines	429
17.2.2.2.3.7	Method 7:	Oxidation of 1-Amino-2-quinoxalones	429
17.2.2.2.4		Aromatization	430
17.2.2.2.4.1	Method 1:	By Oxidation of 1,2-Dihydro-1,2,4-benzotriazines	430
17.2.2.2.4.2	Method 2:	Aromatization of 5,6,7,8-Tetrahydro-1,2,4-benzothiazines	430
17.2.2.2.4.3	Method 3:	Conversion of 1,2,4-Benzotriazinones into 3-Halo-1,2,4-benzotriazines	430
17.2.2.2.5		Synthesis by Substituent Modification	431
17.2.2.2.5.1		Substitution of Existing Substituents	431
17.2.2.2.5.1.1		Of Carbon	431
17.2.2.2.5.1.2		Of Heteroatoms	432
17.2.2.2.5.1.2.1	Method 1:	Substitution of Halogens	432
17.2.2.2.5.1.2.2	Method 2:	Deoxygenation of <i>N</i> -Oxides	433

17.2.2.2.5.1.2.3	Method 3:	Displacement of Alkoxy Substituents	434
17.2.2.2.5.1.2.4	Method 4:	Substitution of Sulfanyl and Sulfonyl Substituents	434
17.2.2.2.5.1.2.5	Method 5:	Substitution of Amino Groups by Diazotization	435
17.2.2.2.5.2	Addition Reactions		435
17.2.2.2.5.2.1	Method 1:	O-Alkylation of 1,2,4-Benzotriazin-3(4 <i>H</i>)-one 1-Oxides	435
17.2.2.2.5.2.2	Method 2:	Alkylation of 3-Sulfanylphenanthro[9,10- <i>e</i>][1,2,4]triazine	436
17.2.2.2.5.2.3	Method 3:	N-Alkylation of 1,2,4-Benzotriazin-3-amine 1-Oxide	437
17.2.2.2.5.2.4	Method 4:	Oxidation of 1,2,4-Benzotriazines	437
17.2.2.2.5.2.4.1	Variation 1:	Oxidation of 1,2,4-Benzotriazine 1-Oxides to 1,2,4-Benzotriazine 1,4-Dioxides	438
17.2.2.2.5.3	Modification of Substituents		438
17.2.2.2.5.3.1	Method 1:	Oxidation of 3-Ethyl-1,2,4-benzotriazine to 3-Acetyl-1,2,4-benzotriazine	438
17.2.2.2.5.3.2	Method 2:	Oxidation of 3-Methylsulfanyl-1,2,4-benzotriazine	439
17.2.2.2.5.3.3	Method 3:	Oxidation of 3-Hydrazinyl-1,2,4-benzotriazine	439
17.2.2.2.5.3.4	Method 4:	Reduction of 3-Azido-1,2,4-benzotriazine	440
17.2.2.2.5.3.5	Method 5:	Reaction of 3-Hydrazinyl-1,2,4-benzotriazines	440
17.2.3	Product Subclass 3: 1,3,5-Triazines and Phosphorus Analogues		
	S. von Angerer		
17.2.3	Product Subclass 3: 1,3,5-Triazines and Phosphorus Analogues		449
17.2.3.1	1,3,5-Triazines		452
17.2.3.1.1	Synthesis by Ring-Closure Reactions		452
17.2.3.1.1.1	By Formation of Three N—C Bonds		452
17.2.3.1.1.1.1	Fragments N—C, N—C, and N—C		452
17.2.3.1.1.1.1.1	Method 1:	Trimerization of Nitriles	453
17.2.3.1.1.1.1.1.1	Variation 1:	Synthesis of Unsubstituted 1,3,5-Triazine	453
17.2.3.1.1.1.1.1.2	Variation 2:	Synthesis of 2,4,6-Trialkyl-1,3,5-triazines	453
17.2.3.1.1.1.1.1.3	Variation 3:	Synthesis of 2,4,6-Triaryl-1,3,5-triazines	455
17.2.3.1.1.1.1.1.4	Variation 4:	Synthesis of 2,4,6-Trihalo-1,3,5-triazines	457
17.2.3.1.1.1.1.1.5	Variation 5:	Synthesis of 1,3,5-Triazine-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione and Derivatives	458
17.2.3.1.1.1.1.1.6	Variation 6:	Synthesis of 1,3,5-Triazine-2,4,6-triamines	459
17.2.3.1.1.1.1.1.7	Variation 7:	Cotrimerization of Two Different Nitriles	460
17.2.3.1.1.1.1.1.8	Variation 8:	Cotrimerization of Disubstituted Cyanamides with Formamides	462
17.2.3.1.1.1.1.1.9	Variation 9:	Cotrimerization of Two Nitriles with Guanidine	463
17.2.3.1.1.1.1.1.10	Variation 10:	Cotrimerization of Two Cyanates with 2-Alkyl- or 2-Arylisothiourea	463
17.2.3.1.1.1.2	Method 2:	Trimerization of Imidates	464
17.2.3.1.1.1.3	Method 3:	Trimerization of Amidines	465
17.2.3.1.1.1.4	Method 4:	Trimerization of Urea	467
17.2.3.1.1.1.5	Method 5:	Cyclocondensation of Imidates with Amidines	467
17.2.3.1.1.2	Fragments N—C—N, N—C, and C		469

17.2.3.1.1.2.1	Method 1:	Reaction of 2-Alkylisothiuronium Salts with Formic Acid Derivatives	469
17.2.3.1.1.2.2	Method 2:	Reaction of Substituted Guanidines with Dimethylformamide Acetals	470
17.2.3.1.1.2.3	Method 3:	Reaction of Amidines with Carboxylates	471
17.2.3.1.1.2.4	Method 4:	Reaction of Amidines with Phosgene	472
17.2.3.1.1.2.5	Method 5:	Reaction of Urea with Benzonitriles	473
17.2.3.1.1.1.3		Fragments N—C—N—C, N, and C	473
17.2.3.1.1.1.3.1	Method 1:	One-Pot Tandem Reaction of Aldehydes with Ammonia and Guanidine-1-carbonitrile	473
17.2.3.1.1.2		By Formation of Two N—C Bonds	474
17.2.3.1.1.2.1		Fragments N—C—N—C and N—C	474
17.2.3.1.1.2.1.1	Method 1:	Reaction of Dimethyl Cyanodithioimidocarbonate with Amides	474
17.2.3.1.1.2.1.2	Method 2:	Reaction of 2-Arylisourea-1-carbonitriles with Aryl Cyanates	475
17.2.3.1.1.2.1.3	Method 3:	Reaction of <i>N</i> -Cyanoimidates with Cyanamide	475
17.2.3.1.1.2.1.4	Method 4:	Reaction of Guanidine-1-carbonitrile with Nitriles	475
17.2.3.1.1.2.1.5	Method 5:	Reaction of Imidodicarbonimidates with Aryl Cyanates	477
17.2.3.1.1.2.1.6	Method 6:	Reactions of Guanidine-2-carbaldehydes with <i>N</i> -Formylformimidamide	478
17.2.3.1.1.2.1.7	Method 7:	Reaction of 1-Acylguanidines with Nitriles	478
17.2.3.1.1.2.2		Fragments N—C—N and C—N—C	479
17.2.3.1.1.2.2.1	Method 1:	Reaction of Cyanodithioimidocarbonates with Amidine Derivatives	479
17.2.3.1.1.2.2.2	Method 2:	Reaction of 2-Phenylisourea-3-carbonitriles with Amidines	481
17.2.3.1.1.2.2.3	Method 3:	Reaction of <i>N</i> -Cyanoimidates with Amidine Derivatives	481
17.2.3.1.1.2.2.4	Method 4:	Reaction of <i>N</i> -Functionalized Imidoyl Chlorides with Amidine Derivatives	482
17.2.3.1.1.2.2.4.1	Variation 1:	Reaction of <i>N</i> -(1-Chloroalkylidene)carbamoyl Chlorides	482
17.2.3.1.1.2.2.4.2	Variation 2:	Reaction of <i>N</i> -Polychloroalkyl-Substituted Imidoyl Chlorides	483
17.2.3.1.1.2.2.4.3	Variation 3:	Reaction of <i>N</i> -(Trichlorovinyl)benzimidoyl Chlorides	484
17.2.3.1.1.2.2.4.4	Variation 4:	Reaction of <i>N</i> -Acylchloroformimidates	485
17.2.3.1.1.2.2.4.5	Variation 5:	Reaction of <i>N</i> -Acylchloroformimidamides	485
17.2.3.1.1.2.2.4.6	Variation 6:	Reaction of 1,3-Diamino-1-chloro-2-azapropenylum Salts	486
17.2.3.1.1.2.2.5	Method 5:	Reaction of Imidodicarbonates with <i>N</i> ¹ - <i>tert</i> -Butyl-Substituted Amidines	487
17.2.3.1.1.2.2.6	Method 6:	Reaction of Acyldithioimidocarbonates with Amidine Derivatives	488
17.2.3.1.1.2.2.7	Method 7:	Reaction of <i>N</i> ² -Acyl-1 <i>H</i> -benzotriazole-1-carboximidamides with Urea or Thiourea	489
17.2.3.1.1.2.2.8	Method 8:	Reaction of <i>N</i> -Acylimidates or <i>N</i> -Acylthioimidates with Amidine Derivatives	489
17.2.3.1.1.2.2.9	Method 9:	Reaction of <i>N</i> ² -Acylamidines with Amidine Derivatives	491
17.2.3.1.1.2.2.10	Method 10:	Reaction of Acyl Isothiocyanates with Amidine Derivatives	493
17.2.3.1.1.2.2.11	Method 11:	Reaction of <i>N</i> -Acylthioamides with Amidine Derivatives	493

17.2.3.1.1.2.2.12	Method 12:	Reaction of [1-(Acylamino)-2-chlorovinyl]triphenylphosphonium Chlorides with Benzimidamides	494
17.2.3.1.1.2.2.13	Method 13:	Reaction of <i>N</i> -(2,2-Dicyanovinyl)thioimidates with Amidine Derivatives	494
17.2.3.1.1.2.3	Fragments N—C—N—C—N and C		495
17.2.3.1.1.2.3.1	Method 1:	Reaction of <i>N</i> ² -Cyanoamidine Derivatives with Chloromethaniminium Salts	495
17.2.3.1.1.2.3.2	Method 2:	Reaction of Biuret with Carboxylic Acid Derivatives	497
17.2.3.1.1.2.3.3	Method 3:	Reaction of Imidodicarbonimidates with C ₁ Fragments	498
17.2.3.1.1.2.3.4	Method 4:	Reaction of 2-Alkylisourea-1-carboximidamide and Its Thio Analogues or Thiourea-1-carboximidamide with Carboxylic Acid Derivatives	499
17.2.3.1.1.2.3.5	Method 5:	Reaction of Sodium Dicyanamide or Guanidine-1-carbonitrile with Acid Derivatives	500
17.2.3.1.1.2.3.6	Method 6:	Reaction of Biguanides with Carboxylic Acid Derivatives	500
17.2.3.1.1.2.3.7	Method 7:	Reaction of 1-Carboximidoylguanidines with Carboxylic Acid Derivatives	502
17.2.3.1.1.2.4	Fragments C—N—C—N—C and N		503
17.2.3.1.1.2.4.1	Method 1:	Reaction of <i>N</i> ¹ , <i>N</i> ² -Dicyanoamidines with Hydroxylamine	503
17.2.3.1.1.3	By Formation of One N—C Bond		503
17.2.3.1.1.3.1	Fragment N—C—N—C—N—C		503
17.2.3.1.1.3.1.1	Method 1:	Cyclization of Guanidine-1,2-dicarbonitriles and Their Salts ..	503
17.2.3.1.1.3.1.1.1	Variation 1:	With Hydrogen Halides	503
17.2.3.1.1.3.1.1.2	Variation 2:	With Hydrogen Sulfide	504
17.2.3.1.1.3.1.1.3	Variation 3:	With Amines	505
17.2.3.1.1.3.1.2	Method 2:	Cyclization of 3-Acylguanidine-1-carbonitriles	505
17.2.3.1.1.3.1.3	Method 3:	Cyclization of <i>N</i> ¹ , <i>N</i> ² -Diacylamidine Derivatives	506
17.2.3.1.1.3.1.4	Method 4:	Cyclization of 1,3,5-Triazahexa-1,4-dienylium Perchlorates ..	508
17.2.3.1.2	Synthesis by Ring Transformation		508
17.2.3.1.2.1	By Ring Enlargement		508
17.2.3.1.2.1.1	Method 1:	From 2-(Cyanoimino)thiazolidines and Amines	508
17.2.3.1.2.1.2	Method 2:	From Imidazoles	509
17.2.3.1.2.1.3	Method 3:	Thermolysis of 3-Phenyl-1,2,4-oxadiazol-5-amines	510
17.2.3.1.2.1.4	Method 4:	Electroreduction of 3,4-Diphenyl-1,2,5-thiadiazole 1-Oxide ..	511
17.2.3.1.2.2	Formal Exchange of Ring Members with Retention of the Ring Size		511
17.2.3.1.2.2.1	Method 1:	Reaction of 4 <i>H</i> -1,3-Benzoxazin-4-ones with Amidine Derivatives	511
17.2.3.1.2.2.2	Method 2:	Rearrangement of Pyrimidine Derivatives	512
17.2.3.1.2.2.2.1	Variation 1:	Conversion of 5-Nitrosopyrimidin-4-amines into 1,3,5-Triazine-2-carbonitriles	513
17.2.3.1.2.2.2.2	Variation 2:	Reaction of 4-Chloropyrimidines with Potassium Amide	513
17.2.3.1.2.2.2.3	Variation 3:	Oxidation of Pyrimidinediamines	514
17.2.3.1.2.2.3	Method 3:	Conversion of 1,3,5-Oxadiazines and Their Salts into 1,3,5-Triazines	515

17.2.3.1.2.2.4	Method 4:	Conversion of 1,2,4-Triazines into 1,3,5-Triazines	516
17.2.3.1.2.2.5	Method 5:	Conversion of 1,2,3,5-Oxathiadiazine 2,2-Dioxides into 1,3,5-Triazines	517
17.2.3.1.2.2.6	Method 6:	Conversion of 1,2,3,5-Tetrazines into 1,3,5-Triazines	518
17.2.3.1.2.2.7	Method 7:	Conversion of 1,3,5,2 λ^5 ,4 λ^5 ,6 λ^5 -Triazatriphosphinines into 1,3,5-Triazines	519
17.2.3.1.3	Aromatization		519
17.2.3.1.3.1	By Oxidation		519
17.2.3.1.3.1.1	Method 1:	By Dehydrogenation of Dihydro-1,3,5-triazines	519
17.2.3.1.3.1.2	Method 2:	By Dehydrogenation of 2,4,6-Triaryl-1,2-dihydro-1,3,5-triazines with Sulfite	520
17.2.3.1.3.2	By Elimination		521
17.2.3.1.3.2.1	Method 1:	Haloform Reaction	521
17.2.3.1.4	Synthesis by Substituent Modification		522
17.2.3.1.4.1	Substitution of Existing Substituents		522
17.2.3.1.4.1.1	Of Hydrogen		522
17.2.3.1.4.1.1.1	Method 1:	Cyanation	522
17.2.3.1.4.1.1.2	Method 2:	C-Alkylation	522
17.2.3.1.4.1.1.2.1	Variation 1:	Reaction of 2,4-Diphenyl-1,3,5-triazine with Active Methylene Compounds	522
17.2.3.1.4.1.1.2.2	Variation 2:	Reaction of 1,3,5-Triazine with Amidines and Imidates	522
17.2.3.1.4.1.1.2.3	Variation 3:	Dimroth Rearrangements	523
17.2.3.1.4.1.1.3	Method 3:	Halogenation	524
17.2.3.1.4.1.1.4	Method 4:	Amination	525
17.2.3.1.4.1.2	Of Metals		525
17.2.3.1.4.1.2.1	Method 1:	Reaction of 1,3,5-Triazinylithium with Ketones	525
17.2.3.1.4.1.3	Of Carbon Functionalities		525
17.2.3.1.4.1.3.1	Method 1:	Decarboxylation	525
17.2.3.1.4.1.3.2	Method 2:	Substitution of Trichloromethyl Groups	525
17.2.3.1.4.1.3.3	Method 3:	Substitution of Trinitromethyl Groups	526
17.2.3.1.4.1.4	Of Heteroatoms		527
17.2.3.1.4.1.4.1	Dehalogenation		527
17.2.3.1.4.1.4.1.1	Method 1:	Reductive Dechlorination	527
17.2.3.1.4.1.4.2	Substitution of Halogens by Carbon Functionalities		528
17.2.3.1.4.1.4.2.1	Method 1:	Reaction with Organolithium Reagents	528
17.2.3.1.4.1.4.2.2	Method 2:	Reaction with Grignard Reagents	529
17.2.3.1.4.1.4.2.3	Method 3:	Reaction with Arylboronic Acids (Suzuki Coupling)	530
17.2.3.1.4.1.4.2.4	Method 4:	Reaction with Perfluoroalkylsilanes	530
17.2.3.1.4.1.4.2.5	Method 5:	Reaction with Organotin Reagents	531
17.2.3.1.4.1.4.2.6	Method 6:	Friedel–Crafts Reactions	532
17.2.3.1.4.1.4.2.7	Method 7:	Reaction with Active Methylene Compounds	533
17.2.3.1.4.1.4.2.8	Method 8:	Reaction with Cyanide	535

17.2.3.1.4.1.4.2.9	Method 9:	Reaction with Diazomethane	535
17.2.3.1.4.1.4.2.10	Method 10:	Reaction with Pyrroles and Indoles	536
17.2.3.1.4.1.4.2.11	Method 11:	Addition to Perfluoropropene	537
17.2.3.1.4.1.4.3		Halogen-Exchange Reactions	537
17.2.3.1.4.1.4.3.1	Method 1:	Exchange of Chlorine for Fluorine	537
17.2.3.1.4.1.4.4		Substitution of Halogens by Oxygen Functionalities	538
17.2.3.1.4.1.4.4.1	Method 1:	Exchange of Halogen for Alkoxide and Aryloxide	538
17.2.3.1.4.1.4.4.1.1	Variation 1:	Exchange of Chlorine in 2,4,6-Trichloro-1,3,5-triazine	538
17.2.3.1.4.1.4.4.1.2	Variation 2:	Exchange of Chlorine in Substituted Chloro-1,3,5-triazines	539
17.2.3.1.4.1.4.4.1.3	Variation 3:	Exchange of Chlorine for an Acyloxy Group	540
17.2.3.1.4.1.4.4.1.4	Variation 4:	Exchange of Chlorine for Peroxides	540
17.2.3.1.4.1.4.4.2	Method 2:	Hydrolysis of Chloro-1,3,5-triazines	541
17.2.3.1.4.1.4.5		Substitution of Halogens by Sulfur Functionalities	542
17.2.3.1.4.1.4.5.1	Method 1:	Reaction of Chloro-1,3,5-triazines with Sulfur and Dimethyl Sulfate	542
17.2.3.1.4.1.4.5.2	Method 2:	Exchange of Chlorine for an Alkylsulfanyl Group	542
17.2.3.1.4.1.4.5.3	Method 3:	Conversion of 2,4,6-Trichloro-1,3,5-triazine into 1,3,5-Triazine-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trithione	543
17.2.3.1.4.1.4.6		Substitution of Halogens by Nitrogen Functionalities	543
17.2.3.1.4.1.4.6.1	Method 1:	Reaction of 2,4,6-Trifluoro-1,3,5-triazine with Amines	544
17.2.3.1.4.1.4.6.2	Method 2:	Reaction of 2,4,6-Trichloro-1,3,5-triazine with Amines	544
17.2.3.1.4.1.4.6.2.1	Variation 1:	Monosubstitution	545
17.2.3.1.4.1.4.6.2.2	Variation 2:	Disubstitution	546
17.2.3.1.4.1.4.6.2.3	Variation 3:	Trisubstitution	546
17.2.3.1.4.1.4.6.3	Method 3:	Reaction of 2,4-Dichloro-1,3,5-triazines with Amines	547
17.2.3.1.4.1.4.6.4	Method 4:	Reaction of 2-Chloro-1,3,5-triazines with Amines	549
17.2.3.1.4.1.4.7		Substitution of Halogens by Phosphorus Functionalities	550
17.2.3.1.4.1.4.7.1	Method 1:	Reaction of 2,4,6-Trichloro-1,3,5-triazine with Trialkyl Phosphites	550
17.2.3.1.4.1.4.7.2	Method 2:	Reaction of 2,4,6-Trichloro-1,3,5-triazine with Diphenylphosphine	551
17.2.3.1.4.1.4.8		Generation of 1,3,5-Triazine Libraries by Substitution of Chlorine by Oxygen or Nitrogen Functionalities	551
17.2.3.1.4.1.4.8.1	Method 1:	Parallel Synthesis in Solution	551
17.2.3.1.4.1.4.8.2	Method 2:	Parallel Synthesis on Solid Support	553
17.2.3.1.4.1.4.9		Substitution of Oxygen Functionalities	554
17.2.3.1.4.1.4.9.1	Method 1:	Reaction of 2-Methoxy-1,3,5-triazines with Active Methylene Compounds	554
17.2.3.1.4.1.4.9.2	Method 2:	Reaction of 2-Methoxy-1,3,5-triazines with Hydrazine	554
17.2.3.1.4.1.4.10		Substitution of Sulfur Functionalities	555
17.2.3.1.4.1.4.10.1	Method 1:	Reaction of (Methylsulfanyl)- and (Alkylsulfanyl)-1,3,5-triazines with Amines	555

17.2.3.1.4.1.4.11	Substitution of Nitrogen Functionalities	556
17.2.3.1.4.1.4.11.1	Method 1: Reaction of (1,3,5-Triazin-2-yl)trimethylammonium Chloride with Nucleophiles	556
17.2.3.1.4.1.4.11.2	Method 2: Reaction of 2-(Pyrazol-2-yl)-1,3,5-triazine with Amines	557
17.2.3.1.4.1.4.12	Substitution of Phosphorus Functionalities	557
17.2.3.1.4.1.4.12.1	Method 1: Reaction of 2,4,6-Tris(diethoxyphosphoryl)-1,3,5-triazines with Amines	557
17.2.3.1.4.2	Addition Reactions	558
17.2.3.1.4.2.1	Method 1: Preparation of <i>N</i> -Oxides	558
17.2.3.1.4.3	Rearrangement of Substituents	559
17.2.3.1.4.3.1	Method 1: Smiles Rearrangement	559
17.2.3.1.4.3.2	Method 2: Photo-Fries Rearrangement	560
17.2.3.1.4.4	Modification of Substituents	560
17.2.3.1.4.4.1	Method 1: O-Alkylation	560
17.2.3.1.4.4.2	Method 2: S-Alkylation	561
17.2.3.1.4.4.3	Method 3: S-Oxidation	562
17.2.3.1.4.4.4	Method 4: Modification at the α -Carbon	563
17.2.3.1.4.4.4.1	Variation 1: Reduction of Halomethyl Groups	563
17.2.3.1.4.4.4.2	Variation 2: Conversion of Methyl Groups into Aldoximes and Aldehydes	563
17.2.3.1.4.4.4.3	Variation 3: Substitution Reactions of 2,4,6-Tris[bis(<i>tert</i> -butoxycarbonyl)methyl]-1,3,5-triazines	564
17.2.3.2	1,3,5-Diazaphosphinines	566
17.2.3.2.1	Synthesis by Ring Transformation	566
17.2.3.2.1.1	Method 1: 2,4,6-Triaryl-1,3,5-diazaphosphinines from 2,4,6-Triaryl-1,3,5-oxadiazin-1-ium Tetrafluoroborates	566
17.2.3.3	$1\lambda^5,3\lambda^5,5\lambda^5$ -Triphosphinines	566
17.2.3.3.1	Synthesis by Ring-Closure Reactions	566
17.2.3.3.1.1	By Formation of Three P—C Bonds	566
17.2.3.3.1.1.1	Fragments P—C, P—C, and P—C	566
17.2.3.3.1.1.1.1	Method 1: Reaction of Bis(dimethylamino)(difluoro)methylphosphorane with Butyllithium	566
17.2.3.4	$1\lambda^5,3\lambda^5,5$ -Triphosphinines	567
17.2.3.4.1	Synthesis by Ring-Closure Reactions	567
17.2.3.4.1.1	By Formation of Two P—C Bonds	567
17.2.3.4.1.1.1	Fragments P—C—P—C and P—C	567
17.2.3.4.1.1.1.1	Method 1: Cycloaddition of $1\lambda^5,3\lambda^5$ -Diphosphetes with Phosphaalkynes	567
17.2.3.5	1,3,5-Triphosphinines	567
17.2.3.5.1	Synthesis by Ring-Closure Reactions	567
17.2.3.5.1.1	By Formation of Three P—C Bonds	567

17.2.3.5.1.1.1	Fragments P—C, P—C, and P—C	567
17.2.3.5.1.1.1.1	Method 1: Transition-Metal-Catalyzed Cyclotrimerization of Phosphaalkynes	567
17.2.3.5.2	Aromatization	570
17.2.3.5.2.1	Method 1: Dehalogenation of 1,3,5-Trichloro-1,3,5-triphosphanes	570
17.3	Product Class 3: Six-Membered Hetarenes with More Than Three Heteroatoms M. Bohle	
17.3	Product Class 3: Six-Membered Hetarenes with More Than Three Heteroatoms	585
17.3.1	Product Subclass 1: 1,2,3,4-Tetrazines	585
17.3.1.1	Method 1: Synthesis of 1,2,3,4-Tetrazine <i>N</i> -Oxides	586
17.3.1.1.1	Variation 1: Via Diazotization	586
17.3.1.1.2	Variation 2: Via Nitration	588
17.3.2	Product Subclass 2: 1,2,3,5-Tetrazines	588
17.3.3	Product Subclass 3: 1,2,4,5-Tetrazines	589
17.3.3.1	Synthesis by Ring-Closure Reactions	592
17.3.3.1.1	By Formation of Four N—C Bonds	593
17.3.3.1.1.1	Fragments N—N, N—N, and Two C Fragments	593
17.3.3.1.1.1.1	Method 1: Dimerization of Activated Hydrazidic Acid Derivatives	593
17.3.3.1.1.1.1.1	Variation 1: From Nitriles	593
17.3.3.1.1.1.1.2	Variation 2: From Carboxylic Acid Derivatives	594
17.3.3.1.1.1.1.3	Variation 3: From Carbonyl Compounds	596
17.3.3.1.1.1.1.4	Variation 4: From Alkenes (Masked Carbonyl Compounds)	597
17.3.3.1.2	By Formation of Two N—C Bonds	598
17.3.3.1.2.1	Fragments C—N—N—C and N—N	598
17.3.3.1.2.1.1	Method 1: Oxidation of Dihydropyridazines	598
17.3.3.1.2.2	Fragments N—N—C and N—N—C	600
17.3.3.1.2.2.1	Method 1: Dimerization of Diazo Compounds	600
17.3.3.1.2.2.2	Method 2: Dimerization of Nitrile Imines	602
17.3.3.1.2.3	Fragments N—N—C—N—N and C	602
17.3.3.1.2.3.1	Method 1: From Hydrazonohydrazides	602
17.3.3.1.2.3.2	Method 2: From Guanidine-1,2,3-triamine	603
17.3.3.1.2.3.3	Method 3: From Carbohydrazides	604
17.3.3.1.2.3.4	Method 4: From Thiocarbohydrazides and Related Compounds	605
17.3.3.1.3	By Formation of One N—C Bond	606
17.3.3.1.3.1	Fragment C—N—N—C—N—N	606
17.3.3.1.3.1.1	Method 1: By Cyclization of Tetrazolylguanidines	606

17.3.3.2	Synthesis by Ring Transformation	607
17.3.3.3	Aromatization	608
17.3.3.4	Synthesis by Substituent Modification	608
17.3.3.4.1	Substitution of Existing Substituents	608
17.3.3.4.1.1	Of Hydrogen	608
17.3.3.4.1.2	Of Carbon Functionalities	609
17.3.3.4.1.3	Of Heteroatoms	610
17.3.3.4.1.3.1	Method 1: Substitution of Halogen Substituents	610
17.3.3.4.1.3.2	Method 2: Substitution of Oxygen Substituents	612
17.3.3.4.1.3.3	Method 3: Substitution of Sulfur Substituents	613
17.3.3.4.1.3.4	Method 4: Substitution of Nitrogen Substituents	614
17.3.3.4.2	Addition of Heteroatoms (N-Oxidation)	615
17.3.3.4.3	Modification of Substituents	616
17.4	Product Class 4: Seven-Membered Heteroarenes with One Heteroatom	
<hr/>		
17.4.1	Product Subclass 1: Oxepins	
	S. von Angerer	
<hr/>		
17.4.1	Product Subclass 1: Oxepins	627
17.4.1.1	Synthesis by Ring-Closure Reactions	630
17.4.1.1.1	By Formation of One O—C and One C—C Bond	630
17.4.1.1.1.1	Method 1: From Cyclopropenes and Alk-1-yne	630
17.4.1.1.2	By Formation of One O—C Bond	631
17.4.1.1.2.1	Method 1: Synthesis from Acyclic Precursors	631
17.4.1.2	Synthesis by Ring Transformation	631
17.4.1.2.1	Method 1: Valence Isomerization of 3-Oxatricycloheptenes	631
17.4.1.2.2	Method 2: Valence Isomerization of 3-Oxaquadricyclanes	632
17.4.1.2.3	Method 3: Valence Isomerization of 7-Oxanorbornadienes	636
17.4.1.2.4	Method 4: Ring Enlargement of Cyclohexa-1,4-dienes	638
17.4.1.2.5	Method 5: Ring Enlargement of 4 <i>H</i> -Pyrans	639
17.4.1.3	Aromatization	640
17.4.1.3.1	Method 1: By Dehydrohalogenation	640
17.4.1.3.2	Method 2: By Dehalogenation	646
17.4.1.3.3	Method 3: By Decarboxylation	647
17.4.1.4	Synthesis by Substituent Modification	648
17.4.1.4.1	Substitution of Existing Substituents	648
17.4.1.4.1.1	Of Hydrogen	648
17.4.1.4.1.2	Of Bromine	648

17.4.2	Product Subclass 2: Benzoxepins	
	S. von Angerer	
<hr/>		
17.4.2	Product Subclass 2: Benzoxepins	653
17.4.2.1	Synthesis by Ring-Closure Reactions	656
17.4.2.1.1	By Formation of One O—C and One C—C Bond	656
17.4.2.1.1.1	Method 1: From Pyridazine 1-Oxide and Benzyne	656
17.4.2.1.1.2	Method 2: From Resorcinol and Ethyl (2-Oxocyclohexyl)acetate	657
17.4.2.1.1.3	Method 3: Synthesis of Naphth[1,8- <i>b,c</i>]oxepinium Salts	657
17.4.2.1.2	By Formation of Two C—C Bonds	658
17.4.2.1.2.1	Method 1: Reaction of Phthalaldehydes with C—H Acidic Ethers	658
17.4.2.1.2.1.1	Variation 1: Reaction of Phthalaldehydes and Diglycolic Acid Diester	658
17.4.2.1.2.1.2	Variation 2: Reaction of Phthalaldehyde and Bis(phosphonium) Salts (The Wittig Reaction)	659
17.4.2.1.2.2	Method 2: Friedel–Crafts Reaction of 2-(Chloromethyl)phenyl Chloroformate with Benzene	659
17.4.2.1.2.3	Method 3: Insertion of Acetylenes into Cobaltaxanthenes	660
17.4.2.1.3	By Formation of One C—C Bond	661
17.4.2.1.3.1	Method 1: Base-Catalyzed Condensations (Including the Wittig Reaction)	661
17.4.2.1.3.1.1	Variation 1: Of Methyl 4-(2-Formylphenoxy)but-2-enoate	661
17.4.2.1.3.1.2	Variation 2: Of <i>N</i> -[2-(3-Phenylprop-2-ynloxy)benzylidene]isopropylamine	661
17.4.2.1.3.1.3	Variation 3: Of [2-Hydroxy-3-(2-formylphenoxy)propyl]triphenyl- phosphonium Bromide	662
17.4.2.1.3.2	Method 2: Oxidative Coupling	662
17.4.2.1.3.3	Method 3: Synthesis of Dibenz[<i>b,f</i>]oxepins by Electrophilic Aromatic Substitution (Intramolecular Arylation)	664
17.4.2.1.3.3.1	Variation 1: Of 1-(2-Phenoxyphenyl)-2-phenylacetylenes	664
17.4.2.1.3.3.2	Variation 2: Of 2-Phenoxybromostilbenes	665
17.4.2.1.3.3.3	Variation 3: Of (2-Phenoxyphenyl)-2-oxopropanoic Acids	666
17.4.2.1.3.3.4	Variation 4: Of 2-Phenoxyphenylacetic Acids	667
17.4.2.1.3.3.5	Variation 5: Of 2-Phenoxybenzaldehyde and Hippuric Acid	668
17.4.2.1.3.4	Method 4: Synthesis of Dibenz[<i>b,e</i>]oxepin-11(6 <i>H</i>)-ones by Electrophilic Aromatic Substitution (Intramolecular Arylation)	669
17.4.2.2	Synthesis by Ring Transformation	672
17.4.2.2.1	Valence Isomerization	672
17.4.2.2.1.1	Method 1: Of 3-Oxa-4,5-benzotricycloheptenes	672
17.4.2.2.1.2	Method 2: Of Phenanthrene Oxide and Related Compounds	672
17.4.2.2.1.3	Method 3: Of Naphthalene 1,4-Oxides	674
17.4.2.2.1.4	Method 4: Of Cyclobutabenzofurans	674
17.4.2.2.2	By Ring Enlargement	675
17.4.2.2.2.1	Method 1: Of Benzofurans	675
17.4.2.2.2.1.1	Variation 1: With Dimethyl Acetylenedicarboxylate	676
17.4.2.2.2.1.2	Variation 2: With 1-Phenyl-2-pyrrolidin-1-ylacetylene	676

17.4.2.2.2.2	Method 2:	Of 2-Benzofuran-1(3 <i>H</i>)-ones	677
17.4.2.2.2.3	Method 3:	Of 1,4-Dihydronaphthalene	677
17.4.2.2.2.4	Method 4:	Of 1-Acetoxy-2,4-dibromotetrahydronaphthalenes	678
17.4.2.2.2.5	Method 5:	Of 2 <i>H</i> -Benzopyrans	678
17.4.2.2.2.6	Method 6:	Of Xanthenes	680
17.4.2.2.2.6.1	Variation 1:	By Addition of Diazomethane	680
17.4.2.2.2.6.2	Variation 2:	By Dehydration	680
17.4.2.3	Aromatization		680
17.4.2.3.1	Method 1:	By Dehydrohalogenation	681
17.4.2.3.2	Method 2:	By Dehalogenation	683
17.4.2.3.3	Method 3:	By Dehydration	683
17.4.2.3.3.1	Variation 1:	Of Secondary Alcohols	683
17.4.2.3.3.2	Variation 2:	Of Tertiary Alcohols	685
17.4.2.3.4	Method 4:	By Deamination	686
17.4.2.3.4.1	Variation 1:	Of Quaternary Ammonium Salts (Hofmann Degradation)	686
17.4.2.3.4.2	Variation 2:	Of <i>N</i> -Oxides (Cope Elimination)	687
17.4.2.3.4.3	Variation 3:	Of Acetylamines	687
17.4.2.3.5	Method 5:	By Decarbonylation	688
17.4.2.4	Synthesis by Substituent Modification		688
17.4.2.4.1	Substitution of Existing Substituents		688
17.4.2.4.1.1	Of Hydrogen		688
17.4.2.4.1.1.1	Method 1:	By Deuteration or by Nitration	688
17.4.2.4.1.2	Of Carbon Functionalities		689
17.4.2.4.1.2.1	Method 1:	By Decarboxylation	689
17.4.2.4.1.3	Of Heteroatoms		689
17.4.2.4.1.3.1	Method 1:	Substitution of Halogen	689
17.4.2.4.1.3.1.1	Variation 1:	Of Bromine	689
17.4.2.4.1.3.1.2	Variation 2:	Of Amino Groups	691
17.4.2.4.1.3.1.3	Variation 3:	Of Hydroxy Groups	691
17.4.2.4.2	Addition Reactions		694
17.4.2.4.2.1	Of Benzoxepinones and Benzoxepindiones		694
17.4.2.4.2.1.1	By <i>O</i> -Alkylation		694
17.4.2.4.2.1.1.1	Method 1:	<i>O</i> -Methylation of 1-Benzoxepin-3(2 <i>H</i>)-ones and 1-Benzoxepin-5(4 <i>H</i>)-ones	694
17.4.2.4.2.1.1.2	Method 2:	<i>O</i> -Methylation of 1-Benzoxepin-3,5(2 <i>H</i> ,4 <i>H</i>)-diones	695
17.4.2.4.2.1.1.3	Method 3:	<i>O</i> -Ethylation of Dibenz[<i>b,f</i>]oxepin-10(11 <i>H</i>)-ones	696
17.4.2.4.2.1.1.4	Method 4:	<i>O</i> -Methylation of 11-Hydroxydibenz[<i>b,f</i>]oxepin-10(11 <i>H</i>)-one	697
17.4.2.4.2.1.2	By <i>O</i> -Acylation		697
17.4.2.4.2.1.2.1	Method 1:	<i>O</i> -Acetylation of 2,3-Dihydro-1-benzoxepin-3-ones and 2,5-Dihydro-1-benzoxepin-5-ones	697
17.4.2.4.2.1.2.2	Method 2:	<i>O</i> -Acetylation of Benzoxepindiones and Dibenzoxepindiones	698

17.4.3	Product Subclass 3: Thiepins and Selenium Analogues	
	A. L. Schwan	
<hr/>		
17.4.3	Product Subclass 3: Thiepins and Selenium Analogues	705
17.4.3.1	Thiepins	705
17.4.3.1.1	Synthesis by Ring Transformation	706
17.4.3.1.1.1	Method 1: Using One-Carbon Ring Expansions	706
17.4.3.1.1.1.1	Variation 1: Ring Expansion of Exocyclic Diazo Compounds	706
17.4.3.1.1.1.2	Variation 2: Ring Expansion via a Carbocation	708
17.4.3.1.1.2	Method 2: Using Two-Carbon Ring Expansions	709
17.4.3.1.1.2.1	Variation 1: By Michael Addition of Electron-Rich Thiophenes and Electron-Poor Alkynes	709
17.4.3.1.1.2.2	Variation 2: Diels–Alder Reactions of Highly Substituted Thiophenes	709
17.4.3.1.2	Synthesis by Substituent Modification	710
17.4.3.1.2.1	Method 1: Organometallic Capture, Reduction, and Stabilization	710
17.4.3.2	Thiepin 1-Oxides and 1,1-Dioxides	711
17.4.3.2.1	Synthesis by Ring Transformation	711
17.4.3.2.1.1	Method 1: Through Pericyclic Reactions and Sulfur Dioxide Introduction	711
17.4.3.2.1.1.1	Variation 1: Cheletropic Introduction of Sulfur Dioxide	711
17.4.3.2.1.1.2	Variation 2: Electrocyclic Chemistry	712
17.4.3.2.1.2	Method 2: Using Two-Carbon Ring Expansions	713
17.4.3.2.1.2.1	Variation 1: Using Organometallic Capture and Stabilization	713
17.4.3.2.1.2.2	Variation 2: Photochemical Ring Expansion	714
17.4.3.2.2	Synthesis by Substituent Modification	714
17.4.3.2.2.1	Method 1: Oxidation of Thiepins	714
17.4.3.3	Selenepins	715
17.4.3.3.1	Synthesis by Ring Transformation	715
17.4.3.3.1.1	Method 1: Using One-Carbon Ring Expansions	715
17.4.4	Product Subclass 4: Benzothiepins and Selenium/Tellurium Analogues	
	A. L. Schwan	
<hr/>		
17.4.4	Product Subclass 4: Benzothiepins and Selenium/Tellurium Analogues	717
17.4.4.1	1-Benzothiepins and Their S-Oxides	717
17.4.4.1.1	Synthesis by Ring-Closure Reactions	718
17.4.4.1.1.1	By Formation of Two Heteroatom–Carbon Bonds	719
17.4.4.1.1.1.1	Method 1: Using Organometallic Methods	719
17.4.4.1.1.1.1.1	Variation 1: Stepwise Formation of Two S–C Bonds	719
17.4.4.1.1.1.1.2	Variation 2: Simultaneous Formation of Two S–C Bonds	719
17.4.4.1.2	Synthesis by Ring Transformation	720
17.4.4.1.2.1	Method 1: One-Carbon Ring Expansions	720
17.4.4.1.2.2	Method 2: Two-Carbon Ring Expansion of Benzothiophenes	721

17.4.4.1.2.3	Method 3: Isomerization of Tricyclic Valence Isomers	722
17.4.4.1.3	Aromatization	722
17.4.4.1.3.1	Method 1: Elimination of Water and/or HX Equivalents from Dihydro-1-benzothiepins	722
17.4.4.1.3.2	Method 2: Conversion of Benzothiepiniones into Enol Derivatives	723
17.4.4.1.3.3	Method 3: Conversion of Benzothiepinones into Enol Derivatives	724
17.4.4.2	3-Benzothiepins and Their S-Oxides	726
17.4.4.2.1	Synthesis by Ring-Closure Reactions	726
17.4.4.2.1.1	By Formation of Two C—C Bonds	726
17.4.4.2.1.1.1	Fragments C—Arene—C and C—S—C	726
17.4.4.2.1.1.1.1	Method 1: Formation through Double Condensation Reactions	726
17.4.4.2.1.2	By Formation of Two Heteroatom—Carbon Bonds	727
17.4.4.2.1.2.1	Method 1: Using Organometallic Methods	727
17.4.4.3	1-Benzoselenepins and 1-Benzotellurepins	727
17.4.4.3.1	Synthesis by Ring-Closure Reactions	728
17.4.4.3.1.1	By Formation of Two Heteroatom—Carbon Bonds	728
17.4.4.3.1.1.1	Method 1: Using Organometallic Methods	728
17.4.4.3.1.1.1.1	Variation 1: Stepwise Formation of Two Heteroatom—Carbon Bonds	728
17.4.4.3.1.1.1.2	Variation 2: Simultaneous Formation of Two Heteroatom—Carbon Bonds Using a 1,6-Dilithium Intermediate	729
17.4.4.3.1.1.1.3	Variation 3: Simultaneous Formation of Two Heteroatom—Carbon Bonds Using a 1-Benzostannepin	729
17.4.4.4	3-Benzoselenepins and 3-Benzotellurepins and Their Derivatives	730
17.4.4.4.1	Synthesis by Ring-Closure Reactions	730
17.4.4.4.1.1	By Formation of Two Heteroatom—Carbon Bonds	730
17.4.4.4.1.1.1	Method 1: Using Organometallic Methods	730
17.4.4.4.1.1.2	Method 2: Using Heteroatom Nucleophiles	730
17.4.4.5	Dibenzo[<i>b,f</i>]thiepins	730
17.4.4.5.1	Synthesis by Ring-Closure Reactions	731
17.4.4.5.1.1	Method 1: Electrophilic Ring Closure of Diaryl Sulfides	731
17.4.4.5.1.1.1	Variation 1: Intramolecular Cyclization	731
17.4.4.5.1.1.2	Variation 2: Intermolecular Incorporation of a Two-Carbon Unit	732
17.4.4.5.2	Aromatization	733
17.4.4.5.2.1	Method 1: Conversion into Enol Ether Forms of Dibenzo[<i>b,f</i>]thiepin-10(11 <i>H</i>)-ones	733
17.4.4.5.2.2	Method 2: Conversion into Enamine Forms of Dibenzo[<i>b,f</i>]thiepin-10(11 <i>H</i>)-ones	734
17.4.4.5.2.1.1	Variation 1: Using Titanium(IV) Chloride	734
17.4.4.5.2.1.2	Variation 2: Using 4-Toluenesulfonic Acid	735
17.4.4.5.2.3	Method 3: Conversion into Enol Thioether Forms of Dibenzo[<i>b,f</i>]thiepin-10(11 <i>H</i>)-ones	735

17.4.4.5.2.4	Method 4:	Conversion of Dibenzo[<i>b,f</i>]thiepin-10(11 <i>H</i>)-ones into Alcohols and Elimination of Water or Its Equivalents	736
17.4.4.5.2.4.1	Variation 1:	By Organometallic Addition to the Carbonyl and Elimination of Water	736
17.4.4.5.2.4.2	Variation 2:	By Reduction of the Carbonyl Function and Elimination of Water	738
17.4.4.5.3	Synthesis by Ring Transformation		739
17.4.4.5.3.1	Method 1:	Acid-Mediated One-Carbon Ring Expansions	740
17.4.4.6	Dibenzo[<i>b,f</i>]thiepin <i>S</i> -Oxides and <i>S</i> -Imines		740
17.4.4.6.1	Synthesis by Substituent Modification		740
17.4.4.6.1.1	Method 1:	Oxidation of Dibenzo[<i>b,f</i>]thiepins to Oxides of Sulfur	740
17.4.4.6.1.2	Method 2:	Sulfur Imination of Dibenzo[<i>b,f</i>]thiepins	741
17.4.4.7	Dibenzo[<i>b,f</i>]selenepins		742
17.4.4.7.1	Aromatization		742
17.4.4.7.1.1	Method 1:	Conversion into Enamine Forms of Dibenzo[<i>b,f</i>]selenepin-10(11 <i>H</i>)-ones Using Titanium(IV) Chloride	742
17.4.4.8	Tribenzo[<i>b,d,f</i>]thiepins and Their <i>S</i> -Oxides		743
17.4.4.8.1	Synthesis by Construction of a Fused Ring		743
17.4.4.8.1.1	Method 1:	From Dibenzo[<i>b,f</i>]thiepin-10-yne	743
17.4.4.8.1.2	Method 2:	From Dibenzo[<i>b,f</i>]thiepin-10,11-dione	744
17.4.5	Product Subclass 5: Azepines, Cyclopentazepines, and Phosphorus Analogues		
	M. D. Surman and R. H. Hutchings		
17.4.5	Product Subclass 5: Azepines, Cyclopentazepines, and Phosphorus Analogues		
17.4.5.1	Synthesis by Ring-Closure Reactions		750
17.4.5.1.1	By Formation of Two N—C Bonds		750
17.4.5.1.1.1	Fragments C—C—C—C and N		750
17.4.5.1.1.1.1	Method 1:	From 2,6-Bifunctional Fulvenes and Ammonia	750
17.4.5.1.2	By Formation of One N—C and One C—C Bond		751
17.4.5.1.2.1	Fragments N—C—C—C and C—C		751
17.4.5.1.2.1.1	Method 1:	Condensation of 4-Hydroxy-2,3,4-triphenylcyclopent-2-enone with Pyrrolidine	751
17.4.5.1.2.1.2	Method 2:	Condensation of 2-Vinyl-2 <i>H</i> -azirines with Dimethyl Acetylenedicarboxylate	752
17.4.5.1.2.2	Fragments N—C—C and C—C—C		753
17.4.5.1.2.2.1	Method 1:	Annulation of Fischer Carbenes with Azadienes	753
17.4.5.1.2.2.2	Method 2:	Condensation of 3-Phenyl-2 <i>H</i> -azirine-2-carbaldehyde with Methyl 4-(Triphenylphosphoranylidene)but-2-enoate	754

17.4.5.1.2.3	Fragments C—C—C—C and N—C—C	755
17.4.5.1.2.3.1	Method 1: Condensation of 2,6-Bifunctional Fulvenes with Amidines ...	755
17.4.5.1.2.3.2	Method 2: Condensation of (Vinylimino)phosphoranes with 6-(Dimethylamino)fulvene-2-carbaldehyde	756
17.4.5.1.2.3.3	Method 3: Cycloaddition of Cyclopentadienones with 2 <i>H</i> -Azirines	757
17.4.5.1.3	By Formation of Two C—C Bonds	759
17.4.5.1.3.1	Fragments C—N—C—C—C and C—C	759
17.4.5.1.3.1.1	Method 1: Cycloaddition of 1,3-Bis(dimethylamino)-2-azapentalenes with Dimethyl Acetylenedicarboxylate	759
17.4.5.1.3.2	Fragments C—N—C—C and C—C—C	760
17.4.5.1.3.2.1	Method 1: Cycloaddition of 1,2,4-Triazines with Cyclopropenes	760
17.4.5.1.3.2.2	Method 2: Cycloaddition of 6 <i>H</i> -1,3-Oxazin-6-ones with Cyclopropenes ..	761
17.4.5.1.4	By Formation of One N—C Bond	762
17.4.5.1.4.1	Fragment N—C—C—C—C—C	762
17.4.5.1.4.1.1	Method 1: Cyclization of Dinitriles Using Halogen Acids	762
17.4.5.1.4.1.2	Method 2: Cyclization of Hexa-1,3,5-triene-1,6-diamines	763
17.4.5.1.4.1.3	Method 3: Cyclization of Aminoalkenones	764
17.4.5.1.5	By Formation of One C—C Bond	765
17.4.5.1.5.1	Fragment C—C—C—P—C—C—C	765
17.4.5.1.5.1.1	Method 1: Phosphepin Formation Using the McMurry Reaction	765
17.4.5.2	Synthesis by Ring Transformation	766
17.4.5.2.1	By Ring Enlargement	766
17.4.5.2.1.1	Of Three-Membered Heterocycles	766
17.4.5.2.1.1.1	Method 1: From 7-Azabicyclo[4.1.0]hept-3-enes	766
17.4.5.2.1.1.2	Method 2: Thermolysis of 2-Ethynyl-3-vinylaziridines	767
17.4.5.2.1.2	Of Four-Membered Heterocycles	768
17.4.5.2.1.2.1	Method 1: Base-Induced Rearrangement of 4-Tolyl 1,3,4,5-Tetraphenyl-6-azabicyclo[3.2.0]hept-3-ene-6-sulfo- nate	768
17.4.5.2.1.3	Of Five-Membered Heterocycles	768
17.4.5.2.1.3.1	Method 1: Thermal Isomerization of 3-Azaquadracyclanes	768
17.4.5.2.1.3.2	Method 2: Pyrolysis of 2-Azabicyclo[3.2.0]hepta-2,6-dienes	769
17.4.5.2.1.3.3	Method 3: From 2-Azabicyclo[3.2.0]heptane-3,4-diones	770
17.4.5.2.1.3.4	Method 4: Photolysis of 2,1-Benzisoxazoles	771
17.4.5.2.1.3.5	Method 5: Addition of Dichlorocarbene to 2,5-Dihydro-1 <i>H</i> -phosphole 1-Oxides	772
17.4.5.2.1.4	Of Six-Membered Heterocycles	773
17.4.5.2.1.4.1	Method 1: Base-Induced Rearrangement of Pyridinium Salts	773
17.4.5.2.1.4.2	Method 2: Base-Induced Rearrangement of Dihydropyridines	773
17.4.5.2.1.4.3	Method 3: Base-Induced Rearrangement of Dihydropyridinium Salts ...	775

17.4.5.2.1.5	Of Six-Membered Arenes	776
17.4.5.2.1.5.1	Method 1: Intramolecular Insertion of Arylnitrenes	776
17.4.5.2.1.5.1.1	Variation 1: Thermal Decomposition of Aryl Azides	776
17.4.5.2.1.5.1.2	Variation 2: Photolytic Decomposition of Aryl Azides	778
17.4.5.2.1.5.1.3	Variation 3: Deoxygenation of Nitrosoarenes	783
17.4.5.2.1.5.1.4	Variation 4: Deoxygenation of Nitroarenes	784
17.4.5.2.1.5.1.5	Variation 5: Thermal Decomposition of <i>N</i> -Phenyl- <i>N,O</i> -bis(trimethylsilyl)hydroxylamine	787
17.4.5.2.1.5.2	Method 2: From the Insertion of Nitrenes into Arenes	787
17.4.5.2.1.5.2.1	Variation 1: Thermolysis of Azidoformates	788
17.4.5.2.1.5.2.2	Variation 2: Pyrolysis of 2-Haloindan-1-yl Azidoformates	790
17.4.5.2.1.5.2.3	Variation 3: Photolysis of Azidoformates	791
17.4.5.2.1.5.2.4	Variation 4: Decomposition of <i>N</i> -[(4-Nitrophenyl)sulfonyloxy]carbamates	792
17.4.5.2.1.5.2.5	Variation 5: Thermolysis of Arenesulfonyl Azides	792
17.4.5.2.1.5.2.6	Variation 6: Reaction of Phthalimidonitrene with Activated Benzenes	796
17.4.5.2.1.5.2.7	Variation 7: Thermolysis of Cyanogen Azide	796
17.4.5.2.1.5.2.8	Variation 8: Deoxygenation of Nitrosobenzenes and Nitrosoformates	797
17.4.5.2.1.5.2.9	Variation 9: Photolysis of 2-Azido-1,3,5-triazines	798
17.4.5.2.1.5.3	Method 3: From Anilides	798
17.4.5.3	Aromatization	800
17.4.5.3.1	Method 1: Isomerization with Meerwein's Reagent	800
17.4.5.3.1.1	Variation 1: Of 1,5-Dihydro-2 <i>H</i> -azepin-2-ones	800
17.4.5.3.1.2	Variation 2: Of 1,2-Dihydro-3 <i>H</i> -azepin-3-ones	801
17.4.5.3.2	Method 2: Bromination–Dehydrobromination of 4-Ethoxy-1,2,6,7-tetrahydrocyclopent[<i>d</i>]azepine	801
17.4.5.3.3	Method 3: Dehydrobromination of 3,6-Dibromo-1-phenyl-2,3,6,7-tetrahydro-1 <i>H</i> -phosphepin 1-Oxide	802
17.4.5.4	Synthesis by Substituent Modification	803
17.4.5.4.1	Substitution of Existing Substituents	803
17.4.5.4.1.1	Of Hydrogen	803
17.4.5.4.1.1.1	Method 1: Tautomerization	803
17.4.5.4.1.1.1.1	Variation 1: Rearrangement of 1 <i>H</i> - to 3 <i>H</i> -Azepines	803
17.4.5.4.1.1.1.2	Variation 2: Rearrangement of 2 <i>H</i> - to 3 <i>H</i> -Azepines	804
17.4.5.4.1.1.1.3	Variation 3: Rearrangement of 4 <i>H</i> - to 3 <i>H</i> -Azepines	805
17.4.5.4.1.1.1.4	Variation 4: Rearrangement of 3 <i>H</i> - to 3 <i>H</i> -Azepines	805
17.4.5.4.1.1.2	Method 2: Metalation	807
17.4.5.4.1.1.3	Method 3: C-Acylation	807
17.4.5.4.1.1.4	Method 4: C-Alkylation	808
17.4.5.4.1.1.5	Method 5: C-Halogenation	810
17.4.5.4.1.1.6	Method 6: C-Thiolation	811
17.4.5.4.1.1.7	Method 7: C-Amination	811
17.4.5.4.1.1.8	Method 8: N-Substitution	812
17.4.5.4.1.2	Of Carbon Functionalities	812
17.4.5.4.1.2.1	Method 1: N-Decarboxylation	812
17.4.5.4.1.3	Of Heteroatoms	813

17.4.5.4.1.3.1	Method 1:	Of Alkoxy Groups	813
17.4.5.4.1.3.2	Method 2:	Of Sulfur or Silyl on the Ring Nitrogen	814
17.4.5.4.1.3.3	Method 3:	Of Amino Groups	814
17.4.5.4.2	Addition Reactions		815
17.4.5.4.2.1	Method 1:	Preparation of Azepine–Metal Complexes	815
17.4.5.4.2.2	Method 2:	N-Oxidation	816
17.4.5.4.3	Modification of Substituents		816
17.4.5.4.3.1	Method 1:	Condensation Reactions	816
17.4.5.4.3.2	Method 2:	Hydrolysis of Esters and Nitriles	817
17.4.5.4.3.3	Method 3:	Oxidations	818
17.4.5.4.3.4	Method 4:	Reductions	818
17.4.6	Product Subclass 6: Benzazepines and Their Group 15 Analogues		
	J.-P. K. Meigh		
17.4.6	Product Subclass 6: Benzazepines and Their Group 15 Analogues		825
17.4.6.1	1 <i>H</i> -1-Benzazepines		831
17.4.6.1.1	Synthesis by Ring-Closure Reactions		831
17.4.6.1.1.1	By Formation of One N–C and One C–C Bond		831
17.4.6.1.1.1.1	Method 1:	From <i>N</i> -Methylaniline and Levulinic Acid	831
17.4.6.1.1.1.2	Method 2:	Lewis Acid Catalyzed Dimerization of Pentafluoroaniline	831
17.4.6.1.1.2	By Formation of Two C–C Bonds		832
17.4.6.1.1.2.1	Method 1:	By Thermal Cycloaddition of Dimethyl Acetylenedicarboxylate with 1-Methylindole	832
17.4.6.1.1.2.1.1	Variation 1:	By Thermal Cycloaddition of Acetylene Esters with 1-Acetyl-3-piperidin-1-yl-1 <i>H</i> -indole	834
17.4.6.1.1.2.1.2	Variation 2:	By Photocycloaddition of Dimethyl Acetylenedicarboxylate with 1-Methylindole	835
17.4.6.1.1.2.2	Method 2:	From the Reaction of 2-Substituted Quinoline Oxides with Dimethyl Acetylenedicarboxylate	836
17.4.6.1.1.3	By Formation of One C–C Bond		837
17.4.6.1.1.3.1	Method 1:	By Intramolecular Aldol Condensation	837
17.4.6.1.2	Synthesis by Ring Transformation		838
17.4.6.1.2.1	By Ring Enlargement		838
17.4.6.1.2.1.1	Method 1:	Thermolysis of 2a,7b-Dihydro-3 <i>H</i> -cyclobut[<i>b</i>]indoles	838
17.4.6.1.2.1.1.1	Variation 1:	By Thermal Valence Isomerization of 2a,7b-Dihydro-3 <i>H</i> -cyclobut[<i>b</i>]indoles	839
17.4.6.1.3	Aromatization		840
17.4.6.1.3.1	Method 1:	By Electrochemical Oxidation of 2,5-Dihydro-1 <i>H</i> -1-benzazepines	840
17.4.6.1.3.2	Method 2:	By Chemical Oxidation of 5a,9a-Dihydro-1 <i>H</i> -1-benzazepines	840

17.4.6.1.3.3	Method 3: By Chlorination–Dehydrochlorination of Phenyl-2,3,4,5-tetrahydro-1 <i>H</i> -benzazepin-2-ones	841
17.4.6.1.4	Synthesis by Substituent Modification	843
17.4.6.1.4.1	Substitution of Existing Substituents	843
17.4.6.1.4.1.1	Method 1: Bromination of 1 <i>H</i> -1-Benzazepines	843
17.4.6.1.4.1.2	Method 2: Acetylation of 1 <i>H</i> -1-Benzazepine	843
17.4.6.2	2-Benzazepines	844
17.4.6.2.1	Synthesis by Ring-Closure Reactions	844
17.4.6.2.1.1	By Formation of One N–C and One C–C Bond	844
17.4.6.2.1.1.1	Method 1: From (<i>Z</i>)-3-(Tributylstannyl)allylamine and Aryl Bromides	844
17.4.6.2.1.1.2	Method 2: From 1,3-Monoazabisylides and Phthalaldehyde	844
17.4.6.2.1.1.3	Method 3: From Cycloaddition of Inden-2-one and 2 <i>H</i> -Azirines	845
17.4.6.2.1.2	By Formation of One N–C Bond	846
17.4.6.2.1.2.1	Method 1: By Partial Reduction of Acetylenic Benzophenones	846
17.4.6.2.1.3	By Formation of One C–C Bond	847
17.4.6.2.1.3.1	Method 1: By Photoisomerization of 3-Phenyl-2-[(<i>Z</i>)-2-phenylvinyl]-2 <i>H</i> -azirene	847
17.4.6.2.1.3.2	Method 2: By 1,7-Electrocyclization of Diene-Conjugated Nitrile Ylides	847
17.4.6.2.2	Synthesis by Ring Transformation	848
17.4.6.2.2.1	By Ring Enlargement	848
17.4.6.2.2.1.1	Method 1: Base-Mediated Ring Expansion of 1,4-Dihydro-4-(hydroxymethyl)[<i>c</i>]isoquinolines	848
17.4.6.2.2.1.2	Method 2: By Thermolysis of Dihydrocyclopropa[<i>c</i>]isoquinolines	849
17.4.6.2.2.1.2.1	Variation 1: From 1,4-Dihydro-4-(hydroxymethyl)[<i>c</i>]isoquinolines and Silver(I) Trifluoroacetate	850
17.4.6.2.2.1.3	Method 3: Deoxygenation of Nitroarenes	850
17.4.6.2.2.1.4	Method 4: Photolysis of Aryl Azides	851
17.4.6.2.3	Aromatization	852
17.4.6.2.3.1	Method 1: By <i>syn</i> -Dehydrobromination	852
17.4.6.2.4	Synthesis by Substituent Modification	853
17.4.6.2.4.1	Substitution of Existing Substituents	853
17.4.6.2.4.1.1	Of Hydrogen	853
17.4.6.2.4.1.1.1	Method 1: By an Oxygen Functionality	853
17.4.6.2.4.1.1.2	Method 2: By Tautomerism	853
17.4.6.2.4.1.2	Of Heteroatoms	853
17.4.6.2.4.1.2.1	Method 1: Palladium(0)-Catalyzed Carboalkoxylation of 5-Bromo-5 <i>H</i> -2-benzazepines	853
17.4.6.2.4.2	Addition Reactions	854
17.4.6.2.4.2.1	Of Hydrogen	854
17.4.6.2.4.2.2	Of Organic Groups	854

17.4.6.2.4.2.3	Of Heteroatoms	855
17.4.6.2.4.2.3.1	Method 1: Of Bromine	855
17.4.6.2.4.2.3.2	Method 2: N-Oxidation	855
17.4.6.2.4.2.3.3	Method 3: Formation of an Annulated Benzazepine	855
17.4.6.3	3 <i>H</i> -3-Benzazepines	856
17.4.6.3.1	Synthesis by Ring-Closure Reactions	856
17.4.6.3.1.1	By Formation of Two N—C Bonds	856
17.4.6.3.1.1.1	Method 1: From 1,2-Phenylenediacyl Chloride	856
17.4.6.3.1.2	By Formation of Two C—C Bonds	857
17.4.6.3.1.2.1	Method 1: From Phthalaldehyde	857
17.4.6.3.1.2.1.1	Variation 1: From 1,2-Dibenzoylbenzene with <i>N,N</i> -Bis(cyanomethyl)isopropylamine	857
17.4.6.3.1.3	By Formation of One N—C Bond	858
17.4.6.3.1.3.1	Method 1: By Halogen Acid Induced Cyclization of Benzene-1,2-diacetonitrile	858
17.4.6.3.1.3.2	Method 2: Thermolysis of Vinyl Azides	858
17.4.6.3.1.4	By Formation of One C—C Bond	860
17.4.6.3.1.4.1	Method 1: From Phenylacetimidates	860
17.4.6.3.1.5	By Annulation to the Heterocyclic Ring	861
17.4.6.3.1.5.1	Method 1: By [4 + 2] Cycloaddition of Methyl 2-Pyrone-5-carboxylate with Ethyl 1 <i>H</i> -Azepine-1-Carboxylate	861
17.4.6.3.2	Synthesis by Ring Transformation	862
17.4.6.3.2.1	By Ring Enlargement	862
17.4.6.3.2.1.1	Method 1: From 2,3-Benzo-7-azabicyclo[2.2.1]hepta-2,5-dienes	862
17.4.6.3.2.1.2	Method 2: From Azirino[2,1- <i>a</i>]isoquinolines	862
17.4.6.3.2.1.3	Method 3: From 2-(1 <i>a</i> ,2,7,7 <i>a</i> -Tetrahydro-1 <i>H</i> -naphtho[2,3- <i>b</i>]aziren-1-yl)-1 <i>H</i> -isoindole-1,3(2 <i>H</i>)-dione	863
17.4.6.3.3	Aromatization	864
17.4.6.3.3.1	Method 1: By Oxidation (Dehydrogenation) of 7,8-Dimethoxy-5-phenyl-1,3,4,5-tetrahydro-2 <i>H</i> -3-benzazepin-2-one	864
17.4.6.3.4	Synthesis by Substituent Modification	864
17.4.6.3.4.1	Substitution of Existing Substituents	864
17.4.6.3.4.1.1	Of Hydrogen	864
17.4.6.3.4.1.1.1	Method 1: Nitration of 1 <i>H</i> -3-Benzazepin-2-amine	864
17.4.6.3.4.1.2	Method 2: C1-Methylation of 2,7,8-Trimethoxy-1 <i>H</i> -3-benzazepine	865
17.4.6.3.4.2	Of Heteroatoms	865
17.4.6.3.4.2.1	Method 1: Debromination with Palladium on Charcoal	865
17.4.6.3.4.2.2	Method 2: Formation of 2-Ethoxy-7,8-dimethoxy-5-phenyl-1 <i>H</i> -3-benzazepine	866
17.4.6.3.4.2.3	Method 3: By <i>ipso</i> -Substitution of 2-Alkoxy Substituents	866

17.4.6.3.5	Addition Reactions	867
17.4.6.3.5.1	Of Hydrogen	867
17.4.6.3.5.1.1	Method 1: By Reduction of 3-Acetyl-3 <i>H</i> -3-benzazepine	867
17.4.6.3.5.2	Of Organic Groups	867
17.4.6.3.5.2.1	Method 1: Quaternization of 1 <i>H</i> -3-Benzazepin-2-amine with Iodomethane	867
17.4.6.3.6	Modification of Substituents	867
17.4.6.3.6.1	Method 1: Acetylation of 4-Bromo-1 <i>H</i> -3-benzazepin-2-amine	867
17.4.6.4	5 <i>H</i> -Dibenz[<i>b,d</i>]azepines	868
17.4.6.4.1	Synthesis by Ring-Closure Reactions	868
17.4.6.4.1.1	Method 1: By Intramolecular Cyclization under Friedel–Crafts Conditions	868
17.4.6.4.2	Aromatization	869
17.4.6.4.2.1	Method 1: Manganese(IV) Oxide Oxidation of 5,6-Dihydro-7 <i>H</i> - dibenz[<i>b,d</i>]azepin-7-ones	869
17.4.6.4.2.1.1	Variation 1: Lead(IV) Acetate Oxidation of 5,6-Dihydro-7 <i>H</i> - dibenz[<i>b,d</i>]azepin-7-ones	869
17.4.6.4.3	Synthesis by Substituent Modification	870
17.4.6.5	11 <i>H</i> -Dibenz[<i>b,e</i>]azepines	870
17.4.6.5.1	Synthesis by Ring-Closure Reactions	871
17.4.6.5.1.1	By Formation of One N–C and One C–C Bond	871
17.4.6.5.1.1.1	Method 1: By the Thermal Decomposition of Diphenylmethane-2- diazonium Tetrafluoroborates	871
17.4.6.5.1.2	By Formation of One N–C Bond	871
17.4.6.5.1.2.1	Method 1: Reduction–Cyclodehydration of 2-(2-Nitrophenyl)benzo- phenones	871
17.4.6.5.1.3	By Formation of One C–C Bond	872
17.4.6.5.1.3.1	Method 1: By Bischler–Napieralski Cyclodehydration	872
17.4.6.5.2	Synthesis by Ring Transformation	872
17.4.6.5.2.1	By Ring Enlargement	872
17.4.6.5.2.1.1	Method 1: By Beckmann Rearrangement of 10 <i>H</i> -Anthracen-9-one Oximes	872
17.4.6.5.2.1.2	Method 2: By the Schmidt Reaction of Anthraquinones	873
17.4.6.5.3	Aromatization	874
17.4.6.5.3.1	Method 1: By Dehydrogenation of 1,4-Dimethyl-6,11-dihydro-5 <i>H</i> - dibenz[<i>b,e</i>]azepine	874
17.4.6.5.3.2	Method 2: From 6 <i>H</i> -Dibenz[<i>b,e</i>]azepin-6-ones	875
17.4.6.5.4	Synthesis by Substituent Modification	875
17.4.6.5.4.1	Substitution of Existing Substituents	875
17.4.6.5.4.1.1	Method 1: By Displacement of 2-Halo Substituents	875

17.4.6.5.4.2	Addition Reactions	876
17.4.6.5.4.2.1	Of Hydrogen	876
17.4.6.5.4.2.1.1	Method 1: Reduction without Ring Opening	876
17.4.6.5.4.2.2	Of Heteroatoms	876
17.4.6.5.4.2.2.1	Method 1: Formation of <i>N</i> -Oxides	876
17.4.6.5.4.3	Modification of Substituents	877
17.4.6.5.4.3.1	Method 1: Substitution of 6-Chloromethyl-11 <i>H</i> -dibenz[<i>b,e</i>]azepine	877
17.4.6.6	5 <i>H</i> -Dibenz[<i>c,e</i>]azepines	877
17.4.6.6.1	Synthesis by Ring-Closure Reactions	877
17.4.6.6.1.1	By Formation of Two N–C Bonds	877
17.4.6.6.1.1.1	Method 1: By Acid-Mediated Cyclization of 2'-(Aminoalkyl)biphenyl-2-carbaldehydes	877
17.4.6.6.1.1.1.1	Variation 1: By Acid-Mediated Cyclization of 2-[2'-(1,3-Dioxolan-2-yl)-1,1'-biphenyl-2-yl]-4,4-dimethyl-4,5-dihydro-1,3-oxazole	878
17.4.6.6.1.1.2	Method 2: From 2,2'-Biphenyldicarboxaldehyde	879
17.4.6.6.1.1.3	Method 3: Ring Closure of 2'-(Bromomethyl)biphenyl-2-carbaldehyde with Arylamines under Acidic Conditions	880
17.4.6.6.1.1.3.1	Variation 1: Ring Closure of 2'-(1-Bromoalkyl)biphenyl-2-carbaldehydes under Basic Conditions	880
17.4.6.6.1.1.3.2	Variation 2: Ring Closure of [2'-(Bromomethyl)-4-chloro-1,1'-biphenyl-2-yl](2-fluorophenyl)methanone	880
17.4.6.6.1.2	By Formation of One N–C Bond	881
17.4.6.6.1.2.1	Method 1: By 1,7-Electrocyclization of Diene-Conjugated Nitrile Ylides	881
17.4.6.6.2	Aromatization	883
17.4.6.6.2.1	Method 1: By Elimination from an <i>N</i> -Substituted 6,7-Dihydro-5 <i>H</i> -dibenz[<i>c,e</i>]azepine	883
17.4.6.6.2.2	Method 2: By Dehydrochlorination	884
17.4.6.6.2.3	Method 3: Oxidation with Mercury(II) Oxide	884
17.4.6.6.2.4	Method 4: Via Dibenz[<i>c,e</i>]azepinium Salts	885
17.4.6.6.3	Synthesis by Substituent Modification	885
17.4.6.6.3.1	Substitution of Existing Substituents	885
17.4.6.6.3.1.1	Of Hydrogen	885
17.4.6.6.3.1.1.1	Method 1: Deprotonation of 5 <i>H</i> -Dibenz[<i>c,e</i>]azepines with Lithium Diisopropylamide	885
17.4.6.6.3.1.1.2	Method 2: Aerial Oxidation under Phase-Transfer Conditions	886
17.4.6.6.3.1.2	Of Heteroatoms	887
17.4.6.6.3.1.2.1	Method 1: Introduction of Carbofunctional Groups by the Suzuki Reaction	887
17.4.6.7	5 <i>H</i> -Dibenz[<i>b,f</i>]azepines	887
17.4.6.7.1	Synthesis by Ring-Closure Reactions	887

17.4.6.7.1.1	By Formation of Two C—C Bonds	888
17.4.6.7.1.1.1	Method 1: From 2,2'-Bis(bromomethyl)diphenylamine	888
17.4.6.7.1.1.1.1	Variation 1: From Bis(2'-formylphenyl)amine	888
17.4.6.7.2	Synthesis by Ring Transformation	888
17.4.6.7.2.1	By Ring Enlargement	888
17.4.6.7.2.1.1	Method 1: From 1-Arylindoles	888
17.4.6.7.2.1.2	Method 2: From 9,10-Dihydroacridin-9-ylmethanol	890
17.4.6.7.2.1.2.1	Variation 1: From 9-(Hydroxymethyl)-9,10-dihydroacridine and Sulfuric Acid	891
17.4.6.7.2.1.2.2	Variation 2: Base-Promoted Ring Expansion of Acridine Methanesulfonates	892
17.4.6.7.3	Aromatization	893
17.4.6.7.3.1	Method 1: Bromination–Dehydrobromination	893
17.4.6.7.3.2	Method 2: Catalytic Dehydrogenation	893
17.4.6.7.4	Synthesis by Substituent Modification	894
17.4.6.7.4.1	Substitution of Existing Substituents	894
17.4.6.7.4.1.1	Of Hydrogen	894
17.4.6.7.4.1.1.1	Method 1: Nitration of 5H-Dibenz[b,f]azepines	894
17.4.6.7.4.1.1.2	Method 2: Friedel–Crafts Acylation of 5-Acyl-5H-dibenz[b,f]azepines	895
17.4.6.7.4.1.1.3	Method 3: N-Alkylation of 5H-Dibenz[b,f]azepines	895
17.4.6.7.4.1.1.3.1	Variation 1: By Phase-Transfer Catalysis	896
17.4.6.7.4.1.1.3.2	Variation 2: By Reductive Amination	896
17.4.6.7.4.1.1.4	Method 4: N-Acylation of 5H-Dibenz[b,f]azepines	897
17.4.6.7.4.1.1.5	Method 5: Chlorocarbonylation of 5H-Dibenz[b,f]azepines with Phosgene Equivalents	897
17.4.6.7.4.1.1.5.1	Variation 1: Reaction with Cyanogen Bromide	898
17.4.6.7.4.2	Of Metals	898
17.4.6.7.4.2.1	Method 1: Directed <i>ortho</i> -Metalation	898
17.4.6.7.4.3	Of Heteroatoms	899
17.4.6.7.4.3.1	Method 1: By Halogen–Lithium Exchange	899
17.4.6.7.4.3.2	Method 2: Nucleophilic Displacement of Bromide	900
17.4.6.7.4.3.2.1	Variation 1: Nucleophilic Displacement of Bromide by Nitrogen Nucleophiles (Aminodebromination)	900
17.4.6.7.4.4	Addition Reactions	901
17.4.6.7.4.4.1	Reduction Reactions	901
17.4.6.7.4.4.1.1	Method 1: Reduction at the C10–C11 Double Bond	901
17.4.6.7.4.4.2	Of Heteroatoms	901
17.4.6.7.4.4.2.1	Method 1: Halogenation	901
17.4.6.7.4.4.3	Oxidation Reactions	902
17.4.6.7.4.4.3.1	Method 1: Formation of <i>N</i> -Oxides	902
17.4.6.7.4.4.3.2	Method 2: Formation of Epoxides	902

17.4.6.7.4.4.4	Cycloadditions	903
17.4.6.7.4.4.4.1	Method 1: Cyclopropanation by the Simmons–Smith Reaction	903
17.4.6.7.4.4.4.1.1	Variation 1: Cyclopropanation with Dichlorocarbene	904
17.4.6.7.4.4.4.2	Method 2: 1,3-Dipolar Cycloaddition with Diarylnitrilimines	904
17.4.6.7.4.4.4.3	Method 3: [2 + 2] Photodimerization of 5-Acetyl-5 <i>H</i> -dibenz[<i>b,f</i>]azepine ·	904
17.4.6.7.4.4.4.4	Method 4: [4 + 2] Cycloaddition of Dibenzazepynes	905
17.4.6.8	9 <i>H</i> -Tribenz[<i>b,d,f</i>]azepines	906
17.4.6.8.1	Synthesis by Ring-Closure Reactions	906
17.4.6.8.1.1	By Formation of One N–C Bond	906
17.4.6.8.1.1.1	Method 1: From <i>N,N</i> -Diphenyl-1,1'-biphenyl-2,2'-diamine	906
17.4.6.8.1.2	By Annulation to a Preformed System	907
17.4.6.8.1.2.1	Method 1: From 5-Acetyl-10-bromo-5 <i>H</i> -dibenz[<i>b,f</i>]azepine and Furan ·	907
17.4.6.8.1.2.1.1	Variation 1: From 5-Acetyl-10-bromo-5 <i>H</i> -dibenz[<i>b,f</i>]azepine and Cyclohexa-1,3-diene	908
17.4.6.8.2	Synthesis by Substituent Modification	909
17.4.6.9	Other Group 15 Benzoheteropins	910
17.4.6.9.1	1 <i>H</i> -1-Benzoheteropins	910
17.4.6.9.1.1	Synthesis by Ring-Closure Reactions	911
17.4.6.9.1.1.1	Method 1: Thermal Valence Isomerization of Dihydrocyclobut[<i>b</i>]hetero- indoles	911
17.4.6.9.1.1.2	Method 2: From [(1 <i>Z</i> ,3 <i>Z</i>)-1-Bromo-4-(2-bromophenyl)buta-1,3- dien-1-yl](trimethyl)silane	912
17.4.6.9.2	3-Benzoheteropins	914
17.4.6.9.2.1	Synthesis by Ring-Closure Reactions	914
17.4.6.9.2.1.1	Method 1: Potassium Hydroxide/18-Crown-6 Catalyzed Addition of Phenylphosphine to 1,2-Diethynylbenzene	914
17.4.6.9.2.1.2	Method 2: From (<i>Z,Z</i>)-2-Bis(β-bromovinyl)benzene	914
17.4.6.9.3	Dibenzo[<i>b,d</i>]heteropins	916
17.4.6.9.3.1	Synthesis by Ring-Closure Reactions	916
17.4.6.9.3.1.1	Method 1: From [(<i>Z</i>)-1-Bromo-2-(2'-bromo-1,1'-biphenyl- 2-yl)vinyl](trimethyl)silane	916
17.4.6.9.4	Dibenzo[<i>b,f</i>]heteropins	917
17.4.6.9.4.1	Synthesis by Ring-Closure Reactions	917
17.4.6.9.4.1.1	Method 1: From 1-Bromo-2-[(<i>Z</i>)-2-(2-bromophenyl)vinyl]benzene	917
17.4.6.9.5	Tribenzo[<i>b,d,f</i>]heteropins	918
17.4.6.9.5.1	Synthesis by Ring-Closure Reactions	918
17.4.6.9.5.1.1	Method 1: Transition-Metal-Catalyzed Trimerization of Phenyl[bis[2- (phenylethynyl)phenyl]]phosphine Oxide	918
17.4.6.9.6	Reactions of Other Group 15 Benzoheteropins	920

17.5	Product Class 5: Seven-Membered Heteroarenes with Two or More Heteroatoms R. J. Herr	
17.5	Product Class 5: Seven-Membered Heteroarenes with Two or More Heteroatoms	929
17.5.1	Product Subclass 1: 1,2-Diazepines	931
17.5.1.1	Synthesis by Ring-Closure Reactions	931
17.5.1.1.1	By Formation of Two N—C Bonds	931
17.5.1.1.1.1	Method 1: Tosylhydrazine Condensation with $\alpha,\beta,\gamma,\delta$ -Unsaturated Ketones	931
17.5.1.1.1.2	Method 2: Hydrazine Condensation with Oxo Esters and Oxo Acids	932
17.5.1.1.2	By Formation of One N—N Bond	934
17.5.1.1.2.1	Method 1: Azo Formation from Linked Bis(nitroaromatics)	934
17.5.1.1.3	By Formation of One N—C Bond	934
17.5.1.1.3.1	Method 1: α -Diazo Ester Insertion into an Aryl C—H Bond	934
17.5.1.1.3.2	Method 2: Diazoalkane Formation from Tosylhydrazones	935
17.5.1.1.4	By Formation of One C—C Bond	936
17.5.1.1.4.1	Method 1: 1,7-Dipolar Cyclization of Nitrile Imines	936
17.5.1.2	Synthesis by Ring Transformation	938
17.5.1.2.1	By Ring Enlargement	938
17.5.1.2.1.1	Method 1: Photochemical Conversion of Pyridinium <i>N</i> -Imides into Monocyclic 1,2-Diazepines	938
17.5.1.2.1.2	Method 2: Photochemical Conversion of Fused Bicyclic <i>N</i> -Imides into Annulated Diazepines	940
17.5.1.2.2	By Tautomerization	941
17.5.1.2.2.1	Method 1: Interconversion of Annulated 1 <i>H</i> -1,2-Diazepines and 3 <i>H</i> -1,2-Diazepines	941
17.5.1.2.2.2	Method 2: Conversion of Annulated 1 <i>H</i> -2,3-Diazepines into 5 <i>H</i> -2,3-Diazepines	942
17.5.1.3	Synthesis by Substituent Modification	943
17.5.1.3.1	By Replacement of Hydrogen	943
17.5.1.3.1.1	Method 1: Iron-Catalyzed <i>N</i> -Acylation of Monocyclic 1 <i>H</i> -1,2-Diazepines	943
17.5.2	Product Subclass 2: 1,3-Diazepines	944
17.5.2.1	Synthesis by Ring-Closure Reactions	945
17.5.2.1.1	Method 1: Cyclization Reactions of 2,2'-Diaminobiphenyls with Imidates, Thioimidates, and Ortho Esters	945
17.5.2.1.2	Method 2: Formation of 6 <i>H</i> -Dibenzo[<i>d,f</i>][1,3]diazpin-6-ones and Derivatives	946
17.5.2.2	Synthesis by Ring Transformation	948

17.5.2.2.1	Method 1:	Photolysis Reaction of Azidopyridines with Nucleophiles	948
17.5.2.2.2	Method 2:	Photochemical Conversion of <i>N</i> -Imides into 1,3-Diazepines	948
17.5.2.3		Synthesis by Substituent Modification	949
17.5.2.3.1	Method 1:	<i>N,N'</i> -Diacylation of 6 <i>H</i> -Dibenzo[<i>d,f</i>][1,3]diazepin-6-ones	949
17.5.2.3.2	Method 2:	Displacement of Isothioureas	950
17.5.3		Product Subclass 3: 1,4-Diazepines	951
17.5.3.1		Synthesis by Ring-Closure Reactions	952
17.5.3.1.1		By Formation of Two N—C Bonds	952
17.5.3.1.1.1	Method 1:	Reaction of Benzene-1,2-diamines with 1,3-Diketones	952
17.5.3.1.1.2	Method 2:	Reaction of Benzene-1,2-diamines with 2-Halobenzoic Acids	954
17.5.3.1.1.3	Method 3:	Reaction of Benzene-1,2-diamines with 2-Chloronicotinic Acids	954
17.5.3.1.1.4	Method 4:	Reaction of 2-Aminobenzoic Acids with 2-Halonitrobenzenes	956
17.5.3.1.1.5	Method 5:	Reaction of 2-Aminobenzoic Acids with 2-Chloro-3-pyridinamines	957
17.5.3.1.2		By Formation of Two N—C Bonds and One C—C Bond	958
17.5.3.1.2.1	Method 1:	Intramolecular Ring Closures Using Dimethylformamide Dimethyl Acetal	958
17.5.3.1.2.2	Method 2:	Intramolecular Ring Closures through Imino Chlorides	959
17.5.3.2		Synthesis by Ring Transformation	960
17.5.3.2.1	Method 1:	Intramolecular Nitrene Insertion Reactions of Azidopyridines	960
17.5.3.2.2	Method 2:	Intramolecular Nitrene Insertion Reactions of Azidoquinolines	960
17.5.3.3		Synthesis by Substituent Modification	962
17.5.3.3.1		By Replacement of Hydrogen	962
17.5.3.3.1.1	Method 1:	<i>N</i> -Acylation of 1,4-Diazepines	962
17.5.3.3.1.2	Method 2:	C3 Substitution of 1,5-Benzodiazepines by Direct Alkylation	964
17.5.3.3.1.3	Method 3:	C3 Substitution of 1,4-Benzodiazepines by Rearrangement	966
17.5.3.3.2		1,4-Diazepine Amidines from 1,4-Diazepinones	968
17.5.3.3.2.1	Method 1:	Lewis Acid Mediated Formation from Dihydro-1,4-diazepinones	968
17.5.3.3.2.2	Method 2:	Imino Chloride Mediated Formation from Dihydrodibenzo[1,4]diazepinones	969
17.5.3.3.2.3	Method 3:	1,5-Benzodiazepine Amidines from Dihydro-1,5-benzodiazepine-2-thiones	970
17.5.3.3.2.4	Method 4:	1,4-Benzodiazepine Amidines from Dihydro-1,4-benzodiazepine-2-thiones	972

17.6	Product Class 6: Eight- and Nine-Membered Hetarenes and Heteroannulenes with One or More Heteroatoms	
	R. M. Borzilleri	
17.6	Product Class 6: Eight- and Nine-Membered Hetarenes and Heteroannulenes with One or More Heteroatoms	979
17.6.1	Product Subclass 1: Azocines	979
17.6.1.1	Synthesis by Ring Transformation	979
17.6.1.1.1	Valence Isomerization	980
17.6.1.1.1.1	Method 1: From 2-Azabicyclo[4.2.0]octa-2,4,7-triene via Diazabasketene	980
17.6.1.1.1.2	Method 2: From Substituted Methoxyazabicyclo[4.2.0]octa-3,7-dienes	980
17.6.1.1.1.3	Method 3: Photocycloaddition of Benzonitriles and Phenols	981
17.6.1.1.1.4	Method 4: Cycloaddition of 2-Phenylbenzazetes	983
17.6.1.1.1.5	Method 5: Photocyclodimerization of Pyridines	983
17.6.1.1.1.6	Method 6: Thermolysis of Tricyclo[4.2.2.0 ^{2,5}]deca-3,7,9-trienes and 1,2,4-Triazines	984
17.6.1.1.2	By Rearrangement	985
17.6.1.1.2.1	Method 1: Of Benzocycloheptatriene Azides	985
17.6.1.2	Aromatization	986
17.6.1.2.1	Method 1: Bromination/Dehydrobromination of Dihydroazocines	986
17.6.1.3	Synthesis by Substituent Modification	987
17.6.1.3.1	Modification of Substituents	987
17.6.1.3.1.1	Method 1: O-Methylation of Dihydroazocinones with Meerwein's Reagent	987
17.6.2	Product Subclass 2: Diazocines and Diheterocines	988
17.6.2.1	Synthesis by Ring-Closure Reactions	989
17.6.2.1.1	By Formation of Two N—C Bonds	989
17.6.2.1.1.1	Method 1: 1,2-Diazocines by Condensation of Biphenyl Dicarbonyl Compounds with Hydrazines	989
17.6.2.1.1.2	Method 2: 1,4-Diazocines by Condensations of Diones with Diamines	990
17.6.2.1.1.2.1	Variation 1: Condensations of 1,2-Diones with Biphenyl-2,2'-diamines	990
17.6.2.1.1.2.2	Variation 2: By Condensations of 1,4-Diones with Benzene-1,2-diamines	991
17.6.2.1.1.3	Method 3: Annulated 1,5-Diazocines by Self-Condensation of 2-(Trimethoxymethyl)aniline	992
17.6.2.1.1.4	Method 4: 1,5-Diazocines by Bimolecular Condensation of 2-Aminobenzophenones	992
17.6.2.1.1.4.1	Variation 1: From the Acid-Catalyzed Intermolecular Condensation of 2-Aminobenzophenones	992
17.6.2.1.1.4.2	Variation 2: Condensation of 2-Aminobenzophenones or 2-Aminothio-benzophenones Derived from Benz[c]isoxazoles or Benz[c]isothiazoles	993

17.6.2.1.1.4.3	Variation 3: Condensation of Imines Derived from 2-Aminobenzophenones	994
17.6.2.2	Synthesis by Ring Transformation	994
17.6.2.2.1	Valence Isomerization of Diazabicyclo[4.2.0]octatriene Systems	994
17.6.2.2.1.1	Method 1: 1,2-Diazocine from a Polycyclic Azoalkane	994
17.6.2.2.1.2	Method 2: Annulated Diazocines by Cycloaddition of Fused Pyridazines and Pyrimidines with Electron-Rich Ynamines	995
17.6.2.2.1.2.1	Variation 1: Synthesis of Bicyclic 1,2-Diazocines	995
17.6.2.2.1.2.2	Variation 2: Synthesis of Bicyclic 1,3-Diazocines	996
17.6.2.2.1.2.3	Variation 3: Synthesis of Bicyclic 1,5-Diazocines	997
17.6.2.2.1.3	Method 3: Annulated 1,5-Diazocines by Photolysis of 1,2,3-Triazines ...	998
17.6.2.2.2	Valence Isomerization of Diazasemibullvalenes	999
17.6.2.2.2.1	Method 1: 1,5-Diazocines by Thermolysis of 2,6-Diazasemibullvalenes .	999
17.6.2.2.3	Valence Isomerization of <i>syn</i> - σ -Homobenzene Derivatives	999
17.6.2.2.3.1	Method 1: 1,4-Dioxocins by Thermolysis of <i>syn</i> -Benzene Dioxides	999
17.6.2.2.3.2	Method 2: 1,4-Oxazocines by Thermolysis of 3-Oxa-8-azatri-cyclo[5.1.0.0 ^{2,4}]oct-5-enes	1000
17.6.2.2.4	By Thermal Rearrangement	1002
17.6.2.2.4.1	Method 1: 1,4-Oxathiocins from Thiophenium Methylides	1002
17.6.2.3	Aromatization	1002
17.6.2.3.1	Method 1: Halogenation/Dehydrohalogenation of Dihydro-1,2-diazocines	1002
17.6.2.4	Synthesis by Substituent Modification	1003
17.6.2.4.1	Substitution of Existing Substituents	1003
17.6.2.4.1.1	Method 1: Substitution of Chlorine Atoms	1003
17.6.2.4.1.1.1	Variation 1: Bonded to 1,2-Diazocines	1003
17.6.2.4.1.1.2	Variation 2: Bonded to 1,5-Diazocines	1004
17.6.2.4.1.2	Method 2: Substitution of Methanesulfonyl and Other Groups Bonded to the Nitrogen Atoms of 1,4-Dihydro-1,4-diazocines	1005
17.6.3	Product Subclass 3: Triazocines and Tetrazocines	1006
17.6.3.1	Synthesis by Ring-Closure Reactions	1007
17.6.3.1.1	By Formation of Two N—C Bonds	1007
17.6.3.1.1.1	Method 1: 1,3,5-Triazocines by Condensation of Biguanides with β -Diketones	1007
17.6.3.2	Synthesis by Ring Transformation	1007
17.6.3.2.1	Valence Isomerization of Azabicyclo[4.2.0]octatriene	1007
17.6.3.2.1.1	Method 1: 1,2,4-Triazocines by Cycloaddition of 2-Phenylbenzazetes with Tetrazines	1007
17.6.3.2.2	Valence Isomerization of Tetraazasemibullvalene	1008
17.6.3.2.2.1	Method 1: 1,3,5,7-Tetrazocines by Oxidation of Tetraazapentalenes ...	1008

17.6.3.3	Synthesis by Substituent Modification	1009
17.6.3.3.1	Substitution of Existing Substituents	1009
17.6.3.3.1.1	Method 1: Substitution of Alkoxy Groups Bonded to 1,3,5,7-Tetrazocines	1009
17.6.4	Product Subclass 4: Heteronines and Oligoheteronines	1010
17.6.4.1	Synthesis by Ring-Closure Reactions	1010
17.6.4.1.1	By Formation of Two C—C Bonds	1010
17.6.4.1.1.1	Method 1: Oxonins and Thionins by Condensation of Dialdehydes with Symmetrical Bis(phosphonium) Salts	1010
17.6.4.2	Synthesis by Ring Transformation	1011
17.6.4.2.1	Valence Isomerization of Heterobicyclo[6.1.0]nona-2,4,6-trienes and Related Compounds	1011
17.6.4.2.1.1	Method 1: By Photolysis of Oxa- or Azabicyclo[6.1.0]nona-2,4,6-trienes	1011
17.6.4.2.1.2	Method 2: By Cycloaddition/Cycloreversion of Oxa- or Azabi- cyclo[6.1.0]nona-2,4,6-trienes with 3,6-Diphenyltetrazine, Followed by Oxidation	1012
17.6.4.2.1.3	Method 3: By Cycloaddition/Cycloreversion of Azabicyclo[5.2.0]nona- trienes with Pyranones, Followed by Dehydrogenation	1012
17.6.4.2.2	Valence Isomerization of <i>syn</i> - σ -Homobenzene Systems	1013
17.6.4.2.2.1	Method 1: Synthesis of Trioxonins and Triazonines by Cycloreversion Reactions	1013
17.6.4.2.2.2	Method 2: By Thermolysis of 1,2,3,4,5,6-Hexamethyl-9-phenyl-7,8,9- triazatricyclo[4.3.0.0 ^{2,5}]nona-3,7-diene	1014
17.6.5	Product Subclass 5: Heteroannulenes	1015
17.6.5.1	Synthesis by Ring-Closure Reactions	1015
17.6.5.1.1	By Formation of Two C—C Bonds	1015
17.6.5.1.1.1	Method 1: Heteroannulenes, Bridged Heteroannulenes, and Benzo- fused Bridged Heteroannulenes by Cyclization of Dialdehydes with Symmetrical Bis(phosphonium) Salts	1015
17.6.5.1.2	By Formation of One C—C Bond	1017
17.6.5.1.2.1	Method 1: Bridged Aza[10]annulenes by Cyclization of Cycloheptatrienyl Isocyanates	1017
17.6.5.2	Synthesis by Ring Transformation	1017
17.6.5.2.1	Beckmann Rearrangement	1017
17.6.5.2.1.1	Method 1: Methanoaza[10]- and Methanoaza[12]annulenes from Bridged Tricyclic Oximes	1017
17.6.5.2.2	Valence Isomerization of Tetracyclopolyenes	1018
17.6.5.2.2.1	Method 1: Oxa[n]annulenes and Aza[n]annulenes (n = 13–18) by Photolysis of Tetracyclic Epoxides, Aziridines, and Related Compounds	1018
17.6.5.2.2.1.1	Variation 1: By Photolysis of 11-Oxatetracyclo[6.5.0.0 ^{9,13} .0 ^{10,12}]trideca-2,4,6- triene and Similar Compounds	1018

17.6.5.2.2.1.2	Variation 2: By Photolysis of 1a,3a,3b,9a,9b,11a-Hexahydrocycloocta[3',4']-cyclobuta[1',2':5,6]cycloocta[1,2-b]oxirene and Similar Compounds	1019
17.7	Product Class 7: Cyclazines Y. Tominaga	
17.7	Product Class 7: Cyclazines	1025
17.7.1	Product Subclass 1: [2.2.2]Cyclazine (Pyrrolo[2,1,5-cd]pyrrolizine)	1025
17.7.2	Product Subclass 2: [2.2.3]Cyclazines (Pyrrolo[2,1,5-cd]indolizines) and Related Compounds	1026
17.7.2.1	[2.2.3]Cyclazines (Pyrrolo[2,1,5-cd]indolizines)	1027
17.7.2.1.1	Synthesis by Ring-Closure Reactions	1027
17.7.2.1.1.1	By Formation of Two C—C Bonds	1027
17.7.2.1.1.1.1	Method 1: $[8\pi + 2\pi]$ -Cycloaddition Reactions	1027
17.7.2.1.1.1.2	Method 2: From Methyl Indolizines via Intramolecular Cyclization of Indolizine Carboxyaldehydes	1030
17.7.2.1.1.1.3	Method 3: Addition of Vilsmeier Salts to Nitromethane	1031
17.7.2.1.1.1.4	Method 4: Reaction of 3 <i>H</i> -Pyrrolizine with Vinyleneamidium Salt	1031
17.7.2.1.1.2	By Formation of One C—C Bond	1032
17.7.2.1.1.2.1	Method 1: Intramolecular Cyclization of Hexahydroindolizone Followed by Dehydrogenation	1032
17.7.2.1.2	Synthesis by Substituent Modification	1033
17.7.2.1.2.1	Substitution of Existing Substituents	1033
17.7.2.1.2.1.1	Of Hydrogen	1033
17.7.2.1.2.1.1.1	Method 1: Friedel–Crafts Acylation of [2.2.3]Cyclazine	1033
17.7.2.1.2.1.1.2	Method 2: Nitration of [2.2.3]Cyclazine Followed by Reductive Ayclation of Nitrocyclazine	1033
17.7.2.1.2.1.2	Of Carbon Functionalities	1034
17.7.2.1.2.1.2.1	Method 1: Hydrolysis of Dimethyl Pyrrolo[2,1,5-cd]indolizine-1,2-dicarboxylate	1034
17.7.2.2	Benzo- and Dibenzo[2.2.3]cyclazines	1035
17.7.2.2.1	Synthesis by Ring-Closure Reactions	1035
17.7.2.2.1.1	By Formation of Two C—C Bonds	1035
17.7.2.2.1.1.1	Method 1: $[8\pi + 2\pi]$ -Cycloaddition Reactions	1035
17.7.2.3	Aza- and Diaza[2.2.3]cyclazines	1037
17.7.2.3.1	Synthesis by Ring-Closure Reactions	1038
17.7.2.3.1.1	By Formation of Two N—C Bonds	1038
17.7.2.3.1.1.1	Method 1: Reaction of a Pyrrolizinium Perchlorate with Ammonia	1038
17.7.2.3.1.2	By Formation of Two C—C Bonds	1039

17.7.2.3.1.2.1	Method 1:	[8 π + 2 π]-Cycloaddition Reactions	1039
17.7.2.3.1.2.2	Method 2:	Reaction of Imidazo[2,1- <i>a</i>]pyridine with Dimethylformamide	1039
17.7.2.3.1.3		By Formation of One N—C Bond	1040
17.7.2.3.1.3.1	Method 1:	Cyclization of Ethyl 5-Aminoimidazo[1,2- <i>a</i>]pyridine-3-carboxylate Followed by Reduction	1040
17.7.2.3.2		Synthesis by Substituent Modification	1041
17.7.2.3.2.1		Substitution of Existing Substituents	1041
17.7.2.3.2.1.1		Of Hydrogen	1041
17.7.2.3.2.1.1.1	Method 1:	Oxidation of Methyl 3-Aryl-5,6-dihydro-4 <i>H</i> -pyrrolizino[2,3,4,5- <i>ija</i>]quinoline-1-carboxylate	1041
17.7.2.3.2.1.2		Of Carbon Functionalities	1042
17.7.2.3.2.1.2.1	Method 1:	Decarboxylation of Dimethyl 2-(Methylsulfanyl)imidazo[5,1,2- <i>cd</i>]indolizine-3,4-dicarboxylate	1042
17.7.2.3.2.1.2.2	Method 2:	Oxidation of Imidazo[5,1,2- <i>cd</i>]indolizine-4-carbaldehyde	1043
17.7.2.3.2.1.3		Of Heteroatoms	1043
17.7.2.3.2.1.3.1	Method 1:	Reduction of 2-(Methylsulfanyl)imidazo[5,1,2- <i>cd</i>]indolizine Using Raney Nickel	1043
17.7.2.3.2.1.3.1.1	Variation 1:	Reduction of 2-(Methylsulfanyl)benzo[<i>f</i>]imidazo[5,1,2- <i>cd</i>]indolizine Using Raney Nickel	1044
17.7.3		Product Subclass 3: [2.3.3]Cyclazines (Pyrrolo[2,1,5-<i>de</i>]quinolizines) and Related Compounds	1044
17.7.3.1		[2.3.3]Cyclazinylium (Pyrrolo[2,1,5- <i>de</i>]quinolizium) and Benzo[2.3.3]cyclazinylium Salts	1045
17.7.3.1.1		Synthesis by Ring-Closure Reactions	1045
17.7.3.1.1.1		By Formation of Two C—C Bonds	1045
17.7.3.1.1.1.1	Method 1:	Reaction of a Benzo[<i>a</i>][2.3.3]cyclazinylium Salt with Glyoxal	1045
17.7.3.1.2		Aromatization	1046
17.7.3.1.2.1	Method 1:	Reaction of a Cyclazinone with Phosphorus Pentasulfide	1046
17.7.3.1.2.2	Method 2:	Reaction of a Cyclazinone with Phosphoryl Bromide	1047
17.7.3.1.3		Synthesis by Substituent Modification	1047
17.7.3.1.3.1		Substitution of Existing Substituents	1047
17.7.3.1.3.1.1		Of Carbon Functionalities	1047
17.7.3.1.3.1.1.1	Method 1:	Hydrolysis of 1-(Ethoxycarbonyl)pyrrolo[2,1,5- <i>de</i>]quinolizinium Using Hydrochloric Acid	1047
17.7.3.1.3.1.2		Of Heteroatoms	1048
17.7.3.1.3.1.2.1	Method 1:	Reduction of 1-(Methylsulfanyl)pyrrolo[2,1,5- <i>de</i>]quinolizinium Using Raney Nickel	1047
17.7.3.1.3.1.2.2	Method 2:	Reduction of 3-Bromopyrrolo[2,1,5- <i>de</i>]quinolizinium Using Palladium	1048

17.7.3.2	[2.3.3]Cyclazinones	1049
17.7.3.2.1	Synthesis by Ring-Closure Reactions	1049
17.7.3.2.1.1	By Formation of Two C—C Bonds	1049
17.7.3.2.1.1.1	Method 1: [8 π + 3 π]-Cycloaddition Reaction of a Pyrrolo[1,2- <i>c</i>]pyrimidine with 1,3-Dibromo-1,3-diphenylacetone	1049
17.7.3.2.1.1.2	Method 2: Cycloaddition of 3-Hydroxyquinolizinylium Bromide with Acetylene Derivatives	1050
17.7.3.2.1.2	By Formation of One C—C Bond	1050
17.7.3.2.1.2.1	Method 1: Intramolecular Condensation of an Indolizine	1050
17.7.3.2.1.2.2	Method 2: Hydrolysis of an Indolizine with Hydrochloric Acid Followed by Treatment with Alumina	1051
17.7.3.2.1.2.3	Method 3: Intramolecular Cyclization of a Quinolizine Ester Followed by De-ethoxycarbonylation	1052
17.7.3.2.2	Synthesis by Substituent Modification	1053
17.7.3.2.2.1	Substitution of Existing Substituents	1053
17.7.3.2.2.1.1	Of Carbon Functionalities	1053
17.7.3.2.2.1.1.1	Method 1: Hydrolysis of a Pyrroloquinolizine Using Hydrochloric Acid Followed by Decarboxylation Using Copper(I) Oxide	1053
17.7.3.3	Benzo-Fused [2.3.3]Cyclazines	1053
17.7.3.3.1	Synthesis by Ring-Closure Reactions	1054
17.7.3.3.1.1	By Formation of Two C—C Bonds	1054
17.7.3.3.1.1.1	Method 1: From N-[2,6-Bis(2-phenyl-1,3-dithian-2-yl)phenyl]-1H-pyrrole Using Mercury(II) Chloride	1054
17.7.3.3.1.2	By Formation of One C—C Bond	1054
17.7.3.3.1.2.1	Method 1: Reaction of a Formamide with Polyphosphoric Acid	1054
17.7.3.4	Polyheteroaza[2.3.3]cyclazines	1055
17.7.3.4.1	Synthesis by Ring-Closure Reactions	1056
17.7.3.4.1.1	By Formation of Three N—C Bonds	1056
17.7.3.4.1.1.1	Method 1: Reaction of a Cyanoacrylate with Formic Acid	1056
17.7.3.4.1.2	By Formation of One N—C and One C—C Bond	1056
17.7.3.4.1.2.1	Method 1: Reaction of a Diacetamide with Phosphoryl Chloride	1056
17.7.4	Product Subclass 4: [3.3.3]Cyclazines (Pyrido[2,1,6-<i>de</i>]quinolizines) and Related Compounds	1057
17.7.4.1	[3.3.3]Cyclazine (Pyrido[2,1,6- <i>de</i>]quinolizine)	1058
17.7.4.1.1	Synthesis by Ring-Closure Reactions	1058
17.7.4.1.1.1	By Formation of Two C—C Bonds	1058
17.7.4.1.1.1.1	Method 1: Reaction of Quinolizin-4-ylideneacetate with an Acetylenecarboxylate	1058

17.7.4.1.1.1.2	Method 2: Reaction of Cyclopenta[<i>c</i>]quinolizine with Dimethyl Acetylenedicarboxylate	1058
17.7.4.1.2	Synthesis by Ring Transformation	1059
17.7.4.1.2.1	Method 1: Using Diels–Alder Reaction of Acetylenedicarboxylate	1059
17.7.4.1.3	Synthesis by Substituent Modification	1059
17.7.4.1.3.1	Substitution of Existing Substituents	1059
17.7.4.1.3.1.1	Of Hydrogen	1059
17.7.4.1.3.1.1.1	Method 1: Nitration Using Copper(II) Nitrate	1059
17.7.4.1.3.1.2	Of Carbon Functionalities	1060
17.7.4.1.3.1.2.1	Method 1: Thermolysis of a Pyrido[2,1,6- <i>de</i>]quinolizine-4,5-dicarboxylate	1060
17.7.4.1.3.1.2.2	Method 2: Decarboxylation of Dimethyl Cyclopenta[<i>jj</i>]pyrido[2,1,6- <i>de</i>]quinolizine-4,5-dicarboxylate	1061
17.7.4.2	Aza- and Polyaza[3.3.3]cyclazines	1061
17.7.4.2.1	Synthesis by Ring-Closure Reactions	1062
17.7.4.2.1.1	By Formation of Three N–C Bonds	1062
17.7.4.2.1.1.1	Method 1: By Using Ethoxymethylene Compounds	1062
17.7.4.2.1.1.1.1	Variation 1: By Using Methoxymethylene Compounds	1063
17.7.4.2.1.1.2	Method 2: By Condensation with Acid Anhydrides	1064
17.7.4.2.1.2	By Formation of One N–C and Two C–C Bonds	1064
17.7.4.2.1.2.1	Method 1: By Using Ethoxymethylene Compounds	1064
17.7.4.2.1.3	By Formation of One N–C and One C–C Bond	1065
17.7.4.2.1.3.1	Method 1: By Condensation with Acid Anhydrides	1065
17.7.4.2.1.3.2	Method 2: By Condensation of a Dihydro-4 <i>H</i> -quinolizin-4-imine with an Acid Anhydride	1066
17.7.4.2.1.4	By Formation of Two C–C Bonds	1066
17.7.4.2.1.4.1	Method 1: Cycloaddition of Imino Compounds with Dimethyl Acetylenedicarboxylate	1066
17.7.4.2.2	Synthesis by Ring Transformation	1067
17.7.4.2.2.1	Method 1: Using Diels–Alder Reaction of Dimethyl Acetylenedicarboxylate	1067
17.7.4.2.2.2	Method 2: By Dehydrogenation Using Palladium on Carbon	1068
17.7.5	Product Subclass 5: [2.2.4]Cyclazines (Azepino[2,1,7-<i>cd</i>]pyrrolizines) ...	1069
17.7.5.1	Synthesis by Ring-Closure Reactions	1069
17.7.5.1.1	By Formation of Two C–C Bonds	1069
17.7.5.1.1.1	Method 1: Reaction of a Saturated Compound with a Perchlorate	1069
17.7.5.1.2	Synthesis by Substituent Modification	1070
17.7.5.1.2.1	Substitution of Existing Substituents	1070
17.7.5.1.2.1.1	Of Hydrogen	1070

17.7.5.1.2.1.1.1	Method 1:	The Vilsmeier Reaction of a [2.2.4]Cyclazine with Dimethylformamide	1070
17.7.5.1.2.1.1.2	Method 2:	Nitration with Tetranitromethane	1071
17.7.6	Product Subclass 6: [2.3.4]Cyclazines (Azepino[2,1,7-cd]indolizines)		1071
17.7.6.1	Synthesis by Ring-Closure Reactions		1072
17.7.6.1.1	By Formation of Two C—C Bonds		1072
17.7.6.1.1.1	Method 1:	Wittig Reaction of an Aldehyde Followed by Intramolecular Cyclization of an Oxo Diester	1072
17.7.7	Product Subclass 7: Annulenes Bridged by Two Nitrogen Atoms		1072
17.7.7.1	Aromatization		1073
17.7.7.1.1	Method 1:	From 3,4,7,8-Tetrahydro-8b,8c-diazacyclopenta[fg]acenaphthylene	1073
17.8	Product Class 8: Porphyrins and Related Compounds		
	K. M. Smith and M. G. H. Vicente		
17.8	Product Class 8: Porphyrins and Related Compounds		1081
17.8.1	Product Subclass 1: Porphyrins		1085
17.8.1.1	Syntheses of Intermediates Used in Porphyrin Syntheses		1087
17.8.1.1.1	Dipyrroles		1088
17.8.1.1.1.1	Method 1:	Dipyrromethenes	1088
17.8.1.1.1.1.1	Variation 1:	Condensation of 2-Formyl-1 <i>H</i> -pyrroles with 2-Unsubstituted 1 <i>H</i> -Pyrroles	1088
17.8.1.1.1.1.2	Variation 2:	Reaction of 2-(Bromomethyl)-1 <i>H</i> -pyrroles with 2-Bromo-1 <i>H</i> -pyrroles	1089
17.8.1.1.1.1.3	Variation 3:	Self-Condensation of Monopyrroles	1090
17.8.1.1.1.1.4	Variation 4:	Oxidation of Dipyrromethanes	1091
17.8.1.1.1.2	Method 2:	Dipyrromethanes	1091
17.8.1.1.1.2.1	Variation 1:	Unsymmetrically Substituted Dipyrromethanes by Reaction of 2-Substituted 1 <i>H</i> -Pyrroles with 2-Unsubstituted 1 <i>H</i> -Pyrroles	1091
17.8.1.1.1.2.2	Variation 2:	Unsymmetrically Substituted Dipyrromethanes by Reduction of Dipyrromethenes	1093
17.8.1.1.1.2.3	Variation 3:	Symmetrically Substituted Dipyrromethanes by Self-Condensation of 2-Substituted 1 <i>H</i> -Pyrroles	1094
17.8.1.1.1.2.4	Variation 4:	Symmetrically Substituted Dipyrromethanes from 2-Unsubstituted 1 <i>H</i> -Pyrroles	1095
17.8.1.1.1.3	Method 3:	Dipyrroketones	1096
17.8.1.1.1.4	Method 4:	Bipyrroles	1098
17.8.1.1.2	Tripyrroles		1100
17.8.1.1.2.1	Method 1:	The [2 + 1] Approach to Tripyrranes	1100
17.8.1.1.2.2	Method 2:	The [1]+[1] ² Approach to Symmetrical Tripyrranes	1102
17.8.1.1.3	Open-Chain Tetrapyrrolic Intermediates		1103

17.8.1.1.3.1	Method 1:	Oxobilanes	1104
17.8.1.1.3.1.1	Variation 1:	a-Oxobilanes	1104
17.8.1.1.3.1.2	Variation 2:	b-Oxobilanes	1105
17.8.1.1.3.2	Method 2:	b-Bilenes	1106
17.8.1.1.3.2.1	Variation 1:	1,19-Dimethyl-b-bilenes	1106
17.8.1.1.3.2.2	Variation 2:	b-Bilene-1,19-dicarboxylates	1107
17.8.1.1.3.3	Method 3:	a,c-Biladienes	1108
17.8.1.1.3.3.1	Variation 1:	Symmetrical 1,19-Dimethyl-a,c-biladiene Salts	1108
17.8.1.1.3.3.2	Variation 2:	Unsymmetrical 1,19-Dimethyl-a,c-biladiene Salts	1110
17.8.1.1.3.3.3	Variation 3:	1-Bromo-19-methyl-a,c-biladiene Salts	1115
17.8.1.2	Syntheses of Porphyrins		1116
17.8.1.2.1	Method 1:	From Monopyrrole Tetramerization	1116
17.8.1.2.2	Method 2:	From Dipyrrolic Intermediates: The [2+2] Routes	1124
17.8.1.2.2.1	Variation 1:	Using Dipyrromethenes	1126
17.8.1.2.2.2	Variation 2:	Using Dipyrromethanes	1129
17.8.1.2.2.3	Variation 3:	Using Dipyrroketones	1135
17.8.1.2.3	Method 3:	From Tripyrrolic Intermediates: The [3+1] Route	1138
17.8.1.2.3.1	Variation 1:	Using a Tripyrrane and a 2,5-Diformyl-1 <i>H</i> -pyrrole	1139
17.8.1.2.3.2	Variation 2:	Using a Tripyrrane and a 2,5-Bis[(dimethylamino)methyl]-1 <i>H</i> -pyrrole	1141
17.8.1.2.4	Method 4:	From Open-Chain Tetrapyrrolic Intermediates	1143
17.8.1.2.4.1	Variation 1:	Using a-Oxobilanes	1145
17.8.1.2.4.2	Variation 2:	Using b-Oxobilanes	1147
17.8.1.2.4.3	Variation 3:	Using 1,19-Dimethyl-b-bilenes	1148
17.8.1.2.4.4	Variation 4:	Using b-Bilene-1,19-diesters	1149
17.8.1.2.4.5	Variation 5:	Using Other b-Bilenes	1150
17.8.1.2.4.6	Variation 6:	Using 1,19-Dimethyl-a,c-biladienes	1151
17.8.1.2.4.7	Variation 7:	Using 1-Bromo-19-methyl-a,c-biladienes	1159
17.8.1.2.4.8	Variation 8:	Using Other a,c-Biladienes	1159
17.8.2	Product Subclass 2: Reduced Porphyrins		1161
17.8.2.1	Chlorins (β,β' -Dihydroporphyrins)		1161
17.8.2.1.1	Method 1:	By Ring Synthesis	1161
17.8.2.1.2	Method 2:	By Reduction of Porphyrins or Metal Porphyrinates	1165
17.8.2.1.3	Method 3:	By Oxidation of Porphyrins or Metal Porphyrinates	1171
17.8.2.2	Bacteriochlorins and Isobacteriochlorins ($\beta,\beta',\beta'',\beta'''$ -Tetrahydroporphyrins)		1173
17.8.2.3	Syntheses of Benzoporphyrins		1174
17.8.2.3.1	Method 1:	Tetrabenzoporphyrins	1175
17.8.2.3.2	Method 2:	Monobenzoporphyrins, Dibenzoporphyrins, and Benzoporphyrin Derivatives	1178
17.8.3	Product Subclass 3: Isomeric, Contracted, and Expanded Porphyrin Systems		1180
17.8.3.1	Syntheses of [18]Porphyrin (1,1,1,1) Isomers		1180
17.8.3.1.1	Method 1:	Porphycene [[18]Porphyrin (2,0,2,0)]	1180
17.8.3.1.2	Method 2:	Corrphycene (Porphycerin) [[18]Porphyrin (2,1,0,1)]	1181

17.8.3.2	Contracted Porphyrins: Syntheses of Corroles	1182
17.8.3.2.1	Method 1: From Monopyrroles	1182
17.8.3.2.1.1	Variation 1: Using 2-Substituted 1 <i>H</i> -Pyrroles	1182
17.8.3.2.1.2	Variation 2: Using 2,5-Di-unsubstituted 1 <i>H</i> -Pyrroles and Aldehydes	1183
17.8.3.2.2	Method 2: From Dipyrroles	1183
17.8.3.2.3	Method 3: From <i>a,c</i> -Biladiene Salts	1184
17.8.3.2.4	Method 4: By Porphyrin Ring Contraction	1186
17.8.3.3	Expanded Porphyrins	1186
17.8.3.3.1	Method 1: Syntheses of Sapphyrins	1187
17.8.3.3.1.1	Variation 1: The [3 + 2] Approach	1187
17.8.3.3.1.2	Variation 2: The [3 + (1) ²] Approach	1188
17.8.3.3.1.3	Variation 3: The [4 + 1] Approach	1189
17.8.3.3.1.4	Variation 4: The [1] ⁵ Approach	1191
17.8.3.3.2	Method 2: Syntheses of Pentaphyrins	1191
17.8.4	Reactions around the Porphyrin Periphery	1192
17.8.4.1	Method 1: Electrophilic Substitution Reactions	1192
17.8.4.1.1	Variation 1: Halogenation	1193
17.8.4.1.2	Variation 2: Nitration	1197
17.8.4.1.3	Variation 3: Formylation and Acylation	1199
17.8.4.1.4	Variation 4: Peripheral Metalation	1208
17.8.4.1.5	Variation 5: Reactions with Carbenes and Nitrenes	1210
17.8.4.2	Method 2: Reactions with Nucleophiles	1211
17.8.4.3	Method 3: Oxidation Reactions	1216
17.8.4.4	Method 4: Cycloaddition Reactions	1217
17.8.4.4.1	Variation 1: Intermolecular Reactions	1217
17.8.4.4.2	Variation 2: Intramolecular Reactions	1218
17.9	Product Class 9: Phthalocyanines and Related Compounds N. B. McKeown	
17.9	Product Class 9: Phthalocyanines and Related Compounds	1237
17.9.1	Product Subclass 1: Metal-Free Phthalocyanine	1245
17.9.1.1	Method 1: From Phthalonitrile	1245
17.9.1.1.1	Variation 1: From Generation and Demetalation of a Labile Metal Complex	1246
17.9.1.2	Method 2: From Isoindolinediimine	1246
17.9.2	Product Subclass 2: Metal–Phthalocyanine Complexes	1247
17.9.2.1	Method 1: From Phthalonitrile	1249
17.9.2.2	Method 2: From Phthalic Anhydride	1253
17.9.2.3	Method 3: From Phthalimide	1254
17.9.2.4	Method 4: From Isoindolinediimine	1254
17.9.2.5	Method 5: From 2-Cyanobenzamide	1255
17.9.2.6	Method 6: From Phthalocyanine	1256
17.9.2.7	Method 7: Metal Exchange of Dilithium or Disodium Complex	1257

17.9.3	Product Subclass 3: 1,8(11),15(18),22(25)-Tetrasubstituted Phthalocyanines and 1:25,11:15-Bridged Phthalocyanines	1258
17.9.3.1	Method 1: From Phthalonitriles	1258
17.9.3.1.1	Variation 1: Regioselective Preparation of 1,8,15,22-Tetrasubstituted Phthalocyanines from Phthalonitriles	1260
17.9.3.1.2	Variation 2: Side-Strapped 1:25,11:15-Tetrasubstituted Phthalocyanines from Bis(phthalonitriles)	1261
17.9.3.2	Method 2: From Phthalic Acids	1262
17.9.3.3	Method 3: From Phthalic Anhydrides	1262
17.9.3.4	Method 4: From Phthalimides	1263
17.9.3.5	Method 5: From Isoindolinediimines	1263
17.9.3.6	Method 6: From the Modification of Preformed Phthalocyanines	1264
17.9.4	Product Subclass 4: 2,9(10),16(17),23(24)-Tetrasubstituted Phthalocyanines and 1:24,10:16-Bridged Phthalocyanines	1265
17.9.4.1	Method 1: From 4-Substituted Phthalonitriles	1266
17.9.4.1.1	Variation 1: Side-Strapped 2:24,10:16-Bridged Phthalocyanines from 4,4'-Substituted Bis(phthalonitriles)	1268
17.9.4.2	Method 2: From 4-Substituted Phthalic Acids	1268
17.9.4.3	Method 3: From 4-Substituted Phthalic Anhydrides	1269
17.9.4.4	Method 4: From 4-Substituted Phthalimides	1270
17.9.4.5	Method 5: From 5-Substituted Isoindolinediimines	1270
17.9.4.6	Method 6: From 4-Substituted 1,2-Dibromobenzenes	1272
17.9.4.7	Method 7: From 1-Imino-3-methylthioisoindolenine	1272
17.9.4.8	Method 8: From 3(4)-Substituted 2-Cyanobenzamides	1273
17.9.4.9	Method 9: From the Modification of Preformed Phthalocyanines	1273
17.9.5	Product Subclass 5: 1,2,8,9(10,11),15,16(17,18),22,23(24,25)-Octasubstituted Phthalocyanines	1275
17.9.5.1	Method 1: From 3,4-Disubstituted Phthalonitriles	1275
17.9.5.2	Method 2: From 3,4-Disubstituted Phthalic Anhydrides	1275
17.9.6	Product Subclass 6: 1,3,8,10(9,11),15,17(16,18),22,24(23,25)-Octasubstituted Phthalocyanines	1276
17.9.6.1	Method 1: From 3,5-Disubstituted Phthalonitriles	1276
17.9.6.2	Method 2: From 3,5-Disubstituted Phthalic Acids	1278
17.9.6.3	Method 3: From 3,5-Disubstituted Phthalic Anhydrides	1279
17.9.6.4	Method 4: From 3,5-Disubstituted 1,2-Dibromobenzenes	1279
17.9.6.5	Method 5: By Reaction of Substituents	1280
17.9.7	Product Subclass 7: 1,4,8,11,15,18,22,25-Octasubstituted Phthalocyanines	1280
17.9.7.1	Method 1: From 3,6-Disubstituted Phthalonitriles	1280
17.9.7.2	Method 2: From Phthalic Anhydrides	1282
17.9.7.3	Method 3: From Isoindolinediimines	1282
17.9.7.4	Method 4: By Reaction of Substituents	1283
17.9.8	Product Subclass 8: 2,3,9,10,16,17,23,24-Octasubstituted Phthalocyanines	1283
17.9.8.1	Method 1: From 4,5-Disubstituted Phthalonitriles	1283
17.9.8.2	Method 2: From 4,5-Disubstituted Phthalic Anhydrides	1284

17.9.8.3	Method 3:	From 5,6-Disubstituted Isoindolinediimines	1285
17.9.8.4	Method 4:	From 4,5-Disubstituted 1,2-Dibromobenzenes	1286
17.9.8.5	Method 5:	By Reaction of Substituents	1287
17.9.9	Product Subclass 9: 2:3,9:10,16:17,23:24-Bridged Phthalocyanines		1287
17.9.9.1	Method 1:	From 4:5-Bridged Phthalonitriles	1288
17.9.9.2	Method 2:	From 5:6-Bridged Isoindolinediimines	1290
17.9.9.3	Method 3:	From 4:5-Bridged 1,2-Dibromobenzenes	1291
17.9.9.4	Method 4:	By Reaction of Substituents	1293
17.9.10	Product Subclass 10: Dodecasubstituted Phthalocyanines		1295
17.9.10.1	Method 1:	From 3,4,5-Trisubstituted Phthalonitriles	1295
17.9.10.2	Method 2:	From 3,4,6-Trisubstituted Phthalonitriles	1296
17.9.11	Product Subclass 11: 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-Hexadeca-substituted Phthalocyanines, 1:2,3:4,8:9,10:11,15:16,17:18,22:23,24:25-Bridged Phthalocyanines, and 1,2:3,4,8,9:10,11,15,16:17,18,22,23:24,25-Bridged Phthalocyanines		1296
17.9.11.1	Method 1:	From 3,4,5,6-Tetrasubstituted Phthalonitriles	1297
17.9.11.1.1	Variation 1:	Hexadecasubstituted Phthalocyanines Possessing Two Types of Substituents	1298
17.9.11.1.2	Variation 2:	1,4,8,11,15,18,22,25-Octasubstituted 2:3,9:10,16:17,23:24-Bridged Phthalocyanines from Phthalonitriles	1299
17.9.11.1.3	Variation 3:	1:2,3:4,8:9,10:11,15:16,17:18,22:23,24:25-Bridged Phthalocyanines from Phthalonitriles	1299
17.9.11.2	Method 2:	From 3,4,5,6-Tetrasubstituted Phthalic Anhydrides	1300
17.9.11.2.1	Variation 1:	1:2,3:4,8:9,10:11,15:16,17:18,22:23,24:25-Bridged Phthalocyanines from Mellitic Anhydride	1301
17.9.11.3	Method 3:	1,4,8,11,15,18,22,25-Octasubstituted-2:3,9:10,16:17,23:24-bridged Phthalocyanines from 1,2-Dibromobenzenes	1301
17.9.11.4	Method 4:	By Reaction of Substituents	1302
17.9.11.4.1	Variation 1:	1,4,8,11,15,18,22,25-Octasubstituted-2:3,9:10,16:17,23:24-bridged Phthalocyanines by Reaction of Substituents	1302
17.9.11.4.2	Variation 2:	1:2,3:4,8:9,10:11,15:16,17:18,22:23,24:25-Bridged Phthalocyanines by Reaction of Substituents	1303
17.9.12	Product Subclass 12: Tetraazaporphyrins		1304
17.9.12.1	Method 1:	From 1,2-Disubstituted Maleonitriles	1304
17.9.12.1.1	Variation 1:	2:3,7:8,12:13,17:18-Bridged Tetraazaporphyrins from Cyclic Maleonitriles	1306
17.9.12.2	Method 2:	From the Modification of Preformed Tetraazaporphyrins ...	1307
17.9.13	Product Subclass 13: 1,2-Naphthalocyanines		1308
17.9.13.1	Method 1:	From 1,2-Dicyanonaphthalenes	1309
17.9.14	Product Subclass 14: 2,3-Naphthalocyanines		1310
17.9.14.1	Method 1:	From 2,3-Dicyanonaphthalenes	1310
17.9.14.2	Method 2:	From Benzoisoindolinediimines	1312
17.9.14.3	Method 3:	By Reaction of Substituents	1312

17.9.15	Product Subclass 15: 9,10-Phenanthrenocyanines	1313
17.9.15.1	Method 1: From 9,10-Dicyanophenanthrenes	1313
17.9.16	Product Subclass 16: 2,3-Triphenylenocyanines	1314
17.9.16.1	Method 1: From 2,3-Dicyanotriphenylene	1314
17.9.17	Product Subclass 17: Fluoranthrenocyanine	1315
17.9.17.1	Method 1: From 8,9-Dicyanofluoranthrene	1315
17.9.18	Product Subclass 18: 2,3-Anthracenocyanines	1316
17.9.18.1	Method 1: From 2,3-Dicyanoanthracenes	1316
17.9.19	Product Subclass 19: Tetra- and Octaazaphthalocyanines	1318
17.9.19.1	Method 1: From 2,3-Dicyanopyridine	1318
17.9.19.2	Method 2: From Pyridine-2,3-dicarboxylic Acid	1319
17.9.19.3	Method 3: From Pyridine-2,3-dicarboxylic Anhydride	1320
17.9.19.4	Method 4: From 2(3)-Cyanopyridine-3(2)-carboxamide	1320
17.9.19.5	Method 5: From 2,3-Dicyanopyrazines	1321
17.9.19.5.1	Variation 1: 1,6,10,15,19,24,29,33-Octaaza-2,3-naphthalocyanine from 2,3-Dicyanoquinoxaline	1322
17.9.19.5.2	Variation 2: Preparation of 2,3,11,12(13,14),20,21(22,23),29,30(31,32)- Tetrabenzo-1,6,10,15,19,24,29,33-octaaza-2,3-naphthalo- cyanines from Benzo[f]quinoxaline-2,3-dicarbonitrile	1323
17.9.19.5.3	Variation 3: Preparation of 1,8,12,19,23,30,34,41-Octaaza-2,3-anthraceno- cyanines from Benzo[g]quinoxaline-2,3-dicarbonitrile	1324
17.9.19.5.4	Variation 4: Preparation of 1,10,14,23,27,36,40,49-Octaaza-2,3-triphenyl- enocyanine from 2,3-Dicyano-1,4-diazatriphenylenes	1324
17.9.19.6	Method 6: From 4,7-Diazaisoindolinediimine	1326
17.9.19.7	Method 7: By Reaction of Substituents	1326
17.9.20	Product Subclass 20: Subphthalocyanines	1327
17.9.20.1	Method 1: From Phthalonitriles	1328
17.9.20.1.1	Variation 1: Trisubstituted Subphthalocyanines from Phthalonitriles	1328
17.9.20.1.2	Variation 2: Hexasubstituted Subphthalocyanines from Phthalonitriles ..	1330
17.9.20.2	Method 2: By Reaction of Substituents	1331
17.9.21	Product Subclass 21: Superphthalocyanines	1332
17.9.21.1	Method 1: From Phthalonitriles	1332
17.9.22	Product Subclass 22: Nonuniformly Substituted Phthalocyanines	1333
17.9.22.1	Method 1: By Mixed Cyclotetramerizations	1333
17.9.22.1.1	Variation 1: The Synthesis of AAAB Nonuniformly Substituted Phthalocyanines	1337
17.9.22.1.2	Variation 2: Side-Strapped AABB-Type Phthalocyanines from Mixed Cyclotetramerizations	1339
17.9.22.1.3	Variation 3: AABB-Type Phthalocyanines from a Dimeric Intermediate of Phthalonitrile Cyclotetramerization	1340
17.9.22.1.4	Variation 4: AAAB-Type Phthalocyanines Using a Polymer Support	1341
17.9.22.2	Method 2: AAAB-Type Phthalocyanines from the Ring Expansion of Subphthalocyanines	1342

17.9.22.3	Method 3:	ABAB Type Phthalocyanines from Cross-Cyclotetramerization Reactions	1344
17.9.22.4	Method 4:	Reactions of Preformed Phthalocyanines	1345
17.9.23		Product Subclass 23: Multinuclear Phthalocyanines	1347
17.9.23.1	Method 1:	Dimers from Cyclotetramerization Reactions Containing a Phthalonitrile and a Bis(phthalonitrile)	1347
17.9.23.1.1	Variation 1:	Tetrameric Phthalocyanine from a Mixed Cyclotetramerization Reaction of a Tetrakis(isoindolinediimine)	1349
17.9.23.1.2	Variation 2:	Conjugated Fused Phthalocyanine Dimers	1350
17.9.23.2	Method 2:	By Reaction of Preformed Phthalocyanines	1352
		Keyword Index	1369
		Author Index	1417
		Abbreviations	1495

