

Volume 36: Alcohols

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	XI
	Introduction	
	J. Clayden	1
36.1	Product Class 1: Alkanols	
36.1.1	Synthesis by Oxidation	
	M. J. Porter	17
36.1.2	Synthesis by Reduction	
	L. R. Cox	55
36.1.3	Synthesis by Substitution	
	A. F. Parsons	177
36.1.4	Synthesis by Addition to Alkynes and Alkenes	
	A. T. Russell	191
36.1.5	Synthesis by Carbonylation Reactions	
	G. Ilyashenko, T. Schütz, and A. Whiting	245
36.1.6	Synthesis by Addition of Organometallics to Carbon Dioxide, Carboxylic Acids, and Derivatives	
	C. Grosjean and A. Whiting	255
36.1.7	Synthesis by Addition of Organometallics to Aldehydes and Ketones	
	C. G. Frost and J. Le Nôtre	271
36.1.8	Synthesis by Resolution and Inversion Methods	
	J. Eames	341
36.1.9	Synthesis from Other Alcohols by Modification	
	J. Eames	423
36.2	Product Class 2: Cycloalkanols	
	P. J. H. Scott and P. G. Steel	459
36.3	Product Class 3: Propargylic Alcohols	
	P. Forgione and L. D. Fader	531
36.4	Product Class 4: Benzylic Alcohols	
	M. J. Porter	573
36.5	Product Class 5: Allylic Alcohols	
	D. M. Hodgson and P. G. Humphreys	583

36.6	Product Class 6: Homoallylic Alcohols	
	M. V. Perkins	667
36.7	Product Class 7: 1,n-Diols (n > 1)	
	C. Nativi and S. Roelens	757
36.8	Product Class 8: Polyols, Including Carbohydrates	
	R. C. D. Brown	799
36.9	Product Class 9: β-Hydroxy Carbonyl Compounds	
	R. Mahrwald and B. Schetter	847
36.10	Product Class 10: n-Heteroatom-Functionalized Alcohols (n \geq 2; Heteroatom \neq Halogen)	
	M. J. Bingham and M. F. Greaney	971
36.11	Product Class 11: Alcohols and Diols by Deprotection	
	M. G. Moloney and M. Yaqoob	1031
36.12	Product Class 12: Metal Alcoholates	
	J. V. Morey and A. E. H. Wheatley	1107
	Keyword Index	1167
	Author Index	1225
	Abbreviations	1295

Table of Contents

Introduction

J. Clayden

Introduction	1
---------------------------	---

36.1 Product Class 1: Alkanols

36.1.1 Synthesis by Oxidation

M. J. Porter

36.1.1	Synthesis by Oxidation	17
36.1.1.1	Method 1: Oxidation of Alkanes	17
36.1.1.1.1	Variation 1: Oxidation with Molecular Oxygen	17
36.1.1.1.2	Variation 2: Oxidation with Ozone	19
36.1.1.1.3	Variation 3: Oxidation with Dioxiranes	21
36.1.1.1.4	Variation 4: Oxidation with Oxaziridines	24
36.1.1.1.5	Variation 5: Oxidation with Peroxy Acids	25
36.1.1.1.6	Variation 6: Oxidation with Fluorine	26
36.1.1.1.7	Variation 7: Oxidation with Metal Porphyrins	27
36.1.1.1.8	Variation 8: Oxidation with Ruthenium Compounds	29
36.1.1.1.9	Variation 9: Oxidation with Chromium Compounds	30
36.1.1.1.10	Variation 10: Oxidation with Methyltrioxorhenium(VII)	32
36.1.1.1.11	Variation 11: Biocatalytic Oxidation	33
36.1.1.2	Method 2: Oxidation of Organosilicon Compounds	35
36.1.1.2.1	Variation 1: Oxidation of Trichlorosilanes	35
36.1.1.2.2	Variation 2: Oxidation of Alkoxysilanes with Hydrogen Peroxide	36
36.1.1.2.3	Variation 3: Oxidation of Alkoxysilanes with Peroxy Acids	37
36.1.1.2.4	Variation 4: Oxidation of Alkoxysilanes with Molecular Oxygen	38
36.1.1.2.5	Variation 5: Oxidation of Dimethyl(phenyl)silanes	38
36.1.1.3	Method 3: Oxidation of Organoboron Compounds	40
36.1.1.3.1	Variation 1: Oxidation with Basic Hydrogen Peroxide	40
36.1.1.3.2	Variation 2: Oxidation with Sodium Perborate and Sodium Percarbonate ..	41
36.1.1.3.3	Variation 3: Oxidation with Trimethylamine <i>N</i> -Oxide	42
36.1.1.4	Method 4: Oxidation of Organomercury Compounds	43
36.1.1.5	Method 5: Oxidation of Organolithium, Organomagnesium, Organozinc, and Organocopper Compounds	45
36.1.1.5.1	Variation 1: Oxidation with Molecular Oxygen	45
36.1.1.5.2	Variation 2: Oxidation with Alkyl Hydroperoxides	46
36.1.1.5.3	Variation 3: Oxidation with Bis(trimethylsilyl) Peroxide	47
36.1.1.5.4	Variation 4: Oxidation with Oxaziridines	48

36.1.2 Synthesis by Reduction

L. R. Cox

36.1.2	Synthesis by Reduction	55
36.1.2.1	Synthesis of Primary Aliphatic Alkanols	55
36.1.2.1.1	Method 1: Reduction of Carboxylic Acids	55
36.1.2.1.1.1	Variation 1: Using Metal Aluminum Hydrides and Alkoxyaluminum Hydrides	55
36.1.2.1.1.2	Variation 2: Using Metal Borohydrides and Related Compounds	57
36.1.2.1.1.3	Variation 3: Using Boranes and Related Compounds	59
36.1.2.1.1.4	Variation 4: Using Alane and Related Compounds	62
36.1.2.1.1.5	Variation 5: Using Samarium(II) Iodide	63
36.1.2.1.1.6	Variation 6: Transition-Metal-Catalyzed Reduction	63
36.1.2.1.1.7	Variation 7: Electrochemical Reduction	64
36.1.2.1.1.8	Variation 8: Enzymatic Reduction	64
36.1.2.1.1.9	Variation 9: By In Situ Derivatization	64
36.1.2.1.2	Method 2: Reduction of Esters	66
36.1.2.1.2.1	Variation 1: Using Metal Aluminum Hydrides and Related Systems	66
36.1.2.1.2.2	Variation 2: Using Metal Borohydrides and Related Systems	67
36.1.2.1.2.3	Variation 3: Using Boranes	70
36.1.2.1.2.4	Variation 4: Using Alane and Other Neutral Organoaluminum Reagents ...	71
36.1.2.1.2.5	Variation 5: Using Silanes and Siloxanes	72
36.1.2.1.2.6	Variation 6: Using Dissolving Metal Conditions	75
36.1.2.1.2.7	Variation 7: Using Samarium(II) Iodide	75
36.1.2.1.2.8	Variation 8: Transition-Metal-Catalyzed Hydrogenation	75
36.1.2.1.2.9	Variation 9: Electrochemical Reduction	75
36.1.2.1.3	Method 3: Reduction of Amides	76
36.1.2.1.3.1	Variation 1: Using Aluminum Hydrides and Borohydride Reducing Agents ·	76
36.1.2.1.3.2	Variation 2: Using Boranes	78
36.1.2.1.3.3	Variation 3: Using Dissolving Metals	78
36.1.2.1.3.4	Variation 4: Using Samarium(II) Iodide	78
36.1.2.1.3.5	Variation 5: Electrochemical Reduction	79
36.1.2.1.3.6	Variation 6: Transition-Metal-Catalyzed Hydrogenation	79
36.1.2.1.4	Method 4: Reduction of Acid Halides and Acid Anhydrides	79
36.1.2.1.4.1	Variation 1: Using Aluminum Hydride and Alkoxyaluminum Hydride Reducing Agents	79
36.1.2.1.4.2	Variation 2: Using Borohydride Reducing Agents	80
36.1.2.1.4.3	Variation 3: Using Boranes or Alane and Related Reagents	84
36.1.2.1.4.4	Variations 4: Miscellaneous Reductions	84
36.1.2.1.5	Method 5: Reduction of Thioesters	85
36.1.2.1.5.1	Variation 1: Using Aluminum Hydrides	85
36.1.2.1.5.2	Variation 2: Using Borohydrides	85
36.1.2.1.5.3	Variation 3: Using Neutral Organoaluminum Reagents	86
36.1.2.1.5.4	Variation 4: Using Heterogeneous Nickel Catalysts	86
36.1.2.1.6	Method 6: Reduction of Nitriles	87
36.1.2.1.6.1	Variation 1: Reactions Proceeding via the Intermediate Aldehyde	87
36.1.2.1.6.2	Variation 2: Reactions Proceeding via the Intermediate Carboxylic Acid or Ester	88

36.1.2.1.7	Method 7:	Reduction of Aldehydes	88
36.1.2.1.7.1	Variation 1:	Using Metal Borohydrides	88
36.1.2.1.7.2	Variation 2:	Using Aluminum Hydrides and Related Reagents	92
36.1.2.1.7.3	Variation 3:	Using Borane, Alane, and Related Systems	93
36.1.2.1.7.4	Variation 4:	Using Organosilanes and Related Systems	95
36.1.2.1.7.5	Variation 5:	Using Organostannanes and Organostibines	99
36.1.2.1.7.6	Variation 6:	Using Alkali Metal and Alkaline Earth Metal Hydrides and Related Systems	101
36.1.2.1.7.7	Variation 7:	Using Meerwein–Ponndorf–Verley-Type Reactions	102
36.1.2.1.7.8	Variation 8:	Transition-Metal-Catalyzed Reduction: Hydrogenation and Transfer Hydrogenation	106
36.1.2.1.7.9	Variation 9:	Using Single-Electron-Transfer Reduction Strategies	108
36.1.2.1.7.10	Variations 10:	Miscellaneous Strategies	110
36.1.2.1.8	Method 8:	Reductive Ring Opening of Cyclic Ethers	111
36.1.2.1.8.1	Variation 1:	Using Borohydrides and Aluminum Hydrides	111
36.1.2.1.8.2	Variation 2:	Using Boranes and Neutral Aluminum Hydride Reagents	112
36.1.2.1.8.3	Variation 3:	Using Silanes	114
36.1.2.1.8.4	Variation 4:	Transition-Metal-Catalyzed Hydrogenolysis of Cyclic Ethers	114
36.1.2.1.8.5	Variation 5:	Using Single-Electron-Transfer Agents	115
36.1.2.1.9	Method 9:	Reduction of Peroxides and Related Systems	118
36.1.2.1.9.1	Variation 1:	Reduction of Hydroperoxides and Peroxides	118
36.1.2.1.9.2	Variation 2:	Reduction of Ozonides	118
36.1.2.1.9.3	Variation 3:	Reduction of Hydroxylamines	119
36.1.2.2		Synthesis of Secondary Aliphatic Alkanols	119
36.1.2.2.1	Method 1:	Reduction of Ketones	119
36.1.2.2.1.1	Variation 1:	Using Metal Aluminum Hydrides and Related Systems	119
36.1.2.2.1.2	Variation 2:	Using Borohydride Reducing Agents and Related Systems	120
36.1.2.2.1.3	Variation 3:	Using Boranes and Related Systems	121
36.1.2.2.1.4	Variation 4:	Using Silanes and Related Systems	122
36.1.2.2.1.5	Variation 5:	Using Stannanes and Related Systems	123
36.1.2.2.1.6	Variation 6:	Using Alkali Metal and Alkaline Earth Metal Hydrides and Related Systems	124
36.1.2.2.1.7	Variation 7:	Using Meerwein–Ponndorf–Verley-Type Reactions	125
36.1.2.2.1.8	Variation 8:	Transition-Metal-Catalyzed Hydrogenation and Transfer Hydrogenation	127
36.1.2.2.1.9	Variation 9:	Using Single-Electron-Transfer Methods	128
36.1.2.2.1.10	Variation 10:	Electrochemical Reduction	131
36.1.2.2.1.11	Variations 11:	Miscellaneous Procedures	132
36.1.2.2.2	Method 2:	Enantioselective Reduction of Ketones	132
36.1.2.2.2.1	Variation 1:	Asymmetric Transition-Metal-Catalyzed Hydrogenation and Transfer Hydrogenation	132
36.1.2.2.2.2	Variation 2:	Biocatalytic Reduction Methods	134
36.1.2.2.3	Method 3:	Reductive Ring Opening of Cyclic Ethers	137
36.1.2.2.3.1	Variation 1:	Using Metal Aluminum Hydrides	137
36.1.2.2.3.2	Variation 2:	Using Metal Borohydrides and Related Reagents	138
36.1.2.2.3.3	Variation 3:	Using Boranes, Alanes, and Related Reagents	140
36.1.2.2.3.4	Variation 4:	Transition-Metal-Catalyzed Hydrogenolysis of Cyclic Ethers	142

36.1.2.2.3.5	Variation 5:	Using Single-Electron-Transfer Methods	143
36.1.2.2.3.6	Variation 6:	Lewis Acid Mediated Silane Reduction of Cyclic Ethers	144
36.1.2.2.3.7	Variation 7:	Nucleophile-Assisted Ring Opening Followed by Radical Reduction	144
36.1.2.2.4	Method 4:	Reduction of Hydroperoxides, Peroxides, and Related Systems	145
36.1.2.3	Synthesis of Acyclic Secondary Alkanols Possessing a Stereogenic Center Containing No Heteroatoms		148
36.1.2.3.1	Method 1:	Diastereoselective Reduction of Ketones Possessing an α -Stereogenic Center	149
36.1.2.3.2	Method 2:	Diastereoselective Reduction of Ketones Possessing a β -Stereogenic Center	151
36.1.2.3.3	Method 3:	Diastereoselective Reduction of Ketones Possessing α - and β -Stereogenic Centers	152
36.1.2.4	Synthesis of Tertiary Aliphatic Alkanols		153
36.1.2.4.1	Method 1:	Reductive Ring Opening of Cyclic Ethers	153
36.1.2.4.2	Method 2:	Reduction of Hydroperoxides and Peroxides	155
36.1.3	Synthesis by Substitution A. F. Parsons		
36.1.3	Synthesis by Substitution		177
36.1.3.1	Method 1:	Substitution of Halides	177
36.1.3.1.1	Variation 1:	In Primary Haloalkanes	177
36.1.3.1.2	Variation 2:	In Secondary Haloalkanes	178
36.1.3.1.3	Variation 3:	In Tertiary Haloalkanes	179
36.1.3.2	Method 2:	Substitution of Sulfonate Anions	180
36.1.3.2.1	Variation 1:	In Methanesulfonates	180
36.1.3.2.2	Variation 2:	In Trifluoromethanesulfonates	182
36.1.3.2.3	Variation 3:	In 4-Toluenesulfonates	182
36.1.3.3	Method 3:	Substitution of Oxygen Functionalities	183
36.1.3.3.1	Variation 1:	In Ethers	183
36.1.3.3.2	Variation 2:	In Acetals	183
36.1.3.3.3	Variation 3:	In Esters	184
36.1.3.4	Method 4:	Ring Opening of Epoxides with Carbon Nucleophiles	184
36.1.3.4.1	Variation 1:	Using Cyanide Anion	184
36.1.3.4.2	Variation 2:	Using Organolithium Reagents	185
36.1.3.4.3	Variation 3:	Using Grignard Reagents	186
36.1.3.4.4	Variation 4:	Using Organocopper Reagents	186
36.1.3.4.5	Variation 5:	Using Enolate Ions	187
36.1.4	Synthesis by Addition to Alkynes and Alkenes A. T. Russell		
36.1.4	Synthesis by Addition to Alkynes and Alkenes		191
36.1.4.1	Method 1:	Oxymercuration Followed by Reduction	191
36.1.4.1.1	Variation 1:	Using Mercury(II) Acetate–Sodium Borohydride	195

36.1.4.1.2	Variation 2:	Using Mercury(II) Acetate–Sodium Trithiocarbonate	201
36.1.4.1.3	Variation 3:	Using Mercury(II) Acetate–Sodium Amalgam	202
36.1.4.1.4	Variation 4:	Using Mercury(II) Trifluoroacetate–Sodium Borohydride	204
36.1.4.1.5	Variation 5:	Using Mercury(II) Salts–Sodium Borohydride	205
36.1.4.2	Method 2:	Acid-Catalyzed Addition of Water	206
36.1.4.2.1	Variation 1:	Photoprotonation-Initiated Hydration of Alkenes	213
36.1.4.3	Method 3:	Cobalt- or Manganese-Catalyzed Hydration of Alkenes	215
36.1.4.3.1	Variation 1:	Using Bis(dipivaloylmethanato)manganese(II), Phenylsilane, and Oxygen	219
36.1.4.4	Method 4:	Synthesis by Ozonolysis–Reduction	221
36.1.4.4.1	Variation 1:	Using Ozone and Then a Borohydride or Borane Reductant	223
36.1.4.4.2	Variation 2:	Using Ozone and Then an Aluminum Hydride Reductant	231
36.1.4.5	Method 5:	Synthesis by Alkylative Hydroxylation	232
36.1.4.5.1	Variation 1:	Carboalumination Catalyzed by Bis(cyclopentadienyl)zirconium(IV) Complexes with In Situ Oxygenation	232
36.1.4.5.2	Variation 2:	Ethylmagnesium Catalyzed by Dichlorobis(cyclopentadienyl)zirconium(IV) followed by In Situ Oxygenation	235
36.1.4.5.3	Variation 3:	Radical Cyclization with In Situ Oxygenation	236
36.1.4.6	Method 6:	Synthesis by Reductive Hydration of Alkynes	237
36.1.5	Synthesis by Carbonylation Reactions G. Ilyashenko, T. Schütz, and A. Whiting		
36.1.5	Synthesis by Carbonylation Reactions 245		
36.1.5.1	Method 1:	Synthesis by Carbonylation of Boranes	245
36.1.5.1.1	Variation 1:	By Treatment with Carbon Monoxide	245
36.1.5.1.2	Variation 2:	By Treatment with Carbon Monoxide in the Presence of Hydrides	247
36.1.5.2	Method 2:	Synthesis by Carbonylation of Alkyl Halides	250
36.1.5.2.1	Variation 1:	By Radical Carbonylation	250
36.1.5.2.2	Variation 2:	Using Tricarbonylcobalt Complexes and Carbon Monoxide/Hydrogen	252
36.1.5.3	Method 3:	Synthesis by Homologation of Alcohols Using Carbon Monoxide/Hydrogen	252
36.1.6	Synthesis by Addition of Organometallics to Carbon Dioxide, Carboxylic Acids, and Derivatives C. Grosjean and A. Whiting		
36.1.6	Synthesis by Addition of Organometallics to Carbon Dioxide, Carboxylic Acids, and Derivatives 255		
36.1.6.1	Method 1:	Addition to Carbon Dioxide	255
36.1.6.2	Method 2:	Addition to Acyl Chlorides	256
36.1.6.2.1	Variation 1:	Addition of Organocopper Compounds	256
36.1.6.2.2	Variation 2:	Addition of Organoiron Compounds	256
36.1.6.2.3	Variation 3:	Addition of Organomanganese Compounds	257
36.1.6.2.4	Variation 4:	Addition of Organozirconocene Compounds	257

36.1.6.2.5	Variation 5:	Addition of Organolanthanum Compounds	258
36.1.6.2.6	Variation 6:	Addition of Organomagnesium Compounds	258
36.1.6.2.7	Variation 7:	Addition of Organolithium Compounds	259
36.1.6.3	Method 3:	Addition to Carboxylic Acids	260
36.1.6.3.1	Variation 1:	Addition of Organomagnesium Compounds	261
36.1.6.3.2	Variation 2:	Addition of Organolithium Compounds	261
36.1.6.4	Method 4:	Addition to Carboxylic Anhydrides	262
36.1.6.5	Method 5:	Addition to Carboxylic Acid Esters	263
36.1.6.5.1	Variation 1:	Addition of Organoaluminum Compounds	263
36.1.6.5.2	Variation 2:	Addition of Organocerium Compounds	264
36.1.6.5.3	Variation 3:	Addition of Organomagnesium Compounds	265
36.1.6.5.4	Variation 4:	Addition of Organolithium Compounds	267
36.1.6.6	Method 6:	Decarboxylation	268

36.1.7 Synthesis by Addition of Organometallics to Aldehydes and Ketones

C. G. Frost and J. Le Nôtre

36.1.7	Synthesis by Addition of Organometallics to Aldehydes and Ketones		271
36.1.7.1	Method 1:	Addition of Organolithium and Organomagnesium Reagents	271
36.1.7.1.1	Variation 1:	Direct Addition of Alkyl- and Arylmagnesium Halides	271
36.1.7.1.2	Variation 2:	Direct Addition of Alkyl- and Aryllithiums	273
36.1.7.1.3	Variation 3:	Direct Addition of Alkenyl- and Alkynylmagnesium Halides	275
36.1.7.1.4	Variation 4:	Direct Addition of Alkenyl- and Alkynyllithiums	276
36.1.7.1.5	Variation 5:	Direct Addition Using Barbier Conditions	277
36.1.7.1.6	Variation 6:	Direct Addition Using Unusual Reaction Conditions	278
36.1.7.1.7	Variation 7:	Direct Addition Using Additives	280
36.1.7.1.8	Variation 8:	Additions via Transmetalation	286
36.1.7.1.9	Variation 9:	Diastereoselective Additions to Acyclic Carbonyl Derivatives	288
36.1.7.1.10	Variation 10:	Diastereoselective Additions to Cyclic Carbonyl Derivatives	298
36.1.7.1.11	Variation 11:	Enantioselective Additions of Grignard Reagents	299
36.1.7.1.12	Variation 12:	Enantioselective Additions of Organolithium Derivatives	301
36.1.7.1.13	Variation 13:	Enantioselective Additions of Lithium/Magnesium Binary Reagents	303
36.1.7.2	Method 2:	Addition of Organozinc Reagents	304
36.1.7.2.1	Variation 1:	Direct Addition of Alkyl- and Arylzinc Reagents	304
36.1.7.2.2	Variation 2:	Direct Addition of Allyl- and Propargylzinc Reagents	305
36.1.7.2.3	Variation 3:	Addition via Transmetalation	306
36.1.7.2.4	Variation 4:	Diastereoselective Additions of Organozinc Reagents	307
36.1.7.2.5	Variation 5:	Catalytic, Enantioselective Additions of Organozinc Reagents	308
36.1.7.3	Method 3:	Addition of Organoboron, Organotin, Organosilicon, and Organoindium Reagents	320
36.1.7.3.1	Variation 1:	Additions via Transmetalation to Rhodium	320
36.1.7.3.2	Variation 2:	Enantioselective Additions via Transmetalation to Rhodium	323
36.1.7.3.3	Variation 3:	Additions via Transmetalation to Palladium	325
36.1.7.3.4	Variation 4:	Addition of Allylic Boron Reagents	325
36.1.7.3.5	Variation 5:	Lewis Acid Catalyzed Addition of Allylic Silane and Stannane Reagents	326
36.1.7.3.6	Variation 6:	Addition of Allylic Indium Reagents	327

36.1.7.4	Method 4:	Addition of Other Organometallics	328
36.1.7.4.1	Variation 1:	Catalytic Addition of In Situ Generated Organochromium Species	328
36.1.7.4.2	Variation 2:	Addition of Allylic Manganese Reagents in Water	329
36.1.7.4.3	Variation 3:	Addition of Organocadmium Reagents	329
36.1.7.4.4	Variation 4:	Direct Addition of Organocopper Reagents	329
36.1.7.4.5	Variation 5:	Enantioselective Addition of Organotitanium Reagents	330
36.1.7.4.6	Variation 6:	Enantioselective Addition of Organoaluminum Reagents	331
36.1.8	Synthesis by Resolution and Inversion Methods		
	J. Eames		
36.1.8	Synthesis by Resolution and Inversion Methods		341
36.1.8.1	Method 1:	Resolution of 1-Phenylethanol by Enantioselective Oxidation	342
36.1.8.1.1	Variation 1:	Using a (Bicyclo[2.2.1]heptadiene)dichloropalladium(II)/(-)-Sparteine Complex	342
36.1.8.1.2	Variation 2:	Using a (-)-Sparteine–Palladium(II) Complex	343
36.1.8.1.3	Variation 3:	Using a [(4,5-Dihydrooxazolyl)ferrocenyl]phosphine–Ruthenium Complex	343
36.1.8.1.4	Variation 4:	Using a Manganese(III)–salen Complex	344
36.1.8.1.5	Variation 5:	Using Baker's Yeast	344
36.1.8.2	Method 2:	Resolution of 1-Phenylethanol by Enantioselective Reduction	345
36.1.8.2.1	Variation 1:	Using <i>Bacillus subtilis</i> , <i>Aspergillus niger</i> , and Horseradish Peroxidase	345
36.1.8.2.2	Variation 2:	Using a Chiral Diphosphine	346
36.1.8.3	Method 3:	Synthesis of (<i>R</i>)- and (<i>S</i>)-1-Phenylethanol via Enzymatic Ester Formation	347
36.1.8.3.1	Variation 1:	Using Lipase QL	347
36.1.8.3.2	Variation 2:	Using Porcine Pancreatic Lipase	348
36.1.8.3.3	Variation 3:	Using Amano P Lipase	348
36.1.8.3.4	Variation 4:	Using <i>Candida antarctica</i> Lipase	349
36.1.8.3.5	Variation 5:	Using <i>Candida antarctica</i> Lipase B	349
36.1.8.4	Method 4:	Synthesis of (<i>R</i>)- and (<i>S</i>)-1-Phenylethanol Using Acyl-Transfer Processes	351
36.1.8.4.1	Variation 1:	Using an Asymmetric Mitsunobu Reaction	351
36.1.8.4.2	Variation 2:	Using an Oxazolidinone as a Benzoyl- or Phosphoryl-Transfer Reagent	352
36.1.8.4.3	Variation 3:	Using a Phosphabicyclooctane Acyl-Transfer Catalyst	353
36.1.8.4.4	Variation 4:	Using a Chiral Pyridinium Acyl-Transfer Reagent	354
36.1.8.4.5	Variation 5:	Using a Chiral 2,3-Dihydroimidazo[1,2- <i>a</i>]pyridine	356
36.1.8.4.6	Variation 6:	Using a Planar-Chiral 4-(Dimethylamino)pyridine Complex	356
36.1.8.4.7	Variation 7:	Using a Chiral Atropisomeric 4-(Dimethylamino)pyridine Equivalent	358
36.1.8.4.8	Variation 8:	Using a Ferrocene-Based Chiral 4-(Dimethylamino)pyridine	358
36.1.8.4.9	Variation 9:	Using an Octapeptide Derived from a Split-and-Pool Library	359
36.1.8.5	Method 5:	Synthesis of (<i>R</i>)- and (<i>S</i>)-1-Phenylethanol by Deracemization	360
36.1.8.5.1	Variation 1:	Using a Combination of <i>Pseudomonas fluorescens</i> Lipase and a Rhodium Catalyst	360

36.1.8.5.2	Variation 2:	Using a Combination of Novozym 435 and a Ruthenium Complex	360
36.1.8.6	Method 6:	Synthesis of (<i>R</i>)- and (<i>S</i>)-1-Phenylethanol Using a Sequential Enzyme Resolution/Mitsunobu Inversion Process	362
36.1.8.7	Method 7:	Resolution of 1-Phenylethanol via Inclusion Complexation ...	363
36.1.8.8	Method 8:	Resolution of Hexan-2-ol	363
36.1.8.8.1	Variation 1:	Using Lipozyme	363
36.1.8.8.2	Variation 2:	Via an Inclusion Complex	364
36.1.8.9	Method 9:	Resolution of 2-Methylhexan-1-ol Using <i>Pseudomonas cepacia</i> Lipase	364
36.1.8.10	Method 10:	Resolution of 2-Ethylhexan-1-ol	365
36.1.8.11	Method 11:	Synthesis of (<i>R</i>)- and (<i>S</i>)-Octan-2-ol	365
36.1.8.11.1	Variation 1:	By Sulfonylation Followed by Stereospecific S_N2 Inversion ...	365
36.1.8.11.2	Variation 2:	By Isoarea Ether Formation Followed by Stereospecific S_N2 Inversion Using Acetic Acid	366
36.1.8.11.3	Variation 3:	By Isoarea Ether Formation Followed by Stereospecific S_N2 Inversion Using Formic Acid	367
36.1.8.12	Method 12:	Resolution of 1-(4-Methoxyphenyl)ethanol	367
36.1.8.13	Method 13:	Resolution of 2,2,2-Trifluoro-1-(1-naphthyl)ethanol	368
36.1.8.14	Method 14:	Resolution of 2-Phenylpropan-1-ol	369
36.1.8.15	Method 15:	Resolution of 1-Phenylpropan-1-ol	370
36.1.8.16	Method 16:	Resolution of 1-Phenylbutan-1-ol	371
36.1.8.17	Method 17:	Resolution of 1-(2-Thienyl)butan-1-ol	371
36.1.8.18	Method 18:	Resolution of 6,10,14-Trimethylpentadecan-2-ol	373
36.1.8.19	Method 19:	Resolution of 2,2-Dimethylcyclopentan-1-ol	374
36.1.8.20	Method 20:	Resolution of <i>trans</i> -2-Phenylcyclohexanol	374
36.1.8.20.1	Variation 1:	Using a Polymer-Supported Diamine	374
36.1.8.20.2	Variation 2:	Using 2,2'-Bis(diphenylphosphino)-1,1'-binaphthyl	375
36.1.8.21	Method 21:	Resolution of 2-(4-Methoxyphenyl)cyclohexanol	375
36.1.8.22	Method 22:	Resolution of <i>trans</i> -2-(1-Methyl-1-phenylethyl)cyclohexanol ...	376
36.1.8.23	Method 23:	Synthesis of (1 <i>R</i> ,2 <i>S</i> ,5 <i>R</i>)-Menthol	377
36.1.8.24	Method 24:	Synthesis of (3 β ,5 α)-Cholestan-3-ol	378
36.1.8.25	Method 25:	Resolution of 2-Chloro-1-phenylethanol	379
36.1.8.26	Method 26:	Resolution of 1-Phenoxypropan-2-ol	379
36.1.8.27	Method 27:	Resolution of (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol ...	380
36.1.8.28	Method 28:	Resolution of 5-(Hydroxymethyl)oxazolidin-2-one	380
36.1.8.29	Method 29:	Resolution of Ethyl Hydroxy(phenyl)acetate	381
36.1.8.30	Method 30:	Synthesis of (<i>S</i>)-Pantolactone	382
36.1.8.31	Method 31:	Resolution of <i>cis</i> -2-(Benzoyloxy)cyclohexanol	382
36.1.8.32	Method 32:	Resolution of <i>cis</i> -2-[4-(Dimethylamino)benzoyloxy]cyclohexanol	383
36.1.8.33	Method 33:	Resolution of <i>cis</i> -2-(Dimethylcarbamoxyloxy)cyclohexanol ...	384
36.1.8.34	Method 34:	Resolution of Methyl 2-Hydroxy-3-(4-methoxyphenyl)-3-[(2-nitrophenyl)sulfonyl]propanoate	385
36.1.8.35	Method 35:	Resolution of <i>trans</i> -Indane-1,2-diol	385
36.1.8.36	Method 36:	Resolution of 1-Phenylethane-1,2-diol	386
36.1.8.37	Method 37:	Resolution of 2,2-Dimethyl-1,3-diphenylpropane-1,3-diol ...	387
36.1.8.38	Method 38:	Resolution of Pentane-2,4-diol Using <i>Candida antarctica</i> Lipase	388

36.1.8.39	Method 39:	Resolution of Hexane-2,5-diol	389
36.1.8.40	Method 40:	Resolution of 1,1'-Binaphthalene-2,2'-diol	389
36.1.8.41	Method 41:	Resolution of <i>trans</i> -Cyclohexane-1,2-diol	391
36.1.8.41.1	Variation 1:	Using a Double-Inversion Method	391
36.1.8.41.2	Variation 2:	By Kinetic Resolution	391
36.1.8.42	Method 42:	Resolution of Pentane-1,2-diol	392
36.1.8.43	Method 43:	Resolution of Hexane-1,2-diol	393
36.1.8.44	Method 44:	Resolution of <i>trans</i> -2-Azidocyclohexanol	393
36.1.8.45	Method 45:	Resolution of 2-Aminopropan-1-ol	394
36.1.8.46	Method 46:	Resolution of <i>trans</i> -2-[Methyl(phenyl)amino]cyclohexanol	395
36.1.8.47	Method 47:	Resolution of <i>trans</i> -2-Pyrrolidin-1-ylcyclohexanol	396
36.1.8.48	Method 48:	Resolution of <i>trans</i> -2-(1 <i>H</i> -Pyrazol-1-yl)cyclohexanol	397
36.1.8.49	Method 49:	Resolution of 2-(<i>tert</i> -Butylamino)-1-(2,2-dimethyl-4 <i>H</i> -1,3-benzodioxin-6-yl)ethanol	398
36.1.8.50	Method 50:	Resolution of <i>cis</i> -4-(Dimethylamino)- <i>N</i> -(2-hydroxycyclohexyl)benzamide	399
36.1.8.51	Method 51:	Resolution of <i>trans</i> - <i>N</i> -(2-Hydroxycyclohexyl)acetamide	401
36.1.8.51.1	Variation 1:	Using an Octapeptide	401
36.1.8.51.2	Variation 2:	Using a Tripeptide	401
36.1.8.52	Method 52:	Resolution of 2-[(<i>tert</i> -Butoxycarbonyl)amino]-3-(hydroxymethyl)bicyclo[2.2.1]heptane	402
36.1.8.53	Method 53:	Resolution of Cyclohex-2-en-1-ol	402
36.1.8.53.1	Variation 1:	Using a Palladium-Catalyzed Deracemization Reaction	402
36.1.8.53.2	Variation 2:	Using a Chiral Dianiline/Ruthenium Mediated Enantioselective Hydrogenation	404
36.1.8.53.3	Variation 3:	Using an Ephedrine/Ruthenium Mediated Enantioselective Hydrogenation	405
36.1.8.54	Method 54:	Resolution of (<i>Z</i>)-Pent-3-en-2-ol	405
36.1.8.55	Method 55:	Resolution of 4-Phenylbut-3-en-2-ol	406
36.1.8.55.1	Variation 1:	Using <i>Candida antarctica</i> Lipase	406
36.1.8.55.2	Variation 2:	Using a Planar-Chiral 4-(Dimethylamino)pyridine Equivalent Complex	407
36.1.8.55.3	Variation 3:	By Enantioselective Oxidation	408
36.1.8.56	Method 56:	Resolution of 4-Phenylbut-3-yn-2-ol and 3-Phenylbut-3-en-2-ol	409
36.1.8.56.1	Variation 1:	Using <i>Pseudomonas</i> AK	409
36.1.8.56.2	Variation 2:	Using an Asymmetric Katsuki-Jacobsen Epoxidation Reaction	409
36.1.8.57	Method 57:	Resolution of 3-(Ethoxycarbonyl)but-3-en-2-ol	410
36.1.8.58	Method 58:	Resolution of (<i>E</i>)-1-(Trimethylsilyl)oct-1-en-3-ol	410
36.1.8.59	Method 59:	Resolution of (<i>Z</i>)-3-(Trimethylsilyl)oct-3-en-2-ol	411
36.1.8.60	Method 60:	Resolution of (<i>E</i>)-1-Cyclohexylbut-2-en-1-ol	411
36.1.8.61	Method 61:	Resolution of 2-Methylpent-1-en-3-ol	412
36.1.8.62	Method 62:	Resolution of 1-(2-Thienyl)pentan-1-ol	412
36.1.8.63	Method 63:	Resolution of Pent-4-ene-2,3-diol	413
36.1.8.64	Method 64:	Resolution of 2-Phenylcyclohex-2-en-1-ol	413
36.1.8.65	Method 65:	Resolution of Oct-1-yn-3-ol	414
36.1.8.66	Method 66:	Resolution of (<i>Z</i>)-Undeca-1,5-dien-3-ol	414
36.1.8.67	Method 67:	Synthesis of 1-Deuterooct-2-yn-1-ol	415

36.1.8.68	Method 68:	Resolution of 1-(2-Bromophenyl)-1-phenylprop-2-yn-1-ol	415
36.1.9	Synthesis from Other Alcohols by Modification		
	J. Eames		
<hr/>			
36.1.9	Synthesis from Other Alcohols by Modification		423
36.1.9.1	Method 1:	C-Alkylation of Alcohols by Oxidation Followed by Addition . .	423
36.1.9.2	Method 2:	Isomerization of Allylic Alcohols	428
36.1.9.3	Method 3:	Asymmetric C-Alkylation of Alcohols by Deprotonation/ Addition	430
36.1.9.4	Method 4:	[1,2]-Acyl and -Allyl Transfer	433
36.1.9.5	Method 5:	Propargylation and Rearrangement of Allylic Alcohols	435
36.1.9.6	Method 6:	Dehydromerization of Alcohols	436
36.1.9.7	Method 7:	Hydroxylation of Allylic Alcohols	438
36.1.9.8	Method 8:	Reaction of Allylic Alcohols with Singlet Oxygen	439
36.1.9.9	Method 9:	Dihydroxylation of Allylic Alcohols	440
36.1.9.10	Method 10:	Epoxidation of Allylic Alcohols	441
36.1.9.10.1	Variation 1:	Stereoselective Epoxidation of Allylic Alcohols	442
36.1.9.11	Method 11:	[2 + 2] Cycloadditions of Allylic Alcohols	443
36.1.9.12	Method 12:	Alkylation of the C=C Bond of Allylic Alcohols	444
36.1.9.13	Method 13:	Cyclopropanation of Allylic Alcohols	445
36.1.9.14	Method 14:	Reduction of Allylic Alcohols	446
36.1.9.14.1	Variation 1:	Stereoselective Reduction of Allylic Alcohols	446
36.1.9.15	Method 15:	Palladium-Catalyzed Vinylic Arylation of Allylic Alcohols	447
36.1.9.16	Method 16:	Palladium-Catalyzed C-Alkylation of Allylic Alcohols	448
36.1.9.17	Method 17:	Functionalization of α -Hydroxy Carbonyl Compounds	448
36.1.9.18	Method 18:	C-Alkylation of Allylic Alcohols by Boration	451
36.2	Product Class 2: Cycloalkanols		
	P. J. H. Scott and P. G. Steel		
<hr/>			
36.2	Product Class 2: Cycloalkanols		459
36.2.1	Product Subclass 1: Cyclopropanols		459
36.2.1.1	Synthesis of Product Subclass 1		459
36.2.1.1.1	Method 1:	Cyclopropanation of Enol Derivatives	460
36.2.1.1.1.1	Variation 1:	Of Zinc Enolates	461
36.2.1.1.1.2	Variation 2:	Of Samarium Enolates	462
36.2.1.1.2	Method 2:	Cyclopropanation of Enol Ether Derivatives	463
36.2.1.1.3	Method 3:	Cyclopropanation of Alkenes with Alkoxy-carbenes or Acyloxy-carbenoids	465
36.2.1.1.3.1	Variation 1:	With Carbenes Derived from Chloromethyl Ethers	465
36.2.1.1.3.2	Variation 2:	With Alkoxylated Fischer Carbene Complexes	466
36.2.1.1.3.3	Variation 3:	With Zinc Carbenoids from Other Esters	467
36.2.1.1.4	Method 4:	Cyclopropanation of Esters and Acyl Sulfonamides (Kulinkovich Reaction)	468
36.2.1.1.4.1	Variation 1:	Titanium(IV)-Mediated Cyclopropanation of Esters	468
36.2.1.1.4.2	Variation 2:	Kulinkovich Reactions with Substituted Alkenes	471

36.2.1.1.4.3	Variation 3:	Intramolecular Kulinkovich Reactions	471
36.2.1.1.5	Method 5:	Cyclopropanation of Acid Chlorides	472
36.2.1.1.5.1	Variation 1:	With Chloromethylithium	473
36.2.1.1.5.2	Variation 2:	With Samarium(II) Iodide/Diiodomethane	473
36.2.1.1.6	Method 6:	Intramolecular Reactions of β -Functionalized Carbonyl Compounds	474
36.2.1.1.6.1	Variation 1:	Cyclopropanation of Lithium Enolates with Acylsilanes	474
36.2.1.1.6.2	Variation 2:	Reactions with β -Bromo Esters via β -Bromo Ketones	475
36.2.1.1.6.3	Variation 3:	Reactions with β -Stannylated Compounds	476
36.2.1.1.7	Method 7:	Chromium(II) Chloride Catalyzed Reductive Cyclization of α,β -Unsaturated Carbonyl Compounds with Aldehydes	476
36.2.1.1.8	Method 8:	Addition of 1,1-Bimetallic Reagents to α -Substituted Ketones	478
36.2.1.1.9	Method 9:	Reactions of α -Substituted Epoxides and Ketones	479
36.2.1.1.9.1	Variation 1:	Reactions of α -Halo Epoxides with Grignard Reagents	479
36.2.1.1.9.2	Variation 2:	Treatment of α -Halo Epoxides with Samarium(II) Iodide	479
36.2.1.1.10	Method 10:	Synthesis from 1,3-Dihalo Ketones	480
36.2.1.1.11	Method 11:	Ring Contractions	480
36.2.1.1.11.1	Variation 1:	Of Cyclobutane-1,2-diones	480
36.2.1.1.11.2	Variation 2:	Of 1,2-Bis(trimethylsiloxy)cyclobutenes	481
36.2.2	Product Subclass 2: Cyclobutanols		481
36.2.2.1	Synthesis of Product Subclass 2		481
36.2.2.1.1	Method 1:	[2 + 2]-Cycloaddition Reactions	482
36.2.2.1.1.1	Variation 1:	[2 + 2] Photoadditions between Enol Ethers and Alkenes	482
36.2.2.1.1.2	Variation 2:	[2 + 2] Cycloadditions of Allenes with Enol Ethers	483
36.2.2.1.1.3	Variation 3:	[2 + 2]-Cycloaddition Reactions of α,β -Unsaturated Carbonyl Compounds with Enol Ethers	483
36.2.2.1.2	Method 2:	Norrish–Yang Photocyclization of Aryl Ketones	484
36.2.2.1.3	Method 3:	Intramolecular Nucleophilic Addition Reactions	486
36.2.2.1.3.1	Variation 1:	Intramolecular Nucleophilic Additions to Ketones	486
36.2.2.1.3.2	Variation 2:	Intramolecular Cyclization of Hydroxy Vinylcyclopropanes	487
36.2.2.1.4	Method 4:	Intramolecular Ring Opening of Epoxides	487
36.2.2.1.4.1	Variation 1:	Nucleophilic Additions to Epoxides	487
36.2.2.1.5	Method 5:	Ketyl Radical Cyclization Reactions	489
36.2.2.1.5.1	Variation 1:	Samarium(II)-Mediated Ketyl Alkene Cyclizations	489
36.2.2.1.5.2	Variation 2:	Pinacol Reactions of 1,4-Diketones	489
36.2.2.1.6	Method 6:	Ring Expansion	491
36.2.2.1.6.1	Variation 1:	Rearrangement of Oxaspiropentanes	491
36.2.2.1.7	Method 7:	Ring Contraction	491
36.2.2.1.7.1	Variation 1:	Zirconium-Mediated Ring Contractions of 4-Vinylfuranosides	491
36.2.3	Product Subclass 3: Larger-Ring Cycloalkanols		492
36.2.3.1	Synthesis of Product Subclass 3		492
36.2.3.1.1	Method 1:	Cycloadditions of 1-Alkoxyated Dienes	493
36.2.3.1.2	Method 2:	Cycloaddition Reactions of Enol Ethers	494
36.2.3.1.3	Method 3:	[3 + 2]-Cycloaddition Reactions of Allylsilanes	495
36.2.3.1.4	Method 4:	Intramolecular Nucleophilic Additions to Aldehydes, Ketones, and Acetals	496

36.2.3.1.4.1	Variation 1:	Intramolecular Additions of Organometallic Reagents	496
36.2.3.1.4.2	Variation 2:	Intramolecular Aldol Reactions	497
36.2.3.1.4.3	Variation 3:	Intramolecular Morita–Bayliss–Hillman Reactions	500
36.2.3.1.4.4	Variation 4:	Intramolecular Carbonyl-Ene Reactions of Unsaturated Aldehydes and Ketones	501
36.2.3.1.4.5	Variation 5:	Intramolecular Metallo-Ene Reactions of Aldehydes and Ketones Containing Allylmetal Groups	504
36.2.3.1.5	Method 5:	Intramolecular Radical Addition Reactions	506
36.2.3.1.5.1	Variation 1:	Intramolecular Radical Additions to Aldehydes and Ketones	506
36.2.3.1.5.2	Variation 2:	Intramolecular Alkyne–Aldehyde (Ynal) Cyclizations	508
36.2.3.1.6	Method 6:	Ketyl Radical Cyclization Reactions	509
36.2.3.1.6.1	Variation 1:	Intramolecular Ketyl Radical Cyclizations	509
36.2.3.1.6.2	Variation 2:	Intramolecular Pinacol Reactions	510
36.2.3.1.6.3	Variation 3:	Cyclization of Epoxide-Derived Radicals	512
36.2.3.1.7	Method 7:	Intramolecular Epoxide-Opening Reactions	513
36.2.3.1.7.1	Variation 1:	With Enolates and Equivalent Compounds	513
36.2.3.1.7.2	Variation 2:	Cyclization of Epoxyalkenes	515
36.2.3.1.7.3	Variation 3:	Cyclization of Allylmetal Epoxides	516
36.2.3.1.7.4	Variation 4:	Ring Opening of Epoxides with Organometallic Reagents	517
36.2.3.1.8	Method 8:	Hydroboration and Carbonylation of Trienes	519

36.3 Product Class 3: Propargylic Alcohols

P. Forgiione and L. D. Fader

36.3	Product Class 3: Propargylic Alcohols	531
36.3.1	Synthesis of Product Class 3	532
36.3.1.1	Method 1: Reduction of Alkynals	532
36.3.1.1.1	Variation 1: Meerwein–Ponndorf–Verley Reduction	532
36.3.1.1.2	Variation 2: Hydride-Type Reduction of Alkynals	534
36.3.1.2	Method 2: Reduction of Alkynones	534
36.3.1.2.1	Variation 1: Asymmetric Transfer Hydrogenation	535
36.3.1.2.2	Variation 2: Catalytic Asymmetric Reduction with Chiral Oxazaborolidines	537
36.3.1.2.3	Variation 3: Stoichiometric Asymmetric Reduction with Chiral Boranes	540
36.3.1.2.4	Variation 4: Stoichiometric Asymmetric Reduction with Chiral Aluminum Hydrides	543
36.3.1.2.5	Variation 5: Achiral Reductants and Substrate-Controlled Diastereoselective Reduction	544
36.3.1.3	Method 3: Addition of Carbon Groups to Alkynals	545
36.3.1.3.1	Variation 1: Grignard Additions	545
36.3.1.3.2	Variation 2: Lithium Additions	546
36.3.1.3.3	Variation 3: Aldol Additions	546
36.3.1.3.4	Variation 4: Zinc Additions	547
36.3.1.3.5	Variation 5: Miscellaneous Additions	548
36.3.1.4	Method 4: Addition of Carbon Groups to Alkynones	549
36.3.1.4.1	Variation 1: Using Organozinc Reagents	549
36.3.1.5	Method 5: Alkyne Additions to Aldehydes	550
36.3.1.5.1	Variation 1: Using Lithium Reagents	550

36.3.1.5.2	Variation 2:	Using Zinc Reagents	553
36.3.1.5.3	Variation 3:	Using Zinc–Titanium Reagents	556
36.3.1.5.4	Variation 4:	Using Silver–Zirconium Reagents	557
36.3.1.5.5	Variation 5:	Using Silicon Reagents	557
36.3.1.5.6	Variation 6:	Using Indium Reagents	558
36.3.1.5.7	Variation 7:	Non-Transition-Metal Methods	559
36.3.1.6	Method 6:	Alkyne Additions to Ketones	559
36.3.1.6.1	Variation 1:	Using Magnesium Reagents	559
36.3.1.6.2	Variation 2:	Using Copper–Zinc Reagents	560
36.3.1.6.3	Variation 3:	Using Zinc Reagents	560
36.3.1.6.4	Variation 4:	Using Rhodium Reagents	561
36.3.1.6.5	Variation 5:	Nonmetallic Methods	562
36.3.1.7	Method 7:	Synthesis by Rearrangements	563
36.3.1.8	Method 8:	Synthesis from Other Propargylic Alcohols	564
36.3.1.8.1	Variation 1:	By Displacement of Halides	564
36.3.1.8.2	Variation 2:	By Coupling of a Terminal Alkyne	565
36.3.1.9	Methods 9:	Miscellaneous Methods	565

36.4 Product Class 4: Benzylic Alcohols

M. J. Porter

36.4	Product Class 4: Benzylic Alcohols	573
36.4.1	Synthesis of Product Class 4	573
36.4.1.1	Method 1: Oxidation of Benzylic C–H Groups	573
36.4.1.1.1	Variation 1: Oxidation with 2,3-Dichloro-5,6-Dicyanobenzo-1,4-quinone	573
36.4.1.1.2	Variation 2: Oxidation with Trimethylamine <i>N</i> -Oxide	574
36.4.1.1.3	Variation 3: Enantioselective Hydroxylation with Vaulted Metalloporphyrin Catalysts	575
36.4.1.1.4	Variation 4: Enantioselective Hydroxylation with a Ruthenium–Porphyrin Catalyst	576
36.4.1.1.5	Variation 5: Enantioselective Hydroxylation with Manganese–salen Catalysts	576
36.4.1.2	Method 2: Wittig Rearrangement	578
36.4.1.2.1	Variation 1: [1,2]-Wittig Rearrangement of Benzyl Ethers	578
36.4.1.2.2	Variation 2: Enantioselective [1,2]-Wittig Rearrangement	580
36.4.1.2.3	Variation 3: Anion Translocation/[1,2]-Wittig Rearrangement	580
36.4.1.2.4	Variation 4: <i>ortho</i> -[2,3]-Wittig Rearrangement	581

36.5 Product Class 5: Allylic Alcohols

D. M. Hodgson and P. G. Humphreys

36.5	Product Class 5: Allylic Alcohols	583
36.5.1	Synthesis of Product Class 5	585
36.5.1.1	Method 1: Oxidation with Selenium Reagents	585
36.5.1.1.1	Variation 1: With Less Than a Stoichiometric Amount of Selenium Dioxide	586
36.5.1.1.2	Variation 2: With a Catalytic Amount of Selenium Dioxide	587

36.5.1.1.3	Variation 3:	Oxidation of Chiral Allylic Selenides	587
36.5.1.2	Method 2:	Dihydroxylation	588
36.5.1.2.1	Variation 1:	Asymmetric Dihydroxylation	588
36.5.1.2.2	Variation 2:	Directed Dihydroxylation	589
36.5.1.2.3	Variation 3:	Enzymatic Dihydroxylation	590
36.5.1.3	Method 3:	Allylic Substitution	590
36.5.1.3.1	Variation 1:	Substitution of Allylic Halides	591
36.5.1.3.2	Variation 2:	Asymmetric Iridium-Catalyzed Substitutions of Allylic Carbonates	591
36.5.1.4	Method 4:	Elimination of β -Hydroxy Selenides	592
36.5.1.5	Method 5:	Additions of Metalated Selenoxides	593
36.5.1.6	Method 6:	Additions to α -Epoxy Hydrazones	594
36.5.1.7	Method 7:	Elimination Reactions of Iodo Ketals	595
36.5.1.8	Method 8:	Elimination of Allylic Cyclic Carbonates	596
36.5.1.8.1	Variation 1:	With Organocuprates	596
36.5.1.8.2	Variation 2:	Palladium-Catalyzed Eliminations	597
36.5.1.9	Method 9:	Reduction of α -Halo Epoxides	598
36.5.1.9.1	Variation 1:	With Transition Metals	598
36.5.1.9.2	Variation 2:	With Organometallics	599
36.5.1.10	Method 10:	Reduction of 2,3-Epoxy Alcohols	599
36.5.1.10.1	Variation 1:	Reduction of Unactivated Epoxy Alcohols	600
36.5.1.10.2	Variation 2:	Reduction of Sulfonylated Epoxy Alcohols	600
36.5.1.11	Method 11:	Elimination of α -Epoxytannanes	602
36.5.1.12	Method 12:	Reduction of Propargylic Alcohols to <i>E</i> -Alk-2-enols	602
36.5.1.13	Method 13:	Reduction of Propargylic Alcohols to <i>Z</i> -Alk-2-enols	604
36.5.1.14	Method 14:	1,2-Reduction of α,β -Unsaturated Carbonyl Compounds Using Boron Reagents	605
36.5.1.14.1	Variation 1:	Using Nonenantioselective Boron Reagents	606
36.5.1.14.2	Variation 2:	Using Chiral Boron Reagents	607
36.5.1.15	Method 15:	1,2-Reduction of α,β -Unsaturated Carbonyl Compounds Using Aluminum Hydride Reagents	608
36.5.1.15.1	Variation 1:	Using Nonenantioselective Aluminum Hydride Reagents	608
36.5.1.15.2	Variation 2:	Using Chiral Aluminum Reagents	609
36.5.1.16	Method 16:	1,2-Reduction of α,β -Unsaturated Carbonyl Compounds Using Ruthenium Catalysts	610
36.5.1.16.1	Variation 1:	Using Nonenantioselective Ruthenium Catalysts	611
36.5.1.16.2	Variation 2:	Using Chiral Ruthenium Catalysts	612
36.5.1.17	Method 17:	1,2-Reduction of α,β -Unsaturated Carbonyl Compounds Using Other Reagents	614
36.5.1.18	Method 18:	Additions of Organometallic Reagents to α,β -Unsaturated Carbonyl Compounds	615
36.5.1.18.1	Variation 1:	Addition of Organozinc Reagents	615
36.5.1.18.2	Variation 2:	Addition of Organolithium Reagents	619
36.5.1.18.3	Variation 3:	Addition of Grignard Reagents	620
36.5.1.18.4	Variation 4:	Addition of Other Organometallic Reagents	620
36.5.1.19	Method 19:	Alkenylation of Carbonyl Compounds	622
36.5.1.19.1	Variation 1:	Using Organozinc Reagents	622
36.5.1.19.2	Variation 2:	Using Organolithium Reagents	626

36.5.1.19.3	Variation 3:	Using Grignard Reagents	627
36.5.1.19.4	Variation 4:	Using Organochromium Reagents	628
36.5.1.19.5	Variation 5:	Using Organotitanium Reagents	630
36.5.1.20	Method 20:	Transition-Metal-Catalyzed Alkenylation of Carbonyl Compounds	631
36.5.1.20.1	Variation 1:	Achiral Catalytic Alkenylations of Carbonyl Compounds	631
36.5.1.20.2	Variation 2:	Asymmetric Nickel-Catalyzed Alkenylation of Carbonyl Compounds	634
36.5.1.20.3	Variation 3:	Asymmetric Copper-Catalyzed Alkenylations of Carbonyl Compounds	636
36.5.1.21	Method 21:	Addition of Organolithium Reagents to Epoxides	637
36.5.1.22	Method 22:	Addition of Organometallic Reagents to Vinyl Epoxides	639
36.5.1.23	Method 23:	Epoxide Homologations	640
36.5.1.24	Method 24:	Rearrangement of Epoxides Using Lithium Amides	640
36.5.1.24.1	Variation 1:	Using Achiral Lithium Amides	641
36.5.1.24.2	Variation 2:	Using Stoichiometric Chiral Lithium Amides	642
36.5.1.24.3	Variation 3:	Using Catalytic Chiral Lithium Amides	643
36.5.1.25	Method 25:	Rearrangement of Epoxides Using Other Reagents	645
36.5.1.26	Method 26:	Reduction of Epoxides with Samarium(II) Iodide	647
36.5.1.27	Method 27:	Rearrangement of Sulfoxides	648
36.5.1.28	Method 28:	Allylic Rearrangements	649
36.5.1.28.1	Variation 1:	Acid-Mediated Rearrangements	650
36.5.1.28.2	Variation 2:	Rhenium-Catalyzed Rearrangements	650
36.5.1.29	Method 29:	Enzymatic Resolution of Allylic Alcohols	652
36.5.1.30	Method 30:	Nonenzymatic Resolution of Allylic Alcohols	653
36.5.1.30.1	Variation 1:	Sharpless Asymmetric Epoxidation	653
36.5.1.30.2	Variation 2:	Other Methods of Nonenzymatic Resolution	655

36.6 Product Class 6: Homoallylic Alcohols

M. V. Perkins

36.6	Product Class 6: Homoallylic Alcohols	667
36.6.1	Synthesis of Product Class 6	667
36.6.1.1	Synthesis by Allylation of Carbonyl Compounds	667
36.6.1.1.1	Method 1: Synthesis Using Organoboron Reagents	668
36.6.1.1.1.1	Variation 1: With Allyl Groups Containing Stereocenters at C1	670
36.6.1.1.1.2	Variation 2: With Chiral Ligands on Boron	672
36.6.1.1.1.3	Variation 3: Reactions of Achiral Allylboron Reagents with Chiral Aldehydes	681
36.6.1.1.1.4	Variation 4: Reactions of Chiral Allylboron Reagents with Chiral Aldehydes (Double Stereodifferentiation)	685
36.6.1.1.2	Method 2: Synthesis Using Organotin Reagents	688
36.6.1.1.2.1	Variation 1: With Allyl Groups Containing Stereocenters at C1 or C4	690
36.6.1.1.2.2	Variation 2: In Reactions Using Chiral Lewis Acids	695
36.6.1.1.2.3	Variation 3: In Reactions with Chiral Aldehydes	697
36.6.1.1.2.4	Variation 4: Reactions of Chiral Allyltin Reagents with Chiral Aldehydes (Double Stereodifferentiation)	700
36.6.1.1.3	Method 3: Synthesis Using Organosilicon Reagents	702

36.6.1.1.3.1	Variation 1:	With Chiral Allyl Groups or Chiral Lewis Acids	703
36.6.1.1.3.2	Variation 2:	In Reactions with Chiral Aldehydes	705
36.6.1.1.4	Method 4:	Synthesis Using Organochromium Reagents	710
36.6.1.1.4.1	Variation 1:	With Chiral Allyl Groups	714
36.6.1.1.4.2	Variation 2:	In Reactions with Chiral Aldehydes	718
36.6.1.1.5	Method 5:	Synthesis Using Other Organometallic Reagents	722
36.6.1.1.5.1	Variation 1:	Using Titanium Reagents	722
36.6.1.1.5.2	Variation 2:	Using Indium Reagents	724
36.6.1.1.5.3	Variation 3:	Using Zinc Reagents	726
36.6.1.1.5.4	Variation 4:	Using Zirconium Reagents	727
36.6.1.2		Synthesis by [2,3]-Wittig Rearrangement	728
36.6.1.2.1	Method 1:	Rearrangement of α -Allyloxy Enolates	730
36.6.1.2.1.1	Variation 1:	Using α -Allyloxy Ketones	730
36.6.1.2.1.2	Variation 2:	Using α -Allyloxy Carboxylic Acids and Esters	735
36.6.1.2.1.3	Variation 3:	Using α -Allyloxy Carboxamides	740
36.6.1.2.1.4	Variation 4:	Using [(Allyloxy)methyl]-4,5-Dihydrooxazoles and [(Allyloxy)methyl]-5,6-Dihydro-1,3-oxazines	741
36.6.1.2.2	Method 2:	Rearrangement of Allyl Lithiomethyl Ethers	744
36.6.1.2.2.1	Variation 1:	Using (Tributylstannyl)methyl Ethers	744
36.6.1.2.2.2	Variation 2:	Using (Trimethylstannyl)methyl Ethers	750
36.7		Product Class 7: 1,n-Diols (n > 1)	
		C. Nativi and S. Roelens	
36.7		Product Class 7: 1,n-Diols (n > 1)	757
36.7.1		Product Subclass 1: 1,2-Diols	757
36.7.1.1		Synthesis of Product Subclass 1	757
36.7.1.1.1	Method 1:	Dihydroxylation of Alkenes	757
36.7.1.1.1.1	Variation 1:	Upjohn Dihydroxylation	758
36.7.1.1.1.2	Variation 2:	Using Reusable Osmium(VIII) Oxide on Ion Exchanger	759
36.7.1.1.1.3	Variation 3:	Using Osmium(VIII) Oxide Encapsulated in a Polyurea Matrix	760
36.7.1.1.2	Method 2:	Sharpless Dihydroxylation	761
36.7.1.1.2.1	Variation 1:	Using Standard Conditions	762
36.7.1.1.2.2	Variation 2:	Using Ionic Liquids	762
36.7.1.1.3	Method 3:	Rhodium-Catalyzed Enantioselective Diboration of Alkenes	763
36.7.1.1.4	Method 4:	Pinacol Couplings	763
36.7.1.1.4.1	Variation 1:	Using Samarium(II) Iodide	764
36.7.1.1.4.2	Variation 2:	In Aqueous Media	765
36.7.1.1.5	Method 5:	The Aldol Reaction	765
36.7.1.1.5.1	Variation 1:	Direct Aldol Reactions Using Chiral Organometallic Catalysts	766
36.7.1.1.5.2	Variation 2:	Direct Aldol Reactions Catalyzed by Proline	767
36.7.1.1.6	Method 6:	Ozonation of Alkenylstannanes	768
36.7.1.1.7	Method 7:	Epoxide Ring Opening	769
36.7.1.1.7.1	Variation 1:	Hydrolytic Kinetic Resolution of Terminal Epoxides	769
36.7.1.1.7.2	Variation 2:	Ring Opening of 2,3-Epoxy Alcohols	769
36.7.1.1.7.3	Variation 3:	Catalyzed by Epoxide Hydrolase	770

36.7.1.1.7.4	Variation 4: In Aqueous Media	770
36.7.1.1.8	Method 8: Alkylation of Oxazolidinone Derivatives	772
36.7.1.1.9	Method 9: Prévost–Woodward Dihydroxylation	773
36.7.2	Product Subclass 2: 1,3-Diols	774
36.7.2.1	Synthesis of Product Subclass 2	775
36.7.2.1.1	Method 1: Reduction of β -Hydroxy Ketones	775
36.7.2.1.2	Method 2: Reduction of β -Dicarbonyls	776
36.7.2.1.3	Method 3: Ring Opening of Epoxy Alcohols	778
36.7.2.1.3.1	Variation 1: By Organometallics	778
36.7.2.1.3.2	Variation 2: By Rearrangement of 2,3-Epoxy Alcohols	779
36.7.2.1.4	Method 4: Allylation of β -Hydroxy Aldehydes	779
36.7.2.1.4.1	Variation 1: Chelation-Controlled Addition of Organometallics	779
36.7.2.1.4.2	Variation 2: By an Aldol–Reduction Sequence	780
36.7.2.1.5	Method 5: Oxymercuration of Homoallylic Hemiacetals	781
36.7.2.1.6	Method 6: Ring Opening of β -Hydroxy δ -Lactones	782
36.7.3	Product Subclass 3: 1,4-Diols	782
36.7.3.1	Synthesis of Product Subclass 3	782
36.7.3.1.1	Method 1: Reduction of Unsaturated 1,4-Diketones	782
36.7.3.1.1.1	Variation 1: By Hydrogenation	782
36.7.3.1.1.2	Variation 2: By Hydroboration–Rearrangement of 1,2-Disubstituted Cyclobutenes	783
36.7.3.1.1.3	Variation 3: Hydroboration–Reduction of Allyl Ketones	784
36.7.3.1.2	Method 2: Aldol Reactions of Aldehydes with Hydroxyacetone	785
36.7.3.1.3	Method 3: Deprotection of Chiral Acetals Derived from Ene Acetals	785
36.7.3.1.4	Method 4: Michael Addition–Reduction of α,β -Unsaturated Enones	786
36.7.4	Product Subclass 4: 1,5-Diols	787
36.7.4.1	Synthesis of Product Subclass 4	787
36.7.4.1.1	Method 1: Coupling of Vinyloxiranes and Ketones	787
36.7.4.1.2	Method 2: Reaction of Lithium Dianions with Carboxy Compounds	787
36.7.4.1.3	Method 3: Pentenyl Dianion Synthons for Ene-1,5-Diol Synthesis	788
36.7.4.1.4	Method 4: Double Allylboration Reactions	788
36.7.4.1.5	Method 5: Reductive Decomplexation of π -Allyltricarbonyliron Lactone Complexes	789
36.7.4.1.6	Method 6: Boron-Tethered Radical Cyclization	790
36.7.5	Product Subclass 5: 1,6-Diols	791
36.7.5.1	Synthesis of Product Subclass 5	791
36.7.5.1.1	Method 1: Hex-3-ene-1,6-diols by Reduction of Organozinc Intermediates	791
36.7.5.1.2	Method 2: Hydride Reduction of Substituted 2,4-Diene-1,6-dials	792
36.7.5.1.3	Method 3: Titanium(IV) Chloride Mediated Addition of Octa-2,6-diene to Aldehydes	792
36.7.5.1.4	Method 4: Titanium(IV) Isopropoxide Mediated Coupling of Butylmagnesium Chloride with Aldehydes and Ketones	793

36.7.6	Product Subclass 6: 1,7-Diols	794
36.7.6.1	Synthesis of Product Subclass 6	794
36.7.6.1.1	Method 1: Reductive Decomplexation of π -Allyltricarbonyliron Lactone Complexes	794
36.7.6.1.2	Method 2: Reaction of Organolithium Compounds with Epoxides	794
36.8	Product Class 8: Polyols, Including Carbohydrates R. C. D. Brown	
<hr/>		
36.8	Product Class 8: Polyols, Including Carbohydrates	799
36.8.1	Synthesis of Product Class 8	799
36.8.1.1	Method 1: Synthesis from Organosilanes	800
36.8.1.1.1	Variation 1: From Aryldimethylsilanes	800
36.8.1.1.2	Variation 2: From Oxasilacycloalkanes	802
36.8.1.1.3	Variation 3: From Silacyclopentanes	804
36.8.1.2	Method 2: Synthesis from Alkylboranes	804
36.8.1.3	Method 3: Criegee Rearrangement of Bis(peroxosulfonates)	805
36.8.1.4	Method 4: Hydrolysis of Alkyl Halides	807
36.8.1.5	Method 5: Hydrolysis of Epoxides	808
36.8.1.5.1	Variation 1: Of Epoxy Alcohols	808
36.8.1.5.2	Variation 2: Of Bis(epoxides) and Tris(epoxides)	812
36.8.1.6	Method 6: Regioselective Reduction of Diepoxy Alcohols	814
36.8.1.7	Method 7: Stereoselective Reduction of β -Hydroxy Ketones	814
36.8.1.7.1	Variation 1: <i>anti</i> -Selective Reduction of β -Hydroxy Ketones by Tetramethylammonium Triacetoxyborohydride	815
36.8.1.7.2	Variation 2: <i>syn</i> -Selective Reduction of β -Hydroxy Ketones by Diethyl(methoxy)borane and Sodium Borohydride	817
36.8.1.8	Method 8: Reduction of Endoperoxides	819
36.8.1.9	Method 9: Dihydroxylation of Hydroxyalkenes	821
36.8.1.9.1	Variation 1: Of Acyclic Allylic Alcohols by Osmium(VIII) Oxide	822
36.8.1.9.2	Variation 2: Of Other Acyclic Hydroxyalkenes by Osmium(VIII) Oxide	830
36.8.1.9.3	Variation 3: Of Cyclic Hydroxyalkenes by Osmium(VIII) Oxide	831
36.8.1.10	Method 10: Dihydroxylation of Dienes and Trienes by Osmium(VIII) Oxide	837
36.9	Product Class 9: β-Hydroxy Carbonyl Compounds R. Mahrwald and B. Schetter	
<hr/>		
36.9	Product Class 9: β-Hydroxy Carbonyl Compounds	847
36.9.1	Synthesis of Product Class 9	847
36.9.1.1	Method 1: Additions of Aldehydes to Preformed Enolates	847
36.9.1.1.1	Variation 1: Additions to Lithium Enolates	849
36.9.1.1.2	Variation 2: Additions to Magnesium Enolates	855
36.9.1.1.3	Variation 3: Additions to Boron Enolates	860
36.9.1.1.4	Variation 4: Additions to Titanium Enolates	868
36.9.1.2	Method 2: Catalytic Aldol Additions of Silicon Enolates Using Lewis Acids	878
36.9.1.2.1	Variation 1: Using Silver Lewis Acids	879

36.9.1.2.2	Variation 2:	Using Palladium Lewis Acids	880
36.9.1.2.3	Variation 3:	Using Platinum Lewis Acids	881
36.9.1.2.4	Variation 4:	Using Copper Lewis Acids	883
36.9.1.2.5	Variation 5:	Using Tin Lewis Acids	887
36.9.1.2.6	Variation 6:	Using Titanium Lewis Acids	893
36.9.1.2.7	Variation 7:	Using Zirconium Lewis Acids	898
36.9.1.2.8	Variation 8:	Using Boron Lewis Acids	901
36.9.1.3	Method 3:	Direct Catalytic Aldol Reactions	907
36.9.1.4	Method 4:	Amine-Catalyzed Aldol Additions	918
36.9.1.5	Method 5:	Antibody-Catalyzed Aldol Additions	927
36.9.1.6	Method 6:	Enzyme-Catalyzed Aldol Additions	928
36.9.1.7	Method 7:	Lewis Base Catalyzed Aldol Additions	936
36.9.1.8	Method 8:	Reactions of Aldehydes/Ketones with α -Halo Ketones (Reformatsky Reaction)	944
36.9.1.9	Method 9:	Reactions of Dithianes with Epoxides	947
36.9.1.10	Method 10:	Gold- and Rhodium-Catalyzed Aldol Additions	948
36.9.1.11	Method 11:	Rearrangement of Epoxy Silyl Ethers	952
36.9.1.12	Method 12:	Reduction of 4,5-Dihydroisoxazoles	953
36.10	Product Class 10: n-Heteroatom-Functionalized Alcohols (n \geq 2; Heteroatom \neq Halogen)		
	M. J. Bingham and M. F. Greaney		
36.10	Product Class 10: n-Heteroatom-Functionalized Alcohols (n \geq 2; Heteroatom \neq Halogen)		
36.10.1	Product Subclass 1: β-Heteroatom-Functionalized Alcohols		
36.10.1.1	Synthesis of Product Subclass 1		971
36.10.1.1.1	Method 1:	Epoxide Ring Opening with Oxygen Nucleophiles	971
36.10.1.1.2	Method 2:	Epoxide Ring Opening with Sulfur, Selenium, or Tellurium Nucleophiles	979
36.10.1.1.3	Method 3:	Epoxide Ring Opening with Nitrogen Nucleophiles	983
36.10.1.1.4	Method 4:	Epoxide Ring Opening with Phosphorus Nucleophiles	989
36.10.1.1.5	Method 5:	Thiirane Substitution Reactions	991
36.10.1.1.6	Method 6:	Aziridine Substitution Reactions	992
36.10.1.1.7	Method 7:	Nucleophilic Addition of Sulfur-, Selenium-, or Tellurium-Stabilized Carbanions to Carbonyl Groups	993
36.10.1.1.8	Method 8:	Nucleophilic Addition of Boronic Acids to Imines (The Petasis Reaction)	995
36.10.1.1.9	Method 9:	Addition of Phosphorus Ylides to Carbonyl Compounds	996
36.10.1.1.10	Method 10:	Thiol-Alkene Co-oxidation	998
36.10.1.1.11	Method 11:	Hydroxysulfenylation Using Electrophilic Sulfur	1000
36.10.1.1.12	Method 12:	Hydroxyselenation Using Electrophilic Selenium	1003
36.10.1.1.13	Method 13:	Hydroxytelluration Using Electrophilic Tellurium	1004
36.10.1.1.14	Method 14:	Synthesis of β -Amino Alcohols by Aminohydroxylation of Alkenes	1005

36.10.2	Product Subclass 2: γ-Heteroatom-Functionalized Alcohols	1009
36.10.2.1	Synthesis of Product Subclass 2	1009
36.10.2.1.1	Method 1: Epoxide Ring Opening with Heteroatom-Stabilized Carbanions	1010
36.10.2.1.2	Method 2: Nucleophilic Ring Opening of Oxetanes	1013
36.10.2.1.3	Method 3: Reduction of Cyano Esters or Ketones	1015
36.10.2.1.4	Method 4: Synthesis from α,β -Unsaturated Carbonyl Compounds	1016
36.10.2.1.5	Method 5: Hydroboration of Allylic Substrates	1018
36.10.2.1.5.1	Variation 1: Addition to Allylic Alcohols	1020
36.10.3	Product Subclass 3: δ-Heteroatom-Functionalized Alcohols	1021
36.10.3.1	Synthesis of Product Subclass 3	1021
36.10.3.1.1	Method 1: Nucleophilic Ring Opening of Oxetanes with Phosphorus-Stabilized Carbanions	1021
36.10.3.1.2	Method 2: Synthesis from α,β -Unsaturated Carbonyl Compounds	1022
36.11	Product Class 11: Alcohols and Diols by Deprotection M. G. Moloney and M. Yaqoob	
36.11	Product Class 11: Alcohols and Diols by Deprotection	1031
36.11.1	Synthesis of Product Class 11	1035
36.11.1.1	Method 1: Alcohols by Cleavage of Stannoxanes	1035
36.11.1.1.1	Variation 1: Reaction with Electrophiles	1035
36.11.1.1.2	Variation 2: Reaction by Radical Formation	1038
36.11.1.2	Method 2: Alcohols by Cleavage of Siloxanes	1040
36.11.1.2.1	Variation 1: Acidic Hydrolysis	1044
36.11.1.2.2	Variation 2: Basic Hydrolysis	1047
36.11.1.2.3	Variation 3: Fluoride Hydrolysis	1048
36.11.1.2.4	Variation 4: Lewis Acid Mediated Hydrolysis	1051
36.11.1.2.5	Variation 5: Photolytic Cleavage	1051
36.11.1.3	Method 3: Alcohols by Cleavage of Carbonates and Carbamates	1052
36.11.1.3.1	Variation 1: Acidic Hydrolysis	1053
36.11.1.3.2	Variation 2: Basic Hydrolysis	1053
36.11.1.3.3	Variation 3: Reductive Cleavage	1055
36.11.1.3.4	Variation 4: Cleavage by Metal Catalysis	1056
36.11.1.3.5	Variation 5: Hydrogenolysis	1058
36.11.1.4	Method 4: Alcohols by Cleavage of Esters	1058
36.11.1.4.1	Variation 1: Acidic Hydrolysis	1059
36.11.1.4.2	Variation 2: Basic Hydrolysis	1060
36.11.1.4.3	Variation 3: Reductive Cleavage	1063
36.11.1.4.4	Variation 4: Nucleophilic Cleavage	1064
36.11.1.4.5	Variation 5: Enzymatic Hydrolysis	1066
36.11.1.5	Method 5: Alcohols by Cleavage of Acetals	1067
36.11.1.5.1	Variation 1: Acidic Hydrolysis	1067
36.11.1.5.2	Variation 2: Basic Hydrolysis	1069
36.11.1.5.3	Variation 3: Reductive Cleavage	1069
36.11.1.5.4	Variation 4: Nucleophilic Cleavage	1069

36.11.1.5.5	Variation 5:	Cleavage by Lewis Acids	1070
36.11.1.5.6	Variation 6:	Oxidative Cleavage	1072
36.11.1.5.7	Variation 7:	Photolytic Cleavage	1073
36.11.1.6	Method 6:	Alcohols by Cleavage of Ethers	1073
36.11.1.6.1	Variation 1:	Acidic Hydrolysis	1073
36.11.1.6.2	Variation 2:	Basic Hydrolysis	1078
36.11.1.6.3	Variation 3:	Hydrogenolytic Cleavage	1079
36.11.1.6.4	Variation 4:	Reductive Cleavage	1080
36.11.1.6.5	Variation 5:	By Elimination	1082
36.11.1.6.6	Variation 6:	Cleavage with Transition Metals	1083
36.11.1.6.7	Variation 7:	By Oxidation	1084
36.11.1.7	Method 7:	Alcohols by Cleavage of Sulfonates and Sulfenates	1085
36.11.1.7.1	Variation 1:	Cleavage by Substitution with Iodide	1086
36.11.1.7.2	Variation 2:	Cleavage by Reaction with Fluoride	1087
36.11.1.7.3	Variation 3:	Reductive Cleavage	1087
36.11.1.7.4	Variation 4:	Photolytic Cleavage	1090
36.11.1.8	Method 8:	Diols by Cleavage of Cyclic Boronates	1093
36.11.1.8.1	Variation 1:	Aqueous Hydrolysis	1093
36.11.1.8.2	Variation 2:	Nucleophilic Cleavage	1093
36.11.1.9	Method 9:	Diols by Cleavage of Cyclic Dioxystannanes	1094
36.11.1.10	Method 10:	Diols by Cleavage of Cyclic Dioxysilanes	1095
36.11.1.10.1	Variation 1:	Acidic Hydrolysis	1095
36.11.1.10.2	Variation 2:	Fluoride-Mediated Cleavage	1095
36.11.1.11	Method 11:	Diols by Cleavage of Cyclic Carbonates	1096
36.11.1.11.1	Variation 1:	Basic Hydrolysis	1096
36.11.1.12	Method 12:	Diols by Cleavage of Cyclic Acetals	1096
36.11.1.12.1	Variation 1:	Acidic Hydrolysis	1097
36.11.1.12.2	Variation 2:	Lewis Acid Hydrolysis	1100
36.11.1.12.3	Variation 3:	Basic Hydrolysis	1101
36.11.1.12.4	Variation 4:	Reductive Cleavage	1101
36.11.1.12.5	Variation 5:	Oxidative Cleavage	1102

36.12 Product Class 12: Metal Alcoholates

J. V. Morey and A. E. H. Wheatley

36.12	Product Class 12: Metal Alcoholates	1107
36.12.1	Product Subclass 1: Group 16 Metal Alcoholates	1107
36.12.1.1	Synthesis of Product Subclass 1	1107
36.12.1.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1107
36.12.1.1.2	Method 2: Synthesis by Transmetalation	1108
36.12.2	Product Subclass 2: Group 15 Metal Alcoholates	1108
36.12.2.1	Synthesis of Product Subclass 2	1108
36.12.2.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1108
36.12.2.1.2	Method 2: Synthesis by Transmetalation	1110

36.12.3	Product Subclass 3: Group 14 Alcoholates	1110
36.12.3.1	Synthesis of Product Subclass 3	1110
36.12.3.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1110
36.12.3.1.2	Method 2: Synthesis by Nucleophilic Ring Opening	1114
36.12.4	Product Subclass 4: Group 13 Metal Alcoholates	1114
36.12.4.1	Synthesis of Product Subclass 4	1114
36.12.4.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1114
36.12.5	Product Subclass 5: Chromium and Molybdenum Alcoholates	1116
36.12.5.1	Synthesis of Product Subclass 5	1116
36.12.5.1.1	Method 1: Synthesis by Transmetalation of an Alcoholate	1116
36.12.6	Product Subclass 6: Vanadium Alcoholates	1118
36.12.6.1	Synthesis of Product Subclass 6	1118
36.12.6.1.1	Method 1: Synthesis by Nucleophilic Addition	1118
36.12.7	Product Subclass 7: Titanium and Zirconium Alcoholates	1119
36.12.7.1	Synthesis of Product Subclass 7	1119
36.12.7.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1119
36.12.7.1.2	Method 2: Synthesis by Nucleophilic Addition	1120
36.12.8	Product Subclass 8: Group 2 Metal Alcoholates	1122
36.12.8.1	Synthesis of Product Subclass 8	1122
36.12.8.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1122
36.12.8.1.2	Method 2: Synthesis by Metalation of an Alkanol Equivalent	1126
36.12.8.1.3	Method 3: Synthesis by Nucleophilic Addition	1127
36.12.9	Product Subclass 9: Lithium Alcoholates	1128
36.12.9.1	Synthesis of Product Subclass 9	1128
36.12.9.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1128
36.12.9.1.2	Method 2: Synthesis by Transmetalation	1129
36.12.9.1.3	Method 3: Rearrangement of a Carbolithiate	1129
36.12.9.1.3.1	Variation 1: Retro-Brook Rearrangements	1130
36.12.9.1.3.2	Variation 2: Phosphate-Based Carbanion Rearrangements	1131
36.12.9.1.3.3	Variation 3: [1,2]-Wittig Rearrangements	1132
36.12.9.1.3.4	Variation 4: [2,3]-Wittig Rearrangements	1135
36.12.9.1.3.5	Variation 5: [1,4]-Wittig Rearrangements	1143
36.12.9.1.3.6	Variation 6: Metalated Epoxide Rearrangements	1143
36.12.9.1.4	Method 4: Synthesis by Reductive Lithiation of C—O Bonds	1147
36.12.9.1.4.1	Variation 1: Reductive Lithiation of Acyclic Ethers	1147
36.12.9.1.4.2	Variation 2: Reductive Lithiation of Cyclic Ethers	1147
36.12.9.1.5	Method 5: Addition across Carbonyl Bonds	1150
36.12.9.1.5.1	Variation 1: Using Organolithium Reagents	1150
36.12.9.1.5.2	Variation 2: By Reductive Lithiation	1153

36.12.10	Product Subclass 10: Higher Group 1 Metal Alcoholates	1154
36.12.10.1	Synthesis of Product Subclass 10	1154
36.12.10.1.1	Method 1: Synthesis by Deprotonation of an Alkanol	1154
36.12.10.1.2	Method 2: Synthesis by Combination with Organolithium Substrates ..	1159
	Keyword Index	1167
	Author Index	1225
	Abbreviations	1295

