

**Volume 38:
Peroxides**

| | | |
|---------------|--|-----|
| | Preface | V |
| | Table of Contents | IX |
| | Introduction | |
| | A. Berkessel | 1 |
| 38.1 | Product Class 1: Alkyl and Cycloalkyl Hydroperoxides | |
| | A. Scarso and G. Strukul | 9 |
| 38.2 | Product Class 2: Allylic Hydroperoxides | |
| | U. Bergstr  ser and J. Hartung | 73 |
| 38.3 | Product Class 3: Benzylic Hydroperoxides | |
| | J. Hartung and H. Heydt | 109 |
| 38.4 | Product Class 4: Salts of Alkyl Hydroperoxides | |
| | A. Scarso and G. Strukul | 143 |
| 38.5 | Product Class 5: Alkyl and Cycloalkyl Peroxides | |
| | G. Vassilikogiannakis and T. Montagnon | 179 |
| 38.6 | Product Class 6: Allylic Peroxides | |
| | I. N. Lykakis and M. Stratakis | 205 |
| 38.7 | Product Class 7: Benzylic Peroxides | |
| | M. R. Iesce and M. DellaGreca | 231 |
| 38.8 | Product Class 8: Monocyclic Peroxides | |
| 38.8.1 | Product Subclass 1: Three-Membered Cyclic Peroxides (Dioxiranes) | |
| | B. Wang and Y. Shi | 275 |
| 38.8.2 | Product Subclass 2: Four-Membered Cyclic Peroxides (1,2-Dioxetanes and 1,2-Dioxetanones) | |
| | W. J. Baader and E. L. Bastos | 323 |
| 38.8.3 | Product Subclass 3: Five-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxolanes and 1,2-Dioxolan-3-ones) | |
| | W. J. Baader and E. L. Bastos | 345 |
| 38.8.4 | Product Subclass 4: Five-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxolanes) | |
| | W. J. Baader and E. L. Bastos | 379 |

| | | |
|---------------|---|-----|
| 38.8.5 | Product Subclass 5: Six-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxanes and 3,6-Dihydro-1,2-dioxins) | |
| | W. J. Baader and E. L. Bastos | 397 |
| 38.8.6 | Product Subclass 6: Six-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxanes) | |
| | W. J. Baader and E. L. Bastos | 421 |
| 38.8.7 | Product Subclass 7: Six-Membered Cyclic Peroxides with Two Further Oxygen Atoms in the Ring (1,2,4,5-Tetroxanes) | |
| | W. J. Baader and E. L. Bastos | 449 |
| 38.9 | Product Class 9: Larger-Ring Cyclic Peroxides and Endoperoxides | |
| | M. N. Alberti, M. D. Tzirakis, and M. Orfanopoulos | 469 |
| | Keyword Index | 525 |
| | Author Index | 555 |
| | Abbreviations | 577 |

Table of Contents

Introduction

A. Berkessel

| | |
|---------------------------|---|
| Introduction | 1 |
|---------------------------|---|

38.1 Product Class 1: Alkyl and Cycloalkyl Hydroperoxides

A. Scarso and G. Strukul

| | | |
|---------------------|---|----|
| 38.1 | Product Class 1: Alkyl and Cycloalkyl Hydroperoxides | 9 |
| 38.1.1 | Product Subclass 1: α-Unsubstituted Alkyl Hydroperoxides | 9 |
| 38.1.1.1 | Synthesis of Product Subclass 1 | 10 |
| 38.1.1.1.1 | Method 1: Reactions of Alkanes with Molecular Oxygen | 10 |
| 38.1.1.1.2 | Method 2: Hydrolysis of Alkyl Metal and Alkyl Metalloid Peroxides | 11 |
| 38.1.1.1.2.1 | Variation 1: Via Oxidation of Alkylmagnesium Halides with Molecular Oxygen | 11 |
| 38.1.1.1.2.2 | Variation 2: Via Oxidation of Alkylboron Halides with Molecular Oxygen | 12 |
| 38.1.1.1.3 | Method 3: Reaction of Oxetanes with Hydrogen Peroxide | 13 |
| 38.1.1.1.4 | Method 4: Reaction of Epoxides with Hydrogen Peroxide | 14 |
| 38.1.1.1.4.1 | Variation 1: Catalyzed by Methyltrioctylammonium Tetrakis(oxodiperoxotungsto)phosphate | 15 |
| 38.1.1.1.5 | Method 5: Reaction of Alkyl Halides | 16 |
| 38.1.1.1.5.1 | Variation 1: With Hydrogen Peroxide in the Presence of Silver(I) Trifluoroacetate | 16 |
| 38.1.1.1.5.2 | Variation 2: With 2-Alkoxypropan-2-yl and 2-(2-Methoxyethoxy)propan-2-yl Hydroperoxides | 17 |
| 38.1.1.1.5.3 | Variation 3: With Potassium Superoxide | 18 |
| 38.1.1.1.6 | Method 6: Reaction of Alcohols with Hydrogen Peroxide | 19 |
| 38.1.1.1.6.1 | Variation 1: Without Catalysts | 19 |
| 38.1.1.1.6.2 | Variation 2: With Acid Catalysis | 20 |
| 38.1.1.1.7 | Method 7: Reaction of Dialkyl Sulfates with Hydrogen Peroxide | 20 |
| 38.1.1.1.8 | Method 8: Reaction of Alkyl Methanesulfonates with Hydrogen Peroxide | 21 |
| 38.1.1.1.8.1 | Variation 1: Reaction of Homoallylic Methanesulfonates with Hydrogen Peroxide | 22 |
| 38.1.1.1.8.2 | Variation 2: Reaction of Cyclic Homoallylic 4-Bromobenzenesulfonates with Hydrogen Peroxide | 23 |
| 38.1.1.1.9 | Method 9: Reaction of 1-Substituted 1-Sulfonylhydrazines with Molecular Oxygen under Basic Conditions | 23 |
| 38.1.1.1.10 | Method 10: Reaction of 1-Alkyl-2-tosylhydrazines with Hydrogen Peroxide and Sodium Peroxide | 24 |

| | | |
|----------------|---|----|
| 38.1.1.1.11 | Method 11: Synthesis from Alkenes | 25 |
| 38.1.1.1.11.1 | Variation 1: With Triethylsilane and Oxygen with a Cobalt(II) Catalyst | 26 |
| 38.1.1.1.11.2 | Variation 2: Photooxygenation with Methylene Blue Sensitizer | 27 |
| 38.1.1.1.11.3 | Variation 3: Photooxygenation with 4-Chlorobenzenethiol | 28 |
| 38.1.1.1.11.4 | Variation 4: With <i>N</i> -Bromosuccinimide and Hydrogen Peroxide | 28 |
| 38.1.1.1.11.5 | Variation 5: With 1,3-Dibromo-5,5-dimethylhydantoin and Hydrogen Peroxide | 29 |
| 38.1.1.1.12 | Method 12: Synthesis from Conjugated Dienes | 30 |
| 38.1.1.1.13 | Method 13: Synthesis from Peroxy Esters | 30 |
| 38.1.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 31 |
| 38.1.2 | Product Subclass 2: α-Halogen-Substituted Alkyl Hydroperoxides | 31 |
| 38.1.2.1 | Synthesis of Product Subclass 2 | 32 |
| 38.1.2.1.1 | α -Fluoroalkyl Hydroperoxides | 32 |
| 38.1.2.1.1.1 | Method 1: Decomposition of Hexafluoroacetone Perhydrate | 32 |
| 38.1.2.1.1.2 | Method 2: Reaction of Perfluoroperoxy Derivatives with Water | 32 |
| 38.1.2.1.2 | α -Chloroalkyl Hydroperoxides | 33 |
| 38.1.2.1.2.1 | Method 1: Reaction of Chloroalkenes with Ozone | 33 |
| 38.1.3 | Product Subclass 3: α-Oxygen-Substituted Alkyl Hydroperoxides | 34 |
| 38.1.3.1 | Synthesis of Product Subclass 3 | 34 |
| 38.1.3.1.1 | α -Hydroxyalkyl Hydroperoxides | 34 |
| 38.1.3.1.1.1 | Method 1: Reaction of Aldehydes with Hydrogen Peroxide and Iodine | 34 |
| 38.1.3.1.1.2 | Method 2: Reaction of α -Halo Ketones with Hydrogen Peroxide | 35 |
| 38.1.3.1.2 | α -Alkoxyalkyl Hydroperoxides | 36 |
| 38.1.3.1.2.1 | Method 1: Ozonolysis of Alkenes | 36 |
| 38.1.3.1.2.2 | Method 2: Reaction of Vinyl Ethers with Ozone and Alcohols | 38 |
| 38.1.3.1.2.2.1 | Variation 1: With Hydrogen Peroxide | 40 |
| 38.1.3.1.2.2.2 | Variation 2: With Hydrogen Peroxide and Silica Gel | 40 |
| 38.1.3.1.2.2.3 | Variation 3: With Hydrogen Peroxide and Molybdenum(VI) Oxide | 41 |
| 38.1.3.1.2.3 | Method 3: Reaction of Dialkyl Ethers with Molecular Oxygen | 42 |
| 38.1.3.1.2.4 | Method 4: α -Reaction of Cyclopropyl Alcohols with Hydrogen Peroxide | 42 |
| 38.1.3.1.2.5 | Method 5: Reaction of Ketones and Alcohols with Hydrogen Peroxide | 44 |
| 38.1.3.1.2.6 | Method 6: Reaction of Hydroxy Ketones and Diketones with Hydrogen Peroxide | 44 |

| | | | |
|----------------|--------------|---|----|
| 38.1.3.1.2.7 | Method 7: | Reaction of Ketones with Hydrogen Peroxide Catalyzed by Iodine | 45 |
| 38.1.3.1.2.8 | Method 8: | Reaction of Homoallylic 4-Bromobenzenesulfonates and Hydrogen Peroxide | 46 |
| 38.1.3.1.2.9 | Method 9: | Ring Opening of Oxetanes with Hydrogen Peroxide | 47 |
| 38.1.3.1.3 | | α -Peroxyalkyl Hydroperoxides | 47 |
| 38.1.3.1.3.1 | Method 1: | Reaction of Alkenes and Vinyl Ethers with Ozone | 47 |
| 38.1.3.1.3.1.1 | Variation 1: | Intramolecular Reaction of Alkyl Hydroperoxides with Carbonyl Oxides Generated by Ozonolysis of Alkenes | 48 |
| 38.1.3.1.3.2 | Method 2: | Reaction of Ketones with Hydrogen Peroxide | 49 |
| 38.1.3.1.3.3 | Method 3: | Reaction of Acetals with Hydrogen Peroxide Mediated by Boron Trifluoride–Diethyl Ether Complex | 49 |
| 38.1.3.1.3.4 | Method 4: | Reaction of Dialkyl Ethers with Molecular Oxygen | 50 |
| 38.1.3.1.4 | | α -(Triorganosiloxy)alkyl Hydroperoxides | 51 |
| 38.1.3.1.4.1 | Method 1: | Reaction of Trialkylsilyl Vinyl Ethers and Hydrogen Peroxide | 51 |
| 38.1.3.1.5 | | α -(Acyloxy)alkyl Hydroperoxides | 51 |
| 38.1.3.1.5.1 | Method 1: | Photooxidation of an Enol Lactone | 51 |
| 38.1.3.1.6 | | 1,1-Bis(hydroperoxy)alkanes | 52 |
| 38.1.3.1.6.1 | Method 1: | Reaction of Ketones with Hydrogen Peroxide with Acid Catalysts | 52 |
| 38.1.3.1.6.1.1 | Variation 1: | With 1,2-Bis(diphenylphosphoryl)ethane | 53 |
| 38.1.3.1.6.1.2 | Variation 2: | Catalyzed by Ammonium Cerium(IV) Nitrate | 54 |
| 38.1.3.1.6.1.3 | Variation 3: | Catalyzed by Methyltrioxorhenium(VII) in Trifluoroethanol | 55 |
| 38.1.3.1.6.1.4 | Variation 4: | Catalyzed by Molecular Iodine | 55 |
| 38.1.3.1.6.1.5 | Variation 5: | Catalyzed by Tungstic Acid | 56 |
| 38.1.3.1.6.2 | Method 2: | Reaction of Tosylhydrazones with Hydrogen Peroxide | 57 |
| 38.1.3.1.6.3 | Method 3: | Reaction of Vinyl Ethers with Ozone and Hydrogen Peroxide | 58 |
| 38.1.3.1.6.4 | Method 4: | Reaction of Ketals with Hydrogen Peroxide | 59 |
| 38.1.3.1.6.5 | Method 5: | Ring Opening of Bicyclic Benzyl Alcohols with Hydrogen Peroxide | 60 |
| 38.1.3.2 | | Applications of Product Subclass 3 in Organic Synthesis | 60 |
| 38.1.4 | | Product Subclass 4: α-Sulfur-Substituted Alkyl Hydroperoxides | 61 |
| 38.1.4.1 | | Synthesis of Product Subclass 4 | 61 |
| 38.1.4.1.1 | Method 1: | Photooxidation of Thiazolidines with Molecular Oxygen in the Presence of Tetraphenylporphyrin | 61 |
| 38.1.5 | | Product Subclass 5: α-Nitrogen-Substituted Alkyl Hydroperoxides | 61 |
| 38.1.5.1 | | Synthesis of Product Subclass 5 | 62 |

| | | |
|--------------|---|-----|
| 38.1.5.1.1 | α -Aminoalkyl Hydroperoxides | 62 |
| 38.1.5.1.1.1 | Method 1: Reaction of Carbonyl Compounds with Ammonia or Amines and Hydrogen Peroxide | 62 |
| 38.1.5.1.2 | α -(Acylamino)alkyl Hydroperoxides | 64 |
| 38.1.5.1.2.1 | Method 1: Reaction of Cyclic Amides and <i>N</i> -Alkylamides with Oxygen | 64 |
| 38.1.5.1.2.2 | Method 2: Reaction of <i>N</i> -Heterocycles with Hydrogen Peroxide | 64 |
| 38.1.5.1.3 | α -Hydrazinoalkyl Hydroperoxides | 65 |
| 38.1.5.1.3.1 | Method 1: Oxidation of Hydrazoalkanes | 65 |
| 38.1.5.1.4 | α -(<i>N</i> -Alkyl- <i>N</i> -nitrosoamino)alkyl Hydroperoxides | 65 |
| 38.1.5.1.4.1 | Method 1: Reaction of Dialkylnitrosamines with Lithium Diisopropylamide and Oxygen | 65 |
| 38.1.5.1.4.2 | Method 2: Reaction of 1-Acetoxyalkyl(alkyl)nitrosamines with Hydrogen Peroxide | 66 |
| 38.1.5.1.5 | 4-Hydroperoxy-1,3,2-oxazaphosphorinane 2-Oxides | 67 |
| 38.1.5.1.5.1 | Method 1: Reaction of 4-Hydroxy-1,3,2-oxazaphosphorinane 2-Oxides with Hydrogen Peroxide | 67 |
| 38.1.5.1.5.2 | Method 2: Reaction of a Phosphoric Amide Diester Bearing <i>O</i> - or <i>N</i> -Alkenyl Residues and Ozone | 67 |
| 38.1.5.2 | Applications of Product Subclass 5 in Organic Synthesis | 68 |
| 38.2 | Product Class 2: Allylic Hydroperoxides U. Bergstr  ser and J. Hartung | |
| 38.2 | Product Class 2: Allylic Hydroperoxides | 73 |
| 38.2.1 | Synthesis of Product Class 2 | 78 |
| 38.2.1.1 | Method 1: Synthesis from Alkenes | 78 |
| 38.2.1.1.1 | Variation 1: With Triplet Dioxygen | 78 |
| 38.2.1.1.2 | Variation 2: With Singlet Dioxygen | 80 |
| 38.2.1.2 | Method 2: Synthesis from Arenes | 93 |
| 38.2.1.2.1 | Variation 1: Reaction with Dioxygen under Basic Conditions | 93 |
| 38.2.1.2.2 | Variation 2: Reaction with Triplet Dioxygen in the Presence of Transition Metal Compounds | 95 |
| 38.2.1.2.3 | Variation 3: Reaction with Singlet Dioxygen | 96 |
| 38.2.1.3 | Method 3: Synthesis from Allylic Halides | 98 |
| 38.2.1.3.1 | Variation 1: Reaction with Hydrogen Peroxide | 98 |
| 38.2.1.4 | Method 4: Synthesis from Allyl Sulfonates | 99 |
| 38.2.1.4.1 | Variation 1: Reaction with Hydrogen Peroxide | 99 |
| 38.2.1.5 | Method 5: Synthesis from Endoperoxides | 100 |
| 38.2.1.5.1 | Variation 1: Reaction with Nucleophiles | 100 |
| 38.2.1.6 | Method 6: Synthesis from Allyl Hydroperoxides | 101 |
| 38.2.1.6.1 | Variation 1: Via Rearrangement | 101 |
| 38.2.1.6.2 | Variation 2: Separation of Racemates via HPLC | 102 |
| 38.2.1.6.3 | Variation 3: Enzymatic Kinetic Resolution of Racemates | 103 |

| | | |
|--------------------|---|-----|
| 38.3 | Product Class 3: Benzylic Hydroperoxides | |
| | J. Hartung and H. Heydt | |
| <hr/> | | |
| 38.3 | Product Class 3: Benzylic Hydroperoxides | 109 |
| 38.3.1 | Synthesis of Product Class 3 | 110 |
| 38.3.1.1 | Method 1: Synthesis from Aryl- or Hetarylalkanes with Retention of the Carbon Skeleton | 112 |
| 38.3.1.1.1 | Variation 1: Autoxidation | 112 |
| 38.3.1.1.2 | Variation 2: Reaction with Dioxygen in the Presence of Metal Ions | 117 |
| 38.3.1.1.3 | Variation 3: Reaction with Dioxygen in the Presence of Bases | 118 |
| 38.3.1.1.4 | Variation 4: Reaction with Dioxygen in the Presence of <i>N</i> -Hydroxyphthalimide | 119 |
| 38.3.1.1.5 | Variation 5: Reaction with <i>tert</i> -Butyl Hydroperoxide and a Transition-Metal Catalyst | 119 |
| 38.3.1.1.6 | Variation 6: Reaction with Dioxygen in the Presence of Photochemically Excited Electron-Transfer Reagents | 120 |
| 38.3.1.2 | Method 2: Synthesis from Arylalkanes in Combination with C—C Bond Cleavage | 121 |
| 38.3.1.2.1 | Variation 1: Photochemically Induced Reaction | 121 |
| 38.3.1.3 | Method 3: Synthesis from Alkenes | 122 |
| 38.3.1.3.1 | Variation 1: With Triplet Dioxygen in the Presence of Thiols | 122 |
| 38.3.1.3.2 | Variation 2: Reaction with Triplet Dioxygen in the Presence of Cobalt(II) Compounds and Silanes | 122 |
| 38.3.1.3.3 | Variation 3: Reaction with Triplet Dioxygen and Boranes | 123 |
| 38.3.1.3.4 | Variation 4: Via Electron-Transfer Processes | 124 |
| 38.3.1.3.5 | Variation 5: Reaction with Singlet Dioxygen | 125 |
| 38.3.1.3.6 | Variation 6: Reaction with Hydrogen Peroxide and Mercury(II) Salts | 125 |
| 38.3.1.4 | Method 4: Synthesis from Arenes | 126 |
| 38.3.1.4.1 | Variation 1: From Phenols with Dioxygen in the Absence of Catalysts | 126 |
| 38.3.1.4.2 | Variation 2: Reaction with Singlet Dioxygen | 128 |
| 38.3.1.5 | Method 5: Synthesis from Haloalkanes | 129 |
| 38.3.1.5.1 | Variation 1: With Hydrogen Peroxide under Acidic Conditions | 129 |
| 38.3.1.5.2 | Variation 2: With Hydrogen Peroxide under Basic Conditions | 130 |
| 38.3.1.6 | Method 6: Synthesis from Alcohols | 130 |
| 38.3.1.6.1 | Variation 1: By Reaction with Hydrogen Peroxide under Acidic Conditions | 130 |
| 38.3.1.7 | Method 7: Synthesis from Carboxylic Acid Esters | 131 |
| 38.3.1.7.1 | Variation 1: Reaction with Hydrogen Peroxide | 131 |
| 38.3.1.8 | Method 8: Synthesis from Ethers | 132 |
| 38.3.1.8.1 | Variation 1: Reaction of Acyclic Ethers with Hydrogen Peroxide | 132 |
| 38.3.1.9 | Method 9: Synthesis from Peroxy Esters | 133 |
| 38.3.1.9.1 | Variation 1: Hydrolysis in the Presence of Bis(tributyltin) Oxide | 133 |
| 38.3.1.10 | Method 10: Synthesis from Other Benzylic Hydroperoxides | 133 |
| 38.3.1.10.1 | Variation 1: Separation of Racemates via HPLC | 133 |
| 38.3.1.10.2 | Variation 2: Kinetic Resolution of Racemates Using Enantiopure Phosphines | 134 |
| 38.3.1.10.3 | Variation 3: Lipase-Catalyzed Kinetic Resolution of Racemates | 134 |
| 38.3.1.10.4 | Variation 4: Kinetic Resolution of Racemates Using Native Peroxidases | 135 |

| | | |
|---------------------|--|-----|
| 38.3.1.10.5 | Variation 5: Enzymatic Kinetic Resolution of Racemates Using a Semisynthetic Peroxidase | 137 |
| 38.3.1.10.6 | Variation 6: Kinetic Resolution of Racemates Using Microorganisms | 138 |
| 38.4 | Product Class 4: Salts of Alkyl Hydroperoxides A. Scarso and G. Strukul | |
| <hr/> | | |
| 38.4 | Product Class 4: Salts of Alkyl Hydroperoxides | 143 |
| 38.4.1 | Product Subclass 1: Group 15 Salts of Alkyl Hydroperoxides | 144 |
| 38.4.1.1 | Synthesis of Product Subclass 1 | 144 |
| 38.4.1.1.1 | Method 1: Synthesis of (Alkylperoxy)antimony Compounds | 144 |
| 38.4.2 | Product Subclass 2: Group 14 Salts of Alkyl Hydroperoxides | 144 |
| 38.4.2.1 | Synthesis of Product Subclass 2 | 145 |
| 38.4.2.1.1 | Method 1: Synthesis of (Alkylperoxy)silanes | 145 |
| 38.4.2.1.1.1 | Variation 1: Reaction of Silyl Enol Ethers with Singlet Oxygen | 145 |
| 38.4.2.1.1.2 | Variation 2: Reaction of Chlorotriorganosilanes or Triorganosilyl Trifluoromethanesulfonates with Alkyl Hydroperoxides | 146 |
| 38.4.2.1.1.3 | Variation 3: Reaction of <i>N,O</i> -Bis(triorganosilyl)acetamides with Alkyl Hydroperoxides | 150 |
| 38.4.2.1.1.4 | Variation 4: Reaction of γ -Silyl Allylic Alcohols with Ozone | 150 |
| 38.4.2.1.1.5 | Variation 5: Reaction of Alkenes with Oxygen and Triethylsilane Promoted by Cobalt(II) Catalysts | 151 |
| 38.4.2.1.2 | Method 2: Synthesis of Germanium Alkyl Peroxides | 153 |
| 38.4.2.1.2.1 | Variation 1: Reaction of Halogermanes with Alkyl Hydroperoxides and Ammonia or Tertiary Amines | 153 |
| 38.4.2.1.3 | Method 3: Synthesis of Tin Alkyl Peroxides | 154 |
| 38.4.2.1.3.1 | Variation 1: Reaction of Triorganostannanes with Alkyl Hydroperoxides | 154 |
| 38.4.2.1.3.2 | Variation 2: Reaction of Hydroxytriorganostannanes or Oxytriorganostannanes with Alkyl Hydroperoxides | 154 |
| 38.4.2.1.3.3 | Variation 3: Synthesis of 1,3-Bis(alkylperoxy)-1,1,3,3-tetraorganodistannoxanes and (Alkylperoxy)(chloro)-1,1,3,3-tetraorganodistannoxanes | 155 |
| 38.4.3 | Product Subclass 3: Group 13 Salts of Alkyl Hydroperoxides | 156 |
| 38.4.3.1 | Synthesis of Product Subclass 3 | 156 |
| 38.4.3.1.1 | Method 1: Synthesis of (Alkylperoxy)boron Compounds | 156 |
| 38.4.3.1.1.1 | Variation 1: Reaction of Trialkylboranes with Oxygen | 156 |
| 38.4.3.1.1.2 | Variation 2: Reaction of Boron Halides with Alkyl Hydroperoxides | 158 |
| 38.4.3.1.1.3 | Variation 3: Reaction of Tetraacetyl Diborate with Alkyl Hydroperoxides | 158 |
| 38.4.3.1.1.4 | Variation 4: Reaction of Alkyldichloroboranes or Chlorodicyclopentylborane with Molecular Oxygen | 159 |
| 38.4.3.1.1.5 | Variation 5: Oxidation of Trialkylboroxins | 159 |
| 38.4.3.1.2 | Method 2: Synthesis of Aluminum Alkyl Peroxides | 160 |

| | | |
|--------------|--|-----|
| 38.4.3.1.3 | Method 3: Synthesis of Indium Alkyl Peroxides | 160 |
| 38.4.4 | Product Subclass 4: Group 2 Salts of Alkyl Hydroperoxides | 161 |
| 38.4.4.1 | Synthesis of Product Subclass 4 | 161 |
| 38.4.4.1.1 | Method 1: Synthesis of Magnesium Alkyl Peroxides | 161 |
| 38.4.4.1.1.1 | Variation 1: Reaction of Organomagnesium Halides with Oxygen | 161 |
| 38.4.4.1.2 | Method 2: Synthesis of Strontium Alkyl Peroxides | 162 |
| 38.4.4.1.3 | Method 3: Synthesis of Barium Alkyl Peroxides | 162 |
| 38.4.5 | Product Subclass 5: Group 1 Salts of Alkyl Hydroperoxides | 162 |
| 38.4.5.1 | Synthesis of Product Subclass 5 | 162 |
| 38.4.5.1.1 | Method 1: Synthesis of Lithium Alkyl Peroxides | 163 |
| 38.4.5.1.2 | Method 2: Synthesis of Sodium Alkyl Peroxides | 163 |
| 38.4.5.1.2.1 | Variation 1: Reaction of Sodium <i>tert</i> -Butoxide with Alkyl Hydroperoxides | 163 |
| 38.4.5.1.3 | Method 3: Synthesis of Potassium Alkyl Peroxides | 163 |
| 38.4.6 | Product Subclass 6: Transition Metal Salts of Alkyl Hydroperoxides | 164 |
| 38.4.6.1 | Synthesis of Product Subclass 6 | 164 |
| 38.4.6.1.1 | Method 1: Synthesis of Zinc Alkyl Peroxides | 164 |
| 38.4.6.1.2 | Method 2: Synthesis of Cadmium Alkyl Peroxides | 164 |
| 38.4.6.1.2.1 | Variation 1: Reaction of Alkylcadmium(II) Compounds with Alkyl Hydroperoxides | 165 |
| 38.4.6.1.3 | Method 3: Synthesis of Mercury Alkyl Peroxides | 165 |
| 38.4.6.1.4 | Method 4: Synthesis of Palladium Alkyl Peroxides | 166 |
| 38.4.6.1.4.1 | Variation 1: Reaction of Palladium(II) Carboxylates with Alkyl Hydroperoxides | 166 |
| 38.4.6.1.4.2 | Variation 2: Reaction of an Alkyl(bisphosphine)(hydroxy)palladium(II) Complex with an Alkyl Hydroperoxide | 166 |
| 38.4.6.1.4.3 | Variation 3: Reaction of (Dioxygen)bis(triphenylphosphine)palladium(II) with Electron-Deficient Alkenes | 167 |
| 38.4.6.1.5 | Method 5: Synthesis of Platinum Alkyl Peroxides | 167 |
| 38.4.6.1.5.1 | Variation 1: Reaction of Hydroxy(organo)bis(triorganophosphine)-platinum(II) Complexes with Alkyl Hydroperoxides | 167 |
| 38.4.6.1.5.2 | Variation 2: Reaction of (Dioxygen)bis(triphenylphosphine)platinum(II) Complexes with Electron-Deficient Alkenes | 168 |
| 38.4.6.1.5.3 | Variation 3: Reaction of (Dioxygen)bis(triphenylphosphine)platinum(II) Complexes with Carbonyl Compounds | 169 |
| 38.4.6.1.6 | Method 6: Synthesis of Cobalt Alkyl Peroxides | 170 |
| 38.4.6.1.6.1 | Variation 1: Reaction of Organocobaloximes with Oxygen | 170 |
| 38.4.6.1.6.2 | Variation 2: Reaction of Cobalt(II) Complexes with Alkyl Hydroperoxides | 171 |
| 38.4.6.1.6.3 | Variation 3: Reaction of Cobalt(II) Complexes with Oxygen and Phenols | 171 |
| 38.4.6.1.6.4 | Variation 4: Reaction of Cobalt(II) Superoxo Complexes with Phenoxy Radicals | 173 |
| 38.4.6.1.7 | Method 7: Synthesis of Iridium Alkyl Peroxide | 173 |
| 38.4.6.1.8 | Method 8: Synthesis of Titanium and Zirconium Alkyl Peroxides | 174 |

| | | |
|-------------------|---|-----|
| 38.4.6.1.9 | Method 9: Synthesis of Molybdenum and Tungsten Alkyl Peroxides | 174 |
| 38.4.6.1.10 | Method 10: Synthesis of Hafnium Alkyl Peroxides | 175 |
| 38.4.6.1.11 | Method 11: Synthesis of Vanadium Alkyl Peroxides | 176 |
| 38.5 | Product Class 5: Alkyl and Cycloalkyl Peroxides G. Vassilikogiannakis and T. Montagnon | |
| 38.5 | Product Class 5: Alkyl and Cycloalkyl Peroxides | 179 |
| 38.5.1 | Synthesis of Product Class 5 | 180 |
| 38.5.1.1 | Method 1: Nucleophilic Substitution | 180 |
| 38.5.1.1.1 | Variation 1: Reaction of Alkyl Hydroperoxides with Alkyl Bromides or Methanesulfonates under Basic Conditions | 180 |
| 38.5.1.1.2 | Variation 2: Reaction of Alkyl Bromides or Sulfonates with Potassium Superoxide | 182 |
| 38.5.1.1.3 | Variation 3: Phase-Transfer-Catalyzed Synthesis of Primary–Tertiary Bisperoxides | 183 |
| 38.5.1.1.4 | Variation 4: Reaction between Germanium or Tin Peroxides and Alkyl Trifluoromethanesulfonates | 184 |
| 38.5.1.1.5 | Variation 5: Acid-Catalyzed Reaction of Alkyl Hydroperoxides with Tertiary Alkyl Trichloroacetimidates | 185 |
| 38.5.1.1.6 | Variation 6: Reaction of Alkyl Hydroperoxides with Alkyl Bromides in Ionic Liquids | 187 |
| 38.5.1.1.7 | Variation 7: 1,1-Bis(alkylperoxy)alkanes via Alkylation of 1,1-Bis(hydroperoxy)alkanes | 187 |
| 38.5.1.2 | Method 2: Addition to a Double Bond | 190 |
| 38.5.1.2.1 | Variation 1: Acid-Catalyzed Addition of Alkyl Hydroperoxides to Enol Ethers | 190 |
| 38.5.1.2.2 | Variation 2: Base-Catalyzed Addition of Alkyl Hydroperoxides to Electron-Deficient Alkenes | 191 |
| 38.5.1.2.3 | Variation 3: Peroxymercuration of Alkenes Followed by Bromodemercuration | 192 |
| 38.5.1.2.4 | Variation 4: Cobalt-Catalyzed Triethylsilylperoxidation of Alkenes with Molecular Oxygen | 193 |
| 38.5.1.3 | Method 3: Peroxycarbenium-Mediated C–C Bond Formation from Monoperoxyketals and Monoperoxyacetals | 194 |
| 38.5.1.3.1 | Variation 1: Allylation of Monoperoxyketals and Monoperoxyacetals | 196 |
| 38.5.1.3.2 | Variation 2: Crotylation of Monoperoxyacetals | 197 |
| 38.5.1.3.3 | Variation 3: Synthesis of 3-Peroxy Ketones | 198 |
| 38.5.1.3.4 | Variation 4: Synthesis of 3-Peroxy Esters | 199 |
| 38.5.1.4 | Method 4: Opening of Oxetanes with Alkyl Hydroperoxides | 199 |
| 38.5.1.5 | Method 5: Opening of Epoxides with Alkyl Hydroperoxides | 200 |
| 38.5.1.6 | Method 6: Ruthenium-Catalyzed Oxidation of Tertiary Amines with Alkyl Hydroperoxides | 201 |
| 38.5.1.7 | Method 7: Epoxy Alkyl Peroxides from Allylic Alcohols Bearing an Appropriately Positioned Lactam Ring | 202 |

| | | |
|-------------------|---|-----|
| 38.6 | Product Class 6: Allylic Peroxides I. N. Lykakis and M. Stratakis | |
| 38.6 | Product Class 6: Allylic Peroxides | 205 |
| 38.6.1 | Synthesis of Product Class 6 | 205 |
| 38.6.1.1 | Method 1: Nucleophilic Substitution | 205 |
| 38.6.1.1.1 | Variation 1: Reaction of Allylic Bromides with Alkyl Hydroperoxides under Basic Conditions | 205 |
| 38.6.1.1.2 | Variation 2: Alkylation of Hydroperoxyacetals under Basic Conditions | 206 |
| 38.6.1.1.3 | Variation 3: Diallylation of 1,1-Bis(hydroperoxy)alkanes under Basic Conditions | 207 |
| 38.6.1.1.4 | Variation 4: Alkylation of Allylic Hydroperoxides with an Alkyl Halide or Sulfonate under Basic Conditions | 208 |
| 38.6.1.1.5 | Variation 5: Reaction of Allylic Alcohols with <i>tert</i> -Butyl Hydroperoxide under Acidic Conditions | 208 |
| 38.6.1.1.6 | Variation 6: Reaction of Allylic Alcohols with <i>tert</i> -Butyl Hydroperoxide Catalyzed by a Polyoxometalate | 209 |
| 38.6.1.1.7 | Variation 7: Reaction of Alkyl Hydroperoxides and Tertiary Alkyl Trichloroacetimidates under Acidic Conditions | 210 |
| 38.6.1.2 | Method 2: Synthesis of Allylic Peroxides via Tritylation and Methoxymethylation of Allylic Stannyl Peroxides | 211 |
| 38.6.1.3 | Method 3: Allylic Peroxyketals via the Acid-Catalyzed Addition of Allylic Hydroperoxides to Enol Ethers | 212 |
| 38.6.1.4 | Method 4: Allylic Peroxidation of Alkenes with <i>tert</i> -Butyl Hydroperoxide | 213 |
| 38.6.1.4.1 | Variation 1: Palladium-Catalyzed Allylic Peroxidation of Cycloalkenes | 213 |
| 38.6.1.4.2 | Variation 2: Palladium/Carbon-Catalyzed Allylic Peroxidation of 1,4-Dienes | 214 |
| 38.6.1.4.3 | Variation 3: Palladium(II) Hydroxide/Carbon Catalyzed Allylic Peroxidation of Enones | 215 |
| 38.6.1.4.4 | Variation 4: Allylic Peroxidation of Cyclohexene Catalyzed by Manganese(II), Cobalt(II), Nickel(II), Copper(II), and Vanadyl Complexes Supported on Alumina | 215 |
| 38.6.1.4.5 | Variation 5: Allylic Peroxidation of Cyclohexene Catalyzed by Molybdenum Oxide and Vanadium Oxide Clusters | 217 |
| 38.6.1.4.6 | Variation 6: Allylic Peroxidation of Cycloalkenes with <i>tert</i> -Butyl Hydroperoxide Catalyzed by Pyridinium Chlorochromate or Pyridinium Dichromate | 218 |
| 38.6.1.5 | Method 5: Reaction of Conjugated Dienes and Trienes with Pyridinium Dichromate and <i>tert</i> -Butyl Hydroperoxide | 218 |
| 38.6.1.6 | Method 6: Hexacarbonylmolybdenum(0)-Catalyzed Oxidation of Enediones with <i>tert</i> -Butyl Hydroperoxide To Form Peroxypyranones | 219 |
| 38.6.1.7 | Method 7: Synthesis of Functionalized Allylic Peroxides from Allylic Peroxy Vinylstannanes | 220 |
| 38.6.1.7.1 | Variation 1: <i>N</i> -Iodosuccinimide-Mediated Formation of Allylic Peroxy Vinyl Iodides | 221 |

| | | | |
|------------|--------------|---|-----|
| 38.6.1.7.2 | Variation 2: | Palladium-Mediated C—C Bond-Forming Reactions for the Synthesis of Functionalized Allylic Peroxides | 221 |
| 38.6.1.8 | Method 8: | Synthesis of Allylic Peroxides via the Wittig Alkenation of α -Peroxy-Substituted Aldehydes | 223 |
| 38.6.1.9 | Method 9: | Formation of 4-(<i>tert</i> -Butylperoxy)cyclohexadienones by Oxidation of Phenols | 224 |
| 38.6.1.9.1 | Variation 1: | Metal-Catalyzed Oxidation of Phenols with <i>tert</i> -Butyl Hydroperoxide | 224 |
| 38.6.1.9.2 | Variation 2: | Free-Radical Oxidation of Phenols by a Hypervalent (<i>tert</i> -Butylperoxy)iodane and <i>tert</i> -Butyl Hydroperoxide | 226 |
| 38.6.1.10 | Method 10: | Formation of Allylic 1,4-Diperoxides from the Chloroperoxidase-Catalyzed Oxidation of Conjugated Dienoic Esters | 226 |

38.7 Product Class 7: Benzylic Peroxides

M. R. Iesce and M. DellaGreca

| | | |
|--------------|---|-----|
| 38.7 | Product Class 7: Benzylic Peroxides | 231 |
| 38.7.1 | Synthesis of Product Class 7 | 231 |
| 38.7.1.1 | Oxidation with Oxygen | 231 |
| 38.7.1.1.1 | Method 1: Oxidation of Arylalkanes | 231 |
| 38.7.1.1.2 | Method 2: Oxidation of Triarylmethyl Chlorides | 232 |
| 38.7.1.1.3 | Method 3: Oxidation of Arylalkenes via Trapping Reactions | 232 |
| 38.7.1.1.3.1 | Variation 1: Intramolecular Cyclization in the Presence of a Cobalt(II) Complex | 232 |
| 38.7.1.1.3.2 | Variation 2: Intermolecular Cycloaddition with Carbonyl Compounds | 233 |
| 38.7.1.1.3.3 | Variation 3: Intermolecular Cyclization with β -Oxo Carbonyl Compounds in the Presence of Manganese Catalysts | 234 |
| 38.7.1.1.3.4 | Variation 4: Intermolecular Cyclization with Heterocyclic 1,3-Dicarbonyl Compounds in the Presence of Manganese Catalysts | 236 |
| 38.7.1.2 | Oxidation with Hydroperoxides | 238 |
| 38.7.1.2.1 | Method 1: Oxidation of Arylalkanes under Metal Catalysis | 238 |
| 38.7.1.2.1.1 | Variation 1: Using Chromium | 238 |
| 38.7.1.2.1.2 | Variation 2: Using Cobalt | 239 |
| 38.7.1.2.1.3 | Variation 3: Using Copper | 240 |
| 38.7.1.2.1.4 | Variation 4: Using Lead | 243 |
| 38.7.1.2.2 | Method 2: Nucleophilic Substitution Using Hydroperoxides | 244 |
| 38.7.1.2.2.1 | Variation 1: Of Halides | 244 |
| 38.7.1.2.2.2 | Variation 2: Of Alcohols | 247 |
| 38.7.1.2.2.3 | Variation 3: Of Imidates | 249 |
| 38.7.1.2.2.4 | Variation 4: Of Oxiranes | 249 |
| 38.7.1.2.3 | Method 3: Addition Reactions of Hydroperoxides | 250 |
| 38.7.1.2.3.1 | Variation 1: Acid-Mediated Addition to Alkenes | 250 |
| 38.7.1.2.3.2 | Variation 2: Base-Mediated Addition to Alkenes | 251 |
| 38.7.1.2.3.3 | Variation 3: Palladium-Mediated Addition to Alkenes | 252 |

| | | |
|--------------|--|-----|
| 38.7.1.2.3.4 | Variation 4: Mercury-Mediated Addition to Alkenes | 253 |
| 38.7.1.2.3.5 | Variation 5: Addition to Cyclopropanes | 254 |
| 38.7.1.2.3.6 | Variation 6: Addition to Carbonyl Compounds | 256 |
| 38.7.1.3 | Photooxygenation | 257 |
| 38.7.1.3.1 | Method 1: Photooxygenation of Arylalkenes | 257 |
| 38.7.1.3.2 | Method 2: Photooxygenation of Three-Membered Heterocycles via Photoinduced Electron Transfer | 258 |
| 38.7.1.3.3 | Method 3: Photooxygenation of Cyclopropanes via Photoinduced Radical Production | 260 |
| 38.7.1.4 | Other Methods | 260 |
| 38.7.1.4.1 | Method 1: Oxidative Fluorodesulfuration | 260 |
| 38.7.1.4.2 | Method 2: Ozonization of Unsaturated Benzylic Hydroperoxides | 261 |
| 38.7.1.4.3 | Method 3: Oxygenation of Aryl Azo Hydroperoxides | 262 |
| 38.7.1.4.4 | Method 4: Acid-Catalyzed Reaction of Peroxyketals with Ketene Silyl Acetals | 262 |
| 38.7.2 | Applications of Product Class 7 in Organic Synthesis | 264 |
| 38.7.2.1 | Method 1: Oxidation to Carbonyl Derivatives | 264 |
| 38.7.2.2 | Method 2: Reduction to Alcohols | 265 |
| 38.7.2.3 | Method 3: Heterolysis of an O—O or C—O Bond | 265 |
| 38.7.2.3.1 | Variation 1: Trapping with Alkenes | 267 |
| 38.7.2.3.2 | Variation 2: Trapping with Carbonyl Compounds | 268 |
| 38.7.2.3.3 | Variation 3: Trapping with Hydrazine Derivatives or Hydroxylamine | 269 |
| 38.7.2.4 | Method 4: Homolysis of the O—O Bond: Radical Production | 270 |

38.8 Product Class 8: Monocyclic Peroxides

38.8.1 Product Subclass 1: Three-Membered Cyclic Peroxides (Dioxiranes)

B. Wang and Y. Shi

| | | |
|--------------|---|-----|
| 38.8.1 | Product Subclass 1: Three-Membered Cyclic Peroxides (Dioxiranes) | 275 |
| 38.8.1.1 | Synthesis of Product Subclass 1 | 275 |
| 38.8.1.1.1 | Method 1: Preparation of Dioxiranes Using Oxone | 276 |
| 38.8.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 278 |
| 38.8.1.2.1 | Method 1: Oxidation of Heteroatoms by Dioxiranes | 278 |
| 38.8.1.2.1.1 | Variation 1: Synthesis of Sulfinic Acids | 279 |
| 38.8.1.2.1.2 | Variation 2: Synthesis of Sulfoxides and Sulfones | 279 |
| 38.8.1.2.1.3 | Variation 3: Synthesis of Sulfoximides | 283 |
| 38.8.1.2.1.4 | Variation 4: Synthesis of <i>N</i> -Oxides and Nitro Compounds | 283 |
| 38.8.1.2.1.5 | Variation 5: Synthesis of Hydroxylamines | 287 |
| 38.8.1.2.1.6 | Variation 6: Synthesis of Nitrones and Nitroxide Radicals | 289 |
| 38.8.1.2.1.7 | Variation 7: Synthesis of Hydroxamic Acids | 292 |
| 38.8.1.2.1.8 | Variation 8: Cleavage of C=N Bonds | 293 |
| 38.8.1.2.1.9 | Variation 9: Cleavage of C=P Bonds | 297 |

| | | |
|---------------|---|-----|
| 38.8.1.2.1.10 | Variation 10: Cleavage of C=S Bonds | 298 |
| 38.8.1.2.2 | Method 2: Oxidation of C=C π -Bonds by Dioxiranes | 300 |
| 38.8.1.2.2.1 | Variation 1: Oxidation of Alkenes | 300 |
| 38.8.1.2.2.2 | Variation 2: Oxidation of Allenes | 300 |
| 38.8.1.2.2.3 | Variation 3: Oxidation of Enolates | 303 |
| 38.8.1.2.2.4 | Variation 4: Oxidation of Arenes | 306 |
| 38.8.1.2.2.5 | Variation 5: Oxidation of Alkynes | 310 |
| 38.8.1.2.3 | Method 3: Oxidation of X–H σ -Bonds by Dioxiranes | 310 |
| 38.8.1.2.3.1 | Variation 1: Oxidation of Si–H σ -Bonds | 310 |
| 38.8.1.2.3.2 | Variation 2: Oxidation C–H σ -Bonds of Saturated Alkanes | 311 |
| 38.8.1.2.3.3 | Variation 3: Oxidation of Activated C–H σ -Bonds | 314 |
| 38.8.1.2.4 | Method 4: Oxidation of Organometallic Compounds by Dioxiranes | 316 |
| | | |
| 38.8.2 | Product Subclass 2: Four-Membered Cyclic Peroxides (1,2-Dioxetanes and 1,2-Dioxetanones) W. J. Baader and E. L. Bastos | |
| | | |
| 38.8.2 | Product Subclass 2: Four-Membered Cyclic Peroxides (1,2-Dioxetanes and 1,2-Dioxetanones) | 323 |
| 38.8.2.1 | Synthesis of Product Subclass 2 | 324 |
| 38.8.2.1.1 | Method 1: Cyclization of Halo Hydroperoxides | 324 |
| 38.8.2.1.1.1 | Variation 1: Cyclization of Epoxy Hydroperoxides | 326 |
| 38.8.2.1.1.2 | Variation 2: Cyclization of Unsaturated Hydroperoxides | 326 |
| 38.8.2.1.1.3 | Variation 3: By Cyclomercuration of Allylic Hydroperoxides | 328 |
| 38.8.2.1.1.4 | Variation 4: 1,2-Dioxetanones from α -Hydroperoxy Acids | 328 |
| 38.8.2.1.2 | Method 2: Singlet Oxygenation of Alkenes | 329 |
| 38.8.2.1.2.1 | Variation 1: By Sensitized Photooxygenation | 330 |
| 38.8.2.1.2.2 | Variation 2: Using Calcium Peroxide–Hydrogen Peroxide Complex | 333 |
| 38.8.2.1.2.3 | Variation 3: Using Sodium Molybdate/Hydrogen Peroxide | 334 |
| 38.8.2.1.2.4 | Variation 4: Using Triethylsilyl Hydrotrioxide | 335 |
| 38.8.2.1.3 | Method 3: Triplet Oxygenation of Cyclobutadienes | 335 |
| 38.8.2.1.4 | Method 4: Photocatalytic Oxygenation | 336 |
| 38.8.2.1.5 | Method 5: Ozonolysis of Vinylsilanes | 337 |
| 38.8.2.1.6 | Method 6: Oxygenation Using Phosphite Ozonides | 338 |
| 38.8.2.1.6.1 | Variation 1: 1,2-Dioxetanones from Photooxygenation of Ketenes | 340 |
| 38.8.2.1.7 | Method 7: Electron-Transfer Oxygenation | 340 |
| | | |
| 38.8.3 | Product Subclass 3: Five-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxolanes and 1,2-Dioxolan-3-ones) W. J. Baader and E. L. Bastos | |
| | | |
| 38.8.3 | Product Subclass 3: Five-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxolanes and 1,2-Dioxolan-3-ones) | 345 |
| 38.8.3.1 | Synthesis of Product Subclass 3 | 346 |
| 38.8.3.1.1 | Method 1: Cyclization of Hydroperoxides | 346 |

| | | | |
|--------------|--------------|--|-----|
| 38.8.3.1.1.1 | Variation 1: | Of Bromo Hydroperoxides | 346 |
| 38.8.3.1.1.2 | Variation 2: | Of Epoxy Hydroperoxides | 347 |
| 38.8.3.1.1.3 | Variation 3: | Of Vinyl Hydroperoxides | 347 |
| 38.8.3.1.1.4 | Variation 4: | Of Stannylalkenyl Hydroperoxides | 349 |
| 38.8.3.1.1.5 | Variation 5: | Of α -Alkoxy Hydroperoxides | 350 |
| 38.8.3.1.1.6 | Variation 6: | Lead(IV) Acetate Mediated Cyclization of 3-Phenylpropyl Hydroperoxides | 350 |
| 38.8.3.1.2 | Method 2: | Cyclization of Haloalkyl Peroxides | 351 |
| 38.8.3.1.3 | Method 3: | Cyclization of Oxetane Hydroperoxyacetals | 351 |
| 38.8.3.1.4 | Method 4: | Oxidation of α,β -Unsaturated Ketones by Hydrogen Peroxide | 353 |
| 38.8.3.1.5 | Method 5: | Peroxymercuration/Demercuration | 355 |
| 38.8.3.1.6 | Method 6: | Cycloaddition of Carbonyl Oxides to C—C Multiple Bonds | 356 |
| 38.8.3.1.6.1 | Variation 1: | From 1,2,4-Trioxolanes | 356 |
| 38.8.3.1.6.2 | Variation 2: | Via Peroxycarbenium Ions | 358 |
| 38.8.3.1.7 | Method 7: | Singlet Oxygenation | 359 |
| 38.8.3.1.7.1 | Variation 1: | Of 2-Methylacrylic Acids, Leading to 3-Hydroperoxy Acids | 359 |
| 38.8.3.1.7.2 | Variation 2: | Of Enones | 360 |
| 38.8.3.1.7.3 | Variation 3: | Of Cyclopropanes | 361 |
| 38.8.3.1.7.4 | Variation 4: | Of α,β -Unsaturated Aldimines | 362 |
| 38.8.3.1.8 | Method 8: | Radical-Mediated Oxygenation | 362 |
| 38.8.3.1.8.1 | Variation 1: | Addition of Molecular Oxygen to Cyclopropanes | 362 |
| 38.8.3.1.8.2 | Variation 2: | From Stable Schlenk Hydrocarbon Diradicals | 366 |
| 38.8.3.1.8.3 | Variation 3: | Peroxidation of 1,4-Dienes and Vinylcyclopropanes with Cobalt(II)/Oxygen/Triethylsilane | 367 |
| 38.8.3.1.8.4 | Variation 4: | Photolysis or Thermolysis of Alkylidene Azoalkanes | 368 |
| 38.8.3.1.8.5 | Variation 5: | Thiol–Alkene Co-oxygenation | 369 |
| 38.8.3.1.8.6 | Variation 6: | Halogen-Mediated Peroxidations | 370 |
| 38.8.3.1.9 | Method 9: | β -Fragmentation of Alkoxy Radicals | 370 |
| 38.8.3.1.10 | Method 10: | Synthesis from Benzo-Fused Bicyclic Sulfonium Salts | 372 |
| 38.8.3.1.11 | Method 11: | Ozonolysis | 373 |
| 38.8.3.1.12 | Method 12: | Peroxide Addition | 375 |

38.8.4 Product Subclass 4: Five-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxolanes)

W. J. Baader and E. L. Bastos

| | | | |
|--------------|--|---|-----|
| 38.8.4 | Product Subclass 4: Five-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxolanes) | 379 | |
| 38.8.4.1 | Synthesis of Product Subclass 4 | 380 | |
| 38.8.4.1.1 | Method 1: | Ozonolysis of Alkenes | 380 |
| 38.8.4.1.2 | Method 2: | Cycloaddition of Carbonyl Oxides to C=O Bonds | 385 |
| 38.8.4.1.2.1 | Variation 1: | From the Ozonolysis of Cycloalkadienes in the Presence of Carbonyl Compounds | 387 |
| 38.8.4.1.2.2 | Variation 2: | Griesbaum Co-ozonolysis | 387 |
| 38.8.4.1.3 | Method 3: | Ozonolysis of Acetylenic Substrates | 389 |

| | | |
|---------------|--|-----|
| 38.8.4.1.4 | Method 4: Photooxygenation | 390 |
| 38.8.4.1.4.1 | Variation 1: Of Epoxides | 390 |
| 38.8.4.1.4.2 | Variation 2: Of Furans | 391 |
| 38.8.4.1.4.3 | Variation 3: Of Diazo Compounds and Azines | 392 |
| 38.8.5 | Product Subclass 5: Six-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxanes and 3,6-Dihydro-1,2-dioxins) W. J. Baader and E. L. Bastos | |
| 38.8.5 | Product Subclass 5: Six-Membered Cyclic Peroxides with No Further Heteroatoms in the Ring (1,2-Dioxanes and 3,6-Dihydro-1,2-dioxins) | 397 |
| 38.8.5.1 | Synthesis of Product Subclass 5 | 398 |
| 38.8.5.1.1 | Method 1: Cyclization of Hydroperoxides | 398 |
| 38.8.5.1.1.1 | Variation 1: Cyclization of Halo Hydroperoxides | 398 |
| 38.8.5.1.1.2 | Variation 2: Cyclization of Epoxy Hydroperoxides | 399 |
| 38.8.5.1.1.3 | Variation 3: Cyclization of Vinyl Hydroperoxides | 400 |
| 38.8.5.1.1.4 | Variation 4: Cyclization of Oxetane Hydroperoxides | 401 |
| 38.8.5.1.2 | Method 2: Cyclization of Unsaturated Hydroperoxyacetals | 402 |
| 38.8.5.1.3 | Method 3: Cycloaddition of Carbonyl Oxides to C—C Multiple Bonds | 404 |
| 38.8.5.1.4 | Method 4: Ozonolysis of Alkylidenecyclopropanes | 406 |
| 38.8.5.1.5 | Method 5: Singlet Oxygenation of 1,3-Dienes and Related Compounds | 407 |
| 38.8.5.1.6 | Method 6: Radical-Mediated Oxygenation | 409 |
| 38.8.5.1.6.1 | Variation 1: Thiol–Alkene Co-oxygenation | 409 |
| 38.8.5.1.6.2 | Variation 2: Free-Radical Cyclization of Alkenes with Carbonyl Compounds | 409 |
| 38.8.5.1.6.3 | Variation 3: Peroxyl-Radical Cyclization | 411 |
| 38.8.5.1.6.4 | Variation 4: Peroxidation with Cobalt(II)/Oxygen/Triethylsilane | 412 |
| 38.8.5.1.6.5 | Variation 5: Oxygen Addition to Carbon-Centered Radicals | 413 |
| 38.8.5.1.6.6 | Variation 6: Lead(IV) Acetate Mediated Cyclization of ω -Phenyl Hydroperoxides | 414 |
| 38.8.5.1.6.7 | Variation 7: Addition of Molecular Oxygen to Alkenes | 414 |
| 38.8.5.1.7 | Method 7: Photoenolization and Oxygenation of α,β -Unsaturated Ketones | 415 |
| 38.8.5.1.8 | Method 8: Nucleophilic Addition of Peroxides | 417 |
| 38.8.6 | Product Subclass 6: Six-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxanes) W. J. Baader and E. L. Bastos | |
| 38.8.6 | Product Subclass 6: Six-Membered Cyclic Peroxides with One Further Oxygen Atom in the Ring (1,2,4-Trioxanes) | 421 |
| 38.8.6.1 | Synthesis of Product Subclass 6 | 422 |
| 38.8.6.1.1 | Method 1: Synthesis from Hydroperoxides | 422 |
| 38.8.6.1.1.1 | Variation 1: Condensation of β -Hydroperoxy Alcohols with Aldehydes or Ketones | 422 |

| | | | |
|--------------|---|--|-----|
| 38.8.6.1.1.2 | Variation 2: | Cyclization of Unsaturated Hydroperoxyacetals | 427 |
| 38.8.6.1.1.3 | Variation 3: | Autoxidation of Unsaturated Hydroperoxyacetals | 430 |
| 38.8.6.1.1.4 | Variation 4: | From Epoxy Hydroperoxides | 431 |
| 38.8.6.1.2 | Method 2: | Cyclization of Allylic Peroxyhemiketals | 431 |
| 38.8.6.1.2.1 | Variation 1: | Mercury(II)-Mediated Cyclization of Unsaturated Peroxyhemiketals | 432 |
| 38.8.6.1.3 | Method 3: | Cyclization of Silyl Peroxyhemiketals in the Presence of Aldehydes and Ketones | 433 |
| 38.8.6.1.3.1 | Variation 1: | 1,2,4-Trioxan-5-ones from α -(Trimethylsilylperoxy) Esters | 433 |
| 38.8.6.1.4 | Method 4: | Photooxygenation | 434 |
| 38.8.6.1.5 | Method 5: | Synthesis from 1,2-Dioxetanes: The Posner Reaction | 435 |
| 38.8.6.1.6 | Method 6: | Miscellaneous Methods Employing Bridged Cyclic Peroxides | 439 |
| 38.8.6.1.7 | Method 7: | Addition of Oxygen to Allylic Hydroperoxides | 441 |
| 38.8.6.1.8 | Method 8: | Trapping of Paterno–Büchi 1,4-Diradicals by Molecular Oxygen | 444 |
| 38.8.6.1.9 | Method 9: | Autoxidation of Imines in the Presence of Aldehydes | 445 |
| 38.8.7 | Product Subclass 7: Six-Membered Cyclic Peroxides with Two Further Oxygen Atoms in the Ring (1,2,4,5-Tetroxanes) | | |
| | W. J. Baader and E. L. Bastos | | |
| 38.8.7 | Product Subclass 7: Six-Membered Cyclic Peroxides with Two Further Oxygen Atoms in the Ring (1,2,4,5-Tetroxanes) 449 | | |
| 38.8.7.1 | Synthesis of Product Subclass 7 450 | | |
| 38.8.7.1.1 | Method 1: | Synthesis from Aldehydes or Ketones | 450 |
| 38.8.7.1.1.1 | Variation 1: | Reaction of Aldehydes or Ketones with Bis(trimethylsilyl) Peroxide | 456 |
| 38.8.7.1.2 | Method 2: | Synthesis by Ozonolysis | 458 |
| 38.8.7.1.2.1 | Variation 1: | Of <i>O</i> -Methyloximes | 461 |
| 38.8.7.1.3 | Method 3: | Synthesis from 1,2,4-Trioxolanes | 462 |
| 38.8.7.1.4 | Methods 4: | Miscellaneous Methods | 463 |
| 38.9 | Product Class 9: Larger-Ring Cyclic Peroxides and Endoperoxides | | |
| | M. N. Alberti, M. D. Tzirakis, and M. Orfanopoulos | | |
| 38.9 | Product Class 9: Larger-Ring Cyclic Peroxides and Endoperoxides 469 | | |
| 38.9.1 | Synthesis of Product Class 9 469 | | |
| 38.9.1.1 | Method 1: | Peroxidation with Triplet Molecular Oxygen | 469 |
| 38.9.1.1.1 | Variation 1: | Cycloaddition of Triplet Dioxygen to Biradicals | 469 |
| 38.9.1.1.2 | Variation 2: | Cycloaddition of Triplet Oxygen to an <i>o</i> -Quinodimethane System | 470 |
| 38.9.1.1.3 | Variation 3: | Electron-Transfer-Induced Photooxidation of 1,6-Dienes with Triplet Oxygen | 471 |
| 38.9.1.1.4 | Variation 4: | Lewis Acid Induced Peroxidation of 1,3-Dienes | 473 |
| 38.9.1.1.5 | Variation 5: | Autoxidation of Nonconjugated 1,4-Dienes | 474 |

| | | | |
|-------------------|--------------|--|-----|
| 38.9.1.1.6 | Variation 6: | Thiol–Alkene Co-oxygenation | 475 |
| 38.9.1.1.7 | Variation 7: | Cobalt(II)-Catalyzed Peroxidation of 1,5-Dienes with Molecular Oxygen and Triethylsilane | 478 |
| 38.9.1.2 | Method 2: | Oxidation of Cyclic Unsaturated Compounds with Photochemically Generated Singlet Oxygen | 479 |
| 38.9.1.2.1 | Variation 1: | Photooxidation of Naphthalene Derivatives | 480 |
| 38.9.1.2.2 | Variation 2: | Photooxidation of Anthracene and Pentacene Derivatives .. | 483 |
| 38.9.1.2.3 | Variation 3: | Photooxidation of Strained Metacyclophanes | 485 |
| 38.9.1.2.4 | Variation 4: | Photooxidation of Cyclopentadiene and Cyclohexa-1,3- or Cyclohexa-1,4-diene Systems | 485 |
| 38.9.1.2.5 | Variation 5: | Photooxidation of Cycloheptadiene/triene Systems | 488 |
| 38.9.1.2.6 | Variation 6: | Photooxidation of Cyclooctadiene/triene/tetraene Systems | 492 |
| 38.9.1.3 | Method 3: | Oxidation of Cyclic Unsaturated Compounds by Chemically Generated Singlet Oxygen | 493 |
| 38.9.1.4 | Method 4: | Cyclization of Hydroperoxides and Their Derivatives through Nucleophilic Substitution | 494 |
| 38.9.1.4.1 | Variation 1: | Cyclization of Bromo Hydroperoxides | 494 |
| 38.9.1.4.2 | Variation 2: | Acid-Catalyzed Cyclization of Epoxy Hydroperoxides | 496 |
| 38.9.1.4.3 | Variation 3: | Trimethylsilyl Trifluoromethanesulfonate Catalyzed Intramolecular Cyclization of Silyl Peroxides | 496 |
| 38.9.1.4.4 | Variation 4: | Peroxide Transfer from Bis(tributyltin) Peroxide | 497 |
| 38.9.1.4.5 | Variation 5: | Cesium Hydroxide or Silver(I) Oxide Mediated Cycloalkylation of Alkane-1,1-diyl Dihydroperoxides and Dihaloalkanes | 498 |
| 38.9.1.4.6 | Variation 6: | Base-Catalyzed Cyclization of Dihydroperoxides and Dialkyldichlorosilanes | 499 |
| 38.9.1.5 | Method 5: | Cyclization of Unsaturated Hydroperoxides through Intramolecular Nucleophilic Addition | 500 |
| 38.9.1.5.1 | Variation 1: | Halonium Ion Mediated Cyclization of Unsaturated Hydroperoxides | 500 |
| 38.9.1.5.2 | Variation 2: | Base-Catalyzed Intramolecular Cyclization of Unsaturated Hydroperoxides | 504 |
| 38.9.1.5.3 | Variation 3: | Ozonolysis of Unsaturated Hydroperoxides | 505 |
| 38.9.1.5.4 | Variation 4: | Ozonolysis of Vinylsilanes | 508 |
| 38.9.1.5.5 | Variation 5: | Peroxymercuration/Demercuration of Cyclic Dienes | 509 |
| 38.9.1.5.6 | Variation 6: | Intramolecular Capture of β -Hydroperoxy Cations | 510 |
| 38.9.1.6 | Method 6: | Cycloaddition of Peroxides with Carbonyl Compounds | 511 |
| 38.9.1.6.1 | Variation 1: | Trimethylsilylation of Dihydroperoxides Followed by Trimethylsilyl Trifluoromethanesulfonate Catalyzed Cyclocondensation with Carbonyl Compounds | 511 |
| 38.9.1.6.2 | Variation 2: | Acid-Catalyzed Condensation of γ - or δ -Hydroxy Hydroperoxides and Ketones | 512 |
| 38.9.1.6.3 | Variation 3: | Acid-Catalyzed Condensation of 3-Methyl-3- (triethylsilylperoxy)butan-1-ol and Carbonyl Compounds ... | 514 |
| 38.9.1.7 | Method 7: | Synthesis with Retention of the Functional Group | 515 |
| 38.9.1.7.1 | Variation 1: | Reduction of C=C Bonds in Unsaturated Bicyclic Peroxides .. | 515 |
| 38.9.1.7.2 | Variation 2: | Chlorination of Unsaturated Bicyclic Peroxides | 517 |
| 38.9.1.7.3 | Variation 3: | Selective Reduction of the Hydroperoxide Group in Hydroperoxy Endoperoxides | 517 |
| 38.9.1.7.4 | Variation 4: | Dehydration of Hydroperoxy-Substituted Endoperoxides ... | 517 |

| | | | |
|--------------------------------|--------------|---|-----|
| 38.9.1.7.5 | Variation 5: | Reduction of a Ketone Group in Endoperoxides | 519 |
| 38.9.1.7.6 | Variation 6: | Oxidation of Hydroxy Endoperoxides | 519 |
| 38.9.1.7.7 | Variation 7: | Diels–Alder Reaction with Dimethyl 1,2,4,5-Tetrazine-3,6-dicarboxylate | 520 |
| 38.9.1.7.8 | Variation 8: | Reductive Debromination with Tributyltin Hydride | 520 |
| 38.9.1.7.9 | Variation 9: | Silver(I) Oxide Mediated Methylation of Hydroperoxy-Substituted Endoperoxides | 521 |
| Keyword Index | | | 525 |
| Author Index | | | 555 |
| Abbreviations | | | 577 |

