
Volume 40b:
Amine *N*-Oxides, Haloamines, Hydroxylamines
and Sulfur Analogues, and Hydrazines

	Preface	V
	Volume Editors' Preface	VII
	Table of Contents	IX
40.2	Product Class 2: Nitroxyl Radicals (Nitroxides) A. Studer and T. Vogler	845
40.3	Product Class 3: Amine <i>N</i>-Oxides I. O'Neil	855
40.4	Product Class 4: <i>N</i>-Haloamines U. Wille	893
40.5	Product Class 5: Hydroxylamines D. Geffken and M. A. Köllner	937
40.6	Product Class 6: 1-Oxa-2-azacycloalkanes D. Geffken and M. A. Köllner	1083
40.7	Product Class 7: Hydrazines and Hydrazinium Salts P. Rademacher	1133
40.8	Product Class 8: 1,2-Diazacycloalkanes W. Maison	1211
40.9	Product Class 9: Triazanes and Tetrazanes E. Schaumann	1253
40.10	Product Class 10: Amido Derivatives of Sulfanediol S. R. Chemler	1259
40.11	Product Class 11: Amido Derivatives of Sulfurous Acid S. R. Chemler	1269
40.12	Product Class 12: <i>N</i>-Alkylsulfamic Acids and Derivatives E. S. Sherman and S. R. Chemler	1285
40.13	Product Class 13: Ammoniumsulfonates, Thiohydroxylamines, and Aminosulfonium Salts E. Schaumann	1305
	Keyword Index	1309
	Author Index	1339
	Abbreviations	1371

Table of Contents

40.2	Product Class 2: Nitroxyl Radicals (Nitroxides) A. Studer and T. Vogler	
<hr/>		
40.2	Product Class 2: Nitroxyl Radicals (Nitroxides)	845
40.2.1	Synthesis of Product Class 2	846
40.2.1.1	Method 1: Oxidation of Amines	846
40.2.1.2	Method 2: Oxidation of Hydroxylamines	847
40.2.1.2.1	Variation 1: From Hydroxylamines	847
40.2.1.2.2	Variation 2: From Nitrones	848
40.2.1.3	Methods 3: Other Methods	848
40.2.2	Applications of Product Class 2 in Organic Synthesis	849
40.2.2.1	Method 1: Alcohol Oxidation	849
40.2.2.2	Method 2: Controlled Radical Polymerization	850
40.2.2.3	Method 3: Radical Carboaminoxylations	851
40.3	Product Class 3: Amine <i>N</i>-Oxides I. O'Neil	
<hr/>		
40.3	Product Class 3: Amine <i>N</i>-Oxides	855
40.3.1	Synthesis of Product Class 3	860
40.3.1.1	Method 1: Reaction of Hydroxylamines with Alkylating Agents	860
40.3.1.2	Method 2: Oxidation of Tertiary Amines	861
40.3.1.2.1	Variation 1: Using Hydrogen Peroxide	862
40.3.1.2.2	Variation 2: Using Alkyl Hydroperoxides	865
40.3.1.2.3	Variation 3: Using Peracids	868
40.3.1.2.4	Variation 4: Using Molecular Oxygen	872
40.3.1.2.5	Variation 5: Using Ozone	872
40.3.1.2.6	Variation 6: Using Oxaziridines	873
40.3.1.2.7	Variation 7: Using Dimethyldioxirane	874
40.3.1.2.8	Variation 8: Using Magnesium Monoperoxyphthalate	875
40.3.1.2.9	Variation 9: Using Hypofluorous Acid–Acetonitrile Complex	875
40.3.1.2.10	Variation 10: Using Biomimetic Hydroperoxides	875
40.3.1.2.11	Variation 11: Using Enzymatic Transformations	877
40.3.1.3	Method 3: Reverse Cope Cyclization	878
40.3.1.4	Method 4: Synthesis of Enamine <i>N</i> -Oxides	885
40.4	Product Class 4: <i>N</i>-Haloamines U. Wille	
<hr/>		
40.4	Product Class 4: <i>N</i>-Haloamines	893
40.4.1	Product Subclass 1: <i>N</i>-Fluoroamines	894
40.4.1.1	Synthesis of Product Subclass 1	894

40.4.1.1.1	Method 1:	Synthesis of <i>N</i> -Fluoroalkanamines	894
40.4.1.1.1.1	Variation 1:	From Imines	894
40.4.1.1.1.2	Variation 2:	From Amides	895
40.4.1.1.1.3	Variation 3:	From Amines	896
40.4.1.1.2	Method 2:	Synthesis of Acyclic <i>N</i> -Fluorodialkylamines	897
40.4.1.1.2.1	Variation 1:	From Imines	897
40.4.1.1.2.2	Variation 2:	From Secondary Amines	897
40.4.1.1.3	Method 3:	Synthesis of 1-Fluoroaziridines	898
40.4.1.1.4	Method 4:	Synthesis of Higher <i>N</i> -Fluoroazacyclanes	901
40.4.2	Product Subclass 2: <i>N</i>-Chloroamines		901
40.4.2.1	Synthesis of Product Subclass 2		901
40.4.2.1.1	Method 1:	Synthesis of <i>N</i> -Chloroalkanamines	901
40.4.2.1.1.1	Variation 1:	From Primary Amines Using Chlorine	901
40.4.2.1.1.2	Variation 2:	From Primary Amines Using a Metal Hypochlorite	902
40.4.2.1.1.3	Variation 3:	From Primary Amines Using <i>tert</i> -Butyl Hypochlorite	903
40.4.2.1.1.4	Variation 4:	From Primary Amines Using <i>N</i> -Chlorosuccinimide	903
40.4.2.1.1.5	Variation 5:	From <i>N</i> -(Trimethylsilyl)ethanamine	904
40.4.2.1.2	Method 2:	Synthesis of Acyclic <i>N</i> -Chlorodialkylamines	904
40.4.2.1.2.1	Variation 1:	From Secondary Amines Using Metal Hypochlorites	904
40.4.2.1.2.2	Variation 2:	From Secondary Amines Using <i>tert</i> -Butyl Hypochlorite	907
40.4.2.1.2.3	Variation 3:	From Secondary Amines Using <i>N</i> -Chloroamides	907
40.4.2.1.2.4	Variation 4:	From (Trialkylsilyl)amines	908
40.4.2.1.2.5	Variation 5:	From Imines and Alkenes	909
40.4.2.1.2.6	Variation 6:	From Aziridines	910
40.4.2.1.3	Method 3:	Synthesis of 1-Chloroaziridines	910
40.4.2.1.3.1	Variation 1:	Using Chlorine	911
40.4.2.1.3.2	Variation 2:	Using a Metal Hypochlorite	911
40.4.2.1.3.3	Variation 3:	Using <i>tert</i> -Butyl Hypochlorite	912
40.4.2.1.3.4	Variation 4:	Using <i>N</i> -Chlorosuccinimide	915
40.4.2.1.4	Method 4:	Synthesis of 1-Chloroazetidines	915
40.4.2.1.5	Method 5:	Synthesis of Higher <i>N</i> -Chloroazacyclanes	916
40.4.2.1.5.1	Variation 1:	From Azacyclanes Using Chlorine	916
40.4.2.1.5.2	Variation 2:	From Azacyclanes Using Hypochlorites	917
40.4.2.1.5.3	Variation 3:	From Azacyclanes Using <i>N</i> -Chlorosuccinimide	918
40.4.2.1.5.4	Variation 4:	From Cyclic Imines	919
40.4.3	Product Subclass 3: <i>N</i>-Bromoamines		920
40.4.3.1	Synthesis of Product Subclass 3		920
40.4.3.1.1	Method 1:	Synthesis of <i>N</i> -Bromoalkanamines	920
40.4.3.1.1.1	Variation 1:	Using Bromine	920
40.4.3.1.1.2	Variation 2:	Using Sodium Hypobromite	921
40.4.3.1.2	Method 2:	Synthesis of Acyclic <i>N</i> -Bromodialkylamines	921
40.4.3.1.2.1	Variation 1:	From Secondary Amines	922
40.4.3.1.2.2	Variation 2:	From <i>N</i> -Silylamines	922
40.4.3.1.2.3	Variation 3:	From Imines	923
40.4.3.1.3	Method 3:	Synthesis of 1-Bromoaziridines	923
40.4.3.1.3.1	Variation 1:	Using Bromine	923

40.4.3.1.3.2	Variation 2:	Using <i>N</i> -Bromosuccinimide	924
40.4.3.1.4	Method 4:	Synthesis of 1-Bromoazetidines	925
40.4.3.1.5	Method 5:	Synthesis of Higher <i>N</i> -Bromoazacyclanes	925
40.4.3.1.5.1	Variation 1:	From Azacyclanes Using Bromine	925
40.4.3.1.5.2	Variation 2:	From Azacyclanes Using Hypobromite	925
40.4.3.1.5.3	Variation 3:	From Azacyclanes Using <i>N</i> -Bromosuccinimide	926
40.4.3.1.5.4	Variation 4:	From Cyclic Imines	926
40.4.3.1.5.5	Variation 5:	From Tertiary Cyclic Amines	927
40.4.4	Product Subclass 4: <i>N</i>-Iodoamines		928
40.4.4.1	Synthesis of Product Subclass 4		928
40.4.4.1.1	Method 1:	Synthesis of <i>N</i> -Iodoalkanamines	928
40.4.4.1.2	Method 2:	Synthesis of Acyclic <i>N</i> -Iododialkylamines	928
40.4.4.1.2.1	Variation 1:	From Secondary Amines	928
40.4.4.1.2.2	Variation 2:	From <i>N</i> -(Trimethylsilyl)amines	929
40.4.4.1.3	Method 3:	Synthesis of Higher <i>N</i> -Iodoazacyclanes	930
40.4.4.1.3.1	Variation 1:	From Cyclic Amines	930
40.4.4.1.3.2	Variation 2:	From Cyclic Imines	930
40.5	Product Class 5: Hydroxylamines		
	D. Geffken and M. A. Köllner		
40.5	Product Class 5: Hydroxylamines		937
40.5.1	Product Subclass 1: Acyclic <i>N</i>-Alkylhydroxylamines, <i>N,N</i>-Dialkylhydroxylamines, and Alkoxyammonium Salts		937
40.5.1.1	Synthesis of Product Subclass 1		937
40.5.1.1.1	Acyclic <i>N</i> -Alkylhydroxylamines		937
40.5.1.1.1.1	Method 1:	Alkylation of Hydroxylamines	937
40.5.1.1.1.1.1	Variation 1:	Direct Alkylation of Hydroxylamine	937
40.5.1.1.1.1.2	Variation 2:	Alkylation of <i>O,N</i> -Diprotected Hydroxylamines	939
40.5.1.1.1.1.3	Variation 3:	Alkylation of <i>N</i> -(Benzyloxy)-4-toluenesulfonamide	941
40.5.1.1.1.1.4	Variation 4:	Addition to Multiple Bonds	942
40.5.1.1.1.1.5	Variation 5:	Alkylation of Ethyl 3-Methyl-5-oxo-2,5-dihydroisoxazole-4-carboxylate	942
40.5.1.1.1.2	Method 2:	Reduction of Oximes	943
40.5.1.1.1.2.1	Variation 1:	Using Borohydride or Cyanoborohydride	943
40.5.1.1.1.2.2	Variation 2:	Using Pyridine–Borane	948
40.5.1.1.1.2.3	Variation 3:	Using Diborane	950
40.5.1.1.1.2.4	Variation 4:	Using Borane–Trialkylamines	950
40.5.1.1.1.3	Method 3:	Reaction of Organometallic Reagents with Oximes	951
40.5.1.1.1.3.1	Variation 1:	Addition of Organolithium Reagents to Oximes	951
40.5.1.1.1.3.2	Variation 2:	Addition of Organomagnesium Reagents to Oximes	951
40.5.1.1.1.3.3	Variation 3:	Reaction of <i>O</i> -Trimethylsilyl Oxime Ethers with Ketene Acetals	952
40.5.1.1.1.3.4	Variation 4:	Addition of Allylboronates to Oximes	953
40.5.1.1.1.4	Method 4:	Synthesis from Nitrones and Organometallic Reagents	953
40.5.1.1.1.5	Method 5:	Alkylation of Oximes	955
40.5.1.1.1.6	Method 6:	Synthesis from <i>O</i> -Benzylhydroxylamines	956

40.5.1.1.1.7	Method 7:	Synthesis from α -Chloro- α -nitroso Compounds	956
40.5.1.1.1.8	Method 8:	Reduction of Nitroalkanes	959
40.5.1.1.1.8.1	Variation 1:	By Catalytic Hydrogenation	959
40.5.1.1.1.8.2	Variation 2:	Using Diborane or Borohydrides	959
40.5.1.1.1.8.3	Variation 3:	Using Aluminum Amalgam	960
40.5.1.1.1.8.4	Variation 4:	Using Zinc	961
40.5.1.1.1.8.5	Variation 5:	Using Tin(II) Compounds	961
40.5.1.1.1.8.6	Variation 6:	Using Samarium(II) Iodide	962
40.5.1.1.1.8.7	Variation 7:	Using Sodium Dithionite	962
40.5.1.1.1.8.8	Variation 8:	By Electrochemical Reduction	963
40.5.1.1.1.8.9	Variation 9:	By Palladium-Catalyzed Hydrogenation with Triethylsilane	964
40.5.1.1.1.9	Method 9:	Synthesis from Nitroso Compounds	964
40.5.1.1.1.10	Method 10:	Oxidation of Primary Amines	965
40.5.1.1.1.10.1	Variation 1:	Using Peroxy Acids or Peroxy Acid Anhydrides	965
40.5.1.1.1.10.2	Variation 2:	Using Hydrogen Peroxide and Sodium Tungstate	966
40.5.1.1.1.10.3	Variation 3:	Using Oxone/Silica Gel	967
40.5.1.1.1.10.4	Variation 4:	Using Dimethyldioxirane	968
40.5.1.1.1.11	Method 11:	Hydrolysis of Oxaziridines	968
40.5.1.1.2		<i>N,N</i> -Dialkylhydroxylamines	969
40.5.1.1.2.1	Method 1:	Alkylation of Hydroxylamines	970
40.5.1.1.2.1.1	Variation 1:	Using Alkyl Halides	970
40.5.1.1.2.1.2	Variation 2:	By Alkylation–Hydrogenolysis of <i>N</i> -Alkyl- <i>O</i> -benzylhydroxylamines	970
40.5.1.1.2.1.3	Variation 3:	Using Organosulfonic Acid Esters	971
40.5.1.1.2.1.4	Variation 4:	By Addition of <i>N</i> -Alkylhydroxylamines to Activated Double Bonds	972
40.5.1.1.2.1.5	Variation 5:	By Reaction of <i>N</i> -Alkylhydroxylamines with Epoxides	974
40.5.1.1.2.1.6	Variation 6:	By Reaction of <i>N,N</i> -Bis(benzotriazol-1-ylmethyl)hydroxylamine with Organometallic Reagents	975
40.5.1.1.2.1.7	Variation 7:	By Palladium(0)-Catalyzed Hydroxyamination of Allyl Esters	975
40.5.1.1.2.1.8	Variation 8:	By Cyclic Alkylation of <i>N</i> -(Pent-4-enyl)hydroxylamines	976
40.5.1.1.2.1.9	Variation 9:	From <i>N</i> -Substituted Hydroxylamines and Sugar Derivatives	976
40.5.1.1.2.2	Method 2:	Reduction of <i>N</i> -Hydroxyimides and <i>N</i> -Hydroxylactams	978
40.5.1.1.2.3	Method 3:	Reductive Alkylation of Oximes with Carboxylic Acids	978
40.5.1.1.2.4	Method 4:	Reduction of Nitrones	979
40.5.1.1.2.4.1	Variation 1:	Using Complex Metal Hydrides	979
40.5.1.1.2.4.2	Variation 2:	Using Trichlorosilane	980
40.5.1.1.2.4.3	Variation 3:	By Asymmetric Hydrogenation Using Iridium Catalysts	980
40.5.1.1.2.4.4	Variation 4:	By Asymmetric Hydrosilylation with a Ruthenium(II)–Phosphine Complex Catalyst	981
40.5.1.1.2.5	Method 5:	Synthesis from Nitrones and Organometallic Reagents	981
40.5.1.1.2.6	Method 6:	Synthesis from Nitrones Using Vinylboronic Esters and Dimethylzinc	990
40.5.1.1.2.7	Method 7:	Addition of Organometallic Reagents to Organic Nitro Compounds	990
40.5.1.1.2.8	Method 8:	Pyrolysis of Tertiary Amine Oxides	991
40.5.1.1.2.9	Method 9:	Rearrangement of <i>O</i> -Allyl- <i>N</i> -benzylhydroxylamines	994

40.5.1.1.2.10	Method 10:	Oxidation of Secondary Amines	995
40.5.1.1.2.10.1	Variation 1:	Using Dibenzoyl Peroxide	995
40.5.1.1.2.10.2	Variation 2:	By Catalytic Oxidation with Hydrogen Peroxide	996
40.5.1.1.2.10.3	Variation 3:	Using Dimethyldioxirane	996
40.5.1.1.2.10.4	Variation 4:	Using Oxone	997
40.5.1.1.2.11	Method 11:	Samarium(II) Iodide Induced Reductive Cross Coupling of Nitrones with Aldehydes and Ketones	997
40.5.1.1.3		<i>N</i> -Alkoxyammonium Salts	998
40.5.1.1.3.1	Method 1:	Alkylation of Tertiary Amine Oxides with Haloalkanes	998
40.5.1.1.3.2	Method 2:	Alkylation of Tertiary Amine Oxides with Sultones or Glycolo Sulfites	999
40.5.1.1.3.3	Method 3:	Alkylation of <i>O,N,N</i> -Trisubstituted Hydroxylamines with Haloalkanes	1000
40.5.1.1.3.4	Method 4:	Alkylation of <i>O,N,N</i> -Trisubstituted Hydroxylamines with Methyl Trifluoromethanesulfonate	1001
40.5.1.1.3.5	Method 5:	Exhaustive Methylation of <i>O</i> -Alkylhydroxylamines	1002
40.5.1.1.3.6	Method 6:	Synthesis from 3-(Bromomethyl)-3-phenyl-1,2-dioxetane and Tertiary Amines	1002
40.5.2		Product Subclass 2: Acyclic <i>O</i>-Alkyl-, <i>O,N</i>-Dialkyl-, and Trialkylhydroxylamines	1003
40.5.2.1		Synthesis of Product Subclass 2	1003
40.5.2.1.1		Acyclic <i>O</i> -Alkylhydroxylamines	1003
40.5.2.1.1.1	Method 1:	Synthesis from <i>O</i> -Alkyloximes	1003
40.5.2.1.1.2	Method 2:	Synthesis from <i>O</i> -Alkyl Hydroxamates	1006
40.5.2.1.1.3	Method 3:	Synthesis from Cyclic <i>N</i> -Hydroxyimides by Alkylation with Organic Halides	1007
40.5.2.1.1.4	Method 4:	Synthesis from Cyclic <i>N</i> -Hydroxyimides by Alkylation with Alcohols	1018
40.5.2.1.1.5	Method 5:	Synthesis from <i>N</i> -Hydroxycarbamates	1027
40.5.2.1.1.6	Method 6:	Synthesis from Ethyl <i>N</i> -Hydroxyimidates	1030
40.5.2.1.1.7	Method 7:	Electrophilic Amination of Alkoxides	1032
40.5.2.1.1.8	Method 8:	Synthesis from Hydroxylamine- <i>N,N</i> -disulfonic Acid	1034
40.5.2.1.2		Acyclic <i>O,N</i> -Dialkylhydroxylamines	1035
40.5.2.1.2.1	Method 1:	Alkylation of Hydroxylamine	1036
40.5.2.1.2.2	Method 2:	Alkylation of <i>O</i> -Alkylhydroxylamines	1036
40.5.2.1.2.3	Method 3:	Alkylation of <i>N</i> -Alkoxy carbamates	1038
40.5.2.1.2.4	Method 4:	Alkylation of Hydroxamic Acids	1041
40.5.2.1.2.5	Method 5:	Alkylation of <i>N</i> -Alkoxyureas	1042
40.5.2.1.2.6	Method 6:	Alkylation of <i>O</i> -Benzyl- <i>N</i> -(diethoxyphosphoryl)hydroxylamine	1042
40.5.2.1.2.7	Method 7:	Synthesis from Quaternized Oximes	1043
40.5.2.1.2.8	Method 8:	Reduction of Oxime Ethers	1044
40.5.2.1.2.9	Method 9:	Carbon Radical Addition to Aldoxime Ethers	1048
40.5.2.1.2.10	Method 10:	Addition of Organometallic Reagents to Oxime Ethers	1049

40.5.2.1.2.11	Method 11:	Oxidation of Tertiary Alkyl Lithium Amides with <i>tert</i> -Butyl Peroxybenzoate	1052
40.5.2.1.2.12	Method 12:	Electroreductive Coupling of Ketones with Oxime Ethers ...	1052
40.5.2.1.3		<i>O,N,N</i> -Trialkylhydroxylamines	1053
40.5.2.1.3.1	Method 1:	Alkylation of <i>O</i> -Alkylhydroxylamines	1053
40.5.2.1.3.2	Method 2:	Alkylation of <i>O,N</i> -Dialkylhydroxylamines	1054
40.5.2.1.3.3	Method 3:	Alkylation of <i>N,N</i> -Dialkylhydroxylamines	1055
40.5.2.1.3.4	Method 4:	Reductive Alkylation of <i>O,N</i> -Dialkylhydroxylamines with Ketones or Aldehydes	1056
40.5.2.1.3.5	Method 5:	Addition of Carbon Radicals to Nitroxides	1058
40.5.2.1.3.6	Method 6:	Synthesis from Tertiary Amine Oxides by Meisenheimer Rearrangement	1060
40.5.2.1.3.7	Method 7:	Synthesis from 2,2-Disubstituted Isoxazolidinium Salts	1063
40.5.2.1.3.8	Method 8:	Synthesis from Acyclic Oxyiminium Ions	1063
40.5.2.1.3.9	Method 9:	Reduction of Weinreb Amides	1064
40.5.2.1.3.10	Method 10:	Direct Amination of Alkenes	1065
40.6	Product Class 6: 1-Oxa-2-azacycloalkanes		
	D. Geffken and M. A. Köllner		
40.6	Product Class 6: 1-Oxa-2-azacycloalkanes		1083
40.6.1	Synthesis of Product Class 6		1083
40.6.1.1	Method 1:	Synthesis from Hydroxylamine and 2,4-Dibromo-2,4-dimethylpentan-3-one	1083
40.6.1.2	Method 2:	Intramolecular Cyclization of <i>N</i> -Alkylhydroxylamines	1083
40.6.1.3	Method 3:	Synthesis from Phorone with Hydroxylamine	1084
40.6.1.4	Method 4:	Alkylation of Alkyl <i>N</i> -Hydroxycarbamates	1084
40.6.1.5	Method 5:	Synthesis from <i>N</i> -Hydroxyphthalimide	1086
40.6.1.6	Method 6:	Synthesis from Benzohydroxamic Acid	1088
40.6.1.7	Method 7:	Synthesis from <i>N</i> -Allylhydroxylamines	1089
40.6.1.8	Method 8:	Synthesis from <i>N</i> -Homoallylic Hydroxylamines	1089
40.6.1.9	Method 9:	Synthesis from <i>O</i> -Allylic Hydroxylamines	1090
40.6.1.10	Method 10:	Synthesis from <i>O</i> -Homoallylic Hydroxylamines	1091
40.6.1.11	Method 11:	Synthesis from <i>N</i> -Alka-2,3-dienylhydroxylamines	1092
40.6.1.12	Method 12:	Synthesis from <i>O</i> -Allyloximes by Selenocyclization	1093
40.6.1.13	Method 13:	Ring-Closing Metathesis of <i>N,O</i> -Dialkenyl-Substituted Hydroxylamines	1094
40.6.1.14	Method 14:	Reduction of 5,6-Dihydro-4 <i>H</i> -1,2-oxazines	1097
40.6.1.15	Method 15:	Reduction of 4,5-Dihydroisoxazolium Tetrafluoroborates ...	1098
40.6.1.16	Method 16:	Boron Trifluoride Assisted Alkylation of 4,5-Dihydroisoxazoles	1098
40.6.1.17	Method 17:	Synthesis from 5,6-Dihydro-4 <i>H</i> -oxazinium Salts	1099
40.6.1.18	Method 18:	Allylation of Isoxazolidin-5-ols	1100
40.6.1.19	Method 19:	Synthesis from Organonitroso Compounds by Cycloaddition	1100
40.6.1.19.1	Variation 1:	Synthesis from Perfluoronitrosoalkanes	1100
40.6.1.19.2	Variation 2:	Synthesis from Acylnitroso Compounds	1101
40.6.1.19.3	Variation 3:	Synthesis from α -Chloronitroso Compounds	1105

40.6.1.20	Method 20:	Rearrangement of Cyclic <i>N</i> -Oxides (Meisenheimer Rearrangement)	1107
40.6.1.21	Method 21:	Synthesis from Nitrones by 1,3-Dipolar Cycloaddition	1111
40.6.1.21.1	Variation 1:	Synthesis from Achiral Nitrones	1111
40.6.1.21.2	Variation 2:	Synthesis from Chiral Nitrones	1119
40.6.1.21.3	Variation 3:	Addition of Lithiated Methoxyallene to Chiral Nitrones	1121
40.6.1.21.4	Variation 4:	In Situ Conversion of Oximes into Nitrones Followed by 1,3-Cycloaddition	1122
40.6.1.21.5	Variation 5:	Palladium-Catalyzed Allene Insertion Coupled with Nitron 1,3-Dipolar Cycloaddition	1124
40.6.1.21.6	Variation 6:	Synthesis from Nitrones via [3 + 3] Dipolar Cycloaddition with Cyclopropane-1,1-dicarboxylates	1124
40.6.1.22	Method 22:	Synthesis from Nitrones and α -Lithiated Aryloxiranes	1126
40.6.1.23	Method 23:	Synthesis from Nitrones and Lithiated 2-(1-Chloroethyl)-4,5-dihydrooxazoles	1127
40.6.1.24	Method 24:	Synthesis from Oxaziridines and Alkenes	1128

40.7 Product Class 7: Hydrazines and Hydrazinium Salts

P. Rademacher

40.7	Product Class 7: Hydrazines and Hydrazinium Salts	1133
40.7.1	Product Subclass 1: Acyclic Alkylhydrazines	1133
40.7.1.1	Synthesis of Product Subclass 1	1135
40.7.1.1.1	Method 1: Direct Substitution (Alkylation) of Free Hydrazine and Alkylhydrazines	1135
40.7.1.1.1.1	Variation 1: Using Alkyl Halides	1136
40.7.1.1.1.2	Variation 2: Using Alcohols	1137
40.7.1.1.1.3	Variation 3: Using Cyclic Carboxylates (Lactones)	1137
40.7.1.1.1.4	Variation 4: Using Alkyl Sulfonates	1138
40.7.1.1.1.5	Variation 5: Using Sultones	1139
40.7.1.1.1.6	Variation 6: Using Dialkyl Sulfates	1139
40.7.1.1.1.7	Variation 7: Using Oxiranes	1140
40.7.1.1.1.8	Variation 8: Using Thiiranes	1141
40.7.1.1.1.9	Variation 9: Using Aziridines	1141
40.7.1.1.1.10	Variation 10: Using Sulfones	1142
40.7.1.1.1.11	Variation 11: Using Alkylamines	1143
40.7.1.1.1.12	Variation 12: Using Diazenolates	1144
40.7.1.1.2	Method 2: Substitution of Protected Hydrazines	1144
40.7.1.1.2.1	Variation 1: Alkylation of Hydrazones	1145
40.7.1.1.2.2	Variation 2: Alkylation of Hydrazides	1145
40.7.1.1.2.3	Variation 3: Reductive Alkylation of Hydrazides	1147
40.7.1.1.2.4	Variation 4: Alkylation of Azines	1147
40.7.1.1.2.5	Variation 5: Alkylation of <i>tert</i> -Butyl Isopropylidenehydrazinecarboxylate	1148
40.7.1.1.2.6	Variation 6: Alkylation of <i>P,P</i> -Diphenylphosphinic Hydrazide	1150
40.7.1.1.2.7	Variation 7: Alkylation of Di- <i>tert</i> -butyl Hydrazine-1,2-dicarboxylate	1151
40.7.1.1.2.8	Variation 8: Alkylation of Tri- <i>tert</i> -butyl Hydrazine-1,1,2-tricarboxylate	1153
40.7.1.1.2.9	Variation 9: Alkylation of Orthogonally Triprotected Hydrazines	1154

40.7.1.1.3	Method 3:	Addition of Hydrazines to Activated Alkenes	1155
40.7.1.1.4	Method 4:	Reduction of Hydrazones	1158
40.7.1.1.4.1	Variation 1:	Catalytic Hydrogenation	1158
40.7.1.1.4.2	Variation 2:	Using Complex Hydrides	1159
40.7.1.1.5	Method 5:	Reduction of Azines	1161
40.7.1.1.5.1	Variation 1:	Catalytic Hydrogenation	1161
40.7.1.1.5.2	Variation 2:	Using Metals	1162
40.7.1.1.5.3	Variation 3:	Using Complex Hydrides	1162
40.7.1.1.6	Method 6:	Reduction of Hydrazides	1163
40.7.1.1.7	Method 7:	Addition of Organometallic Compounds to Hydrazones (C-Alkylation)	1165
40.7.1.1.7.1	Variation 1:	Using Grignard Reagents	1165
40.7.1.1.7.2	Variation 2:	Using Aryllithium Reagents	1166
40.7.1.1.7.3	Variation 3:	Stereoselective Addition of Organometallic Compounds	1166
40.7.1.1.7.4	Variation 4:	Stereoselective Addition of Radicals	1168
40.7.1.1.8	Method 8:	Reductive Coupling of Phenylhydrazones	1168
40.7.1.1.9	Method 9:	Amination of Amines	1169
40.7.1.1.9.1	Variation 1:	Using <i>N</i> -Chloro(alkyl)amines with Amines and Metalated Amines	1169
40.7.1.1.9.2	Variation 2:	Using Hydroxylamine- <i>O</i> -sulfonic Acids	1171
40.7.1.1.9.3	Variation 3:	Using Oxaziridines	1171
40.7.1.1.10	Method 10:	Amination of Amines via Diaziridines	1172
40.7.1.1.10.1	Variation 1:	Using Hydroxylamine- <i>O</i> -sulfonic Acid	1172
40.7.1.1.10.2	Variation 2:	Using Hypochlorite	1173
40.7.1.1.11	Method 11:	Synthesis from Ureas	1174
40.7.1.1.12	Method 12:	Synthesis from <i>N</i> -Alkylsulfamides	1175
40.7.1.1.13	Method 13:	Synthesis from Phosphonic Acid Diamides	1176
40.7.1.1.14	Method 14:	Tetraalkylhydrazines by Anodic Oxidation of Secondary Amine Anions	1176
40.7.1.1.15	Method 15:	Hydrolysis of Nitrogen Heterocycles	1176
40.7.1.1.15.1	Variation 1:	Of Dihydropyrazolium Compounds	1177
40.7.1.1.15.2	Variation 2:	Of Pyrazolidin-3-ones	1177
40.7.1.1.15.3	Variation 3:	Of Diaziridines	1178
40.7.1.1.15.4	Variation 4:	Of Diaziridinones	1179
40.7.1.1.15.5	Variation 5:	Of Sydrones	1180
40.7.1.1.16	Method 16:	Hydrolysis of Alkylhydrazones	1180
40.7.1.1.17	Method 17:	Hydrolysis of Acylated Alkylhydrazines	1181
40.7.1.1.18	Method 18:	1,1-Dialkylhydrazines by Reduction of Dialkylnitrosamines	1181
40.7.1.1.18.1	Variation 1:	Using Catalytic Hydrogenation	1181
40.7.1.1.18.2	Variation 2:	Using Metals	1182
40.7.1.1.18.3	Variation 3:	Using Complex Hydrides	1183
40.7.1.1.18.4	Variation 4:	Using Metal Salts	1184
40.7.1.1.18.5	Variation 5:	Using Sodium Bisulfite	1184
40.7.1.1.18.6	Variation 6:	Electrochemical Reduction	1184
40.7.1.1.19	Method 19:	Monoalkylhydrazines by Reduction of <i>N</i> -Alkyl- <i>N</i> -nitrosoureas	1185
40.7.1.1.20	Method 20:	Monoalkylhydrazines by Reduction of <i>N</i> -Nitrosoamides	1185
40.7.1.1.21	Method 21:	Monoalkylhydrazines by Reduction of <i>N</i> -Alkyl- <i>N</i> - nitrosohydroxylamines	1186

40.7.1.1.22	Method 22:	1,2-Dialkylhydrazines by Reduction of Dialkyldiazenes	1187
40.7.1.1.23	Method 23:	Trialkylhydrazines from 1,1,1-Trialkylhydrazinium Salts	1187
40.7.1.1.24	Method 24:	Tetraalkylhydrazines by Thermolysis of Tetraaz-2-enes	1188
40.7.1.1.25	Method 25:	Addition of Organometallic Compounds to Azodicarboxylic Esters (N-Alkylation)	1189
40.7.1.1.26	Method 26:	Synthesis from Dialkylnitrosamines and Grignard Reagents	1189
40.7.1.1.27	Method 27:	Synthesis from N-Phthalimidoaziridines	1189
40.7.1.1.28	Method 28:	Addition to Azodicarboxylic Esters	1190
40.7.1.1.29	Method 29:	Synthesis from 1-Aminoaziridines	1191
40.7.1.1.30	Method 30:	Oxidative Coupling of Amines	1192
40.7.1.2		Applications of Product Subclass 1 in Organic Synthesis	1192
40.7.2		Product Subclass 2: Hydrazinium Salts	1193
40.7.2.1		Synthesis of Product Subclass 2	1193
40.7.2.1.1	Method 1:	Alkylation of Hydrazines and Alkylhydrazines	1193
40.7.2.1.1.1	Variation 1:	Using Alkyl Halides	1193
40.7.2.1.1.2	Variation 2:	Using Dialkyl Sulfates or Alkyl Sulfonates	1194
40.7.2.1.2	Method 2:	Amination of Tertiary Amines	1195
40.7.2.1.2.1	Variation 1:	Using N-Chloro(alkyl)amines	1195
40.7.2.1.2.2	Variation 2:	Using Hydroxylamine-O-sulfonic Acids	1196
40.7.2.1.3	Method 3:	Dicationic Hydrazinium Compounds by Protonation of Hydrazinium Compounds	1197
40.7.2.1.4	Method 4:	Dicationic Hydrazinium Compounds by Alkylation of Hydrazinium Compounds	1198
40.7.2.1.5	Method 5:	Ammoniumimines by Deprotonation of Hydrazinium Compounds	1198
40.7.2.1.6	Method 6:	(Ammonium)acylimines from 1,1-Dialkylhydrazines	1199
40.7.2.1.6.1	Variation 1:	Using Oxiranes and Carboxylic Acid Esters	1199
40.7.2.1.6.2	Variation 2:	Using Acyl Halides and Alkyl Halides	1199
40.7.2.1.7	Method 7:	(Ammonium)acylimines from 1,1,1-Trialkylhydrazinium Compounds	1201
40.7.2.1.7.1	Variation 1:	Using Acyl Halides	1201
40.7.2.1.7.2	Variation 2:	Acylation of (Trialkylammonium)imines-Bis(<i>tert</i> -butyl alcohol) Adducts	1202
40.7.2.1.8	Method 8:	(Ammonium)cyanouimines from Trialkylamines	1203
40.7.2.1.9	Method 9:	Synthesis of Hydrazinium C,N-Betaines	1203
40.7.2.2		Applications of Product Subclass 2 in Organic Synthesis	1204
40.8		Product Class 8: 1,2-Diazacycloalkanes	
		W. Maison	
40.8		Product Class 8: 1,2-Diazacycloalkanes	1211
40.8.1		Synthesis of Product Class 8	1212
40.8.1.1	Method 1:	Alkylation of Hydrazines	1212
40.8.1.1.1	Variation 1:	Alkylation with Haloalkanes	1212
40.8.1.1.2	Variation 2:	Alkylation with Alkanesulfonates	1215
40.8.1.1.3	Variation 3:	Alkylation with Epoxides	1216

40.8.1.2	Method 2:	Cyclization of <i>N</i> -Chloroalkanamines	1218
40.8.1.3	Method 3:	Reduction of N=N Bonds	1218
40.8.1.4	Method 4:	Reduction of C=N and C=O Bonds	1219
40.8.1.4.1	Variation 1:	Reduction of Hydrazones and Azines	1219
40.8.1.4.2	Variation 2:	Reduction of <i>N</i> -Acylhydrazines and <i>N</i> -Acylhydrazones	1220
40.8.1.4.3	Variation 3:	Reductive Amination	1224
40.8.1.5	Method 5:	Reductive Alkylation of Azo Compounds	1224
40.8.1.6	Method 6:	Reductive α -Aminoalkylation	1224
40.8.1.7	Method 7:	Reduction of Dialkyl Nitrosamines	1229
40.8.1.8	Method 8:	Synthesis by Cycloaddition	1230
40.8.1.8.1	Variation 1:	[4 + 2] Cycloadditions of Azo Compounds	1230
40.8.1.8.2	Variation 2:	[3 + 2] Cycloadditions	1234
40.8.1.8.3	Variation 3:	Criss-Cross [3 + 2] Cycloadditions	1241
40.8.1.9	Method 9:	Addition of Organometallic Reagents to N=N Bonds	1243
40.8.1.10	Method 10:	Addition of Organometallic Reagents to C=N Bonds	1244
40.8.1.11	Method 11:	Addition of Hydrazines to Activated Alkenes	1245
40.8.1.12	Method 12:	Diazenium Cyclization	1245
40.8.1.13	Method 13:	Alkene Metathesis	1246
40.9	Product Class 9: Triazanes and Tetrazanes		
	E. Schaumann		
40.9	Product Class 9: Triazanes and Tetrazanes 1253		
40.9.1	Synthesis of Product Class 9 1253		
40.9.1.1	Method 1:	Synthesis of Triazanes by Addition of Amines to Azo Compounds	1253
40.9.1.2	Method 2:	Synthesis of Triazanes by Ring Opening of Oxaziridines with Hydrazines	1254
40.9.1.3	Method 3:	Synthesis of Triaziridines and Heteroatom Analogues	1255
40.9.1.4	Method 4:	Synthesis of Tetrazanes	1256
40.10	Product Class 10: Amido Derivatives of Sulfanediol		
	S. R. Chemler		
40.10	Product Class 10: Amido Derivatives of Sulfanediol 1259		
40.10.1	Product Subclass 1: Alkylaminesulfenyl Halides 1259		
40.10.1.1	Synthesis of Product Subclass 1 1259		
40.10.1.1.1	Method 1:	Synthesis of Alkylaminesulfenyl Fluorides by Halide Exchange	1259
40.10.1.1.2	Method 2:	Synthesis of Alkylaminesulfenyl Chlorides	1260
40.10.1.1.2.1	Variation 1:	Using Sulfur Dichloride	1260
40.10.1.1.2.2	Variation 2:	By Chlorination of the Corresponding Diamino Disulfides	1260
40.10.1.1.3	Method 3:	Synthesis of Alkylaminesulfenyl Bromides and Alkylaminesulfenyl Iodides	1261
40.10.1.1.3.1	Variation 1:	By Bromination of Bis(dialkylamino) Disulfides	1261
40.10.1.1.3.2	Variation 2:	By Halide Exchange	1262
40.10.1.2	Applications of Product Subclass 1 in Organic Synthesis 1262		

40.10.2	Product Subclass 2: Bis(alkylamino) Disulfides and Polysulfides	1263
40.10.2.1	Synthesis of Product Subclass 2	1263
40.10.2.1.1	Method 1: Synthesis of Bis(alkylamino) Disulfides	1263
40.10.2.1.2	Method 2: Synthesis of Bis(alkylamino) Trisulfides	1264
40.10.3	Product Subclass 3: Bis[(alkylamino)sulfanyl]amines	1265
40.10.3.1	Synthesis of Product Subclass 3	1265
40.10.4	Product Subclass 4: Bis(alkylamino) Sulfides	1265
40.10.4.1	Synthesis of Product Subclass 4	1266
40.10.4.1.1	Method 1: Synthesis of Bis(alkylamino) Sulfides from N-Alkylaminesulfenyl Chlorides	1266
40.11	Product Class 11: Amido Derivatives of Sulfurous Acid S. R. Chemler	
<hr/>		
40.11	Product Class 11: Amido Derivatives of Sulfurous Acid	1269
40.11.1	Product Subclass 1: (Alkylamino)sulfinyl Halides, (Alkylamino)sulfur Trifluorides, and Bis(alkylamino)sulfur Difluorides	1269
40.11.1.1	Synthesis of Product Subclass 1	1269
40.11.1.1.1	Method 1: Synthesis of (Alkylamino)sulfinyl Fluorides from Thionyl Fluoride	1269
40.11.1.1.2	Method 2: Synthesis of (Alkylamino)sulfinyl Chlorides from Thionyl Chloride	1270
40.11.1.1.3	Method 3: Synthesis of (Alkylamino)sulfinyl Bromides from Thionyl Bromide	1271
40.11.1.1.4	Method 4: Synthesis of (Alkylamino)sulfur Trifluorides from Sulfur Tetrafluoride	1271
40.11.1.1.5	Method 5: Synthesis of Bis(dialkylamino)sulfur Difluorides from (Alkylamino)sulfur Trifluorides	1272
40.11.1.2	Applications of Product Subclass 1 in Organic Synthesis	1272
40.11.2	Product Subclass 2: N-Alkylamidossulfurous Acids	1274
40.11.2.1	Synthesis of Product Subclass 2	1274
40.11.3	Product Subclass 3: N,N'-Sulfinyldiamines (N,N'-Dialkylsulfurous Diamides)	1274
40.11.3.1	Synthesis of Product Subclass 3	1274
40.11.3.1.1	Method 1: Synthesis by Reaction of Amines with Thionyl Chloride	1274
40.11.4	Product Subclass 4: N-Sulfinylalkanamines	1275
40.11.4.1	Synthesis of Product Subclass 4	1275
40.11.4.1.1	Method 1: Synthesis from Thionyl Chloride	1275
40.11.4.2	Applications of Product Subclass 4 in Organic Synthesis	1277
40.11.5	Product Subclass 5: N-Thiosulfinylalkanamines	1278
40.11.5.1	Synthesis of Product Subclass 5	1278

40.11.5.1.1	Method 1: Synthesis via Reaction of Anilines with Disulfur Dichloride	1278
40.11.6	Product Subclass 6: <i>N,N'</i>-Dialkylsulfur Diimides	1279
40.11.6.1	Synthesis of Product Subclass 6	1279
40.11.6.1.1	Method 1: Synthesis of <i>N,N'</i> -Bis(methoxycarbonyl)sulfur Diimide	1279
40.11.6.1.2	Method 2: Synthesis of <i>N,N'</i> -Dialkylsulfur Diimides from Sulfur Tetrafluoride	1280
40.11.6.1.3	Method 3: Synthesis of <i>N,N'</i> -Diarylsulfur Diimides via Amidosulfur Dichlorides	1281
40.11.6.2	Applications of Product Subclass 6 in Organic Synthesis	1281
40.12	Product Class 12: <i>N</i>-Alkylsulfamic Acids and Derivatives E. S. Sherman and S. R. Chemler	
40.12	Product Class 12: <i>N</i>-Alkylsulfamic Acids and Derivatives	1285
40.12.1	Product Subclass 1: <i>N</i>-Alkylsulfamoyl Halides	1285
40.12.1.1	Synthesis of Product Subclass 1	1285
40.12.1.1.1	Method 1: Synthesis of <i>N</i> -Alkylsulfamoyl Fluorides	1285
40.12.1.1.1.1	Variation 1: From Amines and Sulfuryl Fluoride	1285
40.12.1.1.1.2	Variation 2: From Amines and Sulfuryl Chloride Fluoride	1286
40.12.1.1.1.3	Variation 3: From <i>N</i> -Alkylsulfamoyl Chlorides	1286
40.12.1.1.2	Method 2: Synthesis of <i>N</i> -Alkylsulfamoyl Chlorides	1287
40.12.1.1.2.1	Variation 1: From <i>N</i> -Alkylsulfamic Acids and Phosphorus Pentachloride	1287
40.12.1.1.2.2	Variation 2: From Amines and Sulfuryl Chloride	1287
40.12.1.1.3	Method 3: Synthesis of <i>N</i> -Alkylsulfamoyl Bromides	1288
40.12.2	Product Subclass 2: <i>N</i>-Alkylsulfamic Acids	1289
40.12.2.1	Synthesis of Product Subclass 2	1289
40.12.2.1.1	Method 1: Synthesis from Amines and Chlorosulfonic Acid	1289
40.12.2.1.2	Method 2: Synthesis by Aminolysis of Amine–Sulfur Trioxide Complexes	1290
40.12.2.1.3	Method 3: Synthesis from Isocyanates and Sulfuric Acid	1290
40.12.2.1.4	Method 4: Synthesis by Hydrolysis of Aryl Sulfamates	1291
40.12.2.1.5	Method 5: Synthesis from <i>N</i> -Alkylsulfamoyl Chlorides	1292
40.12.2.1.6	Method 6: Synthesis by Hydrolysis of Sulfamoyl Azides	1292
40.12.3	Product Subclass 3: <i>N</i>-Alkylsulfamides	1292
40.12.3.1	Synthesis of Product Subclass 3	1293
40.12.3.1.1	Method 1: Synthesis of Linear Sulfamides	1293
40.12.3.1.1.1	Variation 1: From <i>N</i> -Alkylsulfamoyl Chlorides	1293
40.12.3.1.1.2	Variation 2: From <i>N</i> -Alkylsulfamic Acid Esters	1293
40.12.3.1.1.3	Variation 3: From Chlorosulfonyl Isocyanate	1294
40.12.3.1.1.4	Variation 4: From <i>N</i> -Sulfamoyloxazolidinone Derivatives	1295
40.12.3.1.1.5	Variation 5: From Sulfamide and Amines	1297
40.12.3.1.2	Method 2: Synthesis of Cyclic Sulfamides	1297
40.12.3.1.2.1	Variation 1: From Amino Alcohols with Burgess-Type Reagents	1297
40.12.3.1.2.2	Variation 2: From Linear Sulfamides and Alkenes	1299
40.12.3.1.2.3	Variation 3: From <i>N,N</i> -Dimethylsulfamoylaziridines and Amines	1301

40.12.3.1.2.4	Variation 4: From α -Amino Acid Esters and Sulfamide	1302
40.13	Product Class 13: Ammoniumsulfonates, Thiohydroxylamines, and Aminosulfonium Salts E. Schaumann	
<hr/>		
40.13	Product Class 13: Ammoniumsulfonates, Thiohydroxylamines, and Aminosulfonium Salts	1305
	Keyword Index	1309
	Author Index	1339
	Abbreviations	1371

