

## Volume 47a: Alkenes

|                 |  |     |
|-----------------|--|-----|
|                 | <b>Preface</b> .....   | V   |
|                 | <b>Volume Editor's Preface</b> .....                                 | VII |
|                 | <b>Table of Contents</b> .....                                       | IX  |
|                 | <b>Introduction</b>  |     |
|                 | A. de Meijere .....  | 1   |
| <b>47.1</b>     | <b>Product Class 1: Alkenes</b>                                      |     |
| <b>47.1.1</b>   | <b>Synthesis by Alkenation Reactions</b>                             |     |
| <b>47.1.1.1</b> | <b>Wittig and Related Phosphorus-Based Alkenations</b>               |     |
|                 | R. Schobert, C. Hölzel, and B. Barnickel .....                       | 9   |
| <b>47.1.1.2</b> | <b>Peterson Alkenation</b>   |     |
|                 | D. J. Ager .....   | 85  |
| <b>47.1.1.3</b> | <b>Julia, Julia–Kocienski, and Related Sulfur-Based Alkenations</b>  |     |
|                 | I. E. Markó and J. Pospíšil .....                                    | 105 |
| <b>47.1.1.4</b> | <b>Alkenation with Metal Carbenes and Related Reactions</b>          |     |
|                 | N. A. Petasis .....  | 161 |
| <b>47.1.1.5</b> | <b>McMurry Coupling and Related Reductive Dimerization Reactions</b> |     |
|                 | T. Takeda and A. Tsubouchi .....                                     | 247 |
| <b>47.1.1.6</b> | <b>Alkene Metathesis</b>   |     |
|                 | M. Michalak, Ł. Gułajski, and K. Grela .....                         | 327 |
| <b>47.1.2</b>   | <b>Synthesis by Metal-Mediated Coupling Reactions</b>                |     |
| <b>47.1.2.1</b> | <b>Cross-Coupling and Heck Reactions</b>                             |     |
|                 | D. A. Alonso and C. Nájera .....                                     | 439 |
| <b>47.1.2.2</b> | <b>S<sub>N</sub>' Allylations</b>                                    |     |
|                 | M. Cherkinsky and S. Levinger .....                                  | 481 |
| <b>47.1.2.3</b> | <b><math>\pi</math>-Allyl Substitution</b>                           |     |
|                 | G. Sartori and R. Maggi .....  | 517 |
| <b>47.1.2.4</b> | <b>Oligomerization of Alkenes to Higher Alkenes</b>                  |     |
|                 | M. Yus and F. Foubelo .....  | 549 |

|                            |       |
|----------------------------|-------|
| <b>Keyword Index</b> ..... | i     |
| <b>Author Index</b> .....  | xxxv  |
| <b>Abbreviations</b> ..... | lxvii |

## Table of Contents

### Introduction

A. de Meijere

|                           |   |
|---------------------------|---|
| <b>Introduction</b> ..... | 1 |
|---------------------------|---|

### 47.1 Product Class 1: Alkenes

#### 47.1.1 Synthesis by Alkenation Reactions

##### 47.1.1.1 Wittig and Related Phosphorus-Based Alkenations

R. Schobert, C. Hölzel, and B. Barnickel

|  |    |
|--|----|
| <b>47.1.1.1 Wittig and Related Phosphorus-Based Alkenations</b> .....  | 9  |
| <b>47.1.1.1.1 Monosubstituted Alkenes</b> .....  | 10 |
| <b>47.1.1.1.1.1 Method 1: Synthesis from Aldehydes and Methylene-triphenylphosphorane</b> .....  | 10 |
| <b>47.1.1.1.1.1.1 Variation 1: Wittig Alkenation with Methylene-triphenylphosphorane Generated In Situ</b> .....   | 12 |
| <b>47.1.1.1.1.1.2 Variation 2: Wittig Alkenation with Methylene-triphenylphosphorane and Aldehyde Generated In Situ</b> .....                                    | 15 |
| <b>47.1.1.1.1.1.3 Variation 3: Wittig Alkenation under Phase-Transfer Conditions</b> .....   | 17 |
| <b>47.1.1.1.1.1.4 Variation 4: Synthesis of <sup>13</sup>C- and <sup>2</sup>H-Labeled Terminal Alkenes from Labeled Methyltriphenylphosphonium Halides</b> ..... | 18 |
| <b>47.1.1.1.1.2 Method 2: Synthesis from Formaldehyde and Alkylidene-triphenylphosphoranes</b> .....   | 20 |
| <b>47.1.1.1.2 1,1-Disubstituted Alkenes</b> .....  | 22 |
| <b>47.1.1.1.2.1 Method 1: Synthesis from Ketones and Methylene-triphenylphosphorane</b> .....  | 22 |
| <b>47.1.1.1.2.2 Method 2: Synthesis from Formaldehyde and Alkylidene-triphenylphosphoranes</b> .....   | 26 |
| <b>47.1.1.1.2.2.1 Variation 1: Wittig Alkenation with Preformed Ylides and Formaldehyde in Aqueous Solution</b> .....  | 26 |
| <b>47.1.1.1.2.2.2 Variation 2: Wittig Alkenation with Paraformaldehyde and Ylides Formed In Situ</b> .....   | 27 |
| <b>47.1.1.1.3 Z-1,2-Disubstituted Alkenes</b> .....  | 27 |
| <b>47.1.1.1.3.1 Method 1: Wittig Alkenation of Preformed Stable Aldehydes</b> .....  | 28 |
| <b>47.1.1.1.3.1.1 Variation 1: Reaction under Homogeneous Conditions</b> .....   | 28 |
| <b>47.1.1.1.3.1.2 Variation 2: Reaction with Immobilized Ylides</b> .....  | 30 |

|                |  |  |    |
|----------------|--|--|----|
| 47.1.1.1.3.1.3 | Variation 3:   | Reaction under Phase-Transfer Conditions   | 32 |
| 47.1.1.1.3.2   | Method 2:  | Wittig Alkenation of Aldehydes Prepared In Situ  | 33 |
| 47.1.1.1.3.2.1 | Variation 1:   | Alkenation of Aldehydes Prepared In Situ by<br>Oxidation of Alcohols                             | 33 |
| 47.1.1.1.3.2.2 | Variation 2:   | Alkenation of Aldehydes Prepared In Situ by Reduction  | 37 |
| 47.1.1.1.3.2.3 | Variation 3:   | Alkenation of Aldehydes Prepared by Oxidation of<br>Ylides or Alkenes                            | 40 |
| 47.1.1.1.3.2.4 | Variation 4:   | Alkenation of Masked Aldehydes   | 41 |
| 47.1.1.1.3.3   | Method 3:  | Alkenation with (Triphenylphosphoranylidene)alkanoates<br>and -alkoxides                         | 43 |
| 47.1.1.1.3.3.1 | Variation 1:   | Ylide Generation with an Excess of Base  | 43 |
| 47.1.1.1.3.3.2 | Variation 2:   | Alkenation with In Situ Silylated Alkoxide Ylides  | 45 |
| 47.1.1.1.3.4   | Method 4:  | Z-Selective Wittig–Horner Alkenation   | 46 |
| 47.1.1.1.4     | <i>E</i> -1,2-Disubstituted Alkenes  |  | 49 |
| 47.1.1.1.4.1   | Method 1:  | The Schlosser Modification of the Wittig Alkenation  | 49 |
| 47.1.1.1.4.2   | Method 2:  | <i>E</i> -Selective Wittig–Horner Alkenation   | 50 |
| 47.1.1.1.4.3   | Method 3:  | <i>E</i> -Selective Alkenation with Ylides Bearing<br>Substituents Other Than Triphenylphosphine | 52 |
| 47.1.1.1.5     | Tri- and Tetrasubstituted Alkenes  |  | 54 |
| 47.1.1.1.5.1   | Method 1:  | Non-Stereocontrolled Wittig Alkenations  | 54 |
| 47.1.1.1.5.1.1 | Variation 1:   | Synthesis with Symmetrical Phosphoranes or Ketones   | 54 |
| 47.1.1.1.5.1.2 | Variation 2:   | Synthesis with (Cycloalkylidene)triphenylphosphoranes  | 56 |
| 47.1.1.1.5.1.3 | Variation 3:   | Synthesis with Unsymmetrical Phosphorus Ylides and<br>Unsymmetrical Ketones                      | 58 |
| 47.1.1.1.5.2   | Method 2:  | Stereocontrolled Alkenations   | 61 |
| 47.1.1.1.5.2.1 | Variation 1:   | The SCOOPY Procedure   | 61 |
| 47.1.1.1.5.2.2 | Variation 2:   | With Phosphole-Derived Ylides  | 62 |
| 47.1.1.1.5.2.3 | Variation 3:   | Horner–Emmons and Wittig–Horner Alkenations with<br>Phosphonates and Phosphine Oxides            | 64 |
| 47.1.1.1.5.2.4 | Variation 4:   | Indirect Routes Based upon Stork–Zhao and Still–Gennari<br>Modifications                         | 68 |
| 47.1.1.1.6     | Cycloalkenes   |  | 69 |
| 47.1.1.1.6.1   | Method 1:  | Synthesis by Reaction of $\omega$ -Carbonyl-Substituted<br>Phosphonium Salts                     | 69 |
| 47.1.1.1.6.2   | Method 2:  | Synthesis by Reaction of Vinylphosphonium Salts and<br>$\omega$ -Carbonylated Enolates           | 70 |
| 47.1.1.1.6.3   | Method 3:  | Synthesis by Partial Oxidation of<br>Bis(alkylidene)triphenylphosphoranes                        | 71 |
| 47.1.1.1.6.4   | Method 4:  | Synthesis by Reaction of Bis(alkylidene)triphenylphosphoranes)<br>with Bialdehydes               | 73 |
| 47.1.1.2       | <b>Peterson Alkenation</b>   |  |    |
|                | D. J. Ager   |  |    |
| 47.1.1.2       | <b>Peterson Alkenation</b>   |  | 85 |
| 47.1.1.2.1     | Alkenation by Addition of $\alpha$ -Silyl Carbanions to Carbonyl Compounds |  | 85 |

|                  |  |   |     |
|------------------|--|---|-----|
| 47.1.1.2.1.1     | Method 1:  | Generation of $\alpha$ -Silyl Carbanions by Direct Deprotonation of Silanes .....                   | 87  |
| 47.1.1.2.1.2     | Method 2:  | Generation of $\alpha$ -Silyl Carbanions from (Halomethyl)silanes .....                             | 88  |
| 47.1.1.2.1.2.1   | Variation 1:   | Halogen–Lithium Exchange .....  | 88  |
| 47.1.1.2.1.2.2   | Variation 2:   | Formation of a Grignard Reagent .....   | 89  |
| 47.1.1.2.1.2.3   | Variation 3:   | Formation of an Organocerium Compound .....   | 90  |
| 47.1.1.2.1.2.4   | Variation 4:   | Formation of an Organosamarium Compound .....   | 92  |
| 47.1.1.2.1.3     | Method 3:  | Generation of $\alpha$ -Silyl Carbanions by Transmetalation .....                                   | 92  |
| 47.1.1.2.1.3.1   | Variation 1:   | Displacement of a Phenylsulfanyl Group with a Lithium Naphthalenide Species .....                   | 92  |
| 47.1.1.2.1.3.2   | Variation 2:   | Displacement of an Organoselanyl Group .....  | 94  |
| 47.1.1.2.1.3.3   | Variation 3:   | Displacement of a Trialkylstannyl Group .....   | 94  |
| 47.1.1.2.1.3.4   | Variation 4:   | Displacement of a Trialkylsilyl Group .....   | 95  |
| 47.1.1.2.1.4     | Method 4:  | Generation of $\alpha$ -Silyl Carbanions by Addition of Alkylolithium Species to Vinylsilanes ..... | 95  |
| 47.1.1.2.2       |  | Alkenation by Reduction of $\alpha$ -Silyl Carbonyl Compounds .....                                 | 96  |
| 47.1.1.2.2.1     | Method 1:  | Addition of Metal Hydride Reagents .....  | 96  |
| 47.1.1.2.2.2     | Method 2:  | Addition of Organometallic Reagents .....   | 97  |
| 47.1.1.2.2.2.1   | Variation 1:   | Addition to $\alpha$ -Silyl Aldehydes .....   | 98  |
| 47.1.1.2.2.2.2   | Variation 2:   | Addition to $\alpha$ -Silyl Ketones .....   | 98  |
| 47.1.1.2.2.2.3   | Variation 3:   | Addition to $\alpha$ -Silyl Esters .....  | 100 |
| 47.1.1.2.3       |  | Alkenation Based on Epoxide Ring Opening .....  | 100 |
| 47.1.1.2.3.1     | Method 1:  | Addition of Silylmetal Species to Epoxides .....  | 100 |
| 47.1.1.2.3.2     | Method 2:  | Addition to Silylated Epoxides .....  | 101 |
| 47.1.1.3         | <b>Julia, Julia–Kocienski, and Related Sulfur-Based Alkenations</b><br>I. E. Markó and J. Pospíšil |   |     |
| 47.1.1.3         | <b>Julia, Julia–Kocienski, and Related Sulfur-Based Alkenations</b> .....                          |   | 105 |
| 47.1.1.3.1       | Julia Alkenation .....   |   | 105 |
| 47.1.1.3.1.1     | Coupling Reaction .....  |   | 106 |
| 47.1.1.3.1.1.1   | Method 1:  | Reaction of $\alpha$ -Sulfonyl Anions with Aldehydes and Ketones .....                              | 107 |
| 47.1.1.3.1.1.1.1 | Variation 1:   | Route toward Terminal Alkenes .....   | 107 |
| 47.1.1.3.1.1.1.2 | Variation 2:   | Route toward 1,2-Disubstituted Alkenes .....  | 109 |
| 47.1.1.3.1.1.1.3 | Variation 3:   | Route toward Trisubstituted Alkenes .....   | 113 |
| 47.1.1.3.1.1.1.4 | Variation 4:   | Route toward Tetrasubstituted Alkenes .....   | 114 |
| 47.1.1.3.1.1.1.5 | Variation 5:   | Special Cases .....   | 115 |
| 47.1.1.3.1.1.2   | Method 2:  | Reaction of $\alpha$ -Sulfonyl Anions with Esters .....   | 120 |
| 47.1.1.3.1.1.3   | Method 3:  | Reaction of $\alpha$ -Sulfonyl Anions with $\alpha$ -Haloorganometal Electrophiles .....            | 121 |
| 47.1.1.3.1.1.4   | Method 4:  | Reaction of $\alpha$ -Sulfoxide Anions with Aldehydes and Ketones .....                             | 123 |
| 47.1.1.3.1.1.5   | Method 5:  | Reaction of Bis-sulfones with Aldehydes and Ketones .....   | 124 |
| 47.1.1.3.1.1.6   | Method 6:  | Reaction of Sulfoximides with Aldehydes and Ketones .....   | 125 |

|                  |   |     |
|------------------|---|-----|
| 47.1.1.3.1.2     | Reductive Elimination   | 126 |
| 47.1.1.3.1.2.1   | Method 1: Reaction of $\beta$ -Hydroxy Sulfones   | 127 |
| 47.1.1.3.1.2.2   | Method 2: Reaction of Sulfones Bearing a $\beta$ -Leaving Group   | 132 |
| 47.1.1.3.1.2.2.1 | Variation 1: By Cleavage of the C—S Bond Followed by the C—O Bond   | 132 |
| 47.1.1.3.1.2.2.2 | Variation 2: By Cleavage of the C—O Bond Followed by the C—S Bond   | 135 |
| 47.1.1.3.1.2.3   | Method 3: Reaction of $\beta$ -Mesyloxy and $\beta$ -Acetoxy Sulfoxides   | 138 |
| 47.1.1.3.1.2.4   | Method 4: Reaction of $\beta$ -Benzoyloxy Sulfoxides  | 140 |
| 47.1.1.3.1.2.5   | Method 5: Reaction of $\beta$ -Hydroxy Sulfoximides   | 142 |
| 47.1.1.3.2       | Julia–Kocienski and S. Julia Alkenation   | 143 |
| 47.1.1.3.2.1     | Method 1: Addition to Carbonyl Compounds  | 152 |
| 47.1.1.3.2.1.1   | Variation 1: 1,2-Disubstituted Alkenes  | 152 |
| 47.1.1.3.2.1.2   | Variation 2: Trisubstituted Alkenes   | 155 |
| 47.1.1.3.2.2     | Method 2: Addition to Lactones  | 156 |
| 47.1.1.4         | <b>Alkenation with Metal Carbenes and Related Reactions</b><br>N. A. Petasis  |     |
| 47.1.1.4         | <b>Alkenation with Metal Carbenes and Related Reactions</b>   | 161 |
| 47.1.1.4.1       | Method 1: Synthesis by Methylenation with ( $\mu$ -Chloro)bis-( $\eta^5$ -cyclopentadienyl)(dimethylaluminum)-( $\mu$ -methylene)titanium (The Tebbe Reagent) | 162 |
| 47.1.1.4.1.1     | Variation 1: Methylenation of Aldehydes   | 166 |
| 47.1.1.4.1.2     | Variation 2: Methylenation of Ketones   | 168 |
| 47.1.1.4.1.3     | Variation 3: Methylenation of Esters  | 171 |
| 47.1.1.4.1.4     | Variation 4: Methylenation of Lactones  | 174 |
| 47.1.1.4.1.5     | Variation 5: Methylenation of Miscellaneous Carbonyl Compounds  | 175 |
| 47.1.1.4.2       | Method 2: Synthesis by Methylenation with Titanacyclobutanes  | 176 |
| 47.1.1.4.3       | Method 3: Synthesis by Methylenation with Bis( $\eta^5$ -cyclopentadienyl)-dimethyltitanium(IV) (The Petasis Reagent)   | 177 |
| 47.1.1.4.3.1     | Variation 1: Methylenation of Aldehydes   | 181 |
| 47.1.1.4.3.2     | Variation 2: Methylenation of Ketones   | 183 |
| 47.1.1.4.3.3     | Variation 3: Methylenation of Esters  | 185 |
| 47.1.1.4.3.4     | Variation 4: Methylenation of Lactones  | 188 |
| 47.1.1.4.3.5     | Variation 5: Methylenation of 1,3-Dioxolan-4-ones and 1,3-Dioxan-4-ones   | 195 |
| 47.1.1.4.3.6     | Variation 6: Methylenation of Carbonates  | 199 |
| 47.1.1.4.3.7     | Variation 7: Methylenation of Amides and Lactams  | 200 |
| 47.1.1.4.3.8     | Variation 8: Methylenation of Miscellaneous Carbonyl Compounds  | 202 |
| 47.1.1.4.4       | Method 4: Synthesis by Methylenation with <i>gem</i> -Dimetallic Reagents   | 204 |
| 47.1.1.4.4.1     | Variation 1: Methylenation with the Nysted Reagent  | 207 |
| 47.1.1.4.4.2     | Variation 2: Methylenation with Dibromomethane–Zinc–Titanium(IV) Chloride Reagents  | 208 |
| 47.1.1.4.4.3     | Variation 3: Methylenation with Diiodomethane–Zinc Reagents   | 212 |
| 47.1.1.4.4.4     | Variation 4: Methylenation with Dihalomethane–Magnesium Reagents  | 214 |

|               |              |   |     |
|---------------|--------------|---|-----|
| 47.1.1.4.5    | Method 5:    | Synthesis by Methylenation with Molybdenum and Tungsten Carbenes  | 216 |
| 47.1.1.4.6    | Method 6:    | Synthesis by Methylenation with Diazo Compounds under Metal Catalysis   | 218 |
| 47.1.1.4.7    | Method 7:    | Synthesis by Alkylidenation with Dialkylbis-( $\eta^5$ -cyclopentadienyl)titanium(IV) Reagents (Petasis Alkenation) | 220 |
| 47.1.1.4.7.1  | Variation 1: | Using Dibenzylbis( $\eta^5$ -cyclopentadienyl)titanium(IV) Reagents   | 223 |
| 47.1.1.4.7.2  | Variation 2: | Using Bis( $\eta^5$ -cyclopentadienyl)dicyclopropyltitanium(IV)   | 224 |
| 47.1.1.4.7.3  | Variation 3: | Using $\eta^5$ -Cyclopentadienyl[(trimethylsilyl)methyl]-titanium(IV) Reagents                                      | 225 |
| 47.1.1.4.8    | Method 8:    | Synthesis by Alkylidenation with Low-Valent Titanium Reagents (Takeda Alkenation)                                   | 227 |
| 47.1.1.4.8.1  | Variation 1: | Using Alkyl Halides   | 228 |
| 47.1.1.4.8.2  | Variation 2: | Using <i>gem</i> -Dihalides   | 229 |
| 47.1.1.4.8.3  | Variation 3: | Using Dithioacetals   | 230 |
| 47.1.1.4.8.4  | Variation 4: | Intramolecular Carbonyl Alkylidenation  | 231 |
| 47.1.1.4.9    | Method 9:    | Synthesis by Alkylidenation with <i>gem</i> -Dimetallic Reagents  | 232 |
| 47.1.1.4.10   | Method 10:   | Synthesis by Halomethylenation  | 234 |
| 47.1.1.4.10.1 | Variation 1: | Using Chromium Reagents (Takai Alkenation)  | 235 |
| 47.1.1.4.10.2 | Variation 2: | Using Titanium Reagents   | 236 |
| 47.1.1.4.11   | Method 11:   | Synthesis by Allenation with Titanium Carbenes  | 236 |
| 47.1.1.4.11.1 | Variation 1: | Using Titanacyclobutanes  | 237 |
| 47.1.1.4.11.2 | Variation 2: | Using Alkenylbis( $\eta^5$ -cyclopentadienyl)titanium(IV) Reagents  | 238 |
| 47.1.1.4.11.3 | Variation 3: | Using 1,1-Dichloroalkenes   | 240 |

47.1.1.5 **McMurry Coupling and Related Reductive Dimerization Reactions**  
T. Takeda and A. Tsubouchi

|              |   |     |
|--------------|---|-----|
| 47.1.1.5     | <b>McMurry Coupling and Related Reductive Dimerization Reactions</b>  | 247 |
| 47.1.1.5.1   | Method 1: Self-Coupling Reactions   | 247 |
| 47.1.1.5.1.1 | Variation 1: Of Aldehydes   | 247 |
| 47.1.1.5.1.2 | Variation 2: Of Ketones   | 258 |
| 47.1.1.5.2   | Method 2: Mixed Coupling Reactions  | 273 |
| 47.1.1.5.2.1 | Variation 1: Of Aldehydes   | 274 |
| 47.1.1.5.2.2 | Variation 2: Of Ketones   | 275 |
| 47.1.1.5.2.3 | Variation 3: Of Aldehydes and Ketones   | 278 |
| 47.1.1.5.2.4 | Variation 4: Sequential Cyclization Reactions of Dicarbonyl Compounds   | 280 |
| 47.1.1.5.3   | Method 3: Intramolecular Coupling Reactions   | 288 |
| 47.1.1.5.3.1 | Variation 1: Cyclization of Aliphatic Dialdehydes, Diketones, and Oxoaldehydes  | 288 |
| 47.1.1.5.3.2 | Variation 2: Synthesis of [2.n]Cyclophan-1-enes by Cyclization of Two Aromatic Carbonyl Moieties Tethered by an Aliphatic Chain | 295 |

|               |  |  |     |
|---------------|--|--|-----|
| 47.1.1.5.3.3  | Variation 3:   | Synthesis of [2.n]Cyclophan-1-enes by Cyclization of Bis(aromatic aldehydes and ketones) with Tethers Containing Aromatic Rings  | 298 |
| 47.1.1.5.3.4  | Variation 4:   | Synthesis of Ethene-1,2-diyl-Bridged Calix[4]arenes by Intramolecular Cyclization of Formyl-Substituted Calixarenes  | 301 |
| 47.1.1.5.3.5  | Variation 5:   | Synthesis of Cyclic Phenylenevinylens and Related Polyaromatics by Intramolecular Coupling of Conjugated Diformyl Compounds Linked with Phenylene and/or Vinylene Moieties | 303 |
| 47.1.1.5.3.6  | Variation 6:   | Synthesis of Tetrapyrrolic Macrocycles by Intramolecular Coupling of Formyl Groups at the Ends of Acyclic Tetrapyrroles  | 306 |
| 47.1.1.5.3.7  | Variation 7:   | Synthesis of Ferrocenophanes by Intramolecular Coupling of Ferrocene-Derived Bis(aldehydes)  | 306 |
| 47.1.1.5.3.8  | Variation 8:   | Synthesis of Condensed Polyaromatics by Intramolecular Coupling of 2,2'-Diformylbiaryls and Related Compounds  | 308 |
| 47.1.1.5.3.9  | Variation 9:   | Synthesis of Heterocycles by Intramolecular Cyclization of Bis(aldehydes) and Bis(ketones) with a Heteroatom-Containing Tether   | 311 |
| 47.1.1.5.3.10 | Variation 10:  | Synthesis of Annulenes by Intramolecular Coupling of Conjugated Polyene Dialdehydes and Ketones  | 314 |
| 47.1.1.5.3.11 | Variation 11:  | Miscellaneous Reactions  | 317 |
| 47.1.1.5.4    | Method 4:  | Coupling in Polymer Synthesis  | 318 |
| 47.1.1.6      | <b>Alkene Metathesis</b><br>M. Michalak, Ł. Gułajski, and K. Grela |  |     |
| 47.1.1.6      | <b>Alkene Metathesis</b>   |  | 327 |
| 47.1.1.6.1    | Method 1:  | Cross Metathesis of a Reactive Alkene  | 332 |
| 47.1.1.6.1.1  | Variation 1:   | Reaction with a Fast Homodimerizing Metathesis Partner   | 333 |
| 47.1.1.6.1.2  | Variation 2:   | Reaction with a Very Slow Homodimerizing Metathesis Partner  | 340 |
| 47.1.1.6.1.3  | Variation 3:   | Reaction with a Very Slow Homodimerizing Metathesis Partner or a Spectator   | 354 |
| 47.1.1.6.2    | Method 2:  | Ring-Closing Metathesis  | 364 |
| 47.1.1.6.2.1  | Variation 1:   | Synthesis of Cycloalkenes with Disubstituted Double Bonds  | 364 |
| 47.1.1.6.2.2  | Variation 2:   | Synthesis of Cycloalkenes with Trisubstituted Double Bonds   | 380 |
| 47.1.1.6.2.3  | Variation 3:   | Synthesis of Cycloalkenes with Tetrasubstituted Double Bonds   | 386 |
| 47.1.1.6.3    | Method 3:  | Ene–Yne Metathesis   | 391 |
| 47.1.1.6.3.1  | Variation 1:   | Cross Ene–Yne Metathesis   | 392 |
| 47.1.1.6.3.2  | Variation 2:   | Ring-Closing Ene–Yne Metathesis  | 402 |
| 47.1.1.6.4    | Method 4:  | Acyclic Diene Metathesis Polymerization  | 415 |
| 47.1.1.6.5    | Method 5:  | Ring-Opening Metathesis  | 419 |
| 47.1.1.6.5.1  | Variation 1:   | Ethenolysis  | 419 |



|              |              |   |     |
|--------------|--------------|---|-----|
| 47.1.1.6.5.2 | Variation 2: | Ring-Opening with Concomitant Cross Metathesis        | 420 |
| 47.1.1.6.5.3 | Variation 3: | Ring-Opening with Concomitant Ring-Closing Metathesis | 425 |
| 47.1.1.6.6   | Method 6:    | Ring-Opening Metathesis Polymerization                | 428 |

## 47.1.2 Synthesis by Metal-Mediated Coupling Reactions

---

### 47.1.2.1 Cross-Coupling and Heck Reactions

D. A. Alonso and C. Nájera

---

|                |  |     |
|----------------|--|-----|
| 47.1.2.1       | <b>Cross-Coupling and Heck Reactions</b>   | 439 |
| 47.1.2.1.1     | Palladium-Catalyzed C—C Coupling Reactions                                       | 440 |
| 47.1.2.1.1.1   | Method 1: Synthesis by the Mizoroki–Heck Reaction                                | 440 |
| 47.1.2.1.1.2   | Method 2: Synthesis by Suzuki–Miyaura Coupling                                   | 442 |
| 47.1.2.1.1.2.1 | Variation 1: Reaction of <i>B</i> -Alkenyl Compounds with Alkyl Electrophiles    | 442 |
| 47.1.2.1.1.2.2 | Variation 2: Reaction of <i>B</i> -Alkyl Compounds with Alkenyl Electrophiles    | 443 |
| 47.1.2.1.1.3   | Method 3: Synthesis by Kosugi–Migita–Stille Coupling                             | 447 |
| 47.1.2.1.1.3.1 | Variation 1: Reaction of Alkenylstannanes with Alkyl Electrophiles               | 447 |
| 47.1.2.1.1.3.2 | Variation 2: Reaction of Alkylstannanes with Alkenyl Electrophiles               | 449 |
| 47.1.2.1.1.4   | Method 4: Synthesis by Corriu–Kumada–Tamao Coupling                              | 450 |
| 47.1.2.1.1.4.1 | Variation 1: Reaction of Alkyl Grignard Compounds with Alk-1-enyl Halides        | 451 |
| 47.1.2.1.1.4.2 | Variation 2: Reaction of Grignard Reagents with Allyl Electrophiles              | 452 |
| 47.1.2.1.1.5   | Method 5: Synthesis by Negishi Coupling  | 453 |
| 47.1.2.1.1.5.1 | Variation 1: Reaction of Alkylzinc Compounds with Alkenyl Electrophiles          | 453 |
| 47.1.2.1.1.5.2 | Variation 2: Reaction of Alkenylzinc Reagents with Alkyl Electrophiles           | 455 |
| 47.1.2.1.1.5.3 | Variation 3: Reaction of Alkenylzirconium Compounds with Alkyl Electrophiles     | 457 |
| 47.1.2.1.1.5.4 | Variation 4: Reaction of Alkenylaluminum Compounds with Alkyl Electrophiles      | 458 |
| 47.1.2.1.1.6   | Method 6: Synthesis by Organoindium Cross-Coupling Reactions                     | 458 |
| 47.1.2.1.2     | Nickel-Catalyzed C—C Coupling Reactions  | 460 |
| 47.1.2.1.2.1   | Method 1: Synthesis by Suzuki–Miyaura Coupling                                   | 460 |
| 47.1.2.1.2.2   | Method 2: Synthesis by Negishi Coupling  | 461 |
| 47.1.2.1.2.3   | Method 3: Synthesis by Corriu–Kumada–Tamao Coupling                              | 463 |
| 47.1.2.1.2.3.1 | Variation 1: Reaction of Alkyl Grignard Reagents with Alkenyl Electrophiles      | 463 |
| 47.1.2.1.2.3.2 | Variation 2: Reaction of Grignard Reagents with Dithioacetals                    | 464 |
| 47.1.2.1.3     | Iron-Catalyzed C—C Coupling Reactions  | 465 |
| 47.1.2.1.3.1   | Method 1: Synthesis by Desulfinylative Mizoroki–Heck-Type Reaction               | 466 |
| 47.1.2.1.3.1.1 | Variation 1: Reaction of Alkenyl Grignard Reagents with Alkanesulfonyl Chlorides | 466 |

|                |  |   |     |
|----------------|--|---|-----|
| 47.1.2.1.3.2   | Method 2:                                  | Synthesis by Corriu–Kumada–Tamao Coupling                       | 467 |
| 47.1.2.1.3.2.1 | Variation 1:                               | Reaction of Alkyl Grignard Reagents with Alkenyl Electrophiles  | 467 |
| 47.1.2.1.3.2.2 | Variation 2:                               | Reaction of Alkenyl Grignard Compounds with Alkyl Electrophiles | 468 |
| 47.1.2.1.3.2.3 | Variation 3:                               | Reaction of Grignard Reagents with Allyl Electrophiles          | 469 |
| 47.1.2.1.4     |  | Cobalt-Catalyzed C–C Coupling Reactions                         | 470 |
| 47.1.2.1.4.1   | Method 1:                                  | Synthesis by Corriu–Kumada–Tamao Coupling                       | 470 |
| 47.1.2.1.4.1.1 | Variation 1:                               | Reaction of Alkyl Grignard Reagents with Alkenyl Electrophiles  | 470 |
| 47.1.2.1.4.1.2 | Variation 2:                               | Reaction of Allyl Grignard Reagents with Alkyl Electrophiles    | 471 |
| 47.1.2.1.4.2   | Method 2:                                  | Synthesis by Negishi Coupling                                   | 472 |
| 47.1.2.1.4.2.1 | Variation 1:                               | Coupling of Alkylzinc Compounds with Alkenyl Electrophiles      | 472 |
| 47.1.2.1.4.2.2 | Variation 2:                               | Coupling of Alkylzinc Compounds with Allyl Electrophiles        | 473 |
| 47.1.2.1.4.2.3 | Variation 3:                               | Reaction of Arylzinc Compounds with Allyl Electrophiles         | 473 |
| 47.1.2.2       | <b>S<sub>N</sub>' Allylations</b>          |   |     |
|                |  | M. Cherkinsky and S. Levinger                                   |     |
| 47.1.2.2       | <b>S<sub>N</sub>' Allylations</b>          |   | 481 |
| 47.1.2.2.1     | Method 1:                                  | Synthesis of Alkenes Using Grignard Reagents                    | 481 |
| 47.1.2.2.1.1   | Variation 1:                               | Catalyzed Reactions with Achiral Catalysts                      | 482 |
| 47.1.2.2.1.2   | Variation 2:                               | Catalyzed Reactions with Chiral Catalysts                       | 490 |
| 47.1.2.2.2     | Method 2:                                  | Synthesis of Alkenes Using Organocopper Reagents                | 494 |
| 47.1.2.2.3     | Method 3:                                  | Synthesis of Alkenes Using Lithium Organocuprate Reagents       | 496 |
| 47.1.2.2.3.1   | Variation 1:                               | Using Lower-Order Lithium Organocuprate Reagents                | 496 |
| 47.1.2.2.3.2   | Variation 2:                               | Using Lithium Heteroorganocuprate Reagents                      | 499 |
| 47.1.2.2.3.3   | Variation 3:                               | Using Higher-Order Lithium Organocuprate Reagents               | 501 |
| 47.1.2.2.4     | Method 4:                                  | Synthesis of Alkenes Using Organozinc Reagents                  | 504 |
| 47.1.2.2.4.1   | Variation 1:                               | Using Zinc Organocuprate Reagents                               | 504 |
| 47.1.2.2.4.2   | Variation 2:                               | Using Diorganozinc Reagents                                     | 509 |
| 47.1.2.2.5     | Method 5:                                  | Synthesis of Alkenes Using Organoaluminum Reagents              | 512 |
| 47.1.2.3       | <b><math>\pi</math>-Allyl Substitution</b> |   |     |
|                |  | G. Sartori and R. Maggi   |     |
| 47.1.2.3       | <b><math>\pi</math>-Allyl Substitution</b> |   | 517 |
| 47.1.2.3.1     |  | Palladium-Catalyzed Reactions                                   | 517 |
| 47.1.2.3.1.1   | Method 1:                                  | Synthesis of Alkenes Using Carbon Nucleophiles                  | 517 |
| 47.1.2.3.1.1.1 | Variation 1:                               | Using Nonstabilized or Stabilized Enolates                      | 517 |
| 47.1.2.3.1.1.2 | Variation 2:                               | Using Miscellaneous Nucleophiles                                | 520 |

---

|              |   |       |
|--------------|---|-------|
| 47.1.2.3.1.2 | Method 2: Synthesis of Alkenes Using Nitrogen, Oxygen, or Sulfur Nucleophiles .....   | 528   |
| 47.1.2.3.2   | Other Metal-Catalyzed Reactions .....   | 532   |
| 47.1.2.3.2.1 | Method 1: Synthesis of Alkenes Using Iron Catalysts .....                             | 532   |
| 47.1.2.3.2.2 | Method 2: Synthesis of Alkenes Using Ruthenium Catalysts .....                        | 534   |
| 47.1.2.3.2.3 | Method 3: Synthesis of Alkenes Using Miscellaneous Metal Catalysts .....              | 539   |
| 47.1.2.4     | <b>Oligomerization of Alkenes to Higher Alkenes</b><br>M. Yus and F. Foubelo          |       |
| <hr/>        |   |       |
| 47.1.2.4     | <b>Oligomerization of Alkenes to Higher Alkenes</b> .....                             | 549   |
| 47.1.2.4.1   | Method 1: Oligomerization of Ethene .....   | 549   |
| 47.1.2.4.1.1 | Variation 1: Using Metallocenes and Related Complexes .....                           | 549   |
| 47.1.2.4.1.2 | Variation 2: Using Tridentate Bis(imino)pyridine Complexes of Transition Metals ..... | 551   |
| 47.1.2.4.1.3 | Variation 3: Using SHOP-Type and Related Complexes .....                              | 553   |
| 47.1.2.4.2   | Method 2: Oligomerization of Propene .....  | 554   |
| 47.1.2.4.3   | Method 3: Oligomerization of Higher Alk-1-enes .....                                  | 556   |
|              | <b>Keyword Index</b> .....  | i     |
|              | <b>Author Index</b> .....   | xxxv  |
|              | <b>Abbreviations</b> .....  | lxvii |

