

## Table of Contents

### Volume 5: Compounds of Group 14 (Ge, Sn, Pb)

5.1	<b>Product Class 1: Germanium Compounds</b>	
5.1.1.8	<b>Germanium Hydrides</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.1.8	<b>Germanium Hydrides</b> .....	1
5.1.1.8.1	Method 1: Synthesis by Reduction of Germanium Halides .....	2
5.1.1.8.2	Method 2: Applications in Reduction of Organic Halides .....	2
5.1.1.8.3	Method 3: Applications in Hydrogermylation of C—C Multiple Bonds ...	3
5.1.1.8.4	Method 4: Applications with Acids and Bases .....	4
5.1.1.8.5	Method 5: Applications in Palladium(0)-Catalyzed Coupling Reactions ..	5
5.1.1.8.6	Method 6: Application as an Alternative to Tributyltin Hydride in Radical Chain Reactions .....	7
5.1.1.8.7	Method 7: Application as Precursors for Germyl Cation Generation .....	8
5.1.15.2	<b>Germanium Cyanides</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.15.2	<b>Germanium Cyanides</b> .....	11
5.1.15.2.1	Method 1: Synthesis from Halogermanes by Substitution with Trialkylsil- yl Cyanides .....	11
5.1.16.6	<b>Acylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.16.6	<b>Acylgermanes</b> .....	15
5.1.16.6.1	Method 1: Synthesis from Germyl Enol Ethers by Hydrolysis .....	15
5.1.16.6.2	Method 2: Synthesis from $\alpha,\alpha$ -Diheterosubstituted Germanes by Hydrolysis .....	16
5.1.16.6.3	Method 3: Synthesis from Terminal Alkynes by Carbonylation .....	17
5.1.16.6.4	Method 4: Application of Acylgermanes as Radical Acceptors .....	18
5.1.16.6.5	Method 5: Application of Acylgermanes as Amide Precursors .....	19
5.1.18.4	<b><math>\alpha</math>-Halo- and <math>\alpha</math>-Alkoxyvinylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.18.4	<b><math>\alpha</math>-Halo- and <math>\alpha</math>-Alkoxyvinylgermanes</b> .....	21
5.1.18.4.1	Method 1: Synthesis of $\alpha$ -Alkoxyvinylgermanes from $\alpha$ -Metallovinyl Ethers by Substitution .....	21
5.1.18.4.2	Method 2: Synthesis of $\alpha$ -Halovinylgermanes from Alk-1-ynylgermanes by Hydro/Carbometalation–Halogenation .....	22

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

5.1.18.4.3	Method 3: Synthesis of $\alpha$ -Halovinylgermanes from $\alpha$ -Halovinyl Sulfones by Radical-Mediated Desulfonation	24
5.1.18.4.4	Method 4: Application of $\alpha$ -Halovinylgermanes in Palladium-Catalyzed Cross Coupling with Organic Halides	25
5.1.19.7	<b><math>\alpha</math>-Halo-, <math>\alpha</math>-Hydroxy-, <math>\alpha</math>-Alkoxy-, and <math>\alpha</math>-Aminoalkylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.19.7	<b><math>\alpha</math>-Halo-, <math>\alpha</math>-Hydroxy-, <math>\alpha</math>-Alkoxy-, and <math>\alpha</math>-Aminoalkylgermanes</b>	27
5.1.19.7.1	Method 1: Synthesis of $\alpha$ -Hetero- and $\alpha$ -Haloalkylgermanes from Halogermanes by Substitution	28
5.1.19.7.2	Method 2: Synthesis by Interconversion of $\alpha$ -Hetero- and $\alpha$ -Haloalkylgermanes by Substitution	29
5.1.19.7.3	Method 3: Synthesis of $\alpha$ -Hydroxylalkylgermanes from Hydroboration of Vinylgermanes	29
5.1.19.7.4	Method 4: Synthesis of $\alpha$ -Aminoalkylgermanes by [3 + 2] Cycloaddition of Germanes to Imino Esters	30
5.1.19.7.5	Method 5: Application of Lithiated $\alpha$ -Haloalkylgermanes in <i>gem</i> -Silylation/Borylation Reactions To Give Polymetalated Methanes	31
5.1.20.4	<b>Alkynylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.20.4	<b>Alkynylgermanes</b>	35
5.1.20.4.1	Method 1: Synthesis from Halogermanes by Substitution	36
5.1.20.4.2	Method 2: Synthesis from Group 14 Metalloalkynyls by Metathesis with Alkenylgermanes	36
5.1.20.4.3	Method 3: Synthesis by Substitution with Aminogermanes	37
5.1.20.4.4	Method 4: Synthesis by Elimination of $\alpha$ -Alkoxyalkenylgermanes	37
5.1.20.4.5	Method 5: Applications of Alkynylgermanes as Protecting Groups	38
5.1.20.4.6	Method 6: Applications of Alkynylgermanes in Palladium(0)-Catalyzed Cross-Coupling Reactions	39
5.1.22.6	<b>Aryl- and Heteroarylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.22.6	<b>Aryl- and Heteroarylgermanes</b>	41
5.1.22.6.1	Method 1: Synthesis from Halogermanes by Substitution with Arylmetals	41
5.1.22.6.1.1	Variation 1: Using Preformed Arylmetals	41
5.1.22.6.1.2	Variation 2: Using Barbier-Type Reactions	41
5.1.22.6.2	Method 2: Synthesis from Aryl Halides by Palladium(0)-Mediated Coupling with Germanium Hydrides	42
5.1.22.6.3	Method 3: Synthesis from Arylstannanes by Transmetalation with Germanium(IV) Chloride	42
5.1.22.6.4	Method 4: Synthesis of Aryl- and Heteroarylgermanes by Cycloaddition	43
5.1.22.6.5	Method 5: Applications of Arylgermanes as Linkers for Solid-Phase Synthesis	44

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

5.1.22.6.6	Method 6: Applications of Arylgermanes in Palladium(0)-Catalyzed Cross-Coupling Reactions .....	44
5.1.23.6	<b>Vinylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.23.6	<b>Vinylgermanes</b> .....	49
5.1.23.6.1	Method 1: Synthesis from Vinylolithium and Vinyl Grignard Reagents by Transmetalation with Halogermanes .....	49
5.1.23.6.2	Method 2: Synthesis from Alkynes by Hydro-, Hetero-, and Metallogermylation .....	50
5.1.23.6.2.1	Variation 1: By Hydrogermylation .....	50
5.1.23.6.2.2	Variation 2: By Palladium(0)-Mediated Germylation .....	51
5.1.23.6.2.3	Variation 3: By Metallogermylation .....	52
5.1.23.6.3	Method 3: Synthesis from Vinylgermanes by Ruthenium-Catalyzed Metathesis .....	53
5.1.23.6.4	Method 4: Applications in Palladium(0)-Catalyzed Cross Coupling of-Organic Halides .....	54
5.1.24.4	<b>Propargyl- and Allenylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.24.4	<b>Propargyl- and Allenylgermanes</b> .....	59
5.1.24.4.1	Method 1: Synthesis of Propargyl- and Allenylgermanes by Substitution ..	59
5.1.24.4.2	Method 2: Application of Allenylgermanes in [2 + 2]-Cycloaddition Reactions with Imino Esters .....	60
5.1.25.3	<b>Benzylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.25.3	<b>Benzylgermanes</b> .....	63
5.1.25.3.1	Method 1: Synthesis from Halogermanes by Substitution with Benzylmetals .....	64
5.1.25.3.2	Method 2: Application in Palladium(0)-Catalyzed Cross Coupling .....	65
5.1.26.6	<b>Allylgermanes</b> <span style="float: right;">2010</span> A. C. Spivey and C.-C. Tseng	
5.1.26.6	<b>Allylgermanes</b> .....	69
5.1.26.6.1	Method 1: Synthesis from Halogermanes by Substitution with Allylmetals .....	70
5.1.26.6.2	Method 2: Synthesis from Allyl Halides or Dienes by Germylene Insertion	71
5.1.26.6.3	Method 3: Synthesis from Allyl Halides by Palladium(0)-Mediated Coupling with Metallogermanes .....	71
5.1.26.6.4	Method 4: Synthesis from 3,4-Epoxy-pent-1-enes by Germyl Radical Addition .....	73

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

5.1.27.4	<b>Alkylgermanes</b> <span style="float: right;">2010</span>	
	A. C. Spivey and C.-C. Tseng	
<hr/>		
5.1.27.4	<b>Alkylgermanes</b> .....	77
5.1.27.4.1	Method 1: Synthesis from Halogermanes by Substitution with Alkylmetals .....	78
5.1.27.4.2	Method 2: Synthesis from Alkenes by Hydrogermylation .....	78

### Volume 9: Fully Unsaturated Small Ring Heterocycles and Monocyclic Five-Membered Heteroarenes with One Heteroatom

---

9.11	<b>Product Class 11: Selenophenes</b>	
<hr/>		
9.11.4	<b>Selenophenes</b> <span style="float: right;">2010</span>	
	J. Schatz and M. Seßler	
<hr/>		
9.11.4	<b>Selenophenes</b> .....	81
9.11.4.1	Synthesis by Ring-Closure Reactions .....	81
9.11.4.1.1	By Formation of Two Se—C Bonds and One C—C Bond .....	81
9.11.4.1.1.1	Fragments C—C—C, C, and Se .....	81
9.11.4.1.1.1.1	Method 1: From Ketene Dithioacetals and Sodium Selenide .....	81
9.11.4.1.1.1.2	Method 2: From $\beta$ -Chloroacrylonitriles and Sodium Selenide .....	83
9.11.4.1.1.2	Fragments C—C, C—C, and Se .....	84
9.11.4.1.1.2.1	Method 1: From Diphosphorylacetylene and Sodium Hydroselenide .....	84
9.11.4.1.2	By Formation of Two Se—C Bonds .....	85
9.11.4.1.2.1	Fragments C—C—C and Se .....	85
9.11.4.1.2.1.1	Method 1: Reaction of C <sub>4</sub> Building Blocks with Sources of Selenium .....	85
9.11.4.1.2.1.1.1	Variation 1: Reaction of Conjugated 1,3-Dienes with Selenium Dioxide .....	85
9.11.4.1.3	By Formation of One Se—C Bond .....	86
9.11.4.1.3.1	Fragment Se—C—C—C .....	86
9.11.4.1.3.1.1	Method 1: Electrophilic Cyclization of Z-Selanylenynes .....	86
9.11.4.1.3.1.1.1	Variation 1: Reaction with Butyltellurium Tribromide .....	86
9.11.4.1.3.1.1.2	Variation 2: Reaction with Other Electrophiles .....	86
9.11.4.1.3.1.1.3	Variation 3: Copper(I) Iodide Catalyzed Cyclization .....	88
9.11.4.1.4	By Formation of One C—C Bond .....	88
9.11.4.1.4.1	Fragment C—C—C—Se—C .....	88
9.11.4.1.4.1.1	Method 1: Cyclization of a Dipropargyl Selenide .....	88
9.11.4.2	Synthesis by Ring Transformation .....	89

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

9.11.4.2.1	Method 1: Thermal Decomposition of Selenadiazoles in the Presence of Arylacetylenes	89
9.11.4.2.2	Method 2: Formal Exchange of Magnesium with Selenium	90
9.11.4.3	Synthesis by Substituent Modification	91
9.11.4.3.1	Substitution of Metals	91
9.11.4.3.1.1	Method 1: Substitution Reactions Involving Organoboron Derivatives	91
9.11.4.3.2	Substitution of Heteroatoms	91
9.11.4.3.2.1	Method 1: Substitution of Halogens by Lithium	91
9.11.4.3.2.2	Method 2: Metal-Assisted Cross Coupling of Haloselenophenes	93
9.11.4.3.2.2.1	Variation 1: Coupling with Alkynes	93
9.11.4.3.2.2.2	Variation 2: Coupling with Alcohols	94
9.11.4.3.2.2.3	Variation 3: Coupling with Thiols	95
9.12	<b>Product Class 12: Tellurophenes</b>	
9.12.3	<b>Tellurophenes</b> <span style="float: right; border: 1px solid black; border-radius: 50%; padding: 2px;">2010</span> J. Schatz and M. Seßler	
9.12.3	<b>Tellurophenes</b>	99
9.12.3.1	Synthesis by Ring-Closure Reactions	100
9.12.3.1.1	By Formation of Two Te—C Bonds	100
9.12.3.1.1.1	Fragments C—C—C and Te	100
9.12.3.1.1.1.1	Method 1: Reaction of C <sub>4</sub> Building Blocks with Sources of Tellurium	100
9.12.3.1.1.1.1.1	Variation 1: Reaction of 2,3-Dimethoxybuta-1,3-diene with Tellurium Dichloride	100
9.12.3.1.1.1.1.2	Variation 2: Reaction of In Situ Generated Sodium Telluride and Buta-1,3-diyne	100
9.12.3.1.1.1.1.3	Variation 3: Reaction of 1,4-Diphenylbuta-1,3-diyne with Diethyl Ditelluride	101
9.12.3.1.2	By Formation of One Te—C Bond	102
9.12.3.1.2.1	Fragment Te—C—C—C	102
9.12.3.1.2.1.1	Method 1: Cyclization of 1-(Alkyltellanyl)but-1-en-3-yne	102
9.12.3.1.2.1.1.1	Variation 1: Reaction with Butyltellurium Tribromide	102
9.12.3.1.2.1.1.2	Variation 2: Reaction with a Copper(I) Iodide Catalyst	103
9.12.3.2	Synthesis by Substituent Modification	103
9.12.3.2.1	Substitution of Metals	103
9.12.3.2.1.1	Method 1: Substitution Reactions Involving Organostannanes	103
9.12.3.2.1.2	Method 2: Substitution Reactions Involving Organoboron Derivatives	105
9.12.3.2.2	Substitution of Heteroatoms	105
9.12.3.2.2.1	Method 1: Metal-Assisted Cross Coupling of Halotellurophenes with Alkynes	105

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

## Volume 11: Five-Membered Heteroarenes with One Chalcogen and One Additional Heteroatom

11.9	<b>Product Class 9: Isoxazoles</b>	
11.9.5	<b>Isoxazoles</b> P. Margaretha	2010
11.9.5	<b>Isoxazoles</b> .....	109
11.9.5.1	Synthesis by Ring-Closure Reactions .....	109
11.9.5.1.1	By Formation of Two Heteroatom—Carbon Bonds and One C—C Bond .....	109
11.9.5.1.1.1	Fragments C—C, N—O, and C .....	109
11.9.5.1.1.1.1	Method 1: One-Pot Four-Component Coupling .....	109
11.9.5.1.2	By Formation of Two Heteroatom—Carbon Bonds .....	109
11.9.5.1.2.1	Fragments C—C—C and N—O .....	109
11.9.5.1.2.1.1	Method 1: Synthesis of Hydroxyisoxazoles and Isoxazolones by Reactions of Hydroxylamine with 3-Oxo Esters and 1,3-Diesters .....	110
11.9.5.1.2.1.2	Method 2: By Reactions of Hydroxylamine with $\alpha,\beta$ -Unsaturated Carbonyl Compounds .....	111
11.9.5.1.3	By Formation of One Heteroatom—Carbon and One C—C Bond .....	112
11.9.5.1.3.1	Fragments O—N—C and C—C .....	112
11.9.5.1.3.1.1	Method 1: From Nitrile Oxides and Alkynes .....	112
11.9.5.1.3.1.1.1	Variation 1: Using Terminal Alkynes .....	112
11.9.5.1.3.1.1.2	Variation 2: Using Disubstituted Alkynes .....	117
11.9.5.1.3.1.2	Method 2: By Cycloaddition of Nitrile Oxides to C=C Bonds, Accom- panied by Elimination or Dehydration .....	120
11.9.5.1.3.1.2.1	Variation 1: Reactions with Enols and Enolates .....	120
11.9.5.1.3.1.2.2	Variation 2: Reactions with Other Dipolarophiles .....	121
11.9.5.1.3.1.3	Method 3: Coupling of an Electron-Deficient Alkyne with a Nitroacetate ..	123
11.9.5.1.3.2	Fragments O—N—C—C and C .....	124
11.9.5.1.3.2.1	Method 1: From Dianions Derived from Oximes .....	124
11.9.5.1.3.2.1.1	Variation 1: Reactions of Oxime-Derived Dianions with Esters .....	124
11.9.5.1.4	By Formation of One Heteroatom—Heteroatom Bond .....	125
11.9.5.1.4.1	Fragment O—C—C—C—N .....	125
11.9.5.1.4.1.1	Method 1: Light-Induced Cycloaddition of 2-Cyanocycloalk-2-enones to Alkenes .....	125
11.9.5.1.5	By Formation of One Heteroatom—Carbon Bond .....	125
11.9.5.1.5.1	Fragment O—N—C—C—C .....	125
11.9.5.1.5.1.1	Method 1: Oxidative Cyclization of $\alpha,\beta$ -Unsaturated Oximes .....	125
11.9.5.1.5.1.2	Method 2: Electrophilic Cyclization of Alkynyl O-Methyloximes .....	126

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.9.5.1.5.1.3	Method 3: Cyclization of 3-Oximinocarbonitriles	127
11.9.5.1.6	By Formation of One C—C Bond	128
11.9.5.1.6.1	Fragment C—O—N—C—C	128
11.9.5.1.6.1.1	Method 1: Cyclization of <i>O</i> -(β-Oxoalkyl)-Substituted α-(Hydroxyimino)nitriles	128
11.9.5.2	Synthesis by Substituent Modification	129
11.9.5.2.1	Substitution of Existing Substituents	129
11.9.5.2.1.1	Of Halogens	129
11.9.5.2.1.1.1	By Carbofunctional Groups	129
11.9.5.2.1.1.1.1	Method 1: By Palladium-Catalyzed Cross Coupling	129

## 11.10 Product Class 10: 1,2-Benzisoxazoles and Related Compounds

11.10.5	<b>1,2-Benzisoxazoles and Related Compounds</b>	<b>2010</b>
	S. Härtinger	
11.10.5	<b>1,2-Benzisoxazoles and Related Compounds</b>	133
11.10.5.1	Synthesis by Ring-Closure Reactions	133
11.10.5.1.1	By Annulation to an Arene	133
11.10.5.1.1.1	By Formation of One O—C and One C—C Bond	133
11.10.5.1.1.1.1	Method 1: By 1,3-Dipolar Cycloaddition to Naphthoquinones	133
11.10.5.1.1.2	By Formation of One O—N Bond	134
11.10.5.1.1.2.1	Method 1: By Cyclization of 2-Hydroxyaryl Ketoximes and Aldoximes	134
11.10.5.1.1.2.2	Method 2: By Cyclization of <i>N</i> ,2-Dihydroxybenzamides	135
11.10.5.1.1.3	By Formation of One O—C Bond	136
11.10.5.1.1.3.1	Method 1: By Cyclization of 2-Haloaryl Ketoximes	136
11.10.5.1.2	By Annulation to the Isoxazole Ring	137
11.10.5.1.2.1	Method 1: Cycloaddition to Isoxazoles	137
11.10.5.1.2.2	Method 2: Epoxide Ring Opening and Cyclization	138
11.10.5.1.2.3	Method 3: Annulation of a Hetarene	139
11.10.5.1.2.4	Method 4: Coupling of Diarylisoxazoles	141
11.10.5.2	Synthesis by Ring Transformation	142
11.10.5.2.1	Method 1: Rearrangement of Sultone Oximes	142
11.10.5.3	Aromatization	143
11.10.5.3.1	Method 1: Oxidative Aromatization of 4,5-Dihydro-1,2-benzisoxazoles	143
11.10.5.3.2	Method 2: Aromatization by Dehydrohalogenation	144
11.10.5.3.3	Method 3: Aromatization by Cleavage of <i>N</i> -Protected 2,3-Dihydro-1,2-benzisoxazoles	145
11.10.5.3.4	Method 4: Aromatization of Rings Fused to Isoxazoles	146
11.10.5.4	Synthesis by Substituent Modification	147

**2010** Updated Section · **2010** Completely Revised Contributions · **New** New Contributions

11.10.5.4.1	Substitution of Existing Substituents .....	148
11.10.5.4.1.1	Of Hydrogen .....	148
11.10.5.4.1.1.1	Method 1: Halogenation .....	148
11.10.5.4.1.2	Of Heteroatoms .....	149
11.10.5.4.1.2.1	Method 1: Substitution with Formation of a C—C Bond .....	149
11.13	<b>Product Class 13: Benzoxazoles and Other Annulated Oxazoles</b> <span style="float: right;">2010</span> M. Schnürch, J. Hämmerle, and P. Stanetty	
11.13	<b>Product Class 13: Benzoxazoles and Other Annulated Oxazoles</b> .....	153
11.13.1	Synthesis by Ring-Closure Reactions .....	154
11.13.1.1	By Annulation to an Arene .....	154
11.13.1.1.1	By Formation of One O—C and One N—C Bond .....	154
11.13.1.1.1.1	Fragment O—C—C—N .....	154
11.13.1.1.1.1.1	Method 1: Synthesis from 2-Hydroxybenzoic Acids, Amides, or Azides ..	154
11.13.1.1.1.1.2	Method 2: Synthesis from 1-(2-Hydroxyphenyl)alkanone Oximes and Derivatives Thereof (Beckmann Rearrangement) .....	155
11.13.1.1.1.2	Fragments O—C—C—N and C .....	157
11.13.1.1.1.2.1	Method 1: Synthesis from 2-Nitrophenols and Carbonic Acid Derivatives or Aldehydes .....	157
11.13.1.1.1.2.2	Method 2: Synthesis from 2-Aminophenols and Carbonic Acid Deriva- tives .....	159
11.13.1.1.1.2.2.1	Variation 1: Synthesis of 2-Alkoxybenzoxazoles or Benzoxazol-2(3 <i>H</i> )-ones	159
11.13.1.1.1.2.2.2	Variation 2: Synthesis of Benzoxazole-2(3 <i>H</i> )-thiones .....	162
11.13.1.1.1.2.2.3	Variation 3: Synthesis of Benzoxazol-2-amines .....	163
11.13.1.1.1.2.3	Method 3: Synthesis from 2-Aminophenols and Carboxylic Acid Deriva- tives .....	164
11.13.1.1.1.2.3.1	Variation 1: Using (Trihalomethyl)arenes or Carboxylic Acid Ortho Esters	164
11.13.1.1.1.2.3.2	Variation 2: Using Carboxylic Acids .....	165
11.13.1.1.1.2.3.3	Variation 3: Using Carboxylic Acid Chlorides .....	169
11.13.1.1.1.2.3.4	Variation 4: Using Carboxylic Acid Anhydrides or Imidates .....	170
11.13.1.1.1.2.3.5	Variation 5: Using Carboxamides .....	171
11.13.1.1.1.2.3.6	Variation 6: Using Nitriles .....	173
11.13.1.1.1.2.3.7	Variation 7: Using Carbon Monoxide and Aryl Halides .....	173
11.13.1.1.1.2.3.8	Variation 8: Using Isocyanides .....	174
11.13.1.1.1.2.4	Method 4: Synthesis from 2-Aminophenols and Aldehydes .....	175
11.13.1.1.1.2.5	Method 5: Synthesis from 2-Aminophenols and Alcohols .....	175
11.13.1.1.1.3	Fragments C—C and N—C—O .....	176
11.13.1.1.1.3.1	Method 1: Synthesis from 1,2-Dihaloarenes and Carboxamides .....	176
11.13.1.1.1.4	Fragments C—C—N and C—O .....	177
11.13.1.1.1.4.1	Method 1: Synthesis from 2-Bromoanilines and Carboxylic Acid Chlorides	177
11.13.1.1.2	By Formation of One C—O Bond .....	178
11.13.1.1.2.1	Fragment C—C—N—C—O .....	178

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions



11.13.1.1.2.1.1	Method 1: Synthesis from <i>N</i> -(2-Haloaryl)carboxamides	178
11.13.1.1.2.1.2	Method 2: Synthesis from <i>N</i> -(3-Halophenyl)carboxamides	181
11.13.1.1.2.2	Fragment O—C—C—N—C	182
11.13.1.1.2.2.1	Method 1: Synthesis from <i>N</i> -(2-Hydroxyphenyl)ureas	182
11.13.1.1.2.2.2	Method 2: Synthesis from <i>N</i> -(2-Hydroxyphenyl)thioureas	183
11.13.1.1.2.2.3	Method 3: Synthesis from <i>N</i> -(2-Hydroxyphenyl)carboxamides	184
11.13.1.1.2.2.4	Method 4: Synthesis from 2-(Alkylidenamino)phenols	186
11.13.1.2	By Annulation to the Heterocyclic Ring	188
11.13.2	Synthesis by Ring Transformation	189
11.13.2.1	Method 1: Ring Contraction of 1,4-Benzoxazines	189
11.13.3	Synthesis by Substituent Modification	190
11.13.3.1	Substitution of Existing Substituents	190
11.13.3.1.1	Of Hydrogen	190
11.13.3.1.1.1	Method 1: Lithiation	190
11.13.3.1.1.2	Method 2: Arylation	191
11.13.3.1.1.3	Method 3: Halogenation	192
11.13.3.1.1.4	Method 4: Sulfanylation	193
11.13.3.1.1.5	Method 5: Nitration	194
11.13.3.1.1.6	Method 6: Amination	194
11.13.3.1.2	Of Metals	194
11.13.3.1.2.1	Method 1: Cross-Coupling Reactions	194
11.13.3.1.3	Of Halogen	195
11.13.3.1.3.1	Method 1: Cyanation of 2-Chlorobenzoxazoles	195
11.13.3.1.3.2	Method 2: Fluorination of 2-Chlorobenzoxazoles	196
11.13.3.1.3.3	Method 3: Alkoxy- or Aryloxylation of 2-Halobenzoxazoles	196
11.13.3.1.3.4	Method 4: Amination of 2-Chlorobenzoxazoles	196
11.13.3.1.4	Of Oxygen	197
11.13.3.1.4.1	Method 1: Thionation of Benzoxazol-2(3 <i>H</i> )-ones	197
11.13.3.1.5	Of Sulfur	197
11.13.3.1.5.1	Method 1: Chlorination of Benzoxazole-2(3 <i>H</i> )-thiones	197
11.13.3.1.5.2	Method 2: Alkoxylation of Benzoxazole-2(3 <i>H</i> )-thiones	198
11.13.3.1.5.3	Method 3: Amination of Benzoxazole-2(3 <i>H</i> )-thiones	199
11.13.3.2	Addition Reactions	199
11.13.3.2.1	Method 1: Synthesis of 3-Alkylbenzoxazolium Salts	199
11.13.3.3	Modification of Substituents	200
11.13.3.3.1	Method 1: <i>S</i> -Alkylation of Benzoxazole-2(3 <i>H</i> )-thiones	200
11.13.3.3.2	Method 2: <i>N</i> -Alkylation of Benzoxazol-2-amines	201

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.15	<b>Product Class 15: Isothiazoles</b>	
11.15.4	<b>Isothiazoles</b>	2010
	M. Sainsbury	
11.15.4	<b>Isothiazoles</b> .....	207
11.15.4.1	Synthesis by Ring-Closure Reactions .....	209
11.15.4.1.1	By Formation of One S—C and One N—C Bond .....	209
11.15.4.1.1.1	Method 1: By Cycloaddition of Thiazyl Chloride to a Furan or a Pyrrole ..	209
11.15.4.1.1.1.1	Variation 1: By Addition of Thiazyl Chloride to a Furan .....	209
11.15.4.1.1.2	Method 2: By 1,3-Dipolar Cycloaddition of Nitrile Sulfides to Alkynes and Alkenes .....	212
11.15.4.1.1.2.1	Variation 1: From 1,3,4-Oxathiazol-2-ones .....	212
11.15.4.1.1.2.2	Variation 2: From Difluoro(imino)- $\lambda^4$ -sulfanes .....	213
11.15.4.1.2	By Formation of One S—N Bond .....	213
11.15.4.1.2.1	Method 1: By Oxidative Ring Closure of 3-Aminoprop-2-enyl Thiocarbonyl and Related Compounds .....	213
11.15.4.1.2.1.1	Variation 1: From 3-Aminoprop-2-enthioamides or 3-Aminoprop-2-enyl Thioketones .....	213
11.15.4.1.2.1.2	Variation 2: From (1E)-N-Hydroxy-3,3-bis(methylsulfanyl)prop-2-en-1-imines .....	220
11.15.4.1.2.1.3	Variation 3: From 2-[(Diphenyl- $\lambda^4$ -sulfanylidene)amino]-4,4-dimethyl-6-oxocyclohex-1-ene-1-carbothioamides .....	221
11.15.4.1.2.2	Method 2: From Bis(3-amino-3-oxopropyl) Disulfides .....	222
11.15.4.1.2.3	Method 3: From 3-Chloroprop-2-enals .....	222
11.15.4.1.2.4	Method 4: From 2-Sulfanylvinyl Ketones and O-Sulfonylhydroxylamines ..	223
11.15.4.1.2.5	Method 5: From <i>tert</i> -Butyl 2-Cyano-1,3,3,3-tetrafluoropropenyl Sulfide ..	224
11.15.4.1.3	By Formation of One C—C Bond .....	224
11.15.4.1.3.1	Method 1: By Base-Promoted Intramolecular Cyclization .....	224
11.15.4.1.3.1.1	Variation 1: Of Methyl [(Benzylsulfonyl)amino](oxo)acetate .....	225
11.15.4.2	Synthesis by Ring Transformation .....	225
11.15.4.2.1	Method 1: From 4,5-Dichloro-1,2,3-dithiazolium Chloride and Methyl 3-Aminocrotonate .....	225
11.15.4.3	Synthesis by Substituent Modification .....	226
11.15.4.3.1	Substitution of Existing Substituents .....	226
11.15.4.3.1.1	Of Heteroatoms .....	226
11.15.4.3.1.1.1	Method 1: Electrophilic Substitution .....	226
11.15.4.3.1.1.2	Method 2: Nucleophilic Substitution .....	228
11.15.4.3.1.1.2.1	Variation 1: Of Isothiazol-3-amine 1,1-Dioxides .....	228
11.15.4.3.1.1.2.2	Variation 2: Of Aryl 4,5-Dichloroisothiazol-3-yl Ketones and Related Compounds .....	230
11.15.4.3.1.1.3	Method 3: Isothiazole-5-carbaldehydes and 5-Alkylisothiazoles from Isothiazol-5-yllithiums .....	232

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.15.4.3.1.1.4	Method 4:	Substitution of Halogens by Carbofunctional Groups	233
11.15.4.3.1.1.4.1	Variation 1:	Castro–Stevens Coupling	233
11.15.4.3.1.1.4.2	Variation 2:	Stille Coupling	233
11.15.4.3.1.1.4.3	Variation 3:	Suzuki- and Negishi-like Couplings	234
11.15.4.3.1.1.4.4	Variation 4:	Sonogashira and Ullmann Couplings	238
11.15.4.3.1.1.4.5	Variation 5:	Heck Coupling	239
11.15.4.3.2	Addition Reactions		240
11.15.4.3.2.1	Addition of Organic Groups		240
11.15.4.3.2.1.1	Method 1:	Annulation of a Heterocyclic Ring by 1,3-Dipolar Additions	240
11.15.4.3.2.1.2	Method 2:	O-Alkylation of Isothiazol-3(2 <i>H</i> )-ones	241
11.15.4.3.2.2	Addition of Heteroatoms		242
11.15.4.3.2.2.1	Method 1:	Oxidation	242
11.15.4.3.2.2.2	Method 2:	Amination	244
11.15.4.3.3	Modification of Substituents		245
11.15.4.3.3.1	Method 1:	From Acylthiazoles	245

## 11.16 Product Class 16: Benzisothiazoles

11.16.3	<b>Benzisothiazoles</b>	2010
	M. Sainsbury	
11.16.3	<b>Benzisothiazoles</b>	249
11.16.3.1	1,2-Benzisothiazoles	249
11.16.3.1.1	Synthesis by Ring-Closure Reactions	250
11.16.3.1.1.1	By Formation of One S—C and One C—C Bond	250
11.16.3.1.1.2	By Formation of One S—N and/or One N—C Bond	251
11.16.3.1.1.2.1	Method 1: From Thiols, Disulfides, and Related Compounds	251
11.16.3.1.1.2.2	Method 2: From Oximes	252
11.16.3.1.1.2.3	Method 3: From (Aminosulfonyl)arenes	252
11.16.3.1.1.2.4	Method 4: From Disulfides	255
11.16.3.1.1.2.5	Method 5: From 2-Acylbenzenesulfonamides or 2-(Sulfinyl)benzamides	255
11.16.3.1.2	Synthesis by Substituent Modification	260
11.16.3.1.2.1	Substitution of Existing Substituents	260
11.16.3.1.2.1.1	Nucleophilic Substitution	260
11.16.3.1.2.2	Addition Reactions	260
11.16.3.1.2.2.1	Addition of Organic Groups	260
11.16.3.1.2.2.1.1	Method 1: Alkylation of Saccharins	260
11.16.3.1.2.2.1.2	Method 2: Alkylation of 4,6-Dinitro-1,2-benzisothiazole or 4,6-Dinitro-1,2-benzisothiazol-3(2 <i>H</i> )-one	261
11.16.3.2	2,1-Benzisothiazoles	262
11.16.3.2.1	Synthesis by Ring Transformation	262

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

11.16.3.2.1.1	Method 1: From an Adduct of 3-Phenyl-2-thioxo-2,3-dihydrothi-eno[2,3- <i>d</i> ]thiazol-6(5 <i>H</i> )-one and <i>N,N</i> -Dimethyl-4-nitroso-aniline .....	262
11.16.3.2.2	Synthesis by Substituent Modification .....	263
11.16.3.2.2.1	Substitution of Existing Substituents .....	263
11.16.3.2.2.1.1	Of Hydrogen .....	263
11.17	<b>Product Class 17: Thiazoles</b>	
11.17.6	<b>Thiazoles</b> <span style="float: right; border: 1px solid black; border-radius: 50%; padding: 2px;">2010</span> P. A. Koutentis and H. A. Ioannidou	
11.17.6	<b>Thiazoles</b> .....	267
11.17.6.1	Synthesis by Ring-Closure Reactions .....	268
11.17.6.1.1	By Formation of Three Heteroatom—Carbon Bonds .....	268
11.17.6.1.1.1	By Formation of One S—C Bond and Two N—C Bonds .....	268
11.17.6.1.1.1.1	Fragments S—C, C—C, and N .....	268
11.17.6.1.1.1.1.1	Method 1: From $\alpha$ -Halo Ketones and Supported Reagents .....	268
11.17.6.1.2	By Formation of Two Heteroatom—Carbon Bonds and One C—C Bond .....	268
11.17.6.1.2.1	Fragments S—C, N—C, and C .....	268
11.17.6.1.2.1.1	Method 1: From Isothiocyanates, Cyanamide, and “Acidic” Methyl Halides .....	268
11.17.6.1.2.2	Fragments N—C—S, C, and C .....	269
11.17.6.1.2.2.1	Method 1: From Aldehydes, Haloforms, and Thiourea .....	269
11.17.6.1.2.2.2	Method 2: From Acid Chlorides, Ammonium Thiocyanate, Ethyl Bromo-pyruvate, and Tetramethylthiourea .....	270
11.17.6.1.2.3	Fragments C—N—C, C, and S .....	271
11.17.6.1.2.3.1	Method 1: From Dimethyl Cyanocarbonodithioimidoate, Activated Alkyl Halides, and a Sulfur Source .....	271
11.17.6.1.3	By Formation of Two Heteroatom—Carbon Bonds .....	272
11.17.6.1.3.1	Fragments C—C—N—C and S .....	272
11.17.6.1.3.1.1	Method 1: From <i>N</i> -Functionalized $\alpha$ -Aminonitriles .....	272
11.17.6.1.3.1.2	Method 2: From $\alpha$ -Acylamino Carbonyl Compounds .....	272
11.17.6.1.3.1.3	Method 3: From 2-Isocyanoacrylates .....	273
11.17.6.1.3.2	Fragments S—C—N and C—C .....	274
11.17.6.1.3.2.1	Method 1: From the Cyclocondensation of 1-Alkynyl(aryl)- $\lambda^3$ -iodanes with Aminothiocarbonyl Compounds .....	274
11.17.6.1.3.2.2	Method 2: From $\alpha$ -Functionalized Carboxylic Acid Derivatives and Aminothiocarbonyl Compounds .....	276
11.17.6.1.3.2.2.1	Variation 1: From $\alpha$ -Functionalized Carboxyl Derivatives and Aminothio-carbonyl Compounds .....	276

2010 Updated Section · 
 2010 Completely Revised Contributions · 
 New New Contributions

11.17.6.1.3.2.2	Variation 2:	From $\alpha$ -Functionalized Carbonitriles and Aminothiocarbonyl Compounds	277
11.17.6.1.3.2.3	Method 3:	From $\alpha,\beta$ -Unsaturated Carboxylic Acid Derivatives and Aminothiocarbonyl Compounds	278
11.17.6.1.3.2.4	Method 4:	From $\alpha$ -Functionalized Ketones or Ketone Derivatives and Aminothiocarbonyl Compounds	279
11.17.6.1.3.2.4.1	Variation 1:	From $\alpha$ -Diazo Ketones and Aminothiocarbonyl Compounds	279
11.17.6.1.3.2.4.2	Variation 2:	From $\alpha$ -Halo and $\alpha,\alpha$ -Dihalo Ketones and Aminothiocarbonyl Compounds	280
11.17.6.1.3.2.4.3	Variation 3:	From $\alpha$ -Tosyloxy Ketones and Aminothiocarbonyl Compounds	282
11.17.6.1.3.2.4.4	Variation 4:	From $\alpha$ -Dimethylsulfonio Ketones and Aminothiocarbonyl Compounds	284
11.17.6.1.3.2.4.5	Variation 5:	From Ketones Halogenated In Situ and Aminothiocarbonyl Compounds	284
11.17.6.1.3.2.5	Method 5:	From $\alpha,\beta$ -Unsaturated Ketones and Aminothiocarbonyl Compounds	285
11.17.6.1.3.2.6	Method 6:	From $\alpha$ -Halo Aldehydes, Acetals, or Enol Ethers and Aminothiocarbonyl Compounds	286
11.17.6.1.3.2.6.1	Variation 1:	From $\alpha$ -Halo Aldehydes and Thioureas	286
11.17.6.1.3.2.6.2	Variation 2:	From Ethyl 3-Ethoxyacrylate and Thioureas	287
11.17.6.1.3.2.6.3	Variation 3:	From $\alpha$ -Halo Aldehydes and Thioamides	288
11.17.6.1.3.2.7	Method 7:	From Enamines and Aminothiocarbonyl Compounds	289
11.17.6.1.3.2.8	Method 8:	From 2,2,2-Trichloroethanols and Thioureas	290
11.17.6.1.3.2.9	Method 9:	From 3-Haloalk-1-enes or 3-Haloalk-1-yne and Aminothiocarbonyl Compounds	291
11.17.6.1.3.2.10	Method 10:	From $\alpha$ -Halo Carbonyl Compounds and Thiocyanates	291
11.17.6.1.3.2.11	Method 11:	From 1-Chloroalk-1-yne and Aminothiocarbonyl Compounds	292
11.17.6.1.3.2.12	Method 12:	From Allenes and Thioamides	293
11.17.6.1.3.3	Fragments C—C—S and C—N		293
11.17.6.1.3.3.1	Method 1:	From 2-Sulfanylalkanoic Acids or Derivatives and Nitriles	293
11.17.6.1.3.4	Fragments C—C—N and C—S		295
11.17.6.1.3.4.1	Method 1:	From $\alpha$ -Aminonitriles and Carbonyl Sulfide Sources	295
11.17.6.1.3.4.2	Method 2:	From $\alpha$ -Amino Acids and Thiocarboxylic Acid Esters	296
11.17.6.1.3.4.3	Method 3:	From Vinylamines and Chloroformylsulfenyl Chloride	296
11.17.6.1.3.4.4	Method 4:	From Alk-2-ynylamines and Carbon Disulfide	297
11.17.6.1.3.5	Fragments C—C—S—C and N		298
11.17.6.1.3.5.1	Method 1:	Cyclodehydration of <i>S</i> -(2-Oxoalkyl) Thioesters in the Presence of Ammonium Acetate	298
11.17.6.1.4	By Formation of One Heteroatom—Carbon and One C—C Bond		298
11.17.6.1.4.1	Fragments C—N—C—S and C		298
11.17.6.1.4.1.1	Method 1:	From Resin-Bound <i>N</i> -Cyanocarbonimidodithioate and Functionalized Methyl Halides	298
11.17.6.1.4.1.2	Method 2:	From <i>N</i> -Cyanocarbonimidodithioates and “Acidic” Methyl Halides	299

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.17.6.1.4.1.3	Method 3:	From <i>N</i> -Cyanoimidothiocarbamates and “Acidic” Methyl Halides .....	299
11.17.6.1.4.1.4	Method 4:	From <i>N</i> -(Diaminomethylene)- or <i>N</i> -[Amino(alkylsulfanyl)-methylene]thioureas and $\alpha$ -Halo Ketones .....	300
11.17.6.1.4.1.5	Method 5:	From <i>N</i> -(Aminomethylene)- or <i>N</i> -(Alkoxyethylene)thioureas and “Acidic” Methyl Halides .....	301
11.17.6.1.4.1.6	Method 6:	From <i>N</i> -Acylthioureas and “Acidic” Methyl Halides .....	302
11.17.6.1.4.1.7	Method 7:	From <i>N</i> -(Aminomethylene)- or <i>N</i> -(Hydroxymethylene)thioamides and “Acidic” Methyl Halides .....	303
11.17.6.1.4.2	Fragments C—N—C and S—C .....		304
11.17.6.1.4.2.1	Method 1:	From <i>N</i> -Cyanoimidothioates and Sulfanylacetic Acid Derivatives .....	304
11.17.6.1.4.2.2	Method 2:	From Alkyl Isocyanides and S—C Synthons .....	305
11.17.6.1.4.2.3	Method 3:	From <i>G</i> -Aryl- <i>N</i> -methylglycines and S—C Synthons .....	305
11.17.6.1.5	By Formation of One Heteroatom—Carbon Bond .....		306
11.17.6.1.5.1	By Formation of One S—C Bond .....		306
11.17.6.1.5.1.1	Fragment C—C—N—C—S .....		306
11.17.6.1.5.1.1.1	Method 1:	From <i>N</i> -Thiocarbonyl $\alpha$ -Amino Acids and Derivatives .....	306
11.17.6.1.5.1.1.2	Method 2:	From $\alpha$ -(Thioacylamino)carbothioamides .....	307
11.17.6.1.5.1.1.3	Method 3:	From $\alpha$ -Thioacylamino Acetals or $\alpha$ -(Thioacylamino)aldehydes .....	308
11.17.6.1.5.1.1.4	Method 4:	From <i>N</i> - $\alpha$ -Haloacyl Isothiocyanates .....	309
11.17.6.1.5.1.1.5	Method 5:	From Allenyl Isothiocyanates .....	310
11.17.6.1.5.1.1.6	Method 6:	From <i>N</i> -[2,2-Dichloro-2-phenyl-1-(thioacetyl-amino)ethyl]-benzenesulfonamide .....	311
11.17.6.1.5.1.1.7	Method 7:	From $\beta$ -Hydroxy Thioamides .....	311
11.17.6.1.5.1.1.8	Method 8:	From <i>N</i> -(2-Bromoalk-2-enyl)thioamides .....	312
11.17.6.1.5.1.1.9	Method 9:	From 2,2-Dichloro-1-tosylvinyl Isothiocyanate and Various Nucleophiles .....	313
11.17.6.1.5.1.2	Fragment C—N—C—C—S .....		314
11.17.6.1.5.1.2.1	Method 1:	From Di- and Tripeptides .....	314
11.17.6.1.5.1.2.2	Method 2:	From Thiamine Disulfides .....	315
11.17.6.1.5.2	By Formation of One N—C Bond .....		317
11.17.6.1.5.2.1	Fragment C—C—S—C—N .....		317
11.17.6.1.5.2.1.1	Method 1:	From $\alpha$ -Thiocyanato Carboxylic Acids and Derivatives .....	317
11.17.6.1.5.2.1.2	Method 2:	From $\alpha$ -Imidoysulfanyl Ketones .....	318
11.17.6.1.5.2.1.3	Method 3:	From $\alpha$ -Thiocyanato Ketones .....	318
11.17.6.1.5.2.1.4	Method 4:	From <i>S</i> -Alkynylisothiuronium or Thiobenzimidonium Salts and Base .....	319
11.17.6.1.5.2.1.5	Method 5:	From 3-Aryl-2-thiocyanatopropanenitriles .....	320
11.17.6.1.5.2.1.6	Method 6:	From 3-Thiocyanatoprop-1-yne .....	321
11.17.6.1.5.2.2	Fragment C—S—C—C—N .....		321
11.17.6.1.5.2.2.1	Method 1:	From 2-(Hydroxyimino)alkyl Dithiocarbonates .....	321
11.17.6.1.5.2.2.2	Method 2:	From $\beta$ -Thiocyanatoenamines .....	322

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.17.6.1.6	By Formation of One C—C Bond	323
11.17.6.1.6.1	Fragment C—S—C—N—C	323
11.17.6.1.6.1.1	Method 1: From <i>N</i> -(1-Amino-2,2,2-trichloroethylidene)isothioureas	323
11.17.6.1.6.1.2	Method 2: From Alkyl <i>N</i> -Acylthioimidates	323
11.17.6.2	Synthesis by Ring Transformation	324
11.17.6.2.1	Method 1: By Ring Enlargement of Three-Membered Heterocycles	324
11.17.6.2.2	Method 2: By Formal Exchange of Ring Atoms with Retention of Ring Size	325
11.17.6.2.3	Method 3: By Ring Contraction of Heterocycles	326
11.17.6.3	Aromatization	327
11.17.6.3.1	Method 1: By Dehydration of Dihydrothiazoles	327
11.17.6.3.2	Method 2: Aromatization by Addition Reactions	328
11.17.6.3.2.1	Variation 1: Nucleophilic Additions to Exocyclic Double Bonds	328
11.17.6.3.2.2	Variation 2: <i>S</i> -Alkylation of Thiazole-2(3 <i>H</i> )-thiones	329
11.17.6.3.2.3	Variation 3: <i>S</i> -Alkylation and <i>N</i> -Elimination of 3-Substituted Thiazole-2(3 <i>H</i> )-thiones	330
11.17.6.3.2.4	Variation 4: <i>N</i> -Alkylation of 3-Substituted Thiazol-2(3 <i>H</i> )-imines	330
11.17.6.3.3	Method 3: Elimination of Sulfur from Thiazole-2(3 <i>H</i> )-thiones	331
11.17.6.3.4	Method 4: Base-Induced Conversion of 4,5-Dihydrothiazoles into Thiazoles	332
11.17.6.3.5	Method 5: Oxidation of 4,5-Dihydrothiazoles	333
11.17.6.3.6	Method 6: Oxidation of Thiazolidines	334
11.17.6.3.7	Method 7: Aromatization by Rearrangement (Isomerization)	335
11.17.6.4	Synthesis from Other Thiazoles	336
11.17.6.4.1	Addition Reactions	336
11.17.6.4.1.1	Method 1: Quaternization	336
11.17.6.4.1.2	Method 2: Formation of Thiazole 3-Oxides	337
11.17.6.4.2	Synthesis by Substituent Modification	337
11.17.6.4.2.1	Method 1: Replacement of Hydrogen by Deuterium	337
11.17.6.4.2.2	Method 2: Replacement of Hydrogen by Metals	338
11.17.6.4.2.2.1	Variation 1: Replacement of Hydrogen by Magnesium or Zinc	338
11.17.6.4.2.2.2	Variation 2: Replacement of Hydrogen by Silicon or Tin	339
11.17.6.4.2.2.3	Variation 3: Replacement of Hydrogen by Boron	340
11.17.6.4.2.3	Method 3: Replacement of Hydrogen by Carbon Electrophiles	341
11.17.6.4.2.4	Method 4: Replacement of Hydrogen by Non-Carbon Electrophiles	345
11.17.6.4.2.4.1	Variation 1: Halogenation of Thiazoles	345
11.17.6.4.2.4.2	Variation 2: Introduction of Sulfo or Thiocyanato Groups	346
11.17.6.4.2.4.3	Variation 3: Introduction of Alkylsulfanyl or Arylsulfanyl Groups	347
11.17.6.4.2.4.4	Variation 4: Nitration of Thiazoles	348
11.17.6.4.2.4.5	Variation 5: Introduction of Arylazo Groups	349
11.17.6.4.2.4.6	Variation 6: Replacement of Hydrogen by Phosphorus	350
11.17.6.4.2.5	Method 5: Introduction of Amino Groups	350
11.17.6.4.3	Synthesis of Thiazoles from Metalated Thiazoles	352

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

11.17.6.4.3.1	Method 1:	Replacement of Lithium, Magnesium, or Zinc by Carbon Electrophiles .....	352
11.17.6.4.3.2	Method 2:	Replacement of Silyl Groups by Hydrogen .....	353
11.17.6.4.3.3	Method 3:	Replacement of Silyl or Stannyl Groups by Carbon Electrophiles .....	354
11.17.6.4.3.4	Method 4:	Replacement of Stannyl Groups by Halogens .....	357
11.17.6.4.3.5	Method 5:	Replacement of Metals by Other Groups .....	358
11.17.6.4.3.5.1	Variation 1:	Replacement of Lithium by Sulfur-Containing Reagents .....	358
11.17.6.4.3.6	Method 6:	Modification of Other Substituents .....	359
11.17.6.4.3.6.1	Variation 1:	Decarboxylation of Thiazolecarboxylic Acids and -carboxylates .....	359
11.17.6.4.3.6.2	Variation 2:	Replacement of a Carbon Substituent by Nitrogen .....	360
11.17.6.4.3.6.3	Variation 3:	Replacement of a Carbon Substituent by Halogen .....	360
11.17.6.4.3.6.4	Variation 4:	Replacement of a Nitrogen Substituent by Hydrogen .....	361
11.17.6.4.3.6.5	Variation 5:	Replacement of a Nitrogen Substituent by Carbon .....	361
11.17.6.4.3.6.6	Variation 6:	Replacement of One Nitrogen Substituent by Another .....	362
11.17.6.4.3.6.7	Variation 7:	Replacement of Nitrogen Substituents by Halogens .....	362
11.17.6.4.3.6.8	Variation 8:	Replacement of Oxygen or Sulfur Groups by Hydrogen .....	363
11.17.6.4.3.6.9	Variation 9:	Replacement of Oxygen or Sulfur Groups by Carbon-Containing Substituents .....	364
11.17.6.4.3.6.10	Variation 10:	Replacement of Oxygen or Sulfur Substituents by Nitrogen ..	366
11.17.6.4.3.6.11	Variation 11:	Replacement of Oxygen or Sulfur Substituents by Halogen ..	367
11.17.6.4.3.6.12	Variation 12:	Replacement of Oxygen Substituents by Sulfur .....	368
11.17.6.4.3.6.13	Variation 13:	Replacement of Sulfur Substituents by Oxygen .....	368
11.17.6.4.3.6.14	Variation 14:	Replacement of One Sulfur Substituent by Another .....	369
11.17.6.4.3.6.15	Variation 15:	Replacement of Halogen by Hydrogen .....	370
11.17.6.4.3.6.16	Variation 16:	Replacement of Halogen by Carbon Nucleophiles .....	370
11.17.6.4.3.6.17	Variation 17:	Replacement of Halogen by Nitrogen Substituents .....	371
11.17.6.4.3.6.18	Variation 18:	Replacement of Halogen by Oxygen or Sulfur Substituents ..	372
11.17.6.4.3.6.19	Variation 19:	Replacement of Halogen by Tin or Boron Substituents .....	372
11.17.6.5		Modification of Substituents .....	374
11.17.6.5.1		Modification of Carbofunctional Substituents .....	374
11.17.6.5.1.1	Method 1:	Condensation at Alkyl Groups of Alkylthiazoles .....	374
11.17.6.5.1.2	Method 2:	Other Transformations of Carbofunctional Substituents of Thiazoles .....	374
11.17.6.5.2		Modification of Heterofunctional Substituents .....	376
11.17.6.5.2.1	Method 1:	Modification of O- and S-Substituents .....	376
11.17.6.5.3		Rearrangement of Substituents .....	377

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions



11.18	<b>Product Class 18: Benzothiazoles and Related Compounds</b>	
11.18.5	<b>Benzothiazoles</b>	2010
	H. Ulrich	
11.18.5	<b>Benzothiazoles</b> .....	393
11.18.5.1	Synthesis by Ring-Closure Reactions .....	394
11.18.5.1.1	By Annulation to an Arene or Heteroarene Ring .....	394
11.18.5.1.1.1	By Formation of One S—C and One N—C Bond .....	394
11.18.5.1.1.1.1	Method 1: From 2-Amino(het)arenethiols .....	394
11.18.5.1.1.1.1.1	Variation 1: With Cyanamides .....	394
11.18.5.1.1.1.1.2	Variation 2: With Anhydrides .....	394
11.18.5.1.1.1.1.3	Variation 3: With Carboxylic Acids .....	394
11.18.5.1.1.1.1.4	Variation 4: With Aldehydes .....	395
11.18.5.1.1.2	By Formation of One S—C Bond .....	397
11.18.5.1.1.2.1	Method 1: From <i>N</i> -Arylthioureas .....	397
11.18.5.1.1.2.1.1	Variation 1: With a Leaving Group in the 2-Position .....	397
11.18.5.1.1.2.2	Method 2: From <i>N</i> -Arylthioamides .....	398
11.18.5.1.1.2.2.1	Variation 1: From 2-Unsubstituted <i>N</i> -Arylthioamides .....	398
11.18.5.1.1.2.2.2	Variation 2: From <i>N</i> -Arylthioamides with a Halogen or Hydroxy Leaving Group in the 2-Position .....	400
11.18.5.1.1.2.2.3	Variation 3: In Situ Formation from Amides .....	401
11.18.5.1.1.2.3	Method 3: From <i>ortho</i> -Nitrogen-Functionalized Aryl Disulfides .....	402
11.18.5.2	Synthesis by Substituent Modification .....	403
11.18.5.2.1	Substitution of Existing Substituents .....	403
11.18.5.2.1.1	Of Heteroatoms .....	403
11.18.5.2.1.1.1	Method 1: By Hetero Functions .....	403
11.20	<b>Product Class 20: Isoselenazoles</b>	
11.20.3	<b>Isoselenazoles</b>	2010
	K. Shimada	
11.20.3	<b>Isoselenazoles</b> .....	405
11.20.3.1	Synthesis by Ring-Closure Reactions .....	405
11.20.3.1.1	By Formation of One Se—N, One Se—C, and One N—C Bond .....	405
11.20.3.1.1.1	Fragments C—C—C, N, and Se .....	405
11.20.3.1.1.1.1	Method 1: Reaction of $\alpha,\beta$ -Unsaturated $\beta$ -Chloroaldehydes with Potassium Selenocyanate and Ammonium Chloride .....	405
11.20.3.1.2	By Formation of One Se—N and One N—C Bond .....	407
11.20.3.1.2.1	Fragments Se—C—C—C and N .....	407

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

11.20.3.1.2.1.1	Method 1:	Reaction of 4-(Methylselanyl)- or 4-(Phenylselanyl)-1,1,1-trihaloalk-3-en-2-ones with Bromine and Ammonia	407
11.20.3.1.2.1.2	Method 2:	Reaction of $\beta$ -[( <i>N,N</i> -Dimethylcarbamoyl)selanyl]alkenyl Ketones and Hydroxylamine- <i>O</i> -sulfonic Acid	408
11.20.3.1.3	By Formation of One Se—N and One Se—C Bond		408
11.20.3.1.3.1	Fragments N—C—C and Se		408
11.20.3.1.3.1.1	Method 1:	Reaction of Alkynone Oxime 4-Toluenesulfonates with Sodium Hydrogen Selenide or <i>N,N</i> -Dimethylselenocarbamate Ion	408
11.20.3.2	Synthesis by Substituent Modification		409
11.20.3.2.1	Modification of Substituents		409
11.20.3.2.1.1	Method 1:	Reaction of 3-(Trichloromethyl)isoselenazoles with Sulfuric Acid	409

11.21 **Product Class 21: Annulated Isoselenazole Compounds**

11.21.5	<b>Annulated Isoselenazole Compounds</b>	<b>2010</b>	
	K. Shimada		
11.21.5	<b>Annulated Isoselenazole Compounds</b>	413	
11.21.5.1	Synthesis by Ring-Closure Reactions		413
11.21.5.1.1	By Formation of One Se—N and One N—C Bond		413
11.21.5.1.1.1	Fragments Se—Arene—C and N		413
11.21.5.1.1.1.1	Method 1:	Reaction of 2-(Chloroselanyl)benzoyl Chloride with 4-Aminobenzoic Acid	413
11.21.5.1.2	By Formation of One Se—N Bond		414
11.21.5.1.2.1	Fragment Se—Arene—C—N		414
11.21.5.1.2.1.1	Method 1:	<i>ortho</i> -Metalation of Isophthalamides, Selenation, and Subsequent Oxidation	414

11.22 **Product Class 22: Selenazoles**

11.22.4	<b>Selenazoles</b>	<b>2010</b>	
	K. Shimada		
11.22.4	<b>Selenazoles</b>	417	
11.22.4.1	Synthesis by Ring-Closure Reactions		417
11.22.4.1.1	By Formation of Two Se—C Bonds and One C—C Bond		417
11.22.4.1.1.1	Fragments C—N—C, Se, and C		417
11.22.4.1.1.1.1	Method 1:	Reaction of Dithioimidocarbonates with Secondary Amines, Sodium Selenide, and Haloalkanes	417

**2010** Updated Section • **2010** Completely Revised Contributions • **New** New Contributions

11.22.4.1.2	By Formation of One Se—C and One N—C Bond	419
11.22.4.1.2.1	Fragments Se—C—N and C—C	419
11.22.4.1.2.1.1	Method 1: Reaction of Selenocarboxamides with $\alpha$ -Halocarbonyl Compounds	419
11.22.4.1.2.1.1.1	Variation 1: Reaction of Selenocarboxamides with $\alpha$ -Bromo Ketones	419
11.22.4.1.2.1.1.2	Variation 2: Reaction of Selenoformamide with $\alpha$ -Bromo Ketones	421
11.22.4.1.2.1.1.3	Variation 3: Reaction of Cyanoselenoamide or Bis(selenoamides) with $\alpha$ -Halocarbonyl Compounds	422
11.22.4.1.2.1.2	Method 2: Reaction of Selenocarboxamides with Acetylenic Compounds	423
11.22.4.1.2.1.3	Method 3: Cycloaddition of Selenocarboxamides with Selanyl Propadienyl Cations	424
11.22.4.1.2.1.4	Method 4: From Selenoureas and $\alpha$ -Halocarbonyl Compounds	425
11.22.4.1.2.1.4.1	Variation 1: Reaction of <i>N</i> -Phenylselenourea with 1,3-Dichloroacetone	425
11.22.4.1.2.1.4.2	Variation 2: Reaction of Selenourea or <i>N</i> -Benzoylselenourea with $\alpha$ -Halocarbonyl Compounds	428
11.22.4.1.2.1.4.3	Variation 3: Reaction of Selenourea with $\alpha$ -Bromo Ketones in the Presence of $\beta$ -Cyclodextrin	429
11.22.4.1.2.1.4.4	Variation 4: Reaction of Selenourea with $\alpha$ -Bromo- $\beta$ -oxo Esters in the Presence of $\beta$ -Cyclodextrin	430
11.22.4.1.2.1.4.5	Variation 5: Reaction of Selenourea with $\alpha$ -Bromo Ketones in the Presence of Copper(II) Chloride–Pyridine Complex	431
11.22.4.1.2.1.4.6	Variation 6: Reaction of Selenourea with 1-Aryl-2-bromoethanones in an Ionic Liquid/Water System	432
11.22.4.1.2.1.5	Method 5: From Selenoureas and $\alpha,\beta$ -Unsaturated Carbonyl Compounds	434
11.22.4.1.2.1.5.1	Variation 1: Reaction of <i>N,N</i> -Dialkylselenoureas with $\alpha,\beta$ -Unsaturated Ketones in the Presence of Iron(III) Chloride	434
11.22.4.1.2.1.5.2	Variation 2: Reaction of <i>N,N</i> -Dialkylselenoureas with $\alpha,\beta$ -Unsaturated Aldehydes in the Presence of Iron(III) Chloride	435
11.22.4.1.2.1.5.3	Variation 3: Reaction of <i>N,N</i> -Dialkylselenoureas with 1,2-Dicarbonyl Compounds in the Presence of Iron(III) Chloride	435
11.22.4.1.2.1.6	Method 6: From Selenoureas and $\alpha$ -Haloacetonitriles	436
11.22.4.1.2.1.7	Method 7: From Selenoureas and Acetylenic Compounds	438
11.22.4.1.3	By Formation of One Se—C and One C—C Bond	438
11.22.4.1.3.1	Fragments Se—C—N—C and C	438
11.22.4.1.3.1.1	Method 1: From Selenazadienes and $\alpha$ -Halocarbonyl Compounds	438
11.22.4.1.3.1.1.1	Variation 1: Reaction of <i>N,N</i> -Dialkyl- <i>N'</i> -[(dimethylamino)methylene]-selenoureas with Chloroacetyl Chloride	438
11.22.4.1.3.1.1.2	Variation 2: Reaction of <i>N,N</i> -Dialkyl- <i>N'</i> -[(dimethylamino)methylene]-selenoureas and $\alpha$ -Halo Ketones	441
11.22.4.1.3.1.2	Method 2: From Selenazadienes and Chloroacetonitrile	442
11.22.4.1.3.2	Fragments C—N—C and Se—C	443
11.22.4.1.3.2.1	Method 1: From Dithioimidocarbonates and Ethaneselenothioates	443
11.22.4.1.4	By Formation of One C—C Bond	445
11.22.4.1.4.1	Fragment C—Se—C—N—C	445
11.22.4.1.4.1.1	Method 1: Cyclization of <i>N</i> -Acylcarbamimidoselenoates	445

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

11.22.4.2	Synthesis by Substituent Modification	446
11.22.4.2.1	By Halogenation and Alkylation of the Selenium Atom	446
11.22.4.2.1.1	Method 1: From Selenazoles to 1,1-Dihaloselenazoles and Se-Alkylselenazolium Ions	446
11.22.4.2.2	Synthesis by Modification of Substituents in the Side Chain	448
11.22.4.2.2.1	Method 1: Oxidation of 2-Benzylselenazoles and Subsequent Alkaline Hydrolysis	448
11.22.4.2.2.2	Method 2: Azo Coupling of Substituted Selenazol-2-amines	451
11.23	<b>Product Class 23: Annulated Selenazole Compounds</b>	
11.23.3	<b>Annulated Selenazole Compounds</b>	<b>2010</b>
	K. Shimada	
11.23.3	<b>Annulated Selenazole Compounds</b>	455
11.23.3.1	Synthesis by Ring-Closure Reactions	455
11.23.3.1.1	By Annulation to an Arene	455
11.23.3.1.1.1	By Formation of Two Se—C Bonds	455
11.23.3.1.1.1.1	Fragments Arene—N—C and Se	455
11.23.3.1.1.1.1.1	Method 1: From 2-Halophenyl Isocyanides, Elemental Selenium, and Heteroatom Nucleophiles	455
11.23.3.1.2	By Annulation to a Selenazole	456
11.23.3.1.2.1	Method 1: Formation of 4-Chloro-1,2,3-triazines	456
11.23.3.2	Synthesis by Substituent Modification	457
11.23.3.2.1	Method 1: Modification of the Benzo Ring by Amination, Oxidation, and Substitution	457
11.23.3.2.2	Method 2: Modification of the Selenazole Ring by N-Alkylation and C—C Bond Formation on a Methyl Group at the C2 Position	458
11.23.3.2.2.1	Variation 1: Condensation with Ortho Esters or Imidamides	458
11.23.3.2.2.2	Variation 2: Condensation with Squaric Acid	461
11.23.3.2.2.3	Variation 3: Condensation with a Thiazole-5-carbaldehyde	463
11.25	<b>Product Class 25: Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds</b>	
11.25.4	<b>Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds</b>	<b>2010</b>
	K. Shimada	
11.25.4	<b>Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds</b>	467
11.25.4.1	Isotellurazoles (1,2-Tellurazoles)	467
11.25.4.1.1	Synthesis by Ring-Closure Reactions	467

**2010** Updated Section · **2010** Completely Revised Contributions · **New** New Contributions

11.25.4.1.1.1	By Formation of One Te—N and One N—C Bond	467
11.25.4.1.1.1.1	Fragments Te—C—C and N	467
11.25.4.1.1.1.1.1	Method 1: Reaction of $\beta$ -[( <i>N,N</i> -Dimethylcarbamoyl)tellanyl]alkenyl Ketones with Hydroxylamine- <i>O</i> -sulfonic Acid	467
11.25.4.1.1.2	By Formation of One Te—N and One Te—C Bond	469
11.25.4.1.1.2.1	Fragments N—C—C and Te	469
11.25.4.1.1.2.1.1	Method 1: Reaction of Alkynone Oxime 4-Toluenesulfonates with <i>N,N</i> -Dimethyltellurocarbamate Ion	469
11.25.4.2	1,2-Benzisotellurazoles	470
11.25.4.2.1	Synthesis by Ring-Closure Reactions	470
11.25.4.2.1.1	By Formation of One N—Te Bond	470
11.25.4.2.1.1.1	Fragment Te—Arene—C—N	470
11.25.4.2.1.1.1.1	Method 1: <i>ortho</i> -Metalation of Isophthalamides, Telluration, and Subsequent Oxidation	470
11.25.4.3	Benzotellurazoles	471
11.25.4.3.1	Synthesis by Ring-Closure Reactions	471
11.25.4.3.1.1	By Formation of Two Te—C Bonds	471
11.25.4.3.1.1.1	Fragments Arene—N—C and Te	471
11.25.4.3.1.1.1.1	Method 1: Copper(I)-Catalyzed Reaction of 2-Iodophenyl Isocyanide with Tellurium and an Amine Nucleophile	471

## Volume 16: Six-Membered Hetarenes with Two Identical Heteroatoms

16.20	<b>Product Class 20: Pyridopyrazines</b>	
16.20.3	<b>Pyridopyrazines</b>	2010
	J. Zhang	
16.20.3	<b>Pyridopyrazines</b>	473
16.20.3.1	Pyrido[2,3- <i>b</i> ]pyrazines	475
16.20.3.1.1	Synthesis by Ring-Closure Reactions	475
16.20.3.1.1.1	By Formation of Two N—C Bonds	475
16.20.3.1.1.1.1	Method 1: Condensation of Pyridine-2,3-diamines with Dicarbonyl Compounds	475
16.20.3.1.1.1.2	Method 2: Reaction of Pyridine-2,3-diamine with Alloxane or Epoxides	478
16.20.3.1.1.1.3	Method 3: Reaction of Pyridine-2,3-diamine with Ethoxy(imino)acetates	479
16.20.3.1.1.2	By Formation of One N—C Bond	479

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

16.20.3.1.1.2.1	Method 1: Phosphoryl Chloride Mediated Heteroannulation of <i>N,S</i> -Acetals	479
16.20.3.1.2	Synthesis by Substituent Modification	480
16.20.3.2	Pyrido[3,4- <i>b</i> ]pyrazines	482
16.20.3.2.1	Synthesis by Ring-Closure Reactions	482
16.20.3.2.1.1	By Formation of Two N—C Bonds	482
16.20.3.2.1.1.1	Method 1: Condensation of Pyridine-3,4-diamines with Dicarbonyl Compounds	482
16.20.3.2.2	Synthesis by Substituent Modification	483

**Volume 31:**  
**Arene—X (X = Hal, O, S, Se, Te, N, P)**

31.4 **Product Class 4: Aryl Iodine Compounds**

31.4.2.2	<b>Iodoarenes</b> S. R. Waldvogel	<b>2010</b>
31.4.2.2	<b>Iodoarenes</b>	487
31.4.2.2.1	Synthesis of Iodoarenes	487
31.4.2.2.1.1	Method 1: Electrophilic Iodination	487
31.4.2.2.1.1.1	Variation 1: Of Fluorophenols	487
31.4.2.2.1.2	Method 2: Iodination by Hunsdiecker-Type Decarboxylation	490
31.4.2.2.1.2.1	Variation 1: Using Classical Reagents (Silver, Mercury, or Thallium Salts)	490
31.4.2.2.1.2.2	Variation 2: Using the Barton Modification	491
31.4.2.2.1.3	Method 3: Iodination of Quinones	492
31.4.2.2.1.3.1	Variation 1: Using an Iodine Addition–Elimination Sequence	492
31.4.2.2.1.3.2	Variation 2: Using an Addition–Oxidation Sequence	495
31.4.2.2.1.3.3	Variation 3: Using Hypervalent Iodine Compounds	496
	<b>Author Index</b>	499
	<b>Abbreviations</b>	529

**2010** Updated Section · **2010** Completely Revised Contributions · **New** New Contributions