

Table of Contents

Volume 7: Compounds of Groups 13 and 2 (Al, Ga, In, Tl, Be ... Ba)

7.6	Product Class 6: Magnesium Compounds		
7.6.5.6	Aryl Grignard Reagents		2010
	H. Yorimitsu		
7.6.5.6	Aryl Grignard Reagents		1
7.6.5.6.1	Method 1: Synthesis by Reaction of Aryl Halides and Magnesium in the Presence of Lithium Chloride		1
7.6.5.6.2	Method 2: Synthesis by Halogen–Magnesium Exchange with Alkyl Grignard Reagents		2
7.6.5.6.2.1	Variation 1: Synthesis by Halogen–Magnesium Exchange with Lithium Triorganomagnesates		3
7.6.5.6.3	Method 3: Synthesis by Deprotonative <i>ortho</i> -Magnesiation		4
7.6.5.6.4	Method 4: Application to Synthesis of Biaryls by Dimerization		5
7.6.5.6.5	Method 5: Application to Synthesis of Amines		6
7.6.5.6.6	Method 6: Application to Addition to C–C Multiple Bonds Bearing a Directing Group		7
7.6.5.6.7	Method 7: Application to Transmetalations with Metal Halides		7
7.6.5.6.8	Method 8: Application to Addition to Carbonyl Compounds		8
7.6.5.6.8.1	Variation 1: Highly Efficient Addition of Lithium Triphenylmagnesate to Benzophenone		8
7.6.5.6.8.2	Variation 2: Zinc(II)-Catalyzed Addition of Aryl Grignard Reagents to Carbonyl Species		8
7.6.10.9	Alkyl Grignard Reagents		2010
	H. Yorimitsu		
7.6.10.9	Alkyl Grignard Reagents		11
7.6.10.9.1	Method 1: Synthesis by Halogen–Magnesium Exchange		11
7.6.10.9.1.1	Variation 1: Synthesis by Sulfoxide–Magnesium Exchange		14
7.6.10.9.2	Method 2: Synthesis by Carbomagnesiation of C–C Multiple Bonds		15
7.6.10.9.3	Method 3: Application to Addition to Carbonyl Compounds		16
7.6.10.9.3.1	Variation 1: Highly Efficient Addition of Lithium Trialkylmagnesates to Acetophenone		16
7.6.10.9.3.2	Variation 2: Zinc(II)-Catalyzed Addition of Alkyl Grignard Reagents to Carbonyl Groups		17
7.6.12.13	Magnesium Halides		2010
	M. Shimizu		
7.6.12.13	Magnesium Halides		21

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

7.6.12.13.1	Method 1:	Applications of Magnesium Fluoride	21
7.6.12.13.1.1	Variation 1:	Magnesium Fluoride Catalyzed Knoevenagel Reactions	21
7.6.12.13.1.2	Variation 2:	Magnesium Fluoride/Chiral Phosphoric Acid Catalyzed Friedel–Crafts Reactions	22
7.6.12.13.2	Method 2:	Applications of Magnesium Chloride as a Lewis Acid	22
7.6.12.13.2.1	Variation 1:	Magnesium Chloride Promoted Claisen Reactions	23
7.6.12.13.2.2	Variation 2:	Magnesium Chloride/Potassium Borohydride Promoted Reductions	23
7.6.12.13.3	Method 3:	Applications of Other Magnesium Halides as Lewis Acids	24
7.6.12.13.3.1	Variation 1:	Reaction of Organometallics in the Presence of Magnesium Bromide	24
7.6.12.13.3.2	Variation 2:	Magnesium Halide Promoted Dipolar Cycloaddition Reactions	25
7.6.12.13.4	Method 4:	Applications of Magnesium Halide/Base Systems to Enolate Formation and Subsequent Addition Reactions	25
7.6.12.13.5	Method 5:	Applications of Magnesium Halides in Morita–Baylis–Hillman Reactions	26
7.6.12.13.6	Method 6:	Applications of Magnesium Iodide in Ring-Expansion Reactions	28
7.6.13.17	Magnesium Oxide, Alkoxides, and Carboxylates		2010
	M. Shimizu		
7.6.13.17	Magnesium Oxide, Alkoxides, and Carboxylates		31
7.6.13.17.1	Method 1:	Applications of Magnesium Oxide	31
7.6.13.17.2	Method 2:	Applications of Magnesium Methoxide as a Base	32
7.6.13.17.3	Method 3:	Applications of Magnesium Alkoxides to the Oppenauer Oxidation	33
7.6.13.17.4	Method 4:	Applications of Magnesium Alkoxides in Diastereo- and Enantioselective Reactions	34
7.6.13.17.5	Method 5:	Applications of Magnesium Alkoxides in Elimination Reactions	35
7.6.13.17.6	Method 6:	Applications of Magnesium Carboxylates	37
7.6.13.17.7	Method 7:	Applications of Magnesium Monoperoxyphthalate	38
7.6.14.9	Magnesium Amides		2010
	M. Shimizu		
7.6.14.9	Magnesium Amides		41
7.6.14.9.1	Method 1:	Synthesis of Methylmagnesium <i>N</i> -Cyclohexyl- <i>N</i> -isopropylamide	41
7.6.14.9.2	Method 2:	Synthesis of (2,2,6,6-Tetramethylpiperidino)magnesium Chloride–Lithium Chloride Complex	42
7.6.14.9.3	Method 3:	Synthesis of Magnesium Bis(diisopropylamide)	42
7.6.14.9.4	Method 4:	Synthesis of Magnesium Bis(2,2,6,6-tetramethylpiperidide)	43
7.6.14.9.4.1	Variation 1:	Synthesis of Magnesium Bis(2,2,6,6-tetramethylpiperidide)–Bis(lithium chloride) Complex	43
7.6.14.9.5	Method 5:	Synthesis of Other Magnesium Bis(amide)s	44
7.6.14.9.6	Method 6:	Synthesis of Chiral Magnesium Bis(dialkylamide)s	44
7.6.14.9.7	Method 7:	Reactions Involving Methylmagnesium <i>N</i> -Cyclohexyl- <i>N</i> -isopropylamide	45

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

7.6.14.9.8	Method 8:	Reactions Involving (Diisopropylamino)magnesium Bromide	46
7.6.14.9.9	Method 9:	Reactions Involving (2,2,6,6-Tetramethylpiperidino)magnesium Chloride–Lithium Chloride Complex	46
7.6.14.9.10	Method 10:	Reactions Involving Magnesium Bis(diisopropylamide)	48
7.6.14.9.11	Method 11:	Reactions Involving Magnesium Bis(2,2,6,6-tetramethylpiperidide)	49
7.6.14.9.12	Method 12:	Reactions Involving Magnesium Bis(2,2,6,6-tetramethylpiperidide)–Bis(lithium chloride) Complex	51
7.6.14.9.13	Method 13:	Reactions Involving Other Magnesium Bis(amide)s	52
7.6.14.9.14	Method 14:	Reactions Involving Chiral Magnesium Bis(dialkylamide)s	53

Volume 11: Five-Membered Heterocycles with One Chalcogen and One Additional Heteroatom

11.12 Product Class 12: Oxazoles

11.12.5	Oxazoles	2010	
	A. Khartulyari and M. E. Maier		
11.12.5	Oxazoles		57
11.12.5.1	Synthesis by Ring-Closure Reactions		58
11.12.5.1.1	By Formation of One O—C and One N—C Bond		58
11.12.5.1.1.1	Fragments O—C—N and C—C		58
11.12.5.1.1.1.1	Method 1: From Vinyl Halides and Amides		58
11.12.5.1.1.2	Fragments O—C—C and C—N		60
11.12.5.1.1.2.1	Method 1: From Carbonyl Compounds and Nitriles		60
11.12.5.1.1.2.2	Method 2: From Acylcarbenes and Nitriles		65
11.12.5.1.1.2.3	Method 3: From Benzylamines and 1,3-Dicarbonyl Compounds		68
11.12.5.1.1.2.4	Method 4: From Amides and Propargylic Alcohols		69
11.12.5.1.1.3	Fragments N—C—C and C—O		70
11.12.5.1.1.3.1	Method 1: From 2-Amino-1-bromoethanesulfonamide and Acid Chlorides		70
11.12.5.1.1.4	Fragments O—C—C—N and C		72
11.12.5.1.1.4.1	Method 1: From Nitroethanones and Orthobenzoate		72
11.12.5.1.1.4.2	Method 2: From α -Cyano- β -hydroxy Enamines and Orthoformate		73
11.12.5.1.2	By Formation of One O—C and One C—C Bond		74
11.12.5.1.2.1	Fragments C—N—C and C—O		74
11.12.5.1.2.1.1	Method 1: From Isocyanides and Acyl Chlorides		74
11.12.5.1.3	By Formation of One O—C Bond		76
11.12.5.1.3.1	Fragment O—C—N—C—C		76
11.12.5.1.3.1.1	Method 1: Cyclodehydration of α -Acylamino Aldehydes or Ketones		76

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

11.12.5.1.3.1.2	Method 2:	From (Acylamino)acetaldehyde Dimethyl Acetals	78
11.12.5.1.3.1.3	Method 3:	From Oxazolones via Friedel–Crafts Acylation and Subsequent Cyclization	79
11.12.5.1.3.1.4	Method 4:	Oxazoles from <i>N</i> -Propargylamides	80
11.12.5.1.3.1.5	Method 5:	From Enamides	93
11.12.5.1.3.1.6	Method 6:	From Amides and Diazocarbonyl Compounds	95
11.12.5.1.3.2		Fragment O—C—C—N—C	97
11.12.5.1.3.2.1	Method 1:	Oxidative Cyclization of Schiff Bases Derived from Glycine Methyl Ester	97
11.12.5.1.3.2.2	Method 2:	From Isocyanoacetamides and Imines	97
11.12.5.1.3.2.3	Method 3:	Trifluoromethanesulfonic Anhydride Mediated Cyclocondensation of <i>N</i> -Acyl Amino Acid Esters	99
11.12.5.1.3.2.4	Method 4:	From Aldehydes and Isocyanides	100
11.12.5.2		Aromatization	102
11.12.5.2.1	Method 1:	By Dehydrogenation of Dihydrooxazoles	102
11.12.5.2.2	Method 2:	Elimination of Hydrogen Chloride from Dihydrooxazoles	103
11.12.5.3		Synthesis by Substituent Modification	104
11.12.5.3.1		Substitution Reactions	104
11.12.5.3.1.1	Method 1:	Reactions of Metalated Oxazoles with Electrophiles	104
11.12.5.3.1.2	Method 2:	Oxazoles via Substitution of Leaving Groups through Transition-Metal-Catalyzed Reactions	110
11.12.5.3.1.3	Method 3:	Coupling Reactions of Oxazolones	113
11.12.5.4		Applications of Oxazoles in Organic Synthesis	114

Volume 29: Acetals: Hal/X and O/O, S, Se, Te

29.6	Product Class 6: Acyclic and Semicyclic O/O Acetals		
29.6.2	Acyclic and Semicyclic O/O Acetals		2010
	L. S. Fowler and A. Sutherland		
29.6.2	Acyclic and Semicyclic O/O Acetals		121
29.6.2.1	Synthesis from Compounds of Higher Oxidation State		121
29.6.2.1.1	Method 1:	Synthesis by Cycloaddition of Ketene Acetals	121
29.6.2.1.1.1	Variation 1:	From Ketene Acetals and Alkenes via Cycloaddition	121
29.6.2.1.1.2	Variation 2:	From Ketene Acetals and Alkynes via Cycloaddition	122
29.6.2.2	Synthesis from Compounds of the Same Oxidation State		122
29.6.2.2.1	Method 1:	Synthesis from Hal/OR Acetals	122
29.6.2.2.2	Method 2:	Synthesis from Aldehydes or Ketones and Alcohols	123
29.6.2.2.2.1	Variation 1:	From Alcohols without Removal of Water	124
29.6.2.2.2.2	Variation 2:	From Alcohols with Removal of Water by Physical Methods	126
29.6.2.2.2.3	Variation 3:	From Alcohols with Removal of Water by Chemical Means	126

2010 Updated Section · **2010** Completely Revised Contributions · **New** New Contributions

29.6.2.2.2.4	Variation 4:	From Hemiacetals and Alkylating Agents	128
29.6.2.2.2.5	Variation 5:	From Alcohols and Alkenyl Ketones	128
29.6.2.2.3	Method 3:	Synthesis from Aldehydes or Ketones and Alcohol Derivatives	128
29.6.2.2.3.1	Variation 1:	From Trialkyl Orthoformates	129
29.6.2.2.3.2	Variation 2:	From Other Acetals	131
29.6.2.2.4	Method 4:	Synthesis from Other O/O Acetals	131
29.6.2.2.4.1	Variation 1:	By Exchange of Both Alkoxy Groups	131
29.6.2.2.4.2	Variation 2:	By Exchange of One Alkoxy Group	132
29.6.2.2.5	Method 5:	Synthesis from Acetals with Other Heteroatoms	136
29.6.2.2.5.1	Variation 1:	From O/Se Acetals	136
29.6.2.2.5.2	Variation 2:	From S/S Acetals	137
29.6.2.2.6	Method 6:	Synthesis from Oximes	137
29.6.2.2.7	Method 7:	Synthesis from Heterosubstituted Alkenes	137
29.6.2.2.7.1	Variation 1:	From Acyclic Enol Ethers and Alcohols	138
29.6.2.2.7.2	Variation 2:	From Cyclic Enol Ethers and Alcohols	138
29.6.2.2.7.3	Variation 3:	From Allenyl Ethers and Alcohols	140
29.6.2.2.7.4	Variation 4:	Dimerization of Enol Ethers	141
29.6.2.2.7.5	Variation 5:	From Enol Ethers and Cyclic Carbonyl Ylides	142
29.6.2.3		Synthesis from Compounds of Lower Oxidation State	143
29.6.2.3.1	Method 1 :	Synthesis from Heterosubstituted Alkanes	143
29.6.2.3.1.1	Variation 1:	From Alcohols	143
29.6.2.3.1.2	Variation 2:	From Alcohols and Ethers	144
29.6.2.3.1.3	Variation 3:	From Alcohols and Alkyl Halides	145
29.6.2.3.2	Method 2:	Synthesis from Alkynes with Electron-Withdrawing Substituents	145
29.6.2.3.3	Method 3:	Synthesis from Alkenes	146
29.6.2.3.4	Method 4:	Synthesis from Peroxy Esters	147

29.7 Product Class 7: 1,3-Dioxetanes and 1,3-Dioxolanes

29.7.3	1,3-Dioxetanes and 1,3-Dioxolanes	2010
	D. Carbery	
29.7.3	1,3-Dioxetanes and 1,3-Dioxolanes	151
29.7.3.1	1,3-Dioxetanes	151
29.7.3.2	1,3-Dioxolanes	151
29.7.3.2.1	Method 1: Synthesis by Formation of Two C—O Bonds	153
29.7.3.2.1.1	Variation 1: Reactions of Carbonyl Compounds with 1,2-Diols	153
29.7.3.2.1.2	Variation 2: Reactions of Acetals and Ketals with 1,2-Diols	155
29.7.3.2.1.3	Variation 3: Reactions of Enol Ethers with 1,2-Diols	156
29.7.3.2.1.4	Variation 4: Reactions of Carbonyl Compounds with 1,2-Bis(trimethylsilyl) Ethers	157
29.7.3.2.1.5	Variation 5: Reactions of Epoxides with Ketones	158
29.7.3.2.1.6	Variation 6: By Double Michael Addition of 1,2-Diols to Electron-Deficient Alkynes	159

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

29.7.3.2.1.7	Variation 7:	Reaction of 1,1-Dihalo Compounds with 1,2-Diols	161
29.7.3.2.1.8	Variation 8:	Reactions of Ketones and 2-Halo Alcohols	162
29.7.3.2.2	Method 2:	Synthesis by Formation of One C—O Bond	163
29.7.3.2.2.1	Variation 1:	From Monoprotected 1,2-Diols	163
29.7.3.2.2.2	Variation 2:	By Oxidation of Electron-Rich Arenes and Hetarenes and Cyclization	164
29.7.3.2.2.3	Variation 3:	By Cyclization of Hydroxy-Substituted Enol Ethers	164
29.7.3.2.2.4	Variation 4:	By Intramolecular Transacetalization	165
29.7.3.2.2.5	Variation 5:	Additions to Activated Alkenes	166
29.7.3.2.3	Method 3:	Exchange of Ligands on Existing Acetals	167
29.7.3.2.3.1	Variation 1:	Radical Reactions	167
29.7.3.2.3.2	Variation 2:	From Metalated Dioxolanes	167
29.7.3.2.3.3	Variation 3:	From Ortho Esters	168
29.7.3.2.4	Method 4:	Deprotection Reactions of 1,3-Dioxolanes	168
29.7.3.2.5	Method 5:	Applications of Chiral 1,3-Dioxolanes in Asymmetric Synthesis	169

29.9

Product Class 9: Spiroketal

29.9.2

Spiroketal

2010

E. A. Anderson and B. Gockel

29.9.2	Spiroketal	173
29.9.2.1	Synthesis by Formation of Two C—O Bonds: Cyclization of Dihydroxy Ketones	173
29.9.2.1.1	Method 1: Nucleophilic Addition to Aldehydes	174
29.9.2.1.1.1	Variation 1: Using Dithiane-Stabilized Carbanions	174
29.9.2.1.1.2	Variation 2: Using Lithiated Methoxyallene Followed by Heck Reaction	175
29.9.2.1.2	Method 2: [3 + 2] Cycloaddition of Nitrile Oxides Followed by Dihydroisoxazole Hydrogenolysis	177
29.9.2.1.3	Method 3: Reductive Cross Coupling Followed by Oxidative Cleavage	179
29.9.2.1.4	Method 4: Radical Addition of Xanthates to Alkenes	181
29.9.2.1.5	Method 5: Kulinkovich Cyclopropanation of Esters Followed by Cyclopropanol Ring Opening	183
29.9.2.1.6	Method 6: Synthesis from Formyl Dianion Equivalents	184
29.9.2.1.6.1	Variation 1: Using Tosylmethyl Isocyanide Followed by Hydrolysis	184
29.9.2.1.6.2	Variation 2: Using Nitroalkanes Followed by Nef Reaction	186
29.9.2.2	Synthesis by Formation of Two C—O Bonds: Synthesis from Other Precursors	187
29.9.2.2.1	Method 1: Transition-Metal-Catalyzed Cyclizations	188
29.9.2.2.1.1	Variation 1: Palladium-Catalyzed Alkyne Cycloisomerization	188
29.9.2.2.1.2	Variation 2: Gold-Catalyzed Alkyne Cycloisomerization	190
29.9.2.2.1.3	Variation 3: Alkyne Cycloisomerization Catalyzed by Other Metals	191
29.9.2.2.1.4	Variation 4: Iron-Catalyzed Cyclization of Hydroxy Oxo Allylic Acetates	193
29.9.2.2.2	Method 2: Oxidative Cyclization of Phenols	194
29.9.2.2.3	Method 3: Oxidative Rearrangement of Alkyl Enol Ethers	196
29.9.2.2.4	Method 4: Iodoetherification of Dihydroxyalkenes Followed by Dehydroiodination	197

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

29.9.2.3	Synthesis by Formation of One C—O Bond and One C—C Bond	198
29.9.2.3.1	Method 1: Cycloaddition Reactions	199
29.9.2.3.1.1	Variation 1: Hetero-Diels–Alder Reactions of <i>o</i> -Quinomethanes	199
29.9.2.3.1.2	Variation 2: [3 + 2] Cycloadditions	202
29.9.2.3.2	Method 2: Metal-Catalyzed Cross Coupling	202
29.9.2.3.3	Method 3: Propargyl Claisen Rearrangement	204
29.9.2.4	Synthesis by Formation of One C—O Bond	205
29.9.2.4.1	Method 1: Oxidative Insertion	205
29.9.2.4.2	Method 2: Synthesis from Exocyclic Vinyl Ethers	207
29.9.2.4.2.1	Variation 1: Using Metal Carbenoids	207
29.9.2.4.2.2	Variation 2: Ring Expansion of Donor–Acceptor-Substituted Cyclopropanes	209
29.9.2.4.3	Method 3: Oxidation of Furans	211
29.9.2.4.3.1	Variation 1: Photooxygenation of Furans	211
29.9.2.4.3.2	Variation 2: Other Oxidation Reagents	212
29.9.2.4.4	Method 4: Lewis Acid Catalyzed 1,5-Hydride Transfer	213
29.9.2.5	Synthesis by Formation of One C—C Bond	214
29.9.2.5.1	Method 1: Reductive Cyclization of Cyano Acetals	214
29.9.2.5.2	Method 2: [2 + 2 + 2] Cyclotrimerization	215
29.9.2.6	Synthesis by Formation of Two C—O Bonds and One C—C Bond	216
29.9.2.6.1	Method 1: Palladium-Catalyzed Three-Component Coupling	216
29.9.2.7	Synthesis of Spiroepoxides and Related Small-Ring Spiroketal	218
29.9.2.7.1	Method 1: Synthesis by Formation of Two C—O Bonds	218
29.9.2.7.2	Method 2: Synthesis by Formation of Four C—O Bonds	219
29.9.2.7.3	Method 3: Synthesis by Formation of One C—O Bond and One C—C Bond	220
29.9.2.8	Synthesis of Trioxadispiroketal	221
29.16	Product Class 16: Glycosyl Oxygen Compounds (Di- and Oligosaccharides) A. V. Demchenko and C. De Meo	
29.16	Product Class 16: Glycosyl Oxygen Compounds (Di- and Oligosaccharides)	229
29.16.1	Product Subclass 1: Disaccharides	229
29.16.1.1	Synthesis of Product Subclass 1	232
29.16.1.1.1	Method 1: Synthesis from Anomeric Halides	232
29.16.1.1.1.1	Variation 1: From Fluorides	232
29.16.1.1.1.2	Variation 2: From Chlorides and Bromides	234
29.16.1.1.1.3	Variation 3: From Iodides	237
29.16.1.1.2	Method 2: Synthesis from 1-Oxygen-Substituted Derivatives	239
29.16.1.1.2.1	Variation 1: From Hemiacetals	239
29.16.1.1.2.2	Variation 2: From <i>O</i> -Acyl, <i>O</i> -Carbonyl, and Related Compounds	241
29.16.1.1.2.3	Variation 3: From <i>O</i> -Imidates	244
29.16.1.1.2.4	Variation 4: From Phosphites, Phosphates, and Other <i>O</i> —P Derivatives	250
29.16.1.1.2.5	Variation 5: From <i>O</i> -Sulfonyl Derivatives	253
29.16.1.1.2.6	Variation 6: By <i>O</i> -Transglycosidation	253

2010 Updated Section · 2010 Completely Revised Contributions · New New Contributions

29.16.1.1.3	Method 3:	Synthesis from 1-Sulfur-Substituted Derivatives	259
29.16.1.1.3.1	Variation 1:	From Alkylsulfanyl and Arylsulfanyl Glycosides (Thioglycosides)	259
29.16.1.1.3.2	Variation 2:	From Thioimidates	266
29.16.1.1.3.3	Variation 3:	From Sulfoxides, Sulfimides, and Sulfones	269
29.16.1.1.3.4	Variation 4:	From Xanthates and Related Derivatives	270
29.16.1.1.3.5	Variation 5:	From Thiocyanates and Other Thio Derivatives	271
29.16.1.1.4	Method 4:	Synthesis from Miscellaneous Glycosyl Donors	273
29.16.1.1.4.1	Variation 1:	From Ortho Esters and Dihydrooxazoles	273
29.16.1.1.4.2	Variation 2:	From 1,2-Dehydro and 1,2-Anhydro Derivatives	276
29.16.1.1.4.3	Variation 3:	From Seleno- and Telluroglycosides	280
29.16.1.1.4.4	Variation 4:	From 1-Diazirine Derivatives	282
29.16.1.1.5	Method 5:	Synthesis by Intramolecular and Indirect Methods	282
29.16.2	Product Subclass 2: Oligosaccharides		290
29.16.2.1	Synthesis of Product Subclass 2		291
29.16.2.1.1	Method 1:	Linear Synthesis	291
29.16.2.1.2	Method 2:	Block Synthesis	294
29.16.2.1.3	Method 3:	Synthesis by Selective Activation	304
29.16.2.1.4	Method 4:	Synthesis by Two-Step Activation and In Situ Preactivation	307
29.16.2.1.5	Method 5:	Armed–Disarmed and Related Chemoselective Approaches	313
29.16.2.1.5.1	Variation 1:	Arming and Disarming with Neighboring Substituents	314
29.16.2.1.5.2	Variation 2:	Disarming with Remote Substituents	319
29.16.2.1.5.3	Variation 3:	Disarming by Torsional Effects	320
29.16.2.1.5.4	Variation 4:	Reactivity-Based Programmable Strategy	324
29.16.2.1.5.5	Variation 5:	Superdisarmed Building Blocks	326
29.16.2.1.5.6	Variation 6:	Superarmed Glycosyl Donors	328
29.16.2.1.6	Method 6:	The Active–Latent Approach	331
29.16.2.1.7	Method 7:	Steric Hindrance and Temporary Deactivation	333
29.16.2.1.8	Method 8:	Orthogonal and Semi-Orthogonal Strategies	339
29.16.2.1.9	Method 9:	One-Pot Strategies	344
29.16.2.1.10	Method 10:	Regioselective and Other Acceptor-Reactivity-Based Concepts	357
29.16.2.1.11	Method 11:	Polymer-Supported Synthesis	363
29.16.2.1.11.1	Variation 1:	Automated Synthesis	377
29.16.2.1.12	Method 12:	Fluorous Tag Supported, Ionic Liquid Supported, and Micro-reactor Synthesis	381
29.16.2.1.13	Method 13:	Surface-Tethered Synthesis	394
29.16.2.1.14	Method 14:	Enzymatic Synthesis	396
29.16.2.1.14.1	Variation 1:	Using Glycosyltransferases	396
29.16.2.1.14.2	Variation 2:	Using Glycosidases (Hydrolases)	401
29.17	Product Class 17: Acyclic Hemiacetals, Lactols, and Carbonyl Hydrates S. C. Coote, L. H. S. Smith, and D. J. Procter		
29.17	Product Class 17: Acyclic Hemiacetals, Lactols, and Carbonyl Hydrates		417
29.17.1	Product Subclass 1: Acyclic Hemiacetals		417
29.17.1.1	Synthesis of Product Subclass 1		417

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

29.17.1.1.1	Method 1:	Synthesis from Aldehydes or Ketones by Addition of Alcohols	417
29.17.1.1.2	Method 2:	Reduction of Esters	418
29.17.1.1.3	Method 3:	Addition of Carbon Nucleophiles to Esters	419
29.17.1.1.3.1	Variation 1:	Addition of Nucleophiles Bearing Stabilizing Groups	419
29.17.1.1.3.2	Variation 2:	Addition of Nucleophiles Bearing Stabilizing Groups to Esters Bearing Stabilizing Groups	420
29.17.2	Product Subclass 2: Lactols		421
29.17.2.1	Synthesis of Product Subclass 2		422
29.17.2.1.1	Method 1:	Reduction of Lactones	422
29.17.2.1.1.1	Variation 1:	Using Diisobutylaluminum Hydride	422
29.17.2.1.1.2	Variation 2:	Using Other Aluminum Hydride Reagents	423
29.17.2.1.1.3	Variation 3:	Metal Hydride Catalyzed Hydrosilylation	426
29.17.2.1.1.4	Variation 4:	Using Borohydride Reagents	428
29.17.2.1.2	Method 2:	Addition of Carbon Nucleophiles to Lactones	429
29.17.2.1.2.1	Variation 1:	Addition of Preformed Alkylmetal Reagents to Lactones	429
29.17.2.1.2.2	Variation 2:	Barbier Additions to Lactones	436
29.17.2.1.3	Method 3:	Oxidation of Diols	437
29.17.2.1.3.1	Variation 1:	By Selective Oxidation of a Primary Hydroxy Group	438
29.17.2.1.3.2	Variation 2:	By Selective Oxidation of a Secondary Hydroxy Group	441
29.17.2.1.3.3	Variation 3:	By Selective Oxidation of Allylic and Benzylic Hydroxy Groups	442
29.17.2.1.4	Method 4:	Reduction of Dicarboxyl Compounds	443
29.17.2.1.5	Method 5:	Addition of Carbon Nucleophiles to Dicarboxyl Compounds	446
29.17.2.1.6	Method 6:	Deprotection of Protected Cyclic Hemiacetals	449
29.17.2.1.6.1	Variation 1:	Deprotection of <i>O</i> -Alkyl Lactols	449
29.17.2.1.6.2	Variation 2:	Deprotection of <i>O</i> -Acyl Lactols	451
29.17.2.1.6.3	Variation 3:	Deprotection of <i>O</i> -Silyl Lactols	452
29.17.2.1.7	Method 7:	Synthesis From Enol Ethers	453
29.17.2.1.7.1	Variation 1:	Acid-Catalyzed Hydration of Enol Ethers	453
29.17.2.1.7.2	Variation 2:	Oxidation of Enol Ethers	454
29.17.2.1.8	Method 8:	Oxidation of Cyclic Ethers	458
29.17.3	Product Subclass 3: Carbonyl Hydrates		459
29.17.3.1	Synthesis of Product Subclass 3		460
29.17.3.1.1	Method 1:	Hydration of Carbonyl Compounds	460
29.17.3.1.1.1	Variation 1:	Synthesis from Carbonyl Compounds Bearing Electron-Withdrawing Groups	460
29.17.3.1.1.2	Variation 2:	Synthesis of Carbonyl Hydrates Stabilized by Hydrogen Bonding	463
29.17.3.1.1.3	Variation 3:	Synthesis from Strained Ketones	464
29.17.3.1.2	Method 2:	Oxidation of Activated Methyl or Methylene Groups	466
29.17.3.1.2.1	Variation 1:	Oxidation Using Dimethyldioxirane	466
29.17.3.1.2.2	Variation 2:	Oxidation Using Selenium Dioxide	466
29.17.3.1.2.3	Variation 3:	Other Oxidations	468
Author Index			497
Abbreviations			521

2010 Updated Section ·
 2010 Completely Revised Contributions ·
 New New Contributions

