

Table of Contents

Volume 1:

Compounds with Transition Metal–Carbon π -Bonds and Compounds of Groups 10–8 (Ni, Pd, Pt, Co, Rh, Ir, Fe, Ru, Os)

1.4	Product Class 4: Organometallic Complexes of Cobalt	
1.4.5	Organometallic Complexes of Cobalt	2012
	M. Amatore, C. Aubert, M. Malacria, and M. Petit	
1.4.5	Organometallic Complexes of Cobalt	1
1.4.5.1	Cobalt– η^5 -Dienyl Complexes	1
1.4.5.1.1	Synthesis of Cobalt– η^5 -Dienyl Complexes	1
1.4.5.1.1.1	Method 1: Synthesis of Chiral Dicarbonyl(η^5 -cyclopentadienyl)cobalt(I) and (η^5 -Cyclopentadienyl)(η^4 -diene)cobalt(I) Complexes	1
1.4.5.1.1.1.1	Variation 1: Synthesis of Chiral Dicarbonyl(η^5 -cyclopentadienyl)cobalt(I) Complexes by Oxidative Addition	2
1.4.5.1.1.1.2	Variation 2: Synthesis of Chiral (η^5 -Cyclopentadienyl)(η^4 -diene)cobalt(I) Complexes by Substitution of Ligands	2
1.4.5.1.1.2	Method 2: Synthesis of (Alkene)carbonyl(η^5 -cyclopentadienyl)cobalt(I) Complexes via Displacement of One Carbonyl Moiety	4
1.4.5.1.1.3	Method 3: Synthesis of (η^5 -Cyclopentadienyl)(η^4 -diene)cobalt(I) Complexes via Substitution of Ligands	5
1.4.5.1.1.4	Method 4: Synthesis of (η^5 -Cyclopentadienyl)cobalt–N-Heterocyclic Carbene Complexes by Exchange of Ligands	5
1.4.5.1.1.4.1	Variation 1: Synthesis of Carbonyl(η^5 -cyclopentadienyl)cobalt–N-Heterocyclic Carbene Complexes	6
1.4.5.1.1.4.2	Variation 2: Synthesis of (η^5 -Cyclopentadienyl)(ethene)cobalt–N-Heterocyclic Carbene Complexes	7
1.4.5.1.1.4.3	Variation 3: Synthesis of (η^5 -Cyclopentadienyl)(triphenylphosphine)cobalt–N-Heterocyclic Carbene Complexes	7
1.4.5.1.1.5	Method 5: Synthesis of (η^5 -Cyclopentadienyl)(phosphine)cobalt(I)–Ligand Complexes	8
1.4.5.1.1.5.1	Variation 1: Synthesis of Carbonyl(η^5 -cyclopentadienyl)(triphenylphosphine)cobalt(I)	8
1.4.5.1.1.5.2	Variation 2: Synthesis of (η^5 -Cyclopentadienyl)(triphenylphosphine)cobalt(I)–Alkene Complexes	8
1.4.5.1.1.5.3	Variation 3: Synthesis of [[2-(Di- <i>tert</i> -butylphosphino)ethyl]cyclopentadienyl](ethene)cobalt(I)	9
1.4.5.1.1.6	Method 6: Synthesis of (η^5 -Cyclopentadienyl)cobalt–Dinitrosoalkane Complexes	10
1.4.5.1.1.7	Method 7: Synthesis of (η^5 -Pentamethylcyclopentadienyl)cobalt– η^3 -Allyl Complexes by Exchange of Ligands	11

1.4.5.1.1.8	Method 8:	Synthesis of (η^5 -Cyclopentadienyl)cobalt– η^5 -Pentadienyl Complexes by Exchange of Ligands	13
1.4.5.1.1.9	Method 9:	Synthesis of (η^5 -Cyclopentadienyl)cobalt–Alkyne Complexes	15
1.4.5.1.1.10	Method 10:	Synthesis of (η^5 -Cyclopentadienyl)cobaltacycles	16
1.4.5.1.1.10.1	Variation 1:	Synthesis of (η^5 -Cyclopentadienyl)cobaltacyclobutenes	16
1.4.5.1.1.10.2	Variation 2:	Synthesis of (η^5 -Cyclopentadienyl)cobaltasilacyclopentenes	16
1.4.5.1.2		Applications of Cobalt– η^5 -Dienyl Complexes in Organic Synthesis	17
1.4.5.1.2.1	Method 1:	Inter- and Intramolecular [2 + 2 + 2] Cyclizations	17
1.4.5.1.2.1.1	Variation 1:	Inter- and Intramolecular [2 + 2 + 2] Cyclizations of Triynes in Aromatic and Aqueous Solvents	17
1.4.5.1.2.1.2	Variation 2:	Intermolecular [2 + 2 + 2] Cyclizations of Diynes and Nitriles: Preparation of Pyridines	24
1.4.5.1.2.1.3	Variation 3:	Intermolecular [2 + 2 + 2] Cyclizations of Enediynes and Alenediynes	28
1.4.5.1.2.1.4	Variation 4:	Inter- and Intramolecular [2 + 2 + 2] Cyclizations of Diynes with Heteroatom-Substituted Multiple Bonds	32
1.4.5.1.2.2	Method 2:	Other Cyclizations	32
1.4.5.1.2.2.1	Variation 1:	[2 + 2] Cycloaddition	33
1.4.5.1.2.2.2	Variation 2:	[3 + 2] Annulation	34
1.4.5.1.2.2.3	Variation 3:	[3 + 2 + 2] Cycloaddition	35
1.4.5.1.2.2.4	Variation 4:	[5 + 2] Cycloaddition	37
1.4.5.1.2.3	Method 3:	Miscellaneous Reactions	38
1.4.5.1.2.3.1	Variation 1:	Cobalt-Mediated Ring Expansion	38
1.4.5.1.2.3.2	Variation 2:	Linear Co-oligomerization of Alkynes with Alkenes	39
1.4.5.1.2.3.3	Variation 3:	Hydroamination of Alkynes	41
1.4.5.1.2.3.4	Variation 4:	Activation of sp^3 C–H Bonds	42
1.4.5.1.2.3.5	Variation 5:	Vinylic C–H Functionalization Reactions	43
1.4.5.2		Miscellaneous Cobalt Complexes	44
1.4.5.2.1		Synthesis of Miscellaneous Cobalt Complexes	44
1.4.5.2.1.1	Method 1:	Synthesis of Methyltetrakis(trimethylphosphine)cobalt(I)	44
1.4.5.2.1.2	Method 2:	Synthesis of Chlorotris(trimethylphosphine)cobalt(I)	45
1.4.5.2.1.3	Method 3:	Synthesis of Dihalobis(phosphine)cobalt(II) Complexes	45
1.4.5.2.1.4	Method 4:	Cobalt(II) or -(III) Salts as Precatalysts	46
1.4.5.2.1.5	Method 5:	Preformed Cobalt(II) and Cobalt(III) Complexes	47
1.4.5.2.2		Applications of Miscellaneous Cobalt Complexes in Organic Synthesis	48
1.4.5.2.2.1	Method 1:	Cobalt-Catalyzed Homocoupling Reactions	48
1.4.5.2.2.2	Method 2:	$C(sp^2)$ – $C(sp^2)$ Cross-Coupling Reactions	49
1.4.5.2.2.2.1	Variation 1:	Alkenylation	50
1.4.5.2.2.2.2	Variation 2:	Biaryl Formation	51
1.4.5.2.2.3	Method 3:	$C(sp^2)$ – $C(sp^3)$ Cross-Coupling Reactions	53
1.4.5.2.2.3.1	Variation 1:	Alkylation of Alkenyl Halides	53
1.4.5.2.2.3.2	Variation 2:	Alkenylation of Alkyl Halides	54
1.4.5.2.2.3.3	Variation 3:	Alkylation of Aromatic Halides	55
1.4.5.2.2.3.4	Variation 4:	Arylation of Alkyl Halides	55
1.4.5.2.2.3.5	Variation 5:	Pseudodirect and Direct Arylation of Alkyl Halides	57

1.4.5.2.2.3.6	Variation 6:	Allylation	59
1.4.5.2.2.4	Method 4:	C(sp ³)—C(sp ³) Cross-Coupling Reactions	60
1.4.5.2.2.4.1	Variation 1:	Allylation	60
1.4.5.2.2.4.2	Variation 2:	Benzylation	61
1.4.5.2.2.4.3	Variation 3:	Alkylation	61
1.4.5.2.2.5	Method 5:	Alkynylation	62
1.4.5.2.2.5.1	Variation 1:	Benzylation of Alkynes	62
1.4.5.2.2.5.2	Variation 2:	Alkylation of Alkynes	62
1.4.5.2.2.5.3	Variation 3:	Alkenylation of Alkynes	63
1.4.5.2.2.6	Method 6:	Acylation	63
1.4.5.2.2.7	Method 7:	Radical Reactions	64
1.4.5.2.2.8	Method 8:	Cross Coupling of Unsaturated Compounds	66
1.4.5.2.2.8.1	Variation 1:	Alkyne Functionalization	66
1.4.5.2.2.8.2	Variation 2:	Cross Coupling of Alkynes with Enones	66
1.4.5.2.2.8.3	Variation 3:	Cross-Coupling Reactions Involving Alkenes and Alkynes	68
1.4.5.2.2.9	Method 9:	Michael-Type Conjugate Additions	68
1.4.5.2.2.10	Method 10:	Formation of Carbon—Heteroatom Bonds	69
1.4.5.2.2.11	Method 11:	Cross-Coupling Reactions with Carbonyl Compounds	70
1.4.5.2.2.11.1	Variation 1:	Allylation	70
1.4.5.2.2.11.2	Variation 2:	Formation of Hydroxy Amides and Esters	71
1.4.5.2.2.11.3	Variation 3:	Arylation	71
1.4.5.2.2.12	Method 12:	Multicomponent Reactions	72
1.4.5.2.2.13	Method 13:	Preparation of Organometallic Derivatives	73
1.4.5.2.2.14	Method 14:	Cyclization Reactions	74
1.4.5.2.2.15	Method 15:	Cobalt-Catalyzed Cycloadditions	75
1.4.5.2.2.15.1	Variation 1:	[2 + 2] Cycloadditions	75
1.4.5.2.2.15.2	Variation 2:	[3 + 2] Cycloadditions	76
1.4.5.2.2.15.3	Variation 3:	[4 + 2] Cycloadditions	77
1.4.5.2.2.15.4	Variation 4:	Homo-Diels–Alder Reactions	80
1.4.5.2.2.15.5	Variation 5:	[6 + 2] Cycloadditions	81
1.4.5.2.2.15.6	Variation 6:	[2 + 2 + 2] Cycloadditions	81
1.4.5.2.2.15.7	Variation 7:	[4 + 2 + 2] Cycloadditions	85
1.4.5.2.2.15.8	Variation 8:	[6 + 4] Cycloadditions	86
1.4.5.2.2.15.9	Variation 9:	Dipolar Cycloadditions with Nitrones	87
1.4.5.2.2.16	Method 16:	Alkene Functionalizations	88
1.4.5.2.2.16.1	Variation 1:	Cyclopropanation	88
1.4.5.2.2.16.2	Variation 2:	Aziridination	92
1.4.5.2.2.16.3	Variation 3:	Hydrovinylation of Alkenes	94
1.4.5.2.2.16.4	Variation 4:	Miscellaneous Alkene Functionalizations	95
1.4.5.2.2.17	Method 17:	C—H Activation	96
1.4.5.2.2.17.1	Variation 1:	Cobalt-Catalyzed Assisted <i>ortho</i> -Functionalization	96
1.4.5.2.2.17.2	Variation 2:	Cobalt-Catalyzed Direct Arylation	99
1.4.5.2.2.17.3	Variation 3:	Cobalt-Catalyzed Transformation of Alkynyl C—H Bonds	100
1.4.5.2.2.17.4	Variation 4:	Cobalt-Catalyzed C—H Amination	100
1.4.5.2.2.17.5	Variation 5:	Formation of Organocobalt Complexes	101
1.4.5.2.2.18	Method 18:	Cobalt-Catalyzed Ring-Expansion and Ring-Opening Reactions	106

1.4.5.2.2.18.1	Variation 1:	Cobalt-Catalyzed Carboxylative and Carbonylative Ring Expansion/Opening	107
1.4.5.2.2.18.2	Variation 2:	Cobalt-Catalyzed Ring-Opening Reactions	109

Volume 3: Compounds of Groups 12 and 11 (Zn, Cd, Hg, Cu, Ag, Au)

3.6	Product Class 6: Organometallic Complexes of Gold			
3.6.14	Organometallic Complexes of Gold (Update 1) 2012			
	M. J. Campbell and F. D. Toste			
3.6.14	Organometallic Complexes of Gold (Update 1)			123
3.6.14.1	Asymmetric Gold-Catalyzed Transformations			123
3.6.14.1.1	Asymmetric Gold(I)-Catalyzed Transformations Proceeding via Initial Alkyne π -Activation			128
3.6.14.1.1.1	Cycloisomerization Reactions			128
3.6.14.1.1.1.1	Method 1:	Cycloisomerizations of 1,6-Enynes		128
3.6.14.1.1.1.1.1	Variation 1:	5-exo-dig Cyclization		128
3.6.14.1.1.1.1.2	Variation 2:	6-endo-dig Cyclization		131
3.6.14.1.1.1.1.2	Method 2:	Cycloisomerizations of 1,5-Enynes		135
3.6.14.1.1.1.1.3	Method 3:	Cyclizations of 1,3-Enynes		136
3.6.14.1.1.1.1.4	Method 4:	Cyclopropanations		137
3.6.14.1.1.1.1.4.1	Variation 1:	Intermolecular Cyclopropanation		137
3.6.14.1.1.1.1.4.2	Variation 2:	Intramolecular Cyclopropanation		139
3.6.14.1.1.1.1.5	Method 5:	Analogous Cycloisomerizations Proceeding through Gold(I) Carbenoids		140
3.6.14.1.1.1.1.6	Method 6:	Other Cycloisomerization Reactions of Propargyl Carboxylates		141
3.6.14.1.1.2	Desymmetrization Reactions			142
3.6.14.1.1.2.1	Method 1:	Desymmetrization of Diynes		142
3.6.14.1.1.2.2	Method 2:	Desymmetrization of Diols		144
3.6.14.1.2	Asymmetric Gold(I)-Catalyzed Transformations Proceeding via Initial Allene π -Activation			145
3.6.14.1.2.1	Cycloisomerization Reactions			145
3.6.14.1.2.1.1	Method 1:	Hydroindolization		145
3.6.14.1.2.1.2	Method 2:	Cycloisomerization of 1,6-Allenenes		146
3.6.14.1.2.1.3	Method 3:	Formal [2 + 2]-Cycloaddition Reactions		147
3.6.14.1.2.1.4	Method 4:	Formal [4 + 2]-Cycloaddition Reactions		149
3.6.14.1.2.1.5	Method 5:	Ring Expansion of Allenylcyclopropanols		151
3.6.14.1.2.2	Addition Reactions			152
3.6.14.1.2.2.1	Method 1:	Intramolecular Hydroalkoxylation and Hydroamination		152
3.6.14.1.2.2.2	Method 2:	Intramolecular Hydroindolization		161

3.6.14.1.2.2.3	Method 3: Intermolecular Hydroamination	162
3.6.14.1.3	Asymmetric Reactions of Alkenes	163
3.6.14.1.3.1	Method 1: Hydrogenation	163
3.6.14.1.4	Miscellaneous Reactions	164
3.6.14.1.4.1	Method 1: Enantioselective Reactions by Lewis Acidic Heteroatom Coordination	164
3.6.14.1.4.1.1	Variation 1: Aldol Reaction	164
3.6.14.1.4.1.2	Variation 2: Cycloaddition of Münchnones with Electron-Deficient Alkenes	164
3.6.14.1.4.2	Method 2: Enantioselective Reactions of Alkynyl-Gold(I) Species	165
3.6.14.1.4.3	Method 3: Enantioselective Protonation of Silyl Enol Ethers	166

3.6.15 Organometallic Complexes of Gold (Update 2)

2012

T. de Haro, D. Garayalde, and C. Nevado

3.6.15	Organometallic Complexes of Gold (Update 2)	171
3.6.15.1	Gold-Catalyzed Reactions of Alkenes	171
3.6.15.1.1	Functionalization of Alkenes	171
3.6.15.1.1.1	Hydrofunctionalization of Unactivated Alkenes	171
3.6.15.1.1.1.1	Method 1: Inter- and Intramolecular Hydroalkylation of Alkenes	171
3.6.15.1.1.1.2	Method 2: Inter- and Intramolecular Hydroarylation of Alkenes	174
3.6.15.1.1.1.2.1	Variation 1: Formation of Hexahydrodibenzo[b,d]furans	176
3.6.15.1.1.1.3	Method 3: Hydroalkoxylation of Alkenes	176
3.6.15.1.1.1.3.1	Variation 1: Formation of Allylic Ethers	178
3.6.15.1.1.1.3.2	Variation 2: Formation of Dihydrobenzofurans from Allyl Aryl Ethers	179
3.6.15.1.1.1.4	Method 4: Inter- and Intramolecular Hydroamination of Alkenes	180
3.6.15.1.1.1.4.1	Variation 1: Formation of Pyrrolidines through Domino Ring Opening/Ring Closing of Methylenecyclopropanes with Sulfonamides	186
3.6.15.1.1.1.4.2	Variation 2: Inter- and Intramolecular Hydroamination of Dienes	187
3.6.15.1.1.1.5	Method 5: Hydrothiolation of Alkenes	189
3.6.15.1.1.2	Michael-Type Addition to α,β -Unsaturated Carbonyl Compounds	190
3.6.15.1.1.2.1	Method 1: Addition of Indoles and 7-Azaindoles to α,β -Unsaturated Ketones	191
3.6.15.1.1.2.1.1	Variation 1: Formation of Alkylated Indoles from 2-Alkynylanilines	193
3.6.15.1.1.2.2	Method 2: Addition of Furans and Pyrroles to α,β -Unsaturated Ketones	194
3.6.15.1.1.2.2.1	Variation 1: Formation of Phenols from Furans and α,β -Unsaturated Alkynyl Ketones	195
3.6.15.1.1.2.3	Method 3: Addition of Electron-Rich Arenes to α,β -Unsaturated Carbonyl Compounds and Nitriles	195
3.6.15.1.1.2.4	Method 4: Addition of Carbamates and 4-Toluenesulfonamides to α,β -Unsaturated Ketones	196
3.6.15.1.1.3	Reactions of Allylic Acetates	197
3.6.15.1.1.3.1	Method 1: Rearrangement of Allylic Acetates	198
3.6.15.1.1.3.2	Method 2: Allyl-Allyl Coupling	200

3.6.15.1.1.3.3	Method 3: Cascade Intermolecular Allylic Substitution/Enyne Cycloisomerization	201
3.6.15.1.1.4	Intermolecular Cyclopropanation of Alkenes	201
3.6.15.1.1.4.1	Method 1: Cyclopropanation via Transfer Reaction from Diazo Compounds	202
3.6.15.1.1.4.2	Method 2: Cyclopropanation via In Situ Generated Gold Carbenes from Propargylic Acetates	205
3.6.15.1.1.4.2.1	Variation 1: Cyclopropanation via Retro-Buchner Reaction	207
3.6.15.1.1.5	Cycloaddition Reactions	208
3.6.15.1.1.5.1	Method 1: Intermolecular [3 + 2] Cycloaddition of Alkynyl Epoxides with Alkenes	209
3.6.15.1.1.5.1.1	Variation 1: Formation of Tricyclic Indoles from Azomethine Ylides	209
3.6.15.1.1.5.2	Method 2: Intermolecular [4 + 2] Cycloaddition of Enynes and Alkynes ..	210
3.6.15.1.1.5.2.1	Variation 1: Formation of Benzonorcaradienes by Intermolecular [4 + 3] Cycloaddition of Diynes and Alkenes	212
3.6.15.1.1.5.3	Method 3: Intermolecular [3 + 2] and [4 + 3] Cycloadditions of Propargyl Carboxylates and Alkenes or Dienes	213
3.6.15.1.1.5.4	Method 4: 1,3-Dipolar Cycloadditions	217
3.6.15.1.1.5.4.1	Variation 1: Enantioselective 1,3-Dipolar Cycloadditions of Münchnones ..	218
3.6.15.1.1.6	Oxidation of Alkenes	220
3.6.15.1.1.6.1	Method 1: Formation of Carbonyl Compounds	220

Volume 6: Boron Compounds

6.1	Product Class 1: Boron Compounds	
6.1.3.8	Diborane(4) Compounds	2012
	G. E. Ferris, S. N. Mlynarski, and J. P. Morken	
6.1.3.8	Diborane(4) Compounds	227
6.1.3.8.1	Applications of Diborane(4) Compounds in Organic Synthesis	227
6.1.3.8.1.1	Method 1: Diboration of Alkenes	227
6.1.3.8.1.1.1	Variation 1: Enantioselective Diboration of Terminal Alkenes	227
6.1.3.8.1.1.2	Variation 2: Metal-Free Diboration	228
6.1.3.8.1.1.2	Method 2: Enantioselective Diboration of Allenes	229
6.1.3.8.1.1.3	Method 3: Enantioselective Diboration of (<i>E</i>)-1,3-Dienes	230
6.1.3.8.1.1.4	Method 4: Advances in Alkyne Hydroboration and Diboration	231
6.1.3.8.1.1.4.1	Variation 1: N-Heterocyclic Carbene–Copper Catalyzed Dihydroboration of Terminal Alkynes	231
6.1.3.8.1.1.4.2	Variation 2: Borylative Cyclization of Enynes	232
6.1.3.8.1.1.4.3	Variation 3: Platinum-Catalyzed Diborylation of Arynes	233
6.1.3.8.1.1.4.4	Variation 4: Differentially Protected Diboron Reagents	234
6.1.3.8.1.1.5	Method 5: Allylic Substitution	236

6.1.3.8.1.5.1	Variation 1:	Nickel-Catalyzed Borylative Ring Opening of Vinyl Epoxides and Aziridines	236
6.1.3.8.1.5.2	Variation 2:	Reaction Using a Copper(I)-Bidentate Phosphine Complex ..	237
6.1.3.8.1.5.3	Variation 3:	Reaction Using a Copper(II)-N-Heterocyclic Carbene Complex	238
6.1.3.8.1.5.4	Variation 4:	Desymmetrization of <i>meso</i> -Diols	240
6.1.3.8.1.6	Method 6:	Copper-Catalyzed Synthesis of Multisubstituted Allenylboronates	241
6.1.3.8.1.7	Method 7:	Nickel-Catalyzed Borylative Ring Opening	242
6.1.3.8.1.7.1	Variation 1:	Reaction of Vinylcyclopropanes	242
6.1.3.8.1.7.2	Variation 2:	Reaction of Aryl Cyclopropyl Ketones	242
6.1.3.8.1.8	Method 8:	Copper-Catalyzed Conjugate Addition of 2,2'-Bi-1,3,2-dioxaborolane to α,β -Unsaturated Carbonyl Compounds	244
6.1.3.8.1.8.1	Variation 1:	Racemic Addition to Carbonyl Compounds	244
6.1.3.8.1.8.2	Variation 2:	Enantioselective Addition to Carbonyl Compounds	245
6.1.3.8.1.8.3	Variation 3:	Addition to Aldehydes and Imines	246
6.1.3.8.1.8.4	Variation 4:	Metal-Free Addition to Carbonyl Compounds	248
6.1.3.8.1.8.5	Variation 5:	Tertiary Boronic Esters by Addition to 3,3-Disubstituted Enones	249
6.1.3.8.1.8.6	Variation 6:	Enantioselective Addition to 3-Boryl Enoates	250
6.1.3.8.1.9	Method 9:	Synthesis of Cycloalkylboronates	253
6.1.3.8.1.9.1	Variation 1:	Stereospecific Synthesis of Cyclobutylboronates	253
6.1.3.8.1.9.2	Variation 2:	Enantioselective Synthesis of Cyclopropylboronates	253

6.1.35.20 Allylboranes

Yu. N. Bubnov and G. D. Kolomnikova

2012

6.1.35.20	Allylboranes	257
6.1.35.20.1	Synthesis of Allylboranes	257
6.1.35.20.1.1	Method 1:	Synthesis by Transmetalation	257
6.1.35.20.1.2	Method 2:	Synthesis by Hydroboration of 1,3-Dienes or Allenes	265
6.1.35.20.1.2.1	Variation 1:	Catalyzed Hydroboration of 1,3-Dienes	265
6.1.35.20.1.2.2	Variation 2:	Thermal Hydroboration	267
6.1.35.20.1.3	Method 3:	Synthesis by Diboration or Silaboration of 1,3-Dienes, Allenes, or Vinylcyclopropanes	272
6.1.35.20.1.3.1	Variation 1:	Diboration of 1,3-Dienes, Enones, or Allenes	272
6.1.35.20.1.3.2	Variation 2:	Diboration of Vinylcyclopropanes, Vinyloxiranes, or Aziridines	280
6.1.35.20.1.3.3	Variation 3:	Silaboration of 1,3-Dienes or Allenes	282
6.1.35.20.1.4	Method 4:	Synthesis by [4 + 2] Cycloaddition	284
6.1.35.20.1.5	Method 5:	Synthesis from Diborane(4) Derivatives and Allylic Alcohols, Acetates, or Carbonates	287
6.1.35.20.1.6	Method 6:	Synthesis by 3,3-Sigmatropic Rearrangement	293
6.1.35.20.1.7	Method 7:	Homologation of Alkenylboron Compounds	296
6.1.35.20.1.8	Method 8:	Synthesis by Vinylation of (α -Haloalkyl)boron Derivatives ..	300
6.1.35.20.1.9	Method 9:	Synthesis by Metathesis	303
6.1.35.20.1.10	Method 10:	Synthesis by Miscellaneous Methods	307
6.1.35.20.2	Applications of Allylboranes in Organic Synthesis	316

6.1.35.20.2.1	Method 1:	Synthesis of Homoallylic Alcohols, Amines, and Hydrazines via Allylboration of C=O and C=N Bonds	317
6.1.35.20.2.1.1	Variation 1:	Allylboration of Aldehydes and Ketones	317
6.1.35.20.2.1.2	Variation 2:	Allylboration of C=N Bonds	320
6.1.35.20.2.2	Method 2:	Allylboration of N=N and C≡N Bonds	324
6.1.35.20.2.3	Method 3:	Allylation by Cross-Coupling Reactions	325
6.1.35.20.2.4	Method 4:	Allylboron–Acetylene Condensation	329
6.1.35.20.2.5	Method 5:	Reductive <i>trans</i> -Diallylation of Aromatic N-Heterocycles	332
6.1.35.20.2.6	Method 6:	Miscellaneous Methods	334

Volume 16: Six-Membered Heteroarenes with Two Identical Heteroatoms

16.15	Product Class 15: Quinoxalines	
16.15.5	Quinoxalines	2012
	D. O. Tymoshenko	
16.15.5	Quinoxalines	343
16.15.5.1	Synthesis by Ring-Closure Reactions	345
16.15.5.1.1	By Annulation to an Arene	345
16.15.5.1.1.1	By Formation of Two N—C Bonds and One C—C Bond	345
16.15.5.1.1.1.1	Fragments N—Arene—N, C, and C	345
16.15.5.1.1.1.1.1	Method 1: From Benzene-1,2-diamine, Aldehydes, and Isocyanides	345
16.15.5.1.1.1.1.2	Method 2: From Benzene-1,2-diamine, Aldehydes, and Tosylmethyl Iso-cyanide	346
16.15.5.1.1.2	By Formation of Two N—C Bonds	347
16.15.5.1.1.2.1	Fragments N—Arene—N and C—C	347
16.15.5.1.1.2.1.1	Method 1: From Benzene-1,2-diamines and Glyoxal or Its Synthetic Equivalents	348
16.15.5.1.1.2.1.1.1	Variation 1: From Substituted Benzene-1,2-diamines and 1,4-Dioxane-2,3-diol	348
16.15.5.1.1.2.1.1.2	Variation 2: From Benzene-1,2-diamine and Hexahydro-[1,4]dioxino[2,3- <i>b</i>]-1,4-dioxin-2,3,6,7-tetraol	348
16.15.5.1.1.2.1.1.3	Variation 3: From Benzene-1,2-diamine and Disodium 1,2-Dihydroxyethane-1,2-disulfonate	349
16.15.5.1.1.2.1.1.4	Variation 4: From Benzene-1,2-diamine and <i>N,N'</i> -Dicyclohexylethane-1,2-diimine	350
16.15.5.1.1.2.1.2	Method 2: From Benzene-1,2-diamines and α -Oxoaldehydes or Their Synthetic Equivalents	350
16.15.5.1.1.2.1.2.1	Variation 1: From Benzene-1,2-diamine and α,α -Dihydroxy Ketones	351
16.15.5.1.1.2.1.2.2	Variation 2: From Benzene-1,2-diamine and α -Ketoaldehyde Oximes or Hydrazones	351

16.15.5.1.1.2.1.3	Method 3: From Benzene-1,2-diamines and 1,2-Diketones or Their Synthetic Equivalents	352
16.15.5.1.1.2.1.3.1	Variation 1: Synthesis of Quinoxalinium Salts from N-Substituted Benzene-1,2-diamines and Butane-2,3-dione	353
16.15.5.1.1.2.1.3.2	Variation 2: From Benzene-1,2-diamines and Alkynes under Oxidative Conditions	354
16.15.5.1.1.2.1.3.3	Variation 3: From Benzene-1,2-diamines and Diiminosuccinonitrile	354
16.15.5.1.1.1.4	Method 4: From Benzene-1,2-diamines and α -Oxo Acids or Their Derivatives (The Hinsberg Reaction)	355
16.15.5.1.1.1.5	Method 5: From Benzene-1,2-diamines and Oxalic Acid Derivatives	356
16.15.5.1.1.1.5.1	Variation 1: From Benzene-1,2-diamines and Alkyl Alkoxy(imino)acetates	357
16.15.5.1.1.2.1.6	Method 6: From Benzene-1,2-diamines and Dialkyl Acetylenedicarboxylates	358
16.15.5.1.1.2.1.7	Method 7: From Benzene-1,2-diamine and Aryl Methyl Ketones and Their Derivatives	359
16.15.5.1.1.2.1.7.1	Variation 1: Oxidative Cyclization of Benzene-1,2-diamine and Acetylpyridines	359
16.15.5.1.1.2.1.7.2	Variation 2: From Benzene-1,2-diamines and Hydroxymethyl Ketones	360
16.15.5.1.1.2.1.7.3	Variation 3: From Benzene-1,2-diamines and Halomethyl Ketones	361
16.15.5.1.1.2.1.7.4	Variation 4: From Benzene-1,2-diamines and Aminomethyl Ketones	362
16.15.5.1.1.2.1.8	Method 8: From Benzene-1,2-diamines and α -Diazo Ketones	362
16.15.5.1.1.2.2	Fragments N—C—C—N and C—C (Arene)	363
16.15.5.1.1.2.2.1	Method 1: From 1,2-Diamines and Benzo-1,4-quinones and -1,2-quinones	363
16.15.5.1.1.2.3	Fragments N—Arene and N—C—C	363
16.15.5.1.1.2.3.1	Method 1: Synthesis of Quinoxalinone N-Oxides from Anilines and 1,1,2-Trichloro-2-nitroethene	363
16.15.5.1.1.3	By Formation of One N—C and One C—C Bond	364
16.15.5.1.1.4	By Formation of One N—C Bond	365
16.15.5.1.1.4.1	Fragment N—Arene—N—C—C	365
16.15.5.1.1.4.1.1	Method 1: Intramolecular Reactions of C-Electrophiles with a 2-Amino-phenyl Group	365
16.15.5.1.1.4.1.1.1	Variation 1: Intramolecular Reductive Cyclization of N-(2-Nitrophenyl)-2-oxopropanamide	365
16.15.5.1.1.4.1.1.2	Variation 2: From N-(2-Nitrophenyl)glycines by a Reductive Cyclization/Oxidation Sequence	365
16.15.5.1.1.4.1.1.3	Variation 3: Intramolecular Reductive Cyclization of 2-(2-Nitrophenylamino)-2-oxoacetates	366
16.15.5.1.1.4.1.2	Method 2: Quinoxalinone N-Oxides by Intramolecular C-Nucleophilic Attack on a 2-Nitrophenyl Group	367
16.15.5.1.1.4.2	Fragment Arene—N—C—C—N	368
16.15.5.1.1.4.2.1	Method 1: Intramolecular Cyclization of (Phenylimino)acetaldehyde	368
16.15.5.1.1.4.2.2	Method 2: Unsymmetrical 2,3-Substituted Quinoxalines from N-Aryl Nitroketene N,S-Acetals and Phosphoryl Chloride	368
16.15.5.1.2	By Annulation to the Heterocyclic Ring	369

16.15.5.1.2.1	By Formation of Two C—C Bonds	369
16.15.5.1.2.1.1	Fragments C—Hetarene—C and C—C	369
16.15.5.1.2.1.1.1	Method 1: Cycloaddition of 2,3-Bis(dibromomethyl)pyrazine to Dienophiles	369
16.15.5.2	Synthesis by Ring Transformation	369
16.15.5.2.1	By Ring Enlargement	369
16.15.5.2.1.1	Method 1: From Benzimidazoles and 1,2-Diketones	369
16.15.5.2.1.2	Method 2: Quinoxalines from Benzofurazans and 2-Aminoethanol	370
16.15.5.2.1.3	Method 3: Quinoxaline 1,4-Dioxides from Benzofurazan 1-Oxides and Enolizable Carbonyl Compounds	370
16.15.5.2.1.4	Method 4: From Benzene-1,2-diamines and 1 <i>H</i> -Indole-2,3-diones (Isatins)	371
16.15.5.3	Synthesis by Ring Modification	372
16.15.5.3.1	Oxidative Ring Modifications	372
16.15.5.3.1.1	Method 1: Aromatization by Oxidation of 1,2,3,4-Tetrahydroquinoxalines	372
16.15.5.3.1.2	Method 2: Aromatization by Oxidation of 1,2-Dihydroquinoxaline Derivatives	373
16.15.5.3.1.3	Method 3: Quinoxaline N-Oxides by N-Oxidation of Quinoxalines	374
16.15.5.3.1.4	Method 4: Quinoxaline 1,4-Dioxides by N-Oxidation of Quinoxalines	375
16.15.5.3.1.4.1	Variation 1: Quinoxaline 1,4-Dioxides by N-Oxidation of Quinoxaline N-Oxides	376
16.15.5.3.1.5	Method 5: Quinoxaline-2,3-diones from Quinoxalin-2-ones by Oxidation	377
16.15.5.3.2	Reductive Ring Modifications	377
16.15.5.3.2.1	Method 1: Reduction of Quinoxalines to 1,2,3,4-Tetrahydroquinoxalines	377
16.15.5.3.2.2	Method 2: Reduction of Quinoxalin-2-ones to 3,4-Dihydroquinoxalin-2(1 <i>H</i>)-ones	379
16.15.5.3.2.3	Method 3: Reduction of Quinoxaline N-Oxides to Quinoxalines	379
16.15.5.3.2.4	Method 4: Reduction of Quinoxaline 1,4-Dioxides to Quinoxalines	380
16.15.5.3.3	Addition of C-Nucleophiles	381
16.15.5.3.3.1	Method 1: Addition of Ketone Enols to Quinoxalin-2-ones	381
16.15.5.3.3.2	Method 2: Addition of Anions Derived from 1-Haloalkyl Sulfones	381
16.15.5.3.3.3	Method 3: Addition of Organometallics	382
16.15.5.3.3.4	Method 4: Addition of Potassium Phenylacetylide to Quinoxaline 1-Oxides	383
16.15.5.3.3.5	Method 5: Cycloaddition Reactions	383
16.15.5.3.4	Elimination Reactions	384
16.15.5.3.4.1	Method 1: Aromatization by Elimination from 1-Acyl-1,2-dihydroquinoxalines	384
16.15.5.4	Ring Functionalization by Substitution of Ring Hydrogens or N-Alkylation	384
16.15.5.4.1	Method 1: Hydrogen–Deuterium Exchange	384
16.15.5.4.2	Method 2: Alkylation	385
16.15.5.4.2.1	Variation 1: Radical C-Alkylation	385

16.15.5.4.2.2	Variation 2:	C-Alkylation of Quinoxaline Anions	385
16.15.5.4.2.3	Variation 3:	N-Alkylation of Quinoxalin-2-ones	386
16.15.5.4.2.4	Variation 4:	Synthesis of Onium Salts	387
16.15.5.4.3	Method 3:	Acylation	388
16.15.5.4.3.1	Variation 1:	Free-Radical Acylation of Quinoxaline	388
16.15.5.4.3.2	Variation 2:	Electrophilic Acylation of Quinoxaline Anions	389
16.15.5.4.4	Method 4:	Cyanation	389
16.15.5.4.5	Method 5:	Halogenation	390
16.15.5.4.6	Method 6:	Chlorosulfonylation	391
16.15.5.4.7	Method 7:	Nitration	391
16.15.5.4.8	Method 8:	Amination	392
16.15.5.5		Synthesis by Substituent Transformation	392
16.15.5.5.1		Transformation of Carbon Functionalities	392
16.15.5.5.1.1	Method 1:	Substitution with Hydrogen	392
16.15.5.5.1.2	Method 2:	Rearrangements of Carbon Functionalities	393
16.15.5.5.1.2.1	Variation 1:	Curtius Rearrangement	393
16.15.5.5.1.2.2	Variation 2:	Hofmann Rearrangement	393
16.15.5.5.1.3	Method 3:	Oxidation	394
16.15.5.5.1.4	Method 4:	Halogenation	395
16.15.5.5.1.5	Method 5:	Reductive Amination of Quinoxaline-2-carbaldehyde	396
16.15.5.5.1.6	Method 6:	Amidation of Quinoxaline Carboxylic Acids and Their Derivatives	396
16.15.5.5.1.7	Method 7:	Reactions with Electrophiles	397
16.15.5.5.1.7.1	Variation 1:	3-Substitution of 3-Methylquinoxalin-2(1 <i>H</i>)-one	397
16.15.5.5.1.7.2	Variation 2:	Knoevenagel Reaction	398
16.15.5.5.2		Transformation of Halogen Functionalities	399
16.15.5.5.2.1	Method 1:	Dehalogenation	399
16.15.5.5.2.2	Method 2:	Halogen Exchange	400
16.15.5.5.2.3	Method 3:	Halogen–Metal Exchange	400
16.15.5.5.2.4	Method 4:	Reaction with C-Nucleophiles	401
16.15.5.5.2.4.1	Variation 1:	Cyanation	401
16.15.5.5.2.4.2	Variation 2:	α -Hetarylation of Esters, Lactones, Amides, and Nitriles with 2-Chloroquinoxaline	401
16.15.5.5.2.4.3	Variation 3:	Cross Coupling with Organolithiums	402
16.15.5.5.2.4.4	Variation 4:	Cross Coupling with Grignard Reagents	403
16.15.5.5.2.4.5	Variation 5:	Cross Coupling with Organozinc Compounds	403
16.15.5.5.2.4.6	Variation 6:	Stille Cross Coupling	404
16.15.5.5.2.4.7	Variation 7:	Cross Coupling with Organoboron Compounds	404
16.15.5.5.2.4.8	Variation 8:	Heck Cross Coupling	405
16.15.5.5.2.4.9	Variation 9:	Sonogashira Cross Coupling	406
16.15.5.5.2.5	Method 5:	Reaction with N-Nucleophiles	407
16.15.5.5.2.6	Method 6:	Reaction with O-Nucleophiles	408
16.15.5.5.2.7	Method 7:	Reaction with S-Nucleophiles	408
16.15.5.5.3		Transformation of Nitrogen Functionalities	409
16.15.5.5.3.1	Method 1:	Reduction of Nitro Groups	409

16.15.5.3.2	Method 2:	Substitution with a Halogen via Diazotization	409
16.15.5.3.3	Method 3:	N-Alkylation	409
16.15.5.3.4	Method 4:	N-Acylation	409
16.15.5.4		Transformation of Oxygen Functionalities	410
16.15.5.4.1	Method 1:	Haloquinoxalines from the Corresponding Oxo Derivatives ..	410
16.15.5.4.2	Method 2:	Reaction with C-Nucleophiles	411
16.15.5.4.3	Method 3:	Reactions with N-Nucleophiles	412
16.15.5.4.4	Method 4:	Reaction with S-Nucleophiles	412
16.15.5.4.5	Method 5:	O-Alkylation	412
16.15.5.4.6	Method 6:	O-Demethylation	413
16.15.5.5		Transformation of Sulfur Functionalities	413
16.15.5.5.1	Method 1:	Oxidation	413
16.15.5.5.2	Method 2:	Reaction with C-Nucleophiles	414
16.15.5.5.3	Method 3:	Reaction with N-Nucleophiles	415
16.15.5.5.4	Method 4:	S-Alkylation	415
16.15.5.5.5	Method 5:	C—S Bond Cleavage	416

Volume 21: **Three Carbon—Heteroatom Bonds: Amides and De-** **rivatives; Peptides; Lactams**

21.16		Synthesis of Scalemic Amides by Kinetic Resolution	427
		D. Seidel	
21.16		Synthesis of Scalemic Amides by Kinetic Resolution	427
21.16.1	Method 1:	Kinetic Resolution by Acylation with Stoichiometric Amounts of Chiral Acylating Reagents	427
21.16.2	Method 2:	Kinetic Resolution with Catalytic Amounts of a Chiral Promoter	432
21.16.2.1	Variation 1:	Kinetic Resolution of Amines with Attenuated Reactivities ..	432
21.16.2.2	Variation 2:	Kinetic Resolution with Azlactone-Derived Acylating Reagents	434
21.16.2.3	Variation 3:	Kinetic Resolution with Carboxylic Acid Anhydrides as Acylating Reagents	436
21.16.2.4	Variation 4:	Kinetic Resolution with α' -Hydroxyenones as Acylating Reagents	438
21.16.2.5	Variation 5:	Kinetic Resolution with Carboxylic Acids as Acylating Reagents	441

Volume 27:

Heteroatom Analogues of Aldehydes and Ketones

27.16	Product Class 16: Azines	
<hr/>		
27.16.3	Azines	2012
		A. Nodzewska and R. Łażny
<hr/>		
27.16.3	Azines	445
27.16.3.1	Synthesis of Azines	445
27.16.3.1.1	1,4-Disubstituted Azines	445
27.16.3.1.1.1	Method 1: Reaction of Aldehydes with Hydrazine	445
27.16.3.1.1.2	Method 2: Reaction of Aldehyde Hydrazones with Aldehydes	446
27.16.3.1.1.3	Method 3: Hydrazone Oxidation	447
27.16.3.1.1.4	Method 4: Reaction of Aldehyde Hydrazones with Disulfur Compounds	448
27.16.3.1.1.5	Method 5: Reaction of Semicarbazones with Aldehydes	448
27.16.3.1.2	Trisubstituted Azines	449
27.16.3.1.2.1	Method 1: Reaction of Aldehyde Hydrazones with Ketones	449
27.16.3.1.2.2	Method 2: Reaction of Ketone Hydrazones with Aldehydes	449
27.16.3.1.3	Tetrasubstituted Azines	450
27.16.3.1.3.1	Method 1: Ketone Dimerization with Hydrazine	450
27.16.3.1.3.2	Method 2: Reaction of Hydrazones with Ketones	451
27.16.3.1.3.3	Method 3: Diazoalkane Dimerization	452
27.16.3.1.3.4	Method 4: Imine Oxidation	452
27.16.3.2	Applications of Azines in Organic Synthesis	453
27.16.3.2.1	Method 1: Oxidation and Reduction	453
27.16.3.2.2	Method 2: Addition Reactions	455
27.16.3.2.3	Method 3: Formation of Organometallic Complexes	456
27.16.3.2.4	Method 4: Intramolecular Cyclization Reactions	457
27.16.3.2.5	Method 5: Cycloaddition Reactions	458
27.16.3.2.6	Method 6: Hydrolytic Cleavage	459
27.16.3.2.7	Method 7: Ugi Reaction	460
<hr/>		
27.17	Product Class 17: Hydrazones	
<hr/>		
27.17.5	Hydrazones	2012
		R. Łażny and A. Nodzewska
<hr/>		
27.17.5	Hydrazones	465
27.17.5.1	N-Unsubstituted Hydrazones	465
27.17.5.1.1	Synthesis of N-Unsubstituted Hydrazones	465
27.17.5.1.1.1	Method 1: Synthesis from Aldehydes and Ketones	465

27.17.5.1.1.1.	Variation 1: From Oximes	465
27.17.5.1.1.2	Method 2: Synthesis from Diazo Compounds	466
27.17.5.1.1.3	Method 3: Synthesis from Unsaturated Hydrocarbons	468
27.17.5.1.1.3.1	Variation 1: From Terminal Alkynes	468
27.17.5.1.1.3.2	Variation 2: From Allenes	469
27.17.5.1.1.3.3	Variation 3: From Fluoroalkenes	469
27.17.5.1.2	Applications of N-Unsubstituted Hydrazones in Organic Synthesis	470
27.17.5.1.2.1	Method 1: Reductive Elimination of the Hydrazono Group	470
27.17.5.1.2.2	Method 2: Synthesis of Nitrogen Heterocycles	471
27.17.5.1.2.3	Method 3: Synthesis of Diazo Compounds by Oxidation	472
27.17.5.1.2.4	Method 4: Synthesis of Halogenated Alkenes	474
27.17.5.2	N-Monosubstituted Hydrazones	476
27.17.5.2.1	Synthesis of N-Monosubstituted Hydrazones	476
27.17.5.2.1.1	Method 1: Synthesis from Aldehydes and Ketones	476
27.17.5.2.1.1.1	Variation 1: Hydroformylation–Hydrazone Formation from Alkenes	477
27.17.5.2.1.1.2	Variation 2: Synthesis from Masked Carbonyl Groups	478
27.17.5.2.1.2	Method 2: Synthesis by Arylation of Benzophenone Hydrazone	478
27.17.5.2.1.3	Method 3: Synthesis from Activated Methylene Compounds	479
27.17.5.2.1.3.1	Variation 1: Reaction with Benzotriazoles	479
27.17.5.2.1.3.2	Variation 2: Reaction with Diazonium Salts	479
27.17.5.2.1.4	Method 4: Synthesis from Terminal Alkynes	480
27.17.5.2.1.5	Method 5: Synthesis from Diazo Esters	481
27.17.5.2.2	Applications of N-Monosubstituted Hydrazones in Organic Synthesis	481
27.17.5.2.2.1	Method 1: Synthesis of Nitrogen Heterocycles	482
27.17.5.2.2.1.1	Variation 1: Fischer Indole Synthesis from <i>N</i> -Arylhydrazones	482
27.17.5.2.2.2	Method 2: <i>N</i> - <i>tert</i> -Butylhydrazones as Acyl Anion Equivalents	482
27.17.5.2.2.3	Method 3: Synthesis of <i>N,N</i> -Disubstituted Hydrazones by Acylation	483
27.17.5.2.2.4	Method 4: Synthesis of Bicyclic Diazenium Salts	483
27.17.5.3	<i>N,N</i> -Disubstituted Hydrazones	484
27.17.5.3.1	Synthesis of <i>N,N</i> -Disubstituted Hydrazones	484
27.17.5.3.1.1	Method 1: Synthesis from Aldehydes and Ketones	484
27.17.5.3.1.1.1	Variation 1: Synthesis from Masked Aldehydes and Ketones	485
27.17.5.3.1.1.2	Variation 2: Solid-Supported Synthesis	485
27.17.5.3.1.2	Method 2: Synthesis from Unsaturated Hydrocarbons	487
27.17.5.3.1.3	Method 3: Synthesis from <i>N</i> -Monosubstituted Hydrazones	488
27.17.5.3.2	Applications of <i>N,N</i> -Disubstituted Hydrazones in Organic Synthesis	488
27.17.5.3.2.1	Method 1: Alkylation of Hydrazone Anions	488
27.17.5.3.2.1.1	Variation 1: Solid-Supported Synthesis	489
27.17.5.3.2.1.2	Variation 2: Alkylation of Cyclic Carbamates Derived from <i>N</i> -Acyl- <i>N</i> -alkyl-hydrazones	491
27.17.5.3.2.2	Method 2: Primary Amine Synthesis	492
27.17.5.3.2.2.1	Variation 1: Solid-Supported Synthesis	493
27.17.5.3.2.3	Method 3: Radical Reactions	494

27.17.5.3.2.3.1	Variation 1:	Radical Cyclization	494
27.17.5.3.2.3.2	Variation 2:	Radical Addition	495
27.17.5.3.2.4	Method 4:	Cycloaddition Reactions	496
27.17.5.3.2.4.1	Variation 1:	[4 + 2]-Cycloaddition Reactions	496
27.17.5.3.2.4.2	Variation 2:	[2 + 2]-Cycloaddition Reactions	496
27.17.5.3.2.5	Method 5:	Cleavage of <i>N,N</i> -Dialkylhydrazones	497
27.17.5.3.2.5.1	Variation 1:	Solid-Phase Synthesis of Nitriles	498
27.17.5.4		N-Sulfonylated Hydrazones	498
27.17.5.4.1		Synthesis of N-Sulfonylated Hydrazones	498
27.17.5.4.1.1	Method 1:	Synthesis from Aldehydes and Ketones	498
27.17.5.4.1.1.1	Variation 1:	Synthesis from O,O-Acetals	500
27.17.5.4.1.2	Method 2:	Synthesis from Nitriles	500
27.17.5.4.1.3	Method 3:	N-Alkylation of <i>N</i> -Tosylhydrazones	501
27.17.5.4.2		Applications of N-Sulfonylated Hydrazones in Organic Synthesis	502
27.17.5.4.2.1	Method 1:	Synthesis of Unsaturated Hydrocarbons	502
27.17.5.4.2.1.1	Variation 1:	Synthesis of Alkenes	502
27.17.5.4.2.1.2	Variation 2:	Synthesis of Allenes	506
27.17.5.4.2.1.3	Variation 3:	Synthesis of Alkynes	507
27.17.5.4.2.2	Method 2:	N-Sulfonylated Hydrazones in Reduction Reactions	508
27.17.5.4.2.2.1	Variation 1:	Synthesis of Sulfides and Ethers	509
27.17.5.4.2.2.2	Variation 2:	Synthesis of Sulfones	510
27.17.5.4.2.2.3	Variation 3:	Synthesis of Arenes from Arylboronic Acids	511
27.17.5.4.2.3	Method 3:	Synthesis of α -Alkylated and α,α -Dialkylated <i>N</i> -Tosylhydrazones	512
27.17.5.4.2.4	Method 4:	Synthesis of Nitrogen Heterocycles	513

27.18 Product Class 18: Hydrazonium Compounds

27.18.3		Hydrazonium Compounds	2012
		A. Nodzewska and R. Łązny	
27.18.3		Hydrazonium Compounds	521
27.18.3.1		1,1,1-Trialkyl-2-alkylidenehydrazinium Compounds	521
27.18.3.1.1		Synthesis of 1,1,1-Trialkyl-2-alkylidenehydrazinium Compounds	521
27.18.3.1.1.1	Method 1:	Alkylation of Hydrazone Compounds	521
27.18.3.1.2		Applications of 1,1,1-Trialkyl-2-alkylidenehydrazinium Compounds in Organic Synthesis	522
27.18.3.1.2.1	Method 1:	Synthesis of Azirines	522
27.18.3.1.2.2	Method 2:	Synthesis of Pyrroles	523
27.18.3.1.2.3	Method 3:	Synthesis of Ketones	523
		Author Index	525
		Abbreviations	555