

Science of Synthesis Knowledge Updates 2019/2

	Preface	V
	Abstracts	VII
	Table of Contents	XV
12.4.5	Benzimidazoles (Update 2019) F. M. Irudayanathan and S. Lee	1
30.1.1.3	Acyclic <i>O,N</i>-Acetals (Update 2019) S. Minakata and K. Kiyokawa	53
30.1.2.3	Cyclic <i>O,N</i>-Acetals (Update 2019) S. Minakata and Y. Takeda	63
30.3.7.11	Deprotection of <i>S,S</i>-Acetals (Update 2019) K. Sugamata and T. Sasamori	71
32.4.4	Chloro-, Bromo-, and Iodoalkenes (Update 2019) P. Huy and C. Czekelius	91
33.1.13.3	2,3-Dihydrothiophenes and Derivatives (Update 2019) D. Witt	243
33.1.14.3	3,4-Dihydro-2<i>H</i>-thiopyrans and Derivatives (Update 2019) D. Witt	301
37.4.1.7	Synthesis of Five-Membered and Larger-Ring Oxacycloalk-3-enes by Ring-Closure Reactions, Except Ring-Closing Metathesis (Update 2019) Z. Zhang and R. Tong	351
38.10	Metal-Catalyzed Synthesis of Peroxides B. Gnanaprakasam and M. B. Chaudhari	407
	Author Index	443
	Abbreviations	463

Table of Contents

Volume 12: Five-Membered Heteroarenes with Two Nitrogen or Phosphorus Atoms

12.4	Product Class 4: Benzimidazoles	
12.4.5	Benzimidazoles	2019
	F. M. Irudayanathan and S. Lee	
12.4.5	Benzimidazoles	1
12.4.5.1	Synthesis by Ring-Closure Reactions	1
12.4.5.1.1	Formation of Three N—C Bonds: 1—7a, 1—2, and 2—3	1
12.4.5.1.1.1	Method 1: Copper-Catalyzed Reaction of 2-Haloanilines with Aldehydes and Sodium Azide	1
12.4.5.1.2	Formation of Two N—C Bonds: 1—2 and 2—3	3
12.4.5.1.2.1	Method 1: Reaction of Benzene-1,2-diamines with Aldehydes	3
12.4.5.1.2.1.1	Variation 1: Palladium Catalysis	3
12.4.5.1.2.1.2	Variation 2: Copper Catalysis	5
12.4.5.1.2.1.3	Variation 3: Copper Nanoparticle Catalysis	6
12.4.5.1.2.1.4	Variation 4: Cobalt Catalysis	7
12.4.5.1.2.1.5	Variation 5: Samarium Catalysis	9
12.4.5.1.2.1.6	Variation 6: Cerium Catalysis	10
12.4.5.1.2.1.7	Variation 7: Silica-Bound Phosphoric Acid Catalysis	11
12.4.5.1.2.1.8	Variation 8: Visible-Light-Mediated Reaction	12
12.4.5.1.2.2	Method 2: Reaction of Benzene-1,2-diamines with Alcohols	14
12.4.5.1.2.2.1	Variation 1: Iridium-Catalyzed Reaction	14
12.4.5.1.2.2.2	Variation 2: Hypervalent-Iodine-Mediated Reaction with Benzylic Alcohols or Halides	15
12.4.5.1.2.2.3	Variation 3: Propylphosphonic Anhydride Mediated Reaction	17
12.4.5.1.2.2.4	Variation 4: Catalyst-Free Reaction	18
12.4.5.1.2.3	Method 3: Reaction of Benzene-1,2-diamines with Amines	19
12.4.5.1.2.3.1	Variation 1: Palladium-Catalyzed Reaction with Tertiary Alkylamines	19
12.4.5.1.2.3.2	Variation 2: Sulfur-Mediated Reaction with Amines	20
12.4.5.1.2.3.3	Variation 3: Iodine-Catalyzed Reaction with Primary Benzylamines	22
12.4.5.1.2.4	Method 4: Reaction of Benzene-1,2-diamines with Weinreb Amides	23
12.4.5.1.2.5	Method 5: Reaction of Benzene-1,2-diamines with 2-(Alkoxyethylene)hydrazinecarboxylates	24

12.4.5.1.2.6	Method 6:	Reaction of Benzene-1,2-diamines with (Dibromomethyl)arenes	25
12.4.5.1.2.7	Method 7:	Reaction of Benzene-1,2-diamines with Nitriles	26
12.4.5.1.2.8	Method 8:	Reaction of Benzene-1,2-diamines with Ortho Esters	28
12.4.5.1.2.9	Method 9:	Reaction of Benzene-1,2-diamines with Carbon Dioxide and Hydrogen	28
12.4.5.1.3		Formation of Two N—C Bonds: 1—7a and 1—2	30
12.4.5.1.3.1	Method 1:	Reaction of <i>N</i> -(2-Haloaryl)imidoyl Halides with Amines	30
12.4.5.1.3.2	Method 2:	Copper-Catalyzed Reaction of <i>N</i> -(2-Iodoaryl)amides with Ammonia	32
12.4.5.1.4		Formation of Two N—C Bonds: 1—7a and 2—3	33
12.4.5.1.4.1	Method 1:	Ugi–Smiles Reaction of Isocyanides, Benzylamines, Aldehydes, and 2-Nitrophenols	33
12.4.5.1.5		Formation of Two N—C Bonds: 1—2 and 3—3a	34
12.4.5.1.5.1	Method 1:	Reaction of 2-Haloanilines with Amidines	34
12.4.5.1.5.2	Method 2:	Copper-Mediated Cyclization of <i>N</i> -(1-Arylalkylidene)- <i>N'</i> -aryl- <i>N'</i> -benzylhydrazines	36
12.4.5.1.5.3	Method 3:	Base-Mediated Reaction of 2-Iodoaniline with Amides	37
12.4.5.1.6		Formation of Two N—C Bonds: 1—7a and 3—3a	38
12.4.5.1.6.1	Method 1:	Reaction of Amidines with Arylboronic Acids	38
12.4.5.1.7		Formation of One N—C Bond: 1—7a	40
12.4.5.1.7.1	Method 1:	Cyclization of <i>N</i> -Arylamidines	40
12.4.5.1.7.1.1	Variation 1:	Copper-Catalyzed Cyclization of <i>N</i> -(2-Haloaryl)amidines	40
12.4.5.1.7.1.2	Variation 2:	Base-Mediated Cyclization of <i>N</i> -(2-Haloaryl)amidines	41
12.4.5.1.7.1.3	Variation 3:	Oxidative Cyclization of <i>N</i> -Arylamidines	42
12.4.5.1.7.2	Method 2:	Reaction of <i>N,N'</i> -Bis(2-haloaryl)carbodiimides with Azoles	44
12.4.5.2		Synthesis by Substituent Modification	49
12.4.5.2.1	Method 1:	Annulation to the Imidazole Ring	49
12.4.5.2.2	Method 2:	Benzylic Deuteration of C2-Benzylamino Benzimidazoles	50

Volume 30: Acetals: O/N, S/S, S/N, and N/N and Higher Heteroatom Analogues

30.1	Product Class 1: O,<i>N</i>-Acetals		
30.1.1.3	Acyclic O,<i>N</i>-Acetals		2019
	S. Minakata and K. Kiyokawa		
30.1.1.3	Acyclic O,<i>N</i>-Acetals		53
30.1.1.3.1	Catalytic-Enantioselective Synthesis of Acyclic O, <i>N</i> -Acetals		53
30.1.1.3.1.1	Method 1:	Addition of Alcohols to Imines	53

30.1.1.3.1.2	Method 2: Tandem Oxyfluorination of Enamides	54
30.1.1.3.1.3	Method 3: Hydroamination of Alkoxyallenes	55
30.1.1.3.2	Applications of Acyclic <i>O,N</i> -Acetals in Asymmetric Organic Synthesis	56
30.1.1.3.2.1	Method 1: Cycloisomerization	56
30.1.1.3.2.2	Method 2: Enantioselective C—C Bond Formation with Cleavage of a C—O Bond	56
30.1.2.3	Cyclic <i>O,N</i>-Acetals 2019 S. Minakata and Y. Takeda	
<hr/>		
30.1.2.3	Cyclic <i>O,N</i>-Acetals	63
30.1.2.3.1	Catalytic Enantioselective Synthesis of Cyclic <i>O,N</i> -Acetals	63
30.1.2.3.1.1	Method 1: Palladium-Catalyzed Enantioselective Intermolecular Hydroamidation of Alkoxyallenes and Subsequent Ring-Closing Metathesis	63
30.1.2.3.1.2	Method 2: Rhodium-Catalyzed Enantioselective Isomerization of 4-Iminocrotonates	64
30.1.2.3.1.3	Method 3: Chiral Brønsted Acid Catalyzed Asymmetric <i>O,N</i> -Acetalization of Salicylamides	65
30.1.2.3.1.4	Method 4: Palladium/Chiral Bisphosphine Catalyzed Enantioconvergent C—N Coupling of Racemic 4-(2-Bromobenzyl)benzoxazines ..	66
30.1.2.3.2	Applications of Cyclic <i>O,N</i> -Acetals in Asymmetric Organic Synthesis	68
30.1.2.3.2.1	Method 1: Enantioselective Petasis Reaction	68
30.1.2.3.2.2	Method 2: Enantioselective Suzuki–Miyaura-Type Cross Coupling	69
30.3	Product Class 3: <i>S,S</i>-Acetals	
<hr/>		
30.3.7.11	Deprotection of <i>S,S</i>-Acetals 2019 K. Sugamata and T. Sasamori	
<hr/>		
30.3.7.11	Deprotection of <i>S,S</i>-Acetals	71
30.3.7.11.1	Method 1: Deprotection of <i>S,S</i> -Acetals by Oxidation	71
30.3.7.11.1.1	Variation 1: Using Iodine in the Presence of a Base	71
30.3.7.11.1.2	Variation 2: Using Hypervalent Iodine Reagents	72
30.3.7.11.1.3	Variation 3: Using Other Oxidizing Reagents	73
30.3.7.11.2	Method 2: Deprotection of <i>S,S</i> -Acetals by Addition of Lewis Acidic Metal Ions	74
30.3.7.11.2.1	Variation 1: Using Mercury(II) Salts	74
30.3.7.11.2.2	Variation 2: Using Silver(I) Salts	75
30.3.7.11.2.3	Variation 3: Using Group 13 Salts	77
30.3.7.11.2.4	Variation 4: Using Group 5 Salts	77
30.3.7.11.3	Method 3: Deprotection of <i>S,S</i> -Acetals by the Addition of Alkylating Agents	79

30.3.7.11.3.1	Variation 1:	Using Iodomethane Together with a Base	79
30.3.7.11.3.2	Variation 2:	Using Meerwein's Reagent	80
30.3.7.11.4	Method 4:	Deprotection of <i>S,S</i> -Acetals by Addition of Halogenating Agents	82
30.3.7.11.4.1	Variation 1:	Using <i>N</i> -Chlorosuccinimide	82
30.3.7.11.4.2	Variation 2:	Using <i>N</i> -Bromosuccinimide	82
30.3.7.11.4.3	Variation 3:	Using <i>N</i> -Iodosuccinimide	84
30.3.7.11.4.4	Variation 4:	Using Selectfluor	84
30.3.7.11.5	Method 5:	Deprotection of <i>S,S</i> -Acetals by Electron Transfer	85

Volume 32: X—Ene—X (X = F, Cl, Br, I, O, S, Se, Te, N, P), Ene—Hal, and Ene—O Compounds

32.4 Product Class 4: Haloalkenes

32.4.4 Chloro-, Bromo-, and Iodoalkenes

2019

P. Huy and C. Czekelius

32.4.4	Chloro-, Bromo-, and Iodoalkenes	91
32.4.4.1	Synthesis of Chloro-, Bromo-, and Iodoalkenes	91
32.4.4.1.1	Synthesis from Organometallic Compounds	91
32.4.4.1.1.1	Method 1: Synthesis from Vinylstannanes	91
32.4.4.1.1.1.1	Variation 1: Palladium-Catalyzed Hydrostannation	91
32.4.4.1.1.1.2	Variation 2: Molybdenum-Catalyzed Hydrostannation	92
32.4.4.1.1.2	Method 2: Transmetalation of Vinylboranes	93
32.4.4.1.1.3	Method 3: Synthesis from Vinylsilanes	94
32.4.4.1.1.4	Method 4: Synthesis from Vinylaluminum Reagents	96
32.4.4.1.1.5	Method 5: Synthesis from Vinylboranes and Vinylborates	97
32.4.4.1.2	Synthesis from Alkanes	101
32.4.4.1.2.1	Method 1: Synthesis from Haloalkanes	101
32.4.4.1.2.1.1	Variation 1: Elimination of Dihaloalkanes or Trihaloalkanes	101
32.4.4.1.2.1.2	Variation 2: Elimination of 1,2-Difunctionalized Alkanes	105
32.4.4.1.2.1.3	Variation 3: Conjugate Substitution of Allylic Halides	106
32.4.4.1.2.2	Method 2: Synthesis from Cyclopropanes and Cyclopropenes	108
32.4.4.1.2.2.1	Variation 1: Synthesis from Alkylidenecyclopropanes	108
32.4.4.1.2.2.2	Variation 2: Synthesis from Doubly Activated Cyclopropenes	109
32.4.4.1.2.2.3	Variation 3: Synthesis from 1,1-Dihalo-2-vinylcyclopropanes	110
32.4.4.1.2.2.4	Variation 4: Synthesis by Reductive Opening of (Trichloromethyl)cyclopropanes	110

32.4.4.1.3	Synthesis from Polarized Alkenes	111
32.4.4.1.3.1	Method 1: Synthesis from Alkylidenebutenolides	111
32.4.4.1.3.2	Method 2: Synthesis from Enamines	112
32.4.4.1.3.2.1	Variation 1: Oxidation with Electrophilic Halogenating Agents	112
32.4.4.1.3.2.2	Variation 2: Metal-Mediated Halogenation	114
32.4.4.1.3.3	Method 3: Synthesis from α,β -Unsaturated Carbonyl Compounds and Related Michael Acceptors	115
32.4.4.1.3.3.1	Variation 1: Synthesis of 3-Haloacrylic Esters	115
32.4.4.1.3.3.2	Variation 2: Halogenation of Michael Acceptors at the 2-Position	116
32.4.4.1.3.3.3	Variation 3: Aminohalogenation of Alkenes	118
32.4.4.1.3.3.4	Variation 4: 1,3-Dichlorination of α,β -Unsaturated Oxo Esters	119
32.4.4.1.5	Synthesis from Ketones and Derivatives	119
32.4.4.1.5.1	Method 1: Synthesis from Ketones	119
32.4.4.1.5.2	Method 2: Synthesis from Imines, Oximes, or Hydrazones	120
32.4.4.1.5.3	Method 3: Haloformylation of Ketones	122
32.4.4.1.5.4	Method 4: Synthesis by Aldol-Type Reactions	123
32.4.4.1.5.5	Method 5: Synthesis from Stabilized Ylides	125
32.4.4.1.5.6	Method 6: Synthesis from Nonstabilized Ylides	126
32.4.4.1.5.7	Method 7: Synthesis from Halogenated Carbanions	128
32.4.4.1.6	Synthesis from Carboxylic Acids	129
32.4.4.1.7	Synthesis from Alkynes and Allenes	130
32.4.4.1.7.1	Method 1: Hydrohalogenation of Alkynes	132
32.4.4.1.7.1.1	Variation 1: Addition of Hydrogen Halides	133
32.4.4.1.7.1.2	Variation 2: Hydrohalogenation with Alkali Metal Halides	135
32.4.4.1.7.1.3	Variation 3: Hydrohalogenation via Other Methods To Form Hydrogen Halides In Situ	136
32.4.4.1.7.1.4	Variation 4: Hydrohalogenation with Hydride Reducing Reagents and Halogenation Oxidation Reagents	137
32.4.4.1.7.2	Method 2: Halogenation of Alkynes	139
32.4.4.1.7.3	Method 3: Formal Addition of a Halogen Atom and a Heteroatom to Alkynes	143
32.4.4.1.7.3.1	Variation 1: Addition of Halogen and Nitrogen	143
32.4.4.1.7.3.2	Variation 2: Addition of Halogen and Oxygen	147
32.4.4.1.7.3.3	Variation 3: Addition of Halogen and Sulfur, Selenium, or Tellurium	162
32.4.4.1.7.4	Method 4: Addition of Halogen and Carbon to Alkynes	172
32.4.4.1.7.4.1	Variation 1: Haloalkylation of Alkynes	172
32.4.4.1.7.4.2	Variation 2: Haloallylation of Alkynes	188
32.4.4.1.7.4.3	Variation 3: Haloalkenylation and Haloalkynylation of Alkynes	194
32.4.4.1.7.4.4	Variation 4: Haloarylation of Alkynes	198
32.4.4.1.7.4.5	Variation 5: Haloacylation of Alkynes	200
32.4.4.1.7.4.6	Variation 6: Halocyanation of Alkynes	204

32.4.4.1.7.5	Method 5:	Addition of Halogen and Silicon to Alkynes	205
32.4.4.1.7.6	Method 6:	Addition of Halogen and Boron to Alkynes	206
32.4.4.1.7.7	Method 7:	Transformations of Haloalkynes	209
32.4.4.1.7.7.1	Variation 1:	Addition of Hydrogen and Boron	210
32.4.4.1.7.7.2	Variation 2:	Addition of Hydrogen and Tin	211
32.4.4.1.7.7.3	Variation 3:	Addition of Hydrogen and Nitrogen	211
32.4.4.1.7.7.4	Variation 4:	Addition of Hydrogen and Oxygen	212
32.4.4.1.7.7.5	Variation 5:	Addition of Hydrogen and Sulfur	214
32.4.4.1.7.7.6	Variation 6:	Addition of Hydrogen and Carbon	216
32.4.4.1.7.7.7	Variation 7:	Addition of Oxygen and Carbon	216
32.4.4.1.7.8	Method 8:	Halogenation of Allenes	217
32.4.4.1.7.9	Method 9:	Addition of Halogen and a Heteroatom to Allenes	221
32.4.4.1.7.9.1	Variation 1:	Addition of Halogen and Nitrogen to Allenes	221
32.4.4.1.7.9.2	Variation 2:	Addition of Halogen and Oxygen or Sulfur to Allenes	222
32.4.4.1.7.10	Method 10:	Addition of Halogen and Carbon to Allenes	228
32.4.4.1.7.11	Method 11:	S _N 2' Reaction of Allenols	231

Volume 33: Ene—X Compounds (X = S, Se, Te, N, P)

33.1 Product Class 1: Alk-1-enyl Sulfur Compounds

33.1.13.3	2,3-Dihydrothiophenes and Derivatives	2019
	D. Witt	
33.1.13.3	2,3-Dihydrothiophenes and Derivatives	243
33.1.13.3.1	Synthesis of 2,3-Dihydrothiophenes and Derivatives	243
33.1.13.3.1.1	Synthesis by Ring-Closure Reactions	243
33.1.13.3.1.1.1	Method 1: Reaction of But-3-yn-1,2-diones with Thiourea	243
33.1.13.3.1.1.2	Method 2: Reaction of Sodium Alkanesulfonates with Alkynyl(aryl)iodonium Salts	244
33.1.13.3.1.1.3	Method 3: Base-Induced Cyclization of Alkynyl Benzyl Sulfides	246
33.1.13.3.1.1.4	Method 4: [3 + 2] Cycloaddition of Nitrostyrenes with β -Oxothioamides	247
33.1.13.3.1.1.5	Method 5: Iodine-Promoted Intramolecular Cyclization of Alkenyl Ketene Dithioacetals	247
33.1.13.3.1.1.6	Method 6: Copper-Catalyzed Cascade Cyclization of 1,7-Enynes with Potassium Sulfide	249
33.1.13.3.1.1.7	Method 7: Reaction of Ninhydrin with α -Enolic Dithioesters	250
33.1.13.3.1.1.8	Method 8: Diels–Alder Reaction	250
33.1.13.3.1.1.8.1	Variation 1: Intramolecular [4 + 2] Cycloaddition of 9-Anthryl Enynyl Sulfides	250
33.1.13.3.1.1.8.2	Variation 2: Cyano-Diels–Alder Reaction of 9-Anthryl 2-Cyanovinyl Sulfides	251

33.1.13.3.1.1.8.3	Variation 3:	Intramolecular Diels–Alder Reaction of Allenyl 2-Furylmethyl Sulfones	252
33.1.13.3.1.1.9	Method 9:	Catalyst-Controlled Intramolecular C—S Fusion of α -Allyl- β -oxo Dithioesters	252
33.1.13.3.1.1.10	Method 10:	Reaction of Aryl Isothiocyanates with Ethyl 4-Chloroacetylacetate	253
33.1.13.3.1.1.11	Method 11:	Michael Addition	254
33.1.13.3.1.1.11.1	Variation 1:	Reaction of Methyl Thioglycolate with Acrylonitrile	254
33.1.13.3.1.1.11.2	Variation 2:	Reaction of Dimethyl Acetylenedicarboxylate with <i>N,N'</i> -Dialkylmalonodithioamides	254
33.1.13.3.1.1.11.3	Variation 3:	Reaction of Dialkyl Acetylenedicarboxylates with (4-Alkoxyphenyl)acetothioamides	255
33.1.13.3.1.1.11.4	Variation 4:	Reaction of Pentose-Derived Vinyl Sulfones with Sodium Sulfide Followed by Oxidation and Elimination	256
33.1.13.3.1.1.11.5	Variation 5:	Reaction of Sulfanylacetaldehyde with a 2-(Diethoxyphosphoryl)acrylate	256
33.1.13.3.1.1.12	Method 12:	Reaction of Vinyl Halides with Sulfur Nucleophiles	257
33.1.13.3.1.1.12.1	Variation 1:	Tandem C(sp ³)—S and C(sp ²)—S Bond Formation with Sodium Hydrosulfide Hydrate	257
33.1.13.3.1.1.12.2	Variation 2:	Copper-Catalyzed Tandem S-Alkylation and S-Alkenylation of Sodium Sulfide	258
33.1.13.3.1.1.12.3	Variation 3:	Copper-Catalyzed Intramolecular S-Vinylation of Thiols	258
33.1.13.3.1.1.12.4	Variation 4:	Intramolecular Vinylic Substitution Reaction	259
33.1.13.3.1.1.13	Method 13:	Radical Cascade Cyclizations	260
33.1.13.3.1.1.14	Method 14:	Cyclization of Xanthates	260
33.1.13.3.1.1.15	Method 15:	Reaction of Pyridinium Salts with 3-Aryl-2-cyanoprop-2-enthioamides	261
33.1.13.3.1.1.16	Method 16:	Reaction of Sulfones with Bis(imido) chlorides)	262
33.1.13.3.1.1.17	Method 17:	Lithium Diisopropylamide Mediated Cyclization of a β -(3-Methoxybenzylsulfanyl) Ketone	263
33.1.13.3.1.2	Synthesis by Ring Transformation	263	
33.1.13.3.1.2.1	Method 1:	Synthesis of Dihydrothiophenes from Substituted 4-(1,3-Dithiolan-2-ylidene)but-1-ynes	263
33.1.13.3.1.2.2	Method 2:	Multicomponent Reactions	264
33.1.13.3.1.2.2.1	Variation 1:	Reaction of Thiazolidine-2,4-dione, Aromatic Aldehydes, Malononitrile, and Butylamine	264
33.1.13.3.1.2.2.2	Variation 2:	Reaction of Thiazolidine-2,4-dione, Aromatic Aldehydes, Ethyl Cyanoacetate, and Arylamines	265
33.1.13.3.1.2.3	Method 3:	Reaction of a Magnesacyclopentene with Thionyl Chloride ..	267
33.1.13.3.1.2.4	Method 4:	Cycloadditions of Tetrafluorothiophene 1,1-Dioxide	267
33.1.13.3.1.2.5	Method 5:	6 π -Photocyclization of 2-Thienylanilides	268
33.1.13.3.1.2.6	Method 6:	Conversion of Thiophenes into Dihydrothiophenes	268
33.1.13.3.1.2.6.1	Variation 1:	Dearomative [3 + 2] Cycloaddition	268

33.1.13.3.1.2.6.2	Variation 2:	Palladium-Promoted Intramolecular Cyclization of Thiophenes	269
33.1.13.3.1.2.6.3	Variation 3:	Dearomatization–Annulation of Thiophene Diesters	269
33.1.13.3.1.2.6.4	Variation 4:	Rhodium(II)-Catalyzed Cyclopropanation of Thiophene with Ethyl Diazoacetate	271
33.1.13.3.1.2.6.5	Variation 5:	Conversion of 5-Substituted 2-Nitrothiophenes into Dihydrothiophenes	271
33.1.13.3.1.2.6.6	Variation 6:	Photoinduced Intramolecular [4 + 2] Cycloaddition of Thiophenes	272
33.1.13.3.1.2.6.7	Variation 7:	Oxidation of Trifluoro(2-thienyl)borates by Oxone	273
33.1.13.3.1.2.6.8	Variation 8:	Intramolecular Radical Cyclization of Thiophenes	273
33.1.13.3.1.2.6.9	Variation 9:	Gold-Catalyzed Thiophene–Yne Cyclization	274
33.1.13.3.1.2.6.10	Variation 10:	Photocyclizations of 3-Allyloxy-2-(2-thienyl)benzopyran-4-ones	274
33.1.13.3.1.2.6.11	Variation 11:	Anti-Markovnikov Hydration of Thiophene over a Platinum-Loaded Titanium Oxide Photocatalyst	275
33.1.13.3.1.2.6.12	Variation 12:	Photochromic Thiophene–Arylethenes	276
33.1.13.3.1.2.7	Method 7:	Conversion of 4,5-Dihydrothiophen-3(2 <i>H</i>)-one into 2,3-Dihydrothiophenes	276
33.1.13.3.1.2.8	Method 8:	Conversion of Polycyclic Thietanes into Dihydrothiophenes ..	277
33.1.13.3.1.2.9	Method 9:	Reaction of Benzenethiol with a 2,3-Dihydrothiophene 1-Oxide Catalyzed by Lipases	277
33.1.13.3.1.2.10	Method 10:	Conversion of Cyclopropanes into Dihydrothiophenes	278
33.1.13.3.1.2.10.1	Variation 1:	Using Lawesson’s Reagent	278
33.1.13.3.1.2.10.2	Variation 2:	Using Base/Carbon Disulfide	279
33.1.13.3.1.2.10.3	Variation 3:	Using Tetrathiomolybdate	280
33.1.13.3.1.2.11	Method 11:	Three-Component Synthesis of 7-Aryl-1,1-dioxothieno[3,2- <i>b</i>]pyrans Catalyzed by Ammonium Acetate	281
33.1.13.3.1.2.12	Method 12:	Reaction of Methyl 3-Oxotetrahydrothiophene-2-carboxylate with Urea	282
33.1.13.3.1.2.13	Method 13:	Three-Component Synthesis of Thieno[3,2- <i>b</i>]quinolines	282
33.1.13.3.1.2.14	Method 14:	L-Proline-Catalyzed Three-Component, Domino [3 + 2 + 1] Annulation for the Regio- and Diastereoselective Synthesis of Highly Substituted Thienothiopyrans	284
33.1.13.3.1.2.15	Method 15:	Conversion of 1,2-Dithiol-3-ones into Dihydrothiophenes ..	285
33.1.13.3.1.2.16	Method 16:	Conversion of Thiazolidines into Dihydrothiophenes	285
33.1.13.3.1.2.17	Method 17:	Conversion of Dihydrofurans into Dihydrothiophenes	286
33.1.13.3.1.2.17.1	Variation 1:	Using Lawesson’s Reagent	286
33.1.13.3.1.2.17.2	Variation 2:	Using Phosphorus Pentasulfide	287
33.1.13.3.1.3	Synthesis of Dihydrothiophenes by Elimination	287	
33.1.13.3.1.3.1	Method 1:	Dehydration via Elimination of Mesylate Anion	287
33.1.13.3.1.3.2	Method 2:	Dehydration of a Tricyclic Hydroxysulfone under Basic Conditions	288

33.1.13.3.1.3.3	Method 3:	Elimination of Alkoxy Groups	289
33.1.13.3.1.3.4	Method 4:	Dehydration under Acidic Conditions	289
33.1.13.3.1.3.5	Method 5:	Hydrodehalogenation of Tetrahydrothiophenes	289
33.1.13.3.1.3.6	Method 6:	Elimination of Acetic Acid from Tetrahydrothiophenes	290
33.1.13.3.1.4		Modification of Substituents	290
33.1.13.3.1.4.1	Method 1:	One-Pot, Three-Component Regiospecific Synthesis of Dispiropyrrolidines Containing a Dihydrothiophenone Ring by 1,3-Dipolar Cycloaddition Reactions of Azomethine Ylides ...	290
33.1.13.3.1.4.2	Method 2:	Modification of a Carboxylic Group Attached to a Dihydrothiophene Ring	291
33.1.13.3.1.4.3	Method 3:	Modification of Amino Groups Attached to the Dihydrothiophene Ring	292
33.1.13.3.2		Applications of 2,3-Dihydrothiophenes and Derivatives in Organic Synthesis ·	292
33.1.13.3.2.1	Method 1:	Synthesis of Cyclobutanone Mimics of Penicillins	292
33.1.13.3.2.2	Method 2:	Synthesis of 1,2-Di- <i>O</i> -acetyl-4-thioribofuranose	293
33.1.13.3.2.3	Method 3:	Synthesis of Kahweofuran, a Flavor Component of Roasted Coffee	293
33.1.13.3.2.4	Method 4:	Aromatization of 2,3-Dihydrothiophenes	294
33.1.13.3.2.5	Method 5:	Synthesis of Hexahydro-2 <i>H</i> -thieno[2,3- <i>c</i>]pyrrole 1,1-Dioxides	294
33.1.13.3.2.6	Method 6:	Synthesis of Trimethylsilyl-Substituted 1 <i>E</i> ,3 <i>E</i> -Dienes	294
33.1.13.3.2.7	Method 7:	Synthesis of Polycyclic Compounds from 2,5-Dihydrothiophene 1,1-Dioxides	295
33.1.14.3	3,4-Dihydro-2<i>H</i>-thiopyrans and Derivatives		(2019)
	D. Witt		
33.1.14.3	3,4-Dihydro-2<i>H</i>-thiopyrans and Derivatives		301
33.1.14.3.1	Synthesis by Ring-Closure Reactions		301
33.1.14.3.1.1	Method 1:	[3,3]-Sigmatropic Rearrangement of Propargyl Vinyl Sulfides ·	301
33.1.14.3.1.2	Method 2:	Base-Induced Cyclization of Allyl Propargyl Sulfones	303
33.1.14.3.1.3	Method 3:	Base-Induced Cyclization of Alk-1-ynyl Benzyl Sulfones	304
33.1.14.3.1.4	Method 4:	Hetero-Diels–Alder Reaction	304
33.1.14.3.1.5	Method 5:	Domino Knoevenagel/Hetero-Diels–Alder Reaction	306
33.1.14.3.1.6	Method 6:	Reaction between Isorhodanine (4-Thioxothiazolidin-2-one) and α,β -Unsaturated Aldehydes	307
33.1.14.3.1.7	Method 7:	Trifluoromethanesulfonic Anhydride Promoted Intramolecular Cyclization of Ketene Dithioacetals	308
33.1.14.3.1.8	Method 8:	Reaction of 1,5-Dicarbonyl Compounds with Lawesson's Reagent	309
33.1.14.3.1.9	Method 9:	Intramolecular Reaction of Thiols with Vinyl Halides	311
33.1.14.3.1.10	Method 10:	Cyclization of 3-Sulfanylpropanoic Acid with Piperidin-4-one Monohydrate Hydrochloride	312
33.1.14.3.1.11	Method 11:	Reaction of Allylmagnesium Bromide with <i>N</i> -(Trifluorothioacetyl)morpholine	313

33.1.14.3.1.12	Method 12:	Organocatalytic Enantioselective Cycloaddition of Binucleophilic Bis(2-aryl-2-oxoethyl) Sulfides with α,β -Unsaturated Aldehydes	313
33.1.14.3.1.13	Method 13:	Reaction of a Bis[(diphenylphosphinoyl)methyl] Sulfide with Chalcones	314
33.1.14.3.1.14	Method 14:	Three-Component Coupling of β -Oxo Dithioesters, α,β -Unsaturated Aldehydes, and Cyclic Aliphatic Secondary Amines	315
33.1.14.3.1.15	Method 15:	Reaction of α -Alkenoyl- α -carbamoylketene Dithioacetals with Sodium Sulfide	316
33.1.14.3.1.16	Method 16:	Reaction of 3-Isothiocyanato Oxindoles with α,β -Unsaturated <i>N</i> -Mesylimines	317
33.1.14.3.1.17	Method 17:	Reaction of 2-Cyano-1-(4-nitrophenyl)allyl Acetate with 3-(2,4-Dichlorophenyl)-3-oxo- <i>N</i> -phenylpropanethioamide ..	319
33.1.14.3.1.18	Method 18:	Hydrothiolation of Alkynes	319
33.1.14.3.1.19	Method 19:	Iodothiolation of Alkynes	321
33.1.14.3.1.20	Method 20:	Reaction of α,β -Unsaturated 5-(4-Nitrophenyl) Thioesters with Propargyl Alcohols	322
33.1.14.3.1.21	Method 21:	Copper-Catalyzed Thiolation/Cyclization of 1-Chloro-1,5-enynes with Sodium Hydrosulfide	323
33.1.14.3.1.22	Method 22:	Cyclization of 1-Phenyl-1-[2-[1-(phenylsulfanyl)vinyl]phenyl]ethan-1-ol	324
33.1.14.3.1.23	Method 23:	Radical Cyclization of 4-[(2-Bromobenzyl)sulfanyl]-1-phenyl-1,8-naphthyridin-2(1 <i>H</i>)-ones	325
33.1.14.3.1.24	Method 24:	Iron(III) Chloride Promoted Cyclization of Secondary Alcohols	325
33.1.14.3.1.25	Method 25:	Four-Component Reaction of 1,2-Dihalobenzenes, Alkynes, Carbon Monoxide, and Sodium Sulfide	326
33.1.14.3.1.26	Method 26:	Intramolecular Cyclization of 1-Aryl-3-(2-sulfanylphenyl)propane-1,3-diones	328
33.1.14.3.1.27	Method 27:	Reaction of 1,3-Diketones with Methyl Thiosalicylate	329
33.1.14.3.1.28	Method 28:	Reaction of 2-Bromoacetophenones with Aromatic Dithioesters in the Presence of Sodium Hydride	329
33.1.14.3.1.29	Method 29:	Acid-Promoted Reaction of Ethyl Acetoacetate with Benzenethiol	330
33.1.14.3.1.30	Method 30:	Three-Component Domino Reaction of <i>ortho</i> -Halo- α -arylylthioamides, Meldrum's Acid, and Aromatic Aldehydes ..	331
33.1.14.3.1.31	Method 31:	Reaction of 2-Bromochalcones with Potassium Sulfide	332
33.1.14.3.1.32	Method 32:	Reaction of Ethyl (<i>Z</i>)-2-(2,4-Dichloro-5-nitrobenzoyl)-3-(dimethylamino)acrylate with Hydrogen Sulfide	333
33.1.14.3.2	Synthesis by Ring Transformation		333
33.1.14.3.2.1	Method 1:	Triethylsilane-Triggered Rearrangement of Thioaurones to 4 <i>H</i> -1-Benzothiopyran-4-ones under Solid-Phase Peptide Synthesis Conditions	333
33.1.14.3.2.2	Method 2:	Preparation of 3-Benzoyl-4 <i>H</i> -1-benzothiopyran-4-ones from (<i>E</i>)-3-Benzylidene-2,3-dihydro-4 <i>H</i> -1-benzothiopyran-4-ones ..	334

33.1.14.3.2.3	Method 3:	Ultraviolet-Light-Promoted Fusion of Thiophene Rings	335
33.1.14.3.2.4	Method 4:	Palladium-Catalyzed Regioselective C—S Bond Cleavage of Thiophenes	336
33.1.14.3.2.5	Method 5:	Nickel-Promoted Formation of 4 <i>H</i> -1-Benzothiopyran-4-ones from Benzothiofuran-2,3-dione and Alkynes	337
33.1.14.3.2.6	Method 6:	Condensation Reactions of Ethyl 2-Oxo-2-(4-oxo-2,3-dihydro-1-benzothiopyran-3-yl)acetate with Hydrazines, Ureas, and 1,2-Diamines	338
33.1.14.3.3	Synthesis by Elimination		340
33.1.14.3.3.1	Method 1:	Dehydrogenation Using Triphenylphosphine–Hydrogen Bromide in Dimethyl Sulfoxide	340
33.1.14.3.3.2	Method 2:	β-Elimination of Sialic Acid Derivatives	340
33.1.14.3.3.3	Method 3:	Dehydration of 4-Hydroxy-1 <i>H</i> -2-benzothiopyran 2,2-Dioxide	341
33.1.14.3.3.4	Method 4:	Nitration of 2,3-Dihydro-4 <i>H</i> -1-benzothiopyran-4-one with Concentrated Nitric Acid	342
33.1.14.3.4	Synthesis by Addition		342
33.1.14.3.4.1	Method 1:	Additions to 6-(Trifluoromethyl)-2 <i>H</i> -thiopyran	342
33.1.14.3.5	Synthesis by Substituent Modification		344
33.1.14.3.5.1	Method 1:	Regioselective Zincation of 4 <i>H</i> -1-Benzothiopyran-4-one	344
33.1.14.3.5.2	Method 2:	Cross-Dehydrogenative Coupling of 4 <i>H</i> -1-Benzothiopyran-4-one with Alkanes	344
33.1.14.3.5.4	Method 4:	Synthesis of Amides by Palladium-Catalyzed Aminocarbonylation of 3,4-Dihydro-2 <i>H</i> -thiopyran-6-yl Trifluoromethanesulfonates	345
33.1.14.3.5.5	Method 5:	Reaction of 5-Hydroxy-7-phenyl-3,5,6,7-tetrahydro-2 <i>H</i> -thiopyrano[2,3- <i>d</i>]thiazol-2-one with Ylides	347

Volume 37: Ethers

37.4	Product Class 4: Five-Membered and Larger-Ring Oxacycloalk-3-enes		
37.4.1.7	Synthesis of Five-Membered and Larger-Ring Oxacycloalk-3-enes by Ring-Closure Reactions, Except Ring-Closing Metathesis		2019
	Z. Zhang and R. Tong		
37.4.1.7	Synthesis of Five-Membered and Larger-Ring Oxacycloalk-3-enes by Ring-Closure Reactions, Except Ring-Closing Metathesis		351
37.4.1.7.1	2,5-Dihydrofurans		351
37.4.1.7.1.1	Method 1:	Cyclization of α-Allenols Catalyzed by Transition Metals	351
37.4.1.7.1.1.1	Variation 1:	Silver(I)-Catalyzed Cyclization of α-Allenols	351
37.4.1.7.1.1.2	Variation 2:	Gold-Catalyzed Intramolecular Cyclization of α-Allenols	352

37.4.1.7.1.1.3	Variation 3:	Silver-Catalyzed Synthesis of 3-Phosphoryl-2,5-dihydrofurans and 3-Tosyl-2,5-dihydrofurans	353
37.4.1.7.1.1.4	Variation 4:	Palladium and Chiral Phosphoric Acid Catalyzed Desymmetrization of Allenic 1,3-Diols	355
37.4.1.7.1.1.5	Variation 5:	Palladium-Catalyzed Homodimeric Coupling/Cyclization of α -Allenols	357
37.4.1.7.1.1.6	Variation 6:	Cross Coupling of α -Allenols and α -Allenic Esters	357
37.4.1.7.1.2	Method 2:	Electrophile-Triggered Cyclization of But-2-yne-1,4-diols	358
37.4.1.7.1.2.1	Variation 1:	Synthesis of 3,4-Diiodo-2,5-dihydrofurans via Iodine-Promoted Cyclization of But-2-yne-1,4-diols	358
37.4.1.7.1.2.2	Variation 2:	Synthesis of 3,4-Dihalo-2,5-dihydrofurans via Electrophile-Triggered Cyclization of But-2-yne-1,4-diols	360
37.4.1.7.1.2.3	Variation 3:	Synthesis of 3,4-Bis(organoselanyl)-2,5-dihydrofurans via Iron-Catalyzed Cyclization of But-2-yne-1,4-diols	361
37.4.1.7.1.3	Method 3:	Copper-Catalyzed Rearrangement of Vinyloxiranes	362
37.4.1.7.2		3,6-Dihydro-2 <i>H</i> -pyrans	364
37.4.1.7.2.1	Method 1:	Hetero-Diels–Alder Reaction between Aldehydes and Dienes ·	364
37.4.1.7.2.1.1	Variation 1:	Brønsted Acid Catalyzed Hetero-Diels–Alder Reaction of Aldehydes and Dienes	365
37.4.1.7.2.1.2	Variation 2:	Lewis Acid Catalyzed Hetero-Diels–Alder Reaction of Aldehydes and Dienes	367
37.4.1.7.2.1.3	Variation 3:	Carbocation-Catalyzed Hetero-Diels–Alder Reaction of Aldehydes and Dienes	370
37.4.1.7.2.1.4	Variation 4:	Lewis Acid Catalyzed Hetero-Diels–Alder Reaction of Aromatic Aldehydes and Dienes	372
37.4.1.7.2.1.5	Variation 5:	Hetero-Diels–Alder Reaction of Aldehydes and Electron-Rich Dienes	374
37.4.1.7.2.2	Method 2:	Lewis Acid Mediated Prins-Type Reaction	376
37.4.1.7.2.2.1	Variation 1:	Synthesis of Substituted 3,6-Dihydro-2 <i>H</i> -pyran-4-yl Trifluoromethanesulfonates from Homopropargylic Alcohols and Aldehydes	377
37.4.1.7.2.2.2	Variation 2:	Bismuth(III) Bromide Initiated Three-Component Reaction for the Synthesis of 2,6-Disubstituted 3,6-Dihydro-2 <i>H</i> -pyrans ...	378
37.4.1.7.2.3	Method 3:	Synthesis of 4-Halo-3,6-dihydro-2 <i>H</i> -pyrans via Lewis Acid Catalyzed Prins Cyclization	380
37.4.1.7.2.3.1	Variation 1:	Synthesis of 2,6- <i>trans</i> -4-Bromo-3,6-dihydro-2 <i>H</i> -pyrans via Lewis Acid Catalyzed Prins Cyclization	380
37.4.1.7.2.3.2	Variation 2:	Synthesis of 2,6- <i>cis</i> -4-Iodo-3,6-dihydro-2 <i>H</i> -pyrans via Iodine-Catalyzed Prins Cyclization	381
37.4.1.7.2.4	Method 4:	Synthesis of 6-(Trifluoromethyl)-5,6-dihydro-2 <i>H</i> -pyrans via Phosphine-Catalyzed [4 + 2] Annulation of α -Benzylallenoates with Ketones	382
37.4.1.7.2.5	Method 5:	Reductive Cycloetherification of δ -Hydroxy α,β -Unsaturated Ketones	383
37.4.1.7.3		Seven-Membered Oxacycloalk-3-enes	383

37.4.1.7.3.1	Method 1:	Regioselective Metal-Mediated Heterocyclization of γ -Allenols	383
37.4.1.7.3.2	Method 2:	Cyclodehydration of Fluorinated Diols Using Mitsunobu Reaction	385
37.4.1.7.3.3	Method 3:	Palladium-Catalyzed Intramolecular Cyclization of Oct-2-ene-1,8-diols	386
37.4.1.7.3.4	Method 4:	Oxidative Arylation of Enol Ethers	386
37.4.1.7.4		Eight-Membered Oxacycloalk-3-enes	387
37.4.1.7.4.1	Method 1:	Intramolecular Addition of Samarium Ketyls to Alkynes	387
37.4.1.7.4.2	Method 2:	Palladium-Catalyzed Oxidative Cyclization of β -Citronellol	387
37.4.1.7.5		Ten-Membered Oxacycloalk-3-enes	388
37.4.1.7.5.1	Method 1:	Oxy-Cope Rearrangement of Dienyl Alcohols	388
37.4.1.7.6		1,3-Dihydrobenzo[c]furans	389
37.4.1.7.6.1	Method 1:	Synthesis of 1,3-Dihydrobenzo[c]furan Derivatives from 1,2-Bis(hydroxymethyl)benzenes	389
37.4.1.7.6.1.1	Variation 1:	Intramolecular Nucleophilic Substitution of 1,2-Bis(hydroxymethyl)benzenes	389
37.4.1.7.6.1.2	Variation 2:	Synthesis of 1,3-Dihydrobenzo[c]furans from 1,2-Bis(hydroxymethyl)benzenes by an Oxidation/Reduction Protocol	389
37.4.1.7.6.2	Method 2:	Palladium-Catalyzed Tandem Hydroalkynylation, Isomerization, Diels–Alder Cycloaddition, and Aromatization Reaction	390
37.4.1.7.6.2.1	Variation 1:	Palladium-Catalyzed Domino Carbopalladation of Bromoenynes and Internal Alkynes	392
37.4.1.7.6.3	Method 3:	Cycloetherification of Substituted (2-Vinylphenyl)methanols	392
37.4.1.7.6.3.1	Variation 1:	Sequential One-Pot Synthesis of 1,3-Dihydrobenzo[c]furans from 2-Bromobenzaldehydes and Allylic Alcohols	392
37.4.1.7.6.3.2	Variation 2:	Copper-Catalyzed Cyanoalkylative Cycloetherification of Alkenes	394
37.4.1.7.6.3.3	Variation 3:	Cyclization of a 2-Allenyl Tertiary Benzyl Alcohol	395
37.4.1.7.6.4	Method 4:	Rhodium-Catalyzed [3 + 2 + 1] Carbocyclization Reactions of Alkynylidenecyclopropanes with Carbon Monoxide	396
37.4.1.7.7		3,4-Dihydro-1 <i>H</i> -2-benzopyrans	397
37.4.1.7.7.1	Method 1:	Synthesis by Intramolecular Substitution	397
37.4.1.7.7.2	Method 2:	Synthesis by Oxa-Pictet–Spengler Reaction	397
37.4.1.7.7.3	Method 3:	Intramolecular Hydrofunctionalization of 2-Allylbenzylic Alcohols	399
37.4.1.7.7.4	Method 4:	Oxa-Michael Addition	400
37.4.1.7.7.5	Method 5:	Palladium-Catalyzed Enantioselective Heteroannulation of 1,3-Dienes	402
37.4.1.7.7.6	Method 6:	Platinum(II)-Catalyzed Cycloetherification of ω -Hydroxy Propargylic Esters	403

Volume 38: Peroxides

38.10	Metal-Catalyzed Synthesis of Peroxides	(New)
	B. Gnanaprakasam and M. B. Chaudhari	
38.10	Metal-Catalyzed Synthesis of Peroxides	407
38.10.1	Reaction of Hydroperoxides with Unactivated Hydrocarbons	407
38.10.1.1	Method 1: Reactions with Alkanes	408
38.10.2	Reaction of Hydroperoxides with Alkenes	409
38.10.2.1	Method 1: Bisperoxidation of Styrenes Using a Metal Catalyst	409
38.10.2.2	Method 2: Acylation–Peroxidation of Alkenes Using Iron	410
38.10.2.3	Method 3: Acylation–Peroxidation of Alkenes Using Vanadium	412
38.10.2.4	Method 4: Carbamoylation–Peroxidation of Alkenes Using Iron	413
38.10.2.5	Method 5: Phosphorylation–Peroxidation of Alkenes Using Copper	414
38.10.2.6	Method 6: Alkoxyacylation–Peroxidation of Alkenes Using Iron	414
38.10.2.7	Method 7: Azidation–Peroxidation of Alkenes Using Manganese	415
38.10.2.8	Method 8: Alkylation–Peroxidation of Alkenes Using Iron	416
38.10.2.9	Method 9: Alkylation–Peroxidation of Alkenes Using Cobalt	417
38.10.2.10	Method 10: Sulfonylation–Peroxidation of Alkenes Using Silver	418
38.10.2.11	Method 11: Perfluoroalkylation–Peroxidation of Alkenes Using Cobalt	418
38.10.2.12	Method 12: Trifluoromethylation–Peroxidation of Alkenes Using Cobalt	419
38.10.2.13	Method 13: Nitration–Peroxidation of Alkenes Using Manganese	420
38.10.3	Reaction of Hydroperoxides with 1,3-Enynes	421
38.10.3.1	Method 1: Alkylation–Peroxidation of 1,3-Enynes Using Cobalt or Copper	421
38.10.3.2	Method 2: Carbamoylation–Peroxidation of 1,3-Enynes Using Iron	422
38.10.3.3	Method 3: Silylation–Peroxidation of 1,3-Enynes Using Copper	423
38.10.4	Reaction of Hydroperoxides with Activated Compounds	424
38.10.4.1	Method 1: Reaction with Ketones Using Copper	424
38.10.4.2	Method 2: Alkylation–Peroxidation of α,β -Unsaturated Ketones Using Copper	425
38.10.4.3	Method 3: Silylation–Peroxidation of α,β -Unsaturated Ketones Using Copper	426
38.10.4.4	Method 4: Peroxidation of β -Dicarbonyl Compounds Using Copper	427
38.10.4.5	Method 5: Acylation–Peroxidation of α,β -Unsaturated Esters Using Iron or Rhodium	428
38.10.4.6	Method 6: Silylation–Peroxidation of α,β -Unsaturated Esters Using Iron	430
38.10.4.7	Method 7: Peroxidation of Amides and Lactams Using Ruthenium	430
38.10.4.8	Method 8: Peroxidation of C3-Substituted Oxindoles Using Cobalt, Copper, or Iron	431
38.10.4.9	Method 9: Cycloalkylation–Peroxidation of 2 <i>H</i> -Benzopyran-2-ones Using Copper	434

38.10.4.10	Method 10:	Alkylation–Peroxidation of α -Carbonyl Imines or Ketones Using Copper	436
38.10.4.11	Method 11:	Peroxidation of Barbituric Acid Derivatives Using Iron or Copper	437
38.10.4.12	Method 12:	Peroxidation of Methylanilines Using Ruthenium	439
	Author Index		443
	Abbreviations		463