

Science of Synthesis

Knowledge Updates 2019/3

Preface	V
Abstracts	VII
Table of Contents	XV
14.4.12 4H-1-Benzopyran-4-ones (Update 2019)	
X. Dong and H. Liu	1
14.4.13 4H-1-Benzopyran-4-thiones (Update 2019)	
X. Dong and H. Liu	83
14.9.6 Benzothiopyranones and Benzothiopyranthiones (Update 2019)	
C.-F. Lee	89
14.11.3 Selenopyranones and Benzoselenopyranones (Update 2019)	
C. Chen and L. Yu	121
34.1.5 Synthesis of Fluoroalkanes by Addition Reactions to Alkenes	
G. Haufe	141
38.8.2.2 Medicinal Chemistry of Stable and Unstable 1,2-Dioxetanes: Origin, Formation, and Biological Activities	
V. M. Dembitsky and V. A. Vil'	333
38.11 Acyclic Geminal Bisperoxides	
V. A. Vil', O. V. Bityukov, and A. O. Terent'ev	383
Author Index	433
Abbreviations	453

Table of Contents

Volume 14: Six-Membered Hetarenes with One Chalcogen

14.4	Product Class 4: Benzopyranones and Benzopyranthiones	
14.4.12	4H-1-Benzopyran-4-ones	2019
	X. Dong and H. Liu	
14.4.12	4H-1-Benzopyran-4-ones	1
14.4.12.1	Synthesis by Ring-Closure Reactions	2
14.4.12.1.1	By Annulation to an Arene	2
14.4.12.1.1.1	By Formation of One O—C and Two C—C Bonds	2
14.4.12.1.1.1.1	With Formation of the 1—2, 3—4, and 4—4a Bonds	2
14.4.12.1.1.1.1.1	Method 1: Reaction of 2-Iodophenols with Alkynes and Carbon Monoxide	2
14.4.12.1.1.1.1.2	Method 2: Reaction of 2-Bromophenols with Alkynes and Carbon Monoxide	9
14.4.12.1.1.1.2	With Formation of the 1—8a, 3—4, and 4—4a Bonds	10
14.4.12.1.1.2.1	Method 1: Reaction of 1-Bromo-2-fluorobenzenes with Ketones and Carbon Monoxide	10
14.4.12.1.1.2	By Formation of One O—C and One C—C Bond	12
14.4.12.1.1.2.1	With Formation of the 1—2 and 2—3 Bonds	12
14.4.12.1.1.2.1.1	Method 1: Condensation of 2-Hydroxyacetophenones with Carbonyl Compounds	12
14.4.12.1.1.2.1.2	Method 2: Cyclization of 2-Hydroxyaryl Ketone Derivatives	15
14.4.12.1.1.2.1.3	Method 3: Condensation of 2-Hydroxyacetophenones with Aryl Halides and Carbon Monoxide	18
14.4.12.1.1.2.1.4	Method 4: Cyclization of 1-(4-Hydroxy-3-methylbenzofuran-5-yl)-2-(methylsulfinyl)ethan-1-one with Aldehydes	21
14.4.12.1.1.2.2	With Formation of the 1—2 and 3—4 Bonds	23
14.4.12.1.1.2.2.1	Method 1: Condensation of Salicylaldehydes with Geminal Dichloroalkenes	23
14.4.12.1.1.2.2.2	Method 2: Condensation of Salicylaldehydes with Arylacetylenes	24
14.4.12.1.1.2.2.3	Method 3: Condensation of Salicylaldehydes with Arylpropynoic Acids	25
14.4.12.1.1.2.2.4	Method 4: Condensation of Salicylaldehydes with Diazo Compounds	27
14.4.12.1.1.2.2.5	Method 5: Condensation of 2-Methoxybenzoyl Chlorides with Alkynes	28
14.4.12.1.1.2.3	With Formation of the 1—8a and 2—3 Bonds	31
14.4.12.1.1.2.3.1	Method 1: Condensation of Methyl 3-(2,4-Difluorophenyl)-3-oxopropanoate with Acyl Chlorides	31

14.4.12.1.1.2.4	With Formation of the 1—8a and 3—4 Bonds	31
14.4.12.1.1.2.4.1	Method 1: Condensation of 2-Halobenzoyl Chlorides and Ketones	31
14.4.12.1.1.2.4.2	Method 2: Condensation of 2-Bromoarylaldehydes and 2-Amino-1-(2-ethoxy-2-oxoethyl)pyridinium Salts	33
14.4.12.1.1.2.5	With Formation of the 1—8a and 4—4a Bonds and Rearrangement	35
14.4.12.1.1.2.5.1	Method 1: Condensation of Buta-2,3-dienoic Acids with 2-(Trimethylsilyl)aryl Trifluoromethanesulfonates	35
14.4.12.1.1.3	By Formation of One O—C Bond	37
14.4.12.1.1.3.1	With Formation of the 1—2 Bond	37
14.4.12.1.1.3.1.1	Method 1: Cyclization of 1-(2-Hydroxyaryl)alk-2-yn-1-ones	37
14.4.12.1.1.3.1.2	Method 2: Cyclization of 1-(2-Methoxyaryl)alk-2-yn-1-ones	40
14.4.12.1.1.3.1.3	Method 3: Cyclization of 1-[2-(Acetoxy)aryl]alk-2-yn-1-ones	45
14.4.12.1.1.3.1.4	Method 4: Cyclization of 1-[2-(Carbamoyloxy)aryl]alk-2-yn-1-ones	47
14.4.12.1.1.3.1.5	Method 5: Cyclization of Alkyl/Aryl 2-(3-Arylpropynoyl)phenyl Carbonates	48
14.4.12.1.1.3.1.6	Method 6: Cyclization of 1-(2-Hydroxyaryl)alkane-1,3-diones	49
14.4.12.1.1.3.1.7	Method 7: Cyclization of 1-(2-Alkoxyaryl)alkane-1,3-diones	54
14.4.12.1.1.3.1.8	Method 8: Cyclization of 1-(2-Hydroxyaryl)prop-2-en-1-ones	55
14.4.12.1.1.3.1.9	Method 9: Cyclization of 3-(Dimethylamino)-1-(2-hydroxyaryl)prop-2-en-1-ones	62
14.4.12.1.1.3.1.10	Method 10: Cyclization of 1-(2-Hydroxyaryl)propan-1-ones	67
14.4.12.1.1.3.1.11	Method 11: Cyclization of 1-[2-(Allyloxy)aryl]-3-aryl-2,3-dibromopropan-1-ones	68
14.4.12.1.1.4	By Formation of One C—C Bond	70
14.4.12.1.1.4.1	With Formation of the 2—3 Bond	70
14.4.12.1.1.4.1.1	Method 1: Cyclization of [2-[2-(Benzoyloxy)aryl]-2-oxoethyl]triphenylphosphonium Bromides	70
14.4.12.1.1.4.2	With Formation of the 3—4 Bond	71
14.4.12.1.1.4.2.1	Method 1: Cyclization of 2-[(2-Bromovinyl)oxy]benzaldehydes	71
14.4.12.2	Synthesis by Ring Transformation	72
14.4.12.2.1	By Ring Enlargement	72
14.4.12.2.1.1	Method 1: Rearrangement of 5-(2-Hydroxyaryl)isoxazoles	72
14.4.12.3	Aromatization	74
14.4.12.3.1	By Oxidation	74
14.4.12.3.1.1	Method 1: Oxidation of 2-Aryl-2 <i>H</i> -benzopyrans to 2-Aryl-4 <i>H</i> -1-benzopyran-4-ones	74
14.4.12.3.1.2	Method 2: Dehydrogenation/Arylation of 2,3-Dihydro-1-benzopyran-4-ones	75
14.4.12.3.1.3	Method 3: Dehydrogenation of 7-Aryl-6,7-dihydro-5 <i>H</i> -furo[3,2- <i>g</i>]-1-benzopyran-5-ones	76
14.4.12.3.1.4	Method 4: Oxidative Rearrangement of 4-Hydroxy-2 <i>H</i> -1-benzopyran-2-ones	78

14.4.13	4H-1-Benzopyran-4-thiones	2019
	X. Dong and H. Liu	
14.4.13	4H-1-Benzopyran-4-thiones	83
14.4.13.1	Substitution of Existing Substituents	83
14.4.13.1.1	Method 1: Direct Thionation of 4H-1-Benzopyran-4-ones with Lawesson's Reagent	83
14.4.13.1.2	Method 2: Direct Thionation of 4H-1-Benzopyran-4-ones with Phosphorus Pentasulfide	85
14.4.13.2	Synthesis by Cyclization/Thionation	87
14.4.13.2.1	Method 1: Cyclization/Thionation of 3-Aryl-1-(2-hydroxyphenyl)propane-1,3-diones	87
14.9	Product Class 9: Benzothiopyranones and Benzothiopyranthiones	
14.9.6	Benzothiopyranones and Benzothiopyranthiones	2019
	C.-F. Lee	
14.9.6	Benzothiopyranones and Benzothiopyranthiones	89
14.9.6.1	2H-1-Benzothiopyran-2-ones and 2H-1-Benzothiopyran-2-thiones	91
14.9.6.1.1	Synthesis by Ring-Closure Reactions	91
14.9.6.1.1.1	By Formation of One C—S Bond	91
14.9.6.1.1.1.1	Method 1: Reaction of S-Phenyl (<i>E</i>)-3-Phenylprop-2-enethioate with Aluminum Trichloride	91
14.9.6.1.1.2	Synthesis by Substituent Modification	91
14.9.6.1.1.2.1	Modification of Heteroatoms	91
14.9.6.1.1.2.1.1	Method 1: Conversion of 2H-1-Benzothiopyran-2-one into 2H-1-Benzothiopyran-2-thione	91
14.9.6.2	4H-1-Benzothiopyran-4-ones and 4H-1-Benzothiopyran-4-thiones	92
14.9.6.2.1	Synthesis by Ring-Closure Reactions	92
14.9.6.2.1.1	By Formation of Two C—S Bonds and Two C—C Bonds	92
14.9.6.2.1.1.1	Method 1: Synthesis of 4H-1-Benzothiopyran-4-ones by Palladium-Catalyzed Carbonylative Four-Component Reaction of Fluoro(iodo)arenes, Alkynes, Carbon Monoxide, and Sodium Sulfide	92
14.9.6.2.1.2	By Formation of Two C—S Bonds and One C—C Bond	94
14.9.6.2.1.2.1	Method 1: Through Consecutive One-Pot, Three-Component Coupling/Addition/S _N Ar (CASNAR) Sequence of 2-Halobenzoyl Chlorides, Alkynes, and Sodium Sulfide	94
14.9.6.2.1.2.2	Method 2: Palladium-Catalyzed Three-Component Coupling of Aryl Halides, Alkyneoic Acids, and Sodium Sulfide, Followed by Acid-Mediated Cyclization	95

14.9.6.2.1.2.3	Method 3: Nickel-Catalyzed Cycloaddition of Thiophthalic Anhydrides with Alkynes	96
14.9.6.2.1.3	By Formation of Two C—S Bonds	97
14.9.6.2.1.3.1	Method 1: Reaction of (<i>E</i>)-3-Aryl-1-(2-bromophenyl)prop-2-en-1-ones with Potassium Sulfide	97
14.9.6.2.1.3.2	Method 2: Reaction of 1-(2-Bromoaryl)-3-(het)arylprop-2-yn-1-ones with Sodium Hydrosulfide	98
14.9.6.2.1.3.3	Method 3: Reaction of 1-(2-Alkoxyaryl)prop-2-yn-1-ones with Sodium Sulfide	99
14.9.6.2.1.3.4	Method 4: Annulation of Anthra-9,10-quinones with a Thiopyran Ring through Cyclocondensation of Vicinal Alkynoylchloroanthra-9,10-quinones with Sodium Sulfide	101
14.9.6.2.1.4	By Formation of One C—S Bond and One C—C Bond	102
14.9.6.2.1.4.1	Method 1: Condensation of 2'-Sulfanylacetophenone with <i>N</i> -Methoxy- <i>N</i> -methylbenzamides Followed by Acid-Mediated Cyclization ..	102
14.9.6.2.1.4.2	Method 2: Intramolecular Rearrangement of <i>S</i> -(2-Acetylphenyl)Benzothioates	103
14.9.6.2.1.4.3	Method 3: Condensation of the Enolic Form of β -Oxo Esters with Benzenethiol	104
14.9.6.2.1.4.4	Method 4: One-Pot Friedel–Crafts Acylation/Cyclization	105
14.9.6.2.1.4.5	Method 5: Modified Baker–Venkataraman Reaction of Alkyl 2-Sulfanylphenyl Ketones	106
14.9.6.2.1.4.6	Method 6: Nickel-Catalyzed Reaction of Thiosatins and Alkynes	107
14.9.6.2.1.4.7	Method 7: Tandem C-Acylation/Cyclization	108
14.9.6.2.1.4.8	Method 8: Reaction of Thiosalicylic Acids with 2-Substituted <i>N,N</i> -Dialkylacetamides	109
14.9.6.2.1.5	By Formation of One C—S Bond	110
14.9.6.2.1.5.1	Method 1: Cyclization of α -Sulfinyl Enones under Acidic Conditions ..	110
14.9.6.2.1.5.2	Method 2: 3-(1-Hydroxyalkyl)-4 <i>H</i> -1-benzothiopyran-4-ones via 6- <i>endo</i> - <i>dig</i> Cyclization and Aldol Reaction	111
14.9.6.2.1.5.3	Method 3: Iodine Monochloride Induced Synthesis 4 <i>H</i> -1-Benzothiopyran-4-ones from 1-[2-(Methylsulfanyl)phenyl]alk-2-yn-1-ones	112
14.9.6.2.1.6	By Formation of One C—C Bond	112
14.9.6.2.1.6.1	Method 1: Flash-Vacuum Thermolysis of 2,2-Dimethyl-4 <i>H</i> -benzo[<i>d</i>][1,3]oxathiine-4-thione	112
14.9.6.2.2	Synthesis by Aromatization of the Heterocyclic Ring	113
14.9.6.2.2.1	Method 1: Dehydrohalogenation Followed by Azidation	113
14.9.6.2.2.2	Method 2: Selenium Dioxide Mediated Oxidation of 3-(Hydroxybenzylidene)-2,3-dihydro-4 <i>H</i> -1-benzothiopyran-4-ones	114

14.9.6.2.3	Synthesis by Substituent Modification	114
14.9.6.2.3.1	Modification of Heteroatoms	114
14.9.6.2.3.1.1	Method 1: Conversion of 2-(Trifluoromethyl)-4 <i>H</i> -1-benzothiopyran-4-one into 2-(Trifluoromethyl)-4 <i>H</i> -1-benzothiopyran-4-thione	114
14.9.6.3	10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-ones and 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-thiones	115
14.9.6.3.1	Synthesis by Ring-Closure Reactions	115
14.9.6.3.1.1	By Formation of One C—S Bond and One C—C Bond	115
14.9.6.3.1.1.1	Method 1: Synthesis of 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-one by Addition of a Magnesium Thiolate to Benzyne	115
14.9.6.3.1.1.2	Method 2: Synthesis of Hydroxylated 10 <i>H</i> -Dibenzo[<i>b,e</i>]thiopyran-10-ones by Treatment of Thiosalicylic Acid with Phenols in the Presence of Alumina/Methanesulfonic Acid	116
14.9.6.3.1.2	By Formation of One C—C Bond	117
14.9.6.3.1.2.1	Method 1: Electrophilic Cyclization of 4-(Dimethylamino)-2-[{3-(dimethylamino)phenyl}sulfanyl]- <i>N,N</i> -diethylbenzamide	117
14.9.6.3.2	Synthesis by Substituent Modification	117
14.9.6.3.2.1	Modification of Heteroatoms	117
14.9.6.3.2.1.1	Method 1: Microwave-Assisted Thionation with Thiophosphoryl Chloride/Water/Triethylamine	117

14.11 Product Class 11: Selenopyranones and Benzoselenopyranones

14.11.3	Selenopyranones and Benzoselenopyranones	2019
	C. Chen and L. Yu	
14.11.3	Selenopyranones and Benzoselenopyranones	121
14.11.3.1	2 <i>H</i> -Selenopyran-2-ones and 4 <i>H</i> -Selenopyran-4-ones	122
14.11.3.1.1	Synthesis by Ring-Closure Reactions	122
14.11.3.1.1.1	By Formation of Two Se—C Bonds	122
14.11.3.1.1.1.1	Method 1: Preparation of 4 <i>H</i> -Selenopyran-4-ones by Addition of Dibasic Selenide to Dialk-1-ynyl Ketones	122
14.11.3.1.2	Modification of Substituents	123
14.11.3.1.2.1	Method 1: Preparation of 4-Methyl-4 <i>H</i> -selenopyran Derivatives by Addition of Grignard Reagents to 4 <i>H</i> -Selenopyran-4-ones	123
14.11.3.2	Benzo- and Dibenzoselenopyranones	123
14.11.3.2.1	Synthesis by Ring-Closure Reactions	123
14.11.3.2.1.1	By Annulation to an Arene	123
14.11.3.2.1.1.1	By Formation of Two Se—C Bonds	123
14.11.3.2.1.1.1.1	Method 1: Preparation of 4 <i>H</i> -1-Benzoselenopyran-4-ones by Reaction of 2-Bromoaryl Ethynyl Ketones with Sodium Hydrogen Selenide	123

14.11.3.2.1.1.2	By Formation of One Se—C Bond and One C—C Bond	124
14.11.3.2.1.1.2.1	Method 1: Preparation of 2 <i>H</i> -Selenopyrano[2,3- <i>b</i>]quinolin-2-ones and 2 <i>H</i> -Selenopyrano[2,3- <i>b</i>]-1,8-naphthyridin-2-ones from 2-Selanyl Heterocyclic Aldehydes	124
14.11.3.2.1.1.2.2	Method 2: Preparation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ones from Bis(2-carboxyphenyl) Diselenide and Arenes	126
14.11.3.2.1.1.2.3	Method 3: Preparation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ones from Benzoic Acids and Diphenyl Diselenide	126
14.11.3.2.1.1.3	By Formation of One Se—C Bond	128
14.11.3.2.1.1.3.1	Method 1: Preparation of 4 <i>H</i> -1-Benzoselenopyran-4-ones by Radical-Promoted C(sp ²)—Se Formation and C(sp ³)—Se Bond Cleavage of Arylethynyl 2-(Methylselanyl)phenyl Ketones	128
14.11.3.2.1.1.3.2	Method 2: Preparation of 4 <i>H</i> -1-Benzoselenopyran-4-ones by Reaction of Arylethynyl 2-(Methylselanyl)phenyl Ketones and 2-(2-Fluoropyridin-1-iium-1-yl)-1,1-bis[(trifluoromethyl)sulfonyl]ethan-1-ide	128
14.11.3.2.1.1.3.3	Method 3: Preparation of 2 <i>H</i> -1-Benzoselenopyran-2-ones from Se-Aryl (<i>E</i>)-3-Phenylprop-2-eneselenoates	129
14.11.3.2.1.1.4	By Formation of One C—C Bond	130
14.11.3.2.1.1.4.1	Method 1: Preparation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ones from 2-(Arylselanyl)benzamides	130
14.11.3.2.1.1.4.2	Method 2: Preparation of 1-(Phenylselanyl)-10 <i>H</i> -dibenzo[<i>b,e</i>]selenopyran-10-one by Dehydration of 2,6-Bis(phenylselanyl)benzoic Acid	132
14.11.3.2.2	Synthesis by Substituent Modification	133
14.11.3.2.2.1	Modification of Existing Substituents	133
14.11.3.2.2.1.1	Method 1: Direct C—H Arylation of 4 <i>H</i> -1-Benzoselenopyran-4-ones	133
14.11.3.2.2.2	Addition Reactions	134
14.11.3.2.2.2.1	Method 1: Preparation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-one 5-Oxides by Oxidation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ones	134
14.11.3.2.2.2.2	Method 2: Preparation of 5-Aryl-10-oxo-10 <i>H</i> -dibenzo[<i>b,e</i>]selenopyran-5-iium Hexafluorophosphates from 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-one 5-Oxides	135
14.11.3.2.2.3	Modification of Substituents	136
14.11.3.2.2.3.1	Method 1: Addition of Grignard Reagents to 10 <i>H</i> -Dibenzo[<i>b,e</i>]selenopyran-10-ones	136
14.11.3.2.2.3.2	Method 2: Preparation of 2 <i>H</i> -1-Benzoselenopyran-2-thiones from 2 <i>H</i> -1-Benzoselenopyran-2-ones Using Lawesson's Reagent	138

Volume 34:

Fluorine

34.1	Product Class 1: Fluoroalkanes	
34.1.5	Synthesis of Fluoroalkanes by Addition Reactions to Alkenes	2019
	G. Haufe	
34.1.5	Synthesis of Fluoroalkanes by Addition Reactions to Alkenes	141
34.1.5.1	Fluoroalkanes from Alkenes	144
34.1.5.1.1	Method 1: Fluoroalkanes by Hydrofluorination of Alkenes and Cycloalkenes	144
34.1.5.1.1.1	Variation 1: Hydrofluorination of Alkenes with Dimethyl Ether–Poly(hydrogen fluoride)	145
34.1.5.1.1.2	Variation 2: Hydrofluorination of Allylic Amines with Hydrogen Fluoride/Antimony(V) Fluoride	146
34.1.5.1.2	Method 2: Substituted Fluoroalkanes from Terminal Alkenes with $\text{KHSO}_4 \cdot 13\text{HF}$	153
34.1.5.1.3	Method 3: 4-Fluorotetrahydro-2 <i>H</i> -pyrans by Prins Cyclization/Fluorination	155
34.1.5.1.4	Method 4: Fused Tetrahydro-2 <i>H</i> -pyrans by Prins Cyclization of Polyunsaturated Alcohols with Aldehydes and Conjugate π -C–C Cyclization and Fluoride Addition	162
34.1.5.1.5	Method 5: 4-Fluorotetrahydrothiopyrans by Prins Cyclization of Homoallylic Thiols with Aldehydes and Fluorination	162
34.1.5.1.6	Method 6: 4-Fluoropiperidines by Prins Cyclizations of Homoallylic Amines with Aldehydes and Fluorination	163
34.1.5.1.7	Method 7: Palladium-Catalyzed Ionic Hydrofluorination of Alkenylarenes	164
34.1.5.1.8	Method 8: Iron(III)/Sodium Borohydride Mediated Free-Radical Hydrofluorination of Alkenes	168
34.1.5.1.8.1	Variation 1: Iron(III)-Catalyzed Free-Radical Hydrofluorination of Alkenes	170
34.1.5.1.9	Method 9: Cobalt-Catalyzed Free-Radical Hydrofluorination of Alkenes	172
34.1.5.1.10	Method 10: Radical Hydrofluorination of Alkenes Using <i>N</i> -Aryl- <i>N</i> -fluorosulfonamides and Boranes	174
34.1.5.1.11	Method 11: Photocatalytic Regioselective anti-Markovnikov Addition of Hydrogen Fluoride to Styrenes	176
34.1.5.2	Vicinal Chlorofluoroalkanes from Alkenes	177
34.1.5.2.1	Method 1: Synthesis Using <i>N</i> -Chloroimides and a Fluoride Source	178
34.1.5.2.1.1	Variation 1: Using <i>N</i> -Chlorosuccinimide or <i>N</i> -Chlorosaccharin and Hydrogen Fluoride/Pyridine	178
34.1.5.2.1.2	Variation 2: Using <i>N</i> -Chlorosuccinimide and Triethylamine/Trihydrofluoride	181
34.1.5.2.1.3	Variation 3: Using Hexachloromelamine and Anhydrous Hydrogen Fluoride	182

34.1.5.2.1.4	Variation 4:	Using Trichloroisocyanuric Acid and Hydrogen Fluoride/ Pyridine	184
34.1.5.2.2	Method 2:	Synthesis Using Chlorine and Silver(I) Fluoride	184
34.1.5.2.3	Method 3:	Synthesis Using Alkyl Hypochlorites and Boron Trifluoride ...	185
34.1.5.2.4	Method 4:	Synthesis Using <i>N</i> -Chlorosuccinimide and Hydrogen Fluoride/ Antimony(V) Fluoride and Electron-Deficient Alkenes	186
34.1.5.3		Vicinal Bromofluoroalkanes from Alkenes	189
34.1.5.3.1	Method 1:	Synthesis Using <i>N</i> -Bromoimides and a Fluoride Source	189
34.1.5.3.1.1	Variation 1:	Using <i>N</i> -Bromosuccinimide and Anhydrous Hydrogen Fluoride in Coordinating Solvents	189
34.1.5.3.1.2	Variation 2:	Using <i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethyl- imidazolidine-2,4-dione and Hydrogen Fluoride/Pyridine or Polymer-Supported Hydrogen Fluoride/Pyridine	191
34.1.5.3.1.3	Variation 3:	Using <i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethyl- imidazolidine-2,4-dione and Triethylamine Trihydrofluoride or a Related Amine–Hydrogen Fluoride Reagent	199
34.1.5.3.1.4	Variation 4:	<i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethyl- imidazolidine-2,4-dione and Tetrabutylammonium and Tetrabutylphosphonium Hydrogen Fluorides	205
34.1.5.3.1.5	Variation 5:	1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione and Metal Fluoride–Hydrogen Fluoride Salts	208
34.1.5.3.1.6	Variation 6:	<i>N</i> -Bromosuccinimide and Hydrogen Fluoride/1,3-Dimethyl- 3,4,5,6-tetrahydropyrimidin-2(1 <i>H</i>)-one	209
34.1.5.3.2	Method 2:	Synthesis Using Bromine Monofluoride Prepared In Situ	210
34.1.5.3.2.1	Variation 1:	Preparation from Bromine and Fluorine	210
34.1.5.3.2.2	Variation 2:	Preparation from Bromine and Silver(I) Fluoride	212
34.1.5.3.3	Method 3:	Preparations from Alkenes Using Bromine Trifluoride	213
34.1.5.3.4	Method 4:	Synthesis with Other Fluoride Sources	214
34.1.5.4		Vicinal Fluoroiodoalkanes from Alkenes	216
34.1.5.4.1	Method 1:	Reaction with Iodine Monofluoride Prepared In Situ	217
34.1.5.4.1.1	Variation 1:	Prepared from Iodine and Fluorine	217
34.1.5.4.1.2	Variation 2:	Prepared from Iodine and Metal Fluorides	218
34.1.5.4.2	Method 2:	Reaction with <i>N</i> -Iodosuccinimide and Hydrogen Fluoride	219
34.1.5.4.2.1	Variation 1:	In Coordinating Solvents	219
34.1.5.4.2.2	Variation 2:	In Water with Phase-Transfer Catalysis	221
34.1.5.4.2.3	Variation 3:	Using Hydrogen Fluoride/Pyridine	222
34.1.5.4.2.4	Variation 4:	Using Polymer-Supported Hydrogen Fluoride/Pyridine	223
34.1.5.4.2.5	Variation 5:	Using Triethylamine Trihydrofluoride	223
34.1.5.4.2.6	Variation 6:	Using Metal Fluoride–Hydrogen Fluoride Salts	225
34.1.5.4.2.7	Variation 7:	Using Ammonium Hydrogen Fluorides	227
34.1.5.4.2.8	Variation 8:	Using Tetrabutylphosphonium Hydrogen Fluorides	228
34.1.5.4.2.9	Variation 9:	Using Hexafluoropropene–Diethylamine Complex	228

34.1.5.4.3	Method 3:	Reaction with Iodonium Equivalents Other Than Iodine or <i>N</i> -Iodosuccinimide and a Fluoride Source	230
34.1.5.4.3.1	Variation 1:	Using 4-(Difluoroiodo)toluene as Electrophile and Fluoride Source	231
34.1.5.4.3.2	Variation 2:	Using Iodine(V) Fluoride–Pyridine–Hydrogen Fluoride Reagent	232
34.1.5.4.3.3	Variation 3:	Using an Iodide/Triethylamine Pentahydrofluoride/ Nitromethane/Anodic Oxidation System	233
34.1.5.5		Vicinal Fluoro(sulfanyl)alkanes	233
34.1.5.5.1	Method 1:	Using Dimethyl(methylsulfanyl)sulfonium Tetrafluoroborate and Triethylamine Trihydrofluoride	234
34.1.5.5.2	Method 2:	Using Benzenesulfenyl Chloride and Silver(I) Fluoride	236
34.1.5.5.3	Method 3:	Using <i>N</i> -(Phenylsulfanyl)phthalimide and Hydrogen Fluoride/ Pyridine	237
34.1.5.5.4	Method 4:	Using Trifluoromethanesulfenyl Fluoride	239
34.1.5.5.5	Method 5:	Using Electrochemically Generated Arylsulfonium Tetrafluoroborates	240
34.1.5.6		Vicinal (Arylsulfonyl)fluoroalkanes from Alkenes	240
34.1.5.6.1	Method 1:	Fluorosulfonylation of Alkenes with Sulfinic Acids and <i>N</i> -Fluorobenzenesulfonimide	240
34.1.5.7		Vicinal Fluoro(selanyl)alkanes	243
34.1.5.7.1	Method 1:	Synthesis Using Benzeneselenenyl Bromide or Chloride and Silver(I) Fluoride	243
34.1.5.7.2	Method 2:	Synthesis Using <i>N</i> -(Phenylselanyl)phthalimide and Triethylamine Trihydrofluoride	245
34.1.5.7.3	Method 3:	Synthesis Using Diphenyl Diselenide and Xenon Difluoride ..	247
34.1.5.7.3.1	Variation 1:	Synthesis Using Diphenyl Diselenide and 4-(Difluoroiodo)toluene	248
34.1.5.7.4	Method 4:	Synthesis by Anodic Oxidation of Diphenyl Diselenide and Triethylamine Pentahydrofluoride	250
34.1.5.8		Vicinal Nitro- and Nitriminofluoroalkanes	251
34.1.5.8.1	Method 1:	Nitrofluorination of Alkenes	251
34.1.5.8.2	Method 2:	Nitriminofluorination of Alkenes	253
34.1.5.9		Vicinal Fluoroalkyl Azides from Alkenes	253
34.1.5.9.1		Azidofluorination of Alkenes with Selectfluor and Azidotrimethylsilane ..	254
34.1.5.10		Vicinal Fluoroalkylphosphonates from Alkenes	256
34.1.5.10.1		Fluorophosphorylation of Alkenes Using Diethyl Phosphite and Selectfluor ..	257
34.1.5.11		Vicinal Fluoroalkyl- and Fluoroaryl Compounds from Alkenes (Carbofluorination of Alkenes)	259
34.1.5.11.1	Method 1:	Fluorocyclohexanes from Polyenes	259
34.1.5.11.1.1	Variation 1:	From 1,5-Dienes	259
34.1.5.11.1.2	Variation 2:	From Alkenylbenzenes by Palladium-Catalyzed Ionic Fluoroarylation	262

34.1.5.11.2	Method 2:	γ -Fluoro Carbonyl Compounds from Alkenes	263
34.1.5.11.2.1	Variation 1:	γ -Fluoroalkanecarboxylic Acids from Alkenes and Acetic Acid with Selectfluor and Silver(I) Nitrate	263
34.1.5.11.2.2	Variation 2:	γ -Fluoroalkanecarboxylates from Alkenes and 1,3-Dicarbonyl Compounds with Selectfluor and Silver(I) Nitrate	264
34.1.5.11.2.3	Variation 3:	5-Fluoroalkan-2-ones from Alkenes and Ketones with Selectfluor and Silver(I) Acetate	266
34.1.5.11.3	Method 3:	Vicinal Fluoro(trifluoromethyl)alkanes from Alkenes	268
34.1.5.11.4	Method 4:	Arylfluoroalkanes from Alkenes, Arylboronic Acids, and a Fluorine Source under Palladium Catalysis	270
34.1.5.11.5	Method 5:	β -Arylfluoroalkanes from Allenes by Palladium-Catalyzed Heck Coupling and Fluorination with Silver(I) Fluoride	275
34.1.5.11.6	Method 6:	β -Fluoroarylalkanes from Alkenes and Arylnitrogen Reagents	276
34.1.5.11.7	Method 7:	Fluorobenzocycloalkanes from Styrene Derivatives	280
34.1.5.11.7.1	Variation 1:	From Indenes and Dihydronaphthalenes with an <i>N</i> -Fluoropyridine Reagent	280
34.1.5.11.7.2	Variation 2:	From Strained α -(1-Hydroxycycloalkyl)styrenes with Selectfluor	281
34.1.5.11.8	Method 8:	Aryl 2-Fluoroalkyl Ketones from Styrenes and α -Oxocarboxylic Acids with Selectfluor and Catalytic Silver(I) Nitrate	283
34.1.5.11.9	Method 9:	β -Fluorocarboxylic Acids from Alkenes by Fluorocarbonylation with Carbon Monoxide and 1-(Difluoroiodo)-2,5-dimethylbenzene	284
34.1.5.11.10	Method 10:	α -Fluoro α -Amino Acid Esters from Dehydro α -Amino Acid Esters with Selectfluor	286
34.1.5.11.11	Method 11:	γ -Fluoronitroalkanes from Carbonyl Compounds and Nitroethenes with <i>N</i> -Fluorobenzenesulfonimide	287
34.1.5.11.12	Method 12:	β -Fluoroalkanenitriles from Alkenes with Cyanide Sources and Selectfluor	289
34.1.5.12	Oxyfluorination of Alkenes	290	
34.1.5.12.1	Method 1:	Fluorolactonizations of Unsaturated Carboxylic Acids with Hypervalent Iodoarenes and Amine/Hydrogen Fluoride Reagents	291
34.1.5.12.2	Method 2:	Fluorolactonizations of Unsaturated Carboxylic Acids with <i>N</i> -Fluoro Reagents	293
34.1.5.12.2.1	Variation 1:	Using <i>N</i> -Fluoropyridinium Salts	293
34.1.5.12.2.2	Variation 2:	Using Selectfluor	294
34.1.5.12.2.3	Variation 3:	Using 1-Fluoro-3,3-dimethyl-1,3-dihydro- λ^3 -benzo[<i>d</i>][1,2]iodoxole	297
34.1.5.12.3	Method 3:	Synthesis of (Fluoroalkyl)oxazolines from <i>N</i> -Allyl Amides	299
34.1.5.12.3.1	Variation 1:	5-(Fluoroalkyl)oxazolines from <i>N</i> -Allylbenzamides and Iodotoluene, Selectfluor, and an Amine/Hydrogen Fluoride Reagent	299

34.1.5.12.3.2	Variation 2:	From <i>N</i> -Acetylcylohex-2-en-1-amines, Iodosylarenes, and Boron Trifluoride-Diethyl Ether Complex	301
34.1.5.12.4	Method 4:	5-(Fluoromethyl)isoxazolines from β,γ -Unsaturated Oximes ..	303
34.1.5.12.5	Method 5:	4-(Fluoromethyl)-4 <i>H</i> -benzo[<i>d</i>][1,3]oxazines, 4-Fluoro-4,5-dihydrobenzo[<i>d</i>][1,3]oxazepines, and 4-Fluoropyridooxazepines from 2-(Acylamino)styrenes	304
34.1.5.12.6	Method 6:	5-Fluoro-5,6-dihydro-4 <i>H</i> -1,3-oxazines from <i>N</i> -Allyl Amides ..	308
34.1.5.12.7	Method 7:	3-(Fluoromethyl)isobenzofuran-1(3 <i>H</i>)-imines from 2-Vinylbenzamides with Selectfluor	309
34.1.5.12.8	Method 8:	4-Fluorodihydrofuran-2(3 <i>H</i>)-one Oximes from β,γ -Unsaturated Hydroxamic Acids	310
34.1.5.12.9	Method 9:	Fluoroalkylated Oxazolidinones from Benzyloxycarbonyl-Protected Cinnamylamines	310
34.1.5.12.10	Method 10:	Vicinal (Acyloxy)fluoroalkanes from Alkenes	311
34.1.5.12.10.1	Variation 1:	β -Fluoroalkyl Acetates from Arylalkenes with <i>N</i> -Fluoro Reagents	311
34.1.5.12.10.2	Variation 2:	β -Fluoroalkyl Trihaloacetates from Arylalkenes with <i>N</i> -Fluorobenzenesulfonimide and Trihaloacetates under Palladium Catalysis	312
34.1.5.12.10.3	Variation 3:	Enantioselective Fluoroacetoxylation of Cinnamyl Acetate with 3-Chloroperoxybenzoic Acid and Olah's Reagent in the Presence of a Chiral Iodoarene Catalyst	314
34.1.5.12.11	Method 11:	β -Fluoro Ethers from Alkenes and Alcohols with Electrophilic Fluorination Reagents	314
34.1.5.12.11.1	Variation 1:	β -Fluorinated Cyclic Ethers from Terminal Unsaturated Alcohols with 4-(Difluoroiodo)toluene and Olah's Reagent ..	314
34.1.5.12.11.2	Variation 2:	β -Fluorinated Cyclic Ethers from Internal Unsaturated Alcohols with <i>N</i> -Fluorobenzenesulfonimide	315
34.1.5.12.11.3	Variation 3:	3-Fluoro-2-(silylmethyl)tetrahydrofurans from Silylated Homoallylic Alcohols with Selectfluor	316
34.1.5.12.11.4	Variation 4:	1-(Fluoromethyl)isobenzofurans from 2-Vinylbenzylic Alcohols with Selectfluor	317
34.1.5.12.11.5	Variation 5:	Fluorinated Tetrahydro-2 <i>H</i> -furo[2,3- <i>b</i>]indolets from 3-(2-Hydroxyethyl)indolets or 3-(2-Hydroxyphenyl)indolets and Fluorinating Agents	318
34.1.5.12.11.6	Variation 6:	From Arylalkenes, Alcohols, and Electrophilic Fluorination Reagents	320
34.1.5.12.11.7	Variation 7:	From α -Phenylbenzocycloalkenes, Alcohols, and Selectfluor ..	321
34.1.5.12.11.8	Variation 8:	From Glycals, Alkanols or Protected Carbohydrates, and a Selectfluor Analogue	321
34.1.5.12.12	Method 12:	2-Deoxy-2-fluoro Saccharide Phosphates from Glycals, Phosphates, and a Selectfluor Analogue	323

Volume 38: Peroxides

38.8	Product Class 8: Monocyclic Peroxides	
38.8.2.2	Medicinal Chemistry of Stable and Unstable 1,2-Dioxetanes: Origin, Formation, and Biological Activities	New
	V. M. Dembitsky and V. A. Vil'	
38.8.2.2	Medicinal Chemistry of Stable and Unstable 1,2-Dioxetanes: Origin, Formation, and Biological Activities	333
38.8.2.2.1	Stable 1,2-Dioxetanes and Intermediates Isolated and Identified from Natural Sources	334
38.8.2.2.2	Formation of Stable and Unstable 1,2-Dioxetanes of Natural Products and Their Biological Activity	339
38.8.2.2.2.1	Synthesis of Spirokermeline from Isokermadecin F via a 1,2-Dioxetane Intermediate	339
38.8.2.2.2.2	Reaction of 17 α -Hydroperoxy Steroids with Cytochrome P450 17A Enzymes	340
38.8.2.2.2.3	Cholesterol Oxidation by Singlet Molecular Oxygen	341
38.8.2.2.2.4	Autoxidation of Cholesterol	343
38.8.2.2.2.5	Oxidation of Vitamin D	344
38.8.2.2.2.6	Formation of Vitamin K 2,3-Epoxyde from Vitamin KH ₂	344
38.8.2.2.2.7	Oxidation of 6,7-Dehydrocarnosic Acid	345
38.8.2.2.2.8	Synthesis of Phosphodiesterase-4 Inhibitor Moracin M	346
38.8.2.2.2.9	Oxidation of Natural Unsaturated Products by Dioxygenases	347
38.8.2.2.2.9.1	Oxidation of Resveratrol Catalyzed by Dioxygenase NOV1	348
38.8.2.2.2.10	Oxidation of Resveratrol Catalyzed by Singlet Oxygen	348
38.8.2.2.2.11	Oxidation of Unsaturated Fatty Acids with Formation of Dioxetanes	349
38.8.2.2.2.11.1	Oxidation of Linoleic Acid with Formation of a Dioxetane Unit	350
38.8.2.2.2.11.2	Oxidation of Arachidonic Acid with Formation of Dioxetane Units	351
38.8.2.2.2.12	Oxidation of Carotenoids and Similar Compounds	353
38.8.2.2.2.12.1	Astaxanthin Oxidation Reaction	354
38.8.2.2.2.12.2	β -Carotene Oxidation Reaction	355
38.8.2.2.2.13	Synthesis and Biological Activities of Chromones	358
38.8.2.2.2.13.1	Oxidation of 8-Methoxypsoralen	358
38.8.2.2.2.13.2	Oxidation of Furochromones	358
38.8.2.2.2.13.3	The Photooxidation of Psoralen	359
38.8.2.2.2.13.4	Oxidation of Quercetin	360
38.8.2.2.2.14	Oxidation of Chalcone Derivatives by Peroxidase	361
38.8.2.2.2.15	Formation of Dioxetanes during Oxidation of Isoliquiritigenin	361
38.8.2.2.2.16	Photooxidation Products of Ellagic Acid	362

38.8.2.2.3	Synthesis of 1,2-Dioxetanes	363
38.8.2.2.3.1	Method 1: Singlet Oxygen Addition to Alkenes	363
38.8.2.2.3.2	Method 2: Oxidation of Methylenecyclobutanes	373
38.8.2.2.3.3	Method 3: Intermolecular Condensation of α -Hydroperoxy Carboxylic Acids	374
38.11	Acyclic Geminal Bisperoxides	New
	V. A. Vil', O. V. Bityukov, and A. O. Terent'ev	
38.11	Acyclic Geminal Bisperoxides	383
38.11.1	A History of Geminal Bisperoxide Synthesis	385
38.11.2	Geminal Bishydroperoxides	388
38.11.2.1	Method 1: Condensation of Ketals or Enol Ethers with Hydrogen Peroxide	389
38.11.2.2	Method 2: Condensation of Carbonyl Compounds with Hydrogen Peroxide	392
38.11.2.2.1	Variation 1: Catalysis by Brønsted Acids	392
38.11.2.2.2	Variation 2: Catalysis by Lewis Acids	395
38.11.2.2.3	Variation 3: Catalysis by Supported Brønsted and Lewis Acids under Heterogeneous Conditions	397
38.11.2.2.4	Variation 4: Acid-Free Synthesis of Geminal Bishydroperoxides	399
38.11.2.3	Method 3: Ozonolysis of Enol Ethers and Alkenes in the Presence of Hydrogen Peroxide	402
38.11.2.4	Method 4: Reaction of Tosylhydrazones with Hydrogen Peroxide	404
38.11.2.5	Method 5: Oxidative Transformation of Benzylic Alcohols	405
38.11.2.6	Method 6: Reaction of Cyclic α,β -Epoxy Ketones with Hydrogen Peroxide	406
38.11.3	Geminal Bisperoxides	407
38.11.3.1	Method 1: Acid-Catalyzed Reaction of Carbonyl Compounds with Hydroperoxides	408
38.11.3.2	Method 2: Trityl Perchlorate Catalyzed Condensation of Aldehydes with <i>tert</i> -Butyl Trimethylsilyl Peroxide	412
38.11.3.3	Method 3: Synthesis of Geminal Bisperoxides via Alkylation or Acylation of Geminal Bishydroperoxides	413
38.11.3.4	Method 4: Silylation of Bishydroperoxides	417
38.11.3.5	Method 5: Miscellaneous Methods	418
38.11.4	Bis(1-hydroperoxyalkyl) Peroxides	419
38.11.4.1	Method 1: Synthesis from Carbonyl Compounds and Derivatives	420
38.11.4.2	Method 2: Condensation of Geminal Bishydroperoxides	423
38.11.4.3	Method 3: Substitution of a Hydroxy Group by a Hydroperoxy Group	425
38.11.4.4	Method 4: Miscellaneous Reactions	425

38.11.5	1-Hydroperoxyalkyl 1-Hydroxyalkyl Peroxides	426
38.11.5.1	Method 1: Synthesis from Ketones	426
38.11.5.2	Method 2: Synthesis from Geminal Bishydroperoxides	426
Author Index		433
Abbreviations		453