

Science of Synthesis Knowledge Updates 2022/3

	Preface	V
	Abstracts	VII
	Table of Contents	XV
4.4.6	Product Subclass 6: Silyltin Reagents H. Yoshida ^{1b}	1
4.4.23.7	Silylmethyl Anions (Update 2022) Y. Sumida ^{1b} and H. Ohmiya ^{1b}	23
4.4.38.14	Propargylsilanes (Update 2022) O. Jackowski ^{1b} and A. Perez-Luna ^{1b}	53
5.2.3	Product Subclass 3: Metalated Tin Compounds C. Marschner ^{1b}	123
5.2.7	Product Subclass 7: Stannylenes N. Takeda ^{1b}	143
15.4.5	Quinolinones and Related Systems (Update 2022) V. L. M. Silva ^{1b} , D. C. G. A. Pinto ^{1b} , C. M. M. Santos ^{1b} , and D. H. A. Rocha ^{1b}	183
48.2.3	Cyclopropanes (Update 2022) X. Tang	443
	Author Index	499
	Abbreviations	531

Table of Contents

Volume 4: Compounds of Group 15 (As, Sb, Bi) and Silicon Compounds

4.4	Product Class 4: Silicon Compounds	
4.4.6	Product Subclass 6: Silyltin Reagents	2022
	H. Yoshida ^{1b}	
4.4.6	Product Subclass 6: Silyltin Reagents	1
4.4.6.1	Synthesis of Silylstannanes	1
4.4.6.1.1	Method 1: Synthesis of Silylstannanes via Deprotonation of Trialkyltin Hydrides	1
4.4.6.1.2	Method 2: Synthesis of Silylstannanes via Reductive Metalation of Trialkylchlorostannanes	2
4.4.6.1.3	Method 3: Synthesis of Silylstannanes Having a Heteroatom Substituent on the Silicon Center	2
4.4.6.2	Application of Silylstannanes in Transition-Metal-Catalyzed Reactions	3
4.4.6.2.1	Method 1: Silylstannylation of Unsaturated Carbon–Carbon Bonds	3
4.4.6.2.1.1	Variation 1: Silylstannylation of Alkynes	3
4.4.6.2.1.2	Variation 2: Silylstannylation of Allenes	5
4.4.6.2.1.3	Variation 3: Silylstannylation of 1,3-Dienes	6
4.4.6.2.1.4	Variation 4: Silylstannylation of Alkenes	6
4.4.6.2.2	Method 2: Hydrostannylation of Alkynes	8
4.4.6.2.3	Method 3: Coupling Reactions with Organic Electrophiles	9
4.4.6.2.3.1	Variation 1: Coupling Reactions with Organic Halides	9
4.4.6.2.3.2	Variation 2: Coupling Reactions with Acyl Halides	11
4.4.6.2.3.3	Variation 3: Coupling Reactions with Acylated Phenols	12
4.4.6.2.3.4	Variation 4: Coupling Reactions with Benzoic Esters	13
4.4.6.2.4	Method 4: Carbosilylation of Unsaturated Carbon–Carbon Bonds	14
4.4.6.3	Application of Silylstannanes in Non-Transition-Metal-Catalyzed Reactions	14
4.4.6.3.1	Method 1: Reactions Involving a Cyanide Ion Activator	15
4.4.6.3.2	Method 2: Reactions Involving a Halide Ion Activator	16
4.4.6.3.2.1	Variation 1: Stannylation Reactions	16
4.4.6.3.2.2	Variation 2: Reduction of Organic Halides	19

4.4.23.7	Silylmethyl Anions Y. Sumida and H. Ohmiya	2022
<hr/>		
4.4.23.7	Silylmethyl Anions	23
4.4.23.7.1	Silylmethyl Anions as Nucleophilic Reagents	23
4.4.23.7.1.1	(Silylalkyl)lithiums and (Silylalkyl)magnesium Halides as Nucleophilic Reagents	23
4.4.23.7.1.2	Application to Total Synthesis	30
4.4.23.7.2	α -Lithiation: Stereoselective Functionalization	32
4.4.23.7.3	(Silylmethyl)lithiums and (Silylmethyl)magnesium Halides as Metalation Reagents	34
4.4.23.7.4	Reagents for Transition-Metal Catalysis	38
4.4.23.7.5	Silylmethyl Groups as Ligands on Metals	43
4.4.38.14	Propargylsilanes O. Jackowski and A. Perez-Luna	2022
<hr/>		
4.4.38.14	Propargylsilanes	53
4.4.38.14.1	Synthesis of Propargylsilanes with Construction of the Prop-2-ynylsilane Unit ..	54
4.4.38.14.1.1	Method 1: Synthesis from Hydrosilanes	54
4.4.38.14.1.1.1	Variation 1: By Reaction with Alkynyl <i>N</i> -Sulfonylhydrazones	54
4.4.38.14.1.1.2	Variation 2: By Reaction with Alk-1-ynyl Trimethylsilyl Ketone Hydrazones ..	57
4.4.38.14.1.2	Method 2: Synthesis from Metalated Silicon Compounds	59
4.4.38.14.1.2.1	Variation 1: By Reaction with Propargylic Electrophiles	59
4.4.38.14.1.2.2	Variation 2: By Reaction with Vinylidenecyclopropanes	60
4.4.38.14.1.2.3	Variation 3: By Reaction with Enynoates, Enynamides, and Enynones	61
4.4.38.14.1.3	Method 3: Synthesis from Silyl Halides or Trifluoromethanesulfonates ..	63
4.4.38.14.1.3.1	Variation 1: By Reaction with Propargyllithium Reagents	63
4.4.38.14.1.3.2	Variation 2: By Reaction with Propargylmagnesium Halides	67
4.4.38.14.1.3.3	Variation 3: By Calcium-Promoted Reductive Silylation of Propargyl Pivalates	68
4.4.38.14.1.4	Method 4: Synthesis from Propargylic Silyl Ethers	69
4.4.38.14.1.5	Method 5: Synthesis from [(Trimethylsilyl)methyl]metal Reagents	72
4.4.38.14.1.5.1	Variation 1: By Reaction with Haloalkynes	72
4.4.38.14.1.5.2	Variation 2: By Reaction with Alkynylmagnesium Chlorides	73
4.4.38.14.1.5.3	Variation 3: By Reaction with Geminal Dichloroalkenes Derived from Lactones	73
4.4.38.14.1.6	Method 6: Synthesis from (Triorganosilyl)methyl Halides or Sulfonates ..	74
4.4.38.14.1.6.1	Variation 1: By Reaction with Lithium Acetylides	74
4.4.38.14.1.6.2	Variation 2: By Copper(I)-Catalyzed Cross Coupling with Terminal Alkynes ..	77
4.4.38.14.1.7	Method 7: Synthesis from 2-Silyloxiranes	78
4.4.38.14.1.8	Method 8: Synthesis from γ -Silylallenylboranes	80

4.4.38.14.1.9	Method 9:	Synthesis from γ -Silyl Chloroallenes	81
4.4.38.14.1.10	Method 10:	Synthesis from Silyl-Substituted Allylic Phosphates	82
4.4.38.14.1.11	Method 11:	Synthesis from Vinylsilanes	83
4.4.38.14.1.12	Method 12:	Synthesis from 2,4-Bis(silyl)-1,3-enynes	83
4.4.38.14.1.13	Method 13:	Synthesis from Acylsilanes	84
4.4.38.14.1.13.1	Variation 1:	By Addition of Alkynyllithium Reagents	85
4.4.38.14.1.13.2	Variation 2:	By Addition of Alkynylmagnesium Reagents	87
4.4.38.14.1.13.3	Variation 3:	By Zinc-Mediated Addition of Terminal Alkynes	88
4.4.38.14.1.13.4	Variation 4:	By Reduction of Alkynyl Silyl Ketones	90
4.4.38.14.1.14	Method 14:	Synthesis from Alkynyl Silyl Imines	93
4.4.38.14.1.15	Method 15:	Synthesis from α -(Trimethylsilyl)alkynyldiazo Compounds	94
4.4.38.14.1.16	Method 16:	Synthesis from C-Heteroatom-Substituted Allylsilanes	95
4.4.38.14.1.16.1	Variation 1:	By Elimination from 3-Silylallyl Trifluoromethanesulfonates	95
4.4.38.14.1.16.2	Variation 2:	By Elimination from 3,3-Dihalo-Substituted Allylsilanes	96
4.4.38.14.1.17	Method 17:	Synthesis by Rearrangement of Bis[(trialkylsilyl)ethynyl] Carbinols	98
4.4.38.14.2	Synthesis of Propargylsilanes by Modification of Preexisting Prop-2-ynylsilane Units		99
4.4.38.14.2.1	Method 1:	Synthesis from Terminal Propargylsilanes	99
4.4.38.14.2.1.1	Variation 1:	By Palladium-Catalyzed Arylation or Hetarylation Reactions	99
4.4.38.14.2.1.2	Variation 2:	By Copper-Catalyzed Alkynylation	101
4.4.38.14.2.1.3	Variation 3:	By Copper-Catalyzed 1,4-Addition to α,β -Unsaturated Thioamides	101
4.4.38.14.2.1.4	Variation 4:	By Metal-Promoted Addition to Imines or Iminium Ions	102
4.4.38.14.2.2	Method 2:	Synthesis from (3-Silylprop-1-ynyl)lithium Reagents	105
4.4.38.14.2.2.1	Variation 1:	By Reaction with Iodine	105
4.4.38.14.2.2.2	Variation 2:	By Reaction with Chlorosilanes	106
4.4.38.14.2.2.3	Variation 3:	By Reaction with 2-Isopropoxy-4,4,5,5-tetramethyl-1,3,2-dioxaborolane	107
4.4.38.14.2.2.4	Variation 4:	By Reaction with Carbonyl Compounds	107
4.4.38.14.2.2.5	Variation 5:	By Reaction with Iodomethane	109
4.4.38.14.2.2.6	Variation 6:	By Ring Opening of Oxiranes	110
4.4.38.14.2.3	Method 3:	Synthesis from (3-Silylprop-1-ynyl)aluminum Reagents	111
4.4.38.14.2.4	Method 4:	Synthesis from [3-(Trimethylsilyl)prop-2-ynyl]silanes	112
4.4.38.14.2.5	Method 5:	Synthesis from (3-Haloprop-2-ynyl)silanes	113
4.4.38.14.2.6	Method 6:	Synthesis from (4-Halobut-2-ynyl)trimethylsilanes	115
4.4.38.14.2.6.1	Variation 1:	By Propargylic Substitution with Stabilized Carbanionic Reagents	115
4.4.38.14.2.6.2	Variation 2:	By Copper-Mediated Propargylic Substitution with Arylmagnesium Bromides	116
4.4.38.14.2.6.3	Variation 3:	By Propargylic Substitution with Amines	117

Volume 5: Compounds of Group 14 (Ge, Sn, Pb)

5.2	Product Class 2: Tin Compounds	
5.2.3	Product Subclass 3: Metalated Tin Compounds	2022
	C. Marschner ^{1b}	
5.2.3	Product Subclass 3: Metalated Tin Compounds	123
5.2.3.1	Monometalated Tin Compounds	124
5.2.3.1.1	Method 1: Cleavage of Distannanes by Reaction with Alkali Metals or Alkaline Earth Metals	124
5.2.3.1.2	Method 2: Reduction of Stannyl Halides with Alkali Metals or Alkaline Earth Metals	126
5.2.3.1.3	Method 3: Nucleophilic Cleavage of Distannanes, Silylstannanes, or Borylstannanes with Alkylolithiums or Alkali Metal Alkoxides	127
5.2.3.1.4	Method 4: Deprotonation of Stannyl Hydrides Using Strong Bases	129
5.2.3.1.5	Method 5: Addition of Nucleophiles to Stannylenes (SnR^1_2)	132
5.2.3.1.6	Method 6: Transmetalation from Stannylmercury Compounds	134
5.2.3.1.7	Method 7: Transmetalation from Alkali Metal Stannides	134
5.2.3.2	Compounds with Multiple Stannide Character	135
5.2.3.2.1	Method 1: Reduction of Geminal Dihalostannanes	136
5.2.3.2.2	Method 2: Multiple Nucleophilic Desilylation of Stannanes	137
5.2.3.2.3	Method 3: Double Deprotonation of a Stannyl Dihydride	138
5.2.3.3	Stannole Mono- and Dianions	138
5.2.3.3.1	Method 1: Stannole Anion Formation by Sn—Ph Bond Cleavage with Lithium	138
5.2.7	Product Subclass 7: Stannylenes	2022
	N. Takeda ^{1b}	
5.2.7	Product Subclass 7: Stannylenes	143
5.2.7.1	Substitution Reactions of Divalent Tin Compounds with Nucleophiles	144
5.2.7.1.1	Method 1: Substitution of Halides with Group 1 or 2 Metal Compounds	144
5.2.7.1.2	Method 2: Substitution of Amino Groups with Organolithium Compounds	155
5.2.7.1.3	Method 3: Substitution of Cyclopentadienyl Groups with Organolithium Compounds	156
5.2.7.2	Insertion into the Sn—X Bonds of Stannylenes	157
5.2.7.2.1	Method 1: Insertion into the Sn—H Bond of Hydrostannylene Dimers	157
5.2.7.2.2	Method 2: Insertion into the Sn—B and Sn—C Bonds of Stannylenes	160
5.2.7.2.3	Method 3: Insertion into the Sn—Sn Bond of Distannynes and Stannylstannylenes	162

5.2.7.3	Elimination of Lewis Base from Stannylene–Lewis Base Complexes	164
5.2.7.3.1	Method 1: Elimination of a Lewis Base from a Stannylene–Lewis Base Complex	164
5.2.7.4	Reduction of Tetravalent Organotin Compounds	165
5.2.7.4.1	Method 1: Reduction of Tetravalent Halostannanes with Alkali Metal Compounds	165
5.2.7.4.2	Method 2: Exhaustive Desulfurization of Tetrathiastannolanes	167
5.2.7.5	Migration of Hydrogen, Carbon, and Nitrogen Substituents from Tetravalent Tin Atoms	168
5.2.7.5.1	Method 1: Hydrogen Migration from a Tin Atom	168
5.2.7.5.2	Method 2: Migration of a Carbon or Nitrogen Substituent from a Tin Atom	172
5.2.7.6	Modification of the Substituents on Stannylenes	177
5.2.7.6.1	Method 1: Modification of Substituents on Stannylenes	177

Volume 15: Six-Membered Hetarenes with One Nitrogen or Phosphorus Atom

15.4 Product Class 4: Quinolinones and Related Systems

15.4.5	Quinolinones and Related Systems	2022
	V. L. M. Silva, D. C. G. A. Pinto, C. M. M. Santos, and D. H. A. Rocha	
15.4.5	Quinolinones and Related Systems	183
15.4.5.1	Quinolin-2(1 <i>H</i>)-ones	183
15.4.5.1.1	Synthesis by Ring-Closure Reactions	184
15.4.5.1.1.1	By Annulation to an Arene	184
15.4.5.1.1.1.1	By Formation of One N–C Bond and Two C–C Bonds	184
15.4.5.1.1.1.1.1	With Formation of the 1–2, 2–3, and 4–4a Bonds	184
15.4.5.1.1.1.1.1.1	Method 1: Synthesis from Alkyl (2-Iodoaryl)carbamates	184
15.4.5.1.1.1.1.1.2	Method 2: Synthesis from 2-Iodoanilines	186
15.4.5.1.1.1.1.1.3	Method 3: Synthesis from <i>N</i> -Arylpyridin-2-amines	189
15.4.5.1.1.1.2	By Formation of Two N–C Bonds and One C–C Bond	190
15.4.5.1.1.1.2.1	With Formation of the 1–2, 1–8a, and 2–3 Bonds	190
15.4.5.1.1.1.2.1.1	Method 1: Synthesis from 1-Bromo-2-(2-bromovinyl)benzenes	190
15.4.5.1.1.1.3	By Formation of One N–C and One C–C Bond	192
15.4.5.1.1.1.3.1	With Formation of the 1–2 and 2–3 Bonds	192
15.4.5.1.1.1.3.1.1	Method 1: Synthesis from 2-(Alk-1-ynyl)aniline Derivatives	192
15.4.5.1.1.1.3.2	With Formation of the 1–2 and 3–4 Bonds	193
15.4.5.1.1.1.3.2.1	Method 1: Synthesis from Anthranilic Acid Derivatives	193

15.4.5.1.1.1.3.2.2	Method 2:	Synthesis from 2-Aminoaryl Ketones	195
15.4.5.1.1.1.3.2.3	Method 3:	Synthesis from Benzo[<i>d</i>][1,3]oxazines	196
15.4.5.1.1.1.3.2.4	Method 4:	Synthesis from Indoles	197
15.4.5.1.1.1.3.3	With Formation of the 1—2 and 4—4a Bonds		199
15.4.5.1.1.1.3.3.1	Method 1:	Synthesis from Anilines	199
15.4.5.1.1.1.3.3.2	Method 2:	Synthesis from 2-Iodoanilines	201
15.4.5.1.1.1.3.3.3	Method 3:	Synthesis from Diarylamines	201
15.4.5.1.1.1.3.3.4	Method 4:	Synthesis from Arylhydrazines	204
15.4.5.1.1.1.3.3.5	Method 5:	Synthesis from Indoline or 1,2,3,4-Tetrahydroquinoline	205
15.4.5.1.1.1.3.4	With Formation of the 1—8a and 3—4 Bonds		206
15.4.5.1.1.1.3.4.1	Method 1:	Synthesis from 2-Bromobenzaldehydes	206
15.4.5.1.1.1.3.5	With Formation of the 1—8a and 4—4a Bonds		207
15.4.5.1.1.1.3.5.1	Method 1:	Synthesis from Propanamides	207
15.4.5.1.1.1.3.5.2	Method 2:	Synthesis from Acrylamides	208
15.4.5.1.1.1.4	By Formation of Two C—C Bonds		210
15.4.5.1.1.1.4.1	With Formation of the 2—3 and 4—4a Bonds		210
15.4.5.1.1.1.4.1.1	Method 1:	Synthesis from Arylcarbamoyl Chlorides	210
15.4.5.1.1.1.4.1.2	Method 2:	Synthesis from Isatins	212
15.4.5.1.1.1.5	By Formation of One N—C Bond		213
15.4.5.1.1.1.5.1	With Formation of the 1—2 Bond		213
15.4.5.1.1.1.5.1.1	Method 1:	Synthesis from Nitrobenzene Derivatives	213
15.4.5.1.1.1.5.1.2	Method 2:	Synthesis from Methyl (<i>E</i>)-3-(2-Aminophenyl)acrylate	215
15.4.5.1.1.1.5.1.3	Method 3:	Synthesis from Methyl 3-{2-[Benzyl(<i>tert</i> -butoxycarbonyl)amino]aryl}propynoates	216
15.4.5.1.1.1.5.2	With Formation of the 1—8a Bond		217
15.4.5.1.1.1.5.2.1	Method 1:	Synthesis from (<i>Z</i>)-3-(2-Bromophenyl)acrylamide	217
15.4.5.1.1.1.5.2.2	Method 2:	Synthesis from <i>N</i> -Substituted Cinnamamides	218
15.4.5.1.1.1.6	By Formation of One C—C Bond		220
15.4.5.1.1.1.6.1	With Formation of the 3—4 Bond		220
15.4.5.1.1.1.6.1.1	Method 1:	Synthesis from <i>N</i> -(2-Acylaryl)chloroacetamides	220
15.4.5.1.1.1.6.1.2	Method 2:	Synthesis from Diethyl {2-[(2-Acylaryl)amino]-1-halo-2-oxoethyl}phosphonates	222
15.4.5.1.1.1.6.1.3	Method 3:	Synthesis from <i>N</i> -(2-Acetylphenyl)malonamides	224
15.4.5.1.1.1.6.1.4	Method 4:	Synthesis from <i>N</i> -(2-Acetylaryl)-2-arylacetamides	225
15.4.5.1.1.1.6.1.5	Method 5:	Synthesis from Ethyl 3-[(2-Acetylphenyl)amino]-3-oxopropanoate	226
15.4.5.1.1.1.6.1.6	Method 6:	Synthesis from Methyl 2-(3-Ethoxy-3-oxopropanamido)benzoate	227
15.4.5.1.1.1.6.2	With Formation of the 4—4a Bond		229
15.4.5.1.1.1.6.2.1	Method 1:	Synthesis from Propynamides	229

15.4.5.1.1.1.6.2.2	Method 2:	Synthesis from <i>N</i> -Aryl-3-(phenylsulfonyl)propanamides	231
15.4.5.1.2		Synthesis by Ring Transformation	232
15.4.5.1.2.1		By Formal Exchange of Ring Members with Retention of the Ring Size	232
15.4.5.1.2.1.1	Method 1:	Synthesis from Ethyl 2-(4-Oxo-4 <i>H</i> -benzo[<i>d</i>][1,3]oxazin-2-yl)acetate	232
15.4.5.1.2.1.2	Method 2:	Synthesis from 3-Acetyl-2 <i>H</i> -benzopyran-2-one	234
15.4.5.1.2.1.3	Method 3:	Synthesis from 2',2'-Dimethyl-1,4-dihydro-2 <i>H</i> -spiro[quinoline-3,5'-[1,3]dioxane]-4',6'-diones	234
15.4.5.1.3		Aromatization	235
15.4.5.1.3.1	Method 1:	Synthesis from 5-Aryl-1-benzyl-3-tosyl-3,4,5,8-tetrahydroquinolin-2(1 <i>H</i>)-ones	235
15.4.5.1.3.2	Method 2:	Synthesis from Ethyl 4-Aryl-2-oxo-1,2,3,4-tetrahydroquinoline-3-carboxylates	236
15.4.5.1.4		Synthesis by Substituent Modification	238
15.4.5.1.4.1		Substitution of Existing Substituents	238
15.4.5.1.4.1.1		Of <i>N</i> -Hydrogen	238
15.4.5.1.4.1.1.1	Method 1:	Synthesis from Quinolin-2(1 <i>H</i>)-ones	238
15.4.5.1.4.1.1.2	Method 2:	Synthesis from 3-Acetyl-1-aminoquinolin-2(1 <i>H</i>)-ones	239
15.4.5.1.4.1.2		Of <i>C</i> -Hydrogen	240
15.4.5.1.4.1.2.1		By Formation of a C(sp ²)—C(sp ³) Bond	240
15.4.5.1.4.1.2.1.1	Method 1:	Synthesis from 1-Methyl-3,6,8-trinitroquinolin-2(1 <i>H</i>)-one and Ketones	240
15.4.5.1.4.1.2.1.2	Method 2:	Synthesis from 4-Hydroxyquinolin-2(1 <i>H</i>)-ones and Alcohols	241
15.4.5.1.4.1.2.1.3	Method 3:	Synthesis from Quinolin-2(1 <i>H</i>)-ones and Ethers or Cycloalkanes	242
15.4.5.1.4.1.2.2		By Formation of a C(sp ²)—C(sp ²) Bond	243
15.4.5.1.4.1.2.2.1	Method 1:	Synthesis from 1-Methyl-3,6,8-trinitroquinolin-2(1 <i>H</i>)-one and Phenols	243
15.4.5.1.4.1.2.3		By Formation of a C(sp ²)—C(sp) Bond	244
15.4.5.1.4.1.2.3.1	Method 1:	Cyanation of 1-Methyl-3-nitroquinolin-2(1 <i>H</i>)-ones	244
15.4.5.1.4.1.2.4		By Formation of a C—N Bond	245
15.4.5.1.4.1.2.4.1	Method 1:	Nitration	245
15.4.5.1.4.1.2.4.2	Method 2:	Synthesis from 1-Methyl-3,6,8-trinitroquinolin-2(1 <i>H</i>)-one	246
15.4.5.1.4.1.2.5		By Formation of a C—S Bond	248
15.4.5.1.4.1.2.5.1	Method 1:	Reaction with Tetraalkylthiuram disulfides	248
15.4.5.1.4.1.2.6		By Formation of a C—O Bond	249
15.4.5.1.4.1.2.6.1	Method 1:	Synthesis from Quinolines	249
15.4.5.1.4.1.2.6.2	Method 2:	Synthesis from 1-Methyl-3,6,8-trinitroquinolin-2(1 <i>H</i>)-one	251

15.4.5.1.4.1.3	Of Heteroatoms	252
15.4.5.1.4.1.3.1	Reactions at C2 To Generate the Carbonyl Group	252
15.4.5.1.4.1.3.1.1	Method 1: Synthesis from 2-Hydroxy-4-iminoquinoline-3-carboxamides	252
15.4.5.1.4.1.3.1.2	Method 2: Synthesis from 2-Chloroquinolines	254
15.4.5.1.4.1.3.2	Substitution of 4-Heterosubstituted Quinolin-2(1 <i>H</i>)-ones	254
15.4.5.1.4.1.3.2.1	Method 1: Synthesis from 4-Chloroquinolin-2(1 <i>H</i>)-ones	254
15.4.5.1.4.1.3.3	Substitution of 3-Heterosubstituted Quinolin-2(1 <i>H</i>)-ones	258
15.4.5.1.4.1.3.3.1	Method 1: Synthesis from 3-Bromoquinolin-2(1 <i>H</i>)-ones	258
15.4.5.1.4.2	Modification of Substituents	259
15.4.5.1.4.2.1	Method 1: Bromination of 3-Allyl-4-hydroxyquinolin-2(1 <i>H</i>)-one	259
15.4.5.1.4.2.2	Method 2: Synthesis from Ethyl 4-Hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates	260
15.4.5.1.4.2.3	Method 3: Amidation of 4-Methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic Acid	262
15.4.5.1.4.2.4	Method 4: Amidation of Polymer-Supported 5-Amino-1-(4-methoxybenzyl)-2-oxo-1,2-dihydroquinoline-3-carboxylic Acid	264
15.4.5.1.4.2.5	Method 5: Amidation of 4-Chloro-2-oxo-1-propyl-1,2-dihydroquinoline-3-carbonyl Chloride	266
15.4.5.1.4.2.6	Method 6: Vinylogous Allylic Alkylation Using 1-(4-Methoxybenzyl)-4-methyl-2-oxo-1,2-dihydroquinoline-3-carbonitrile	266
15.4.5.1.4.2.7	Method 7: Amination of 3-(Chloromethyl)quinolin-2(1 <i>H</i>)-ones	268
15.4.5.1.4.2.8	Method 8: Acylation and Arylation of 6-Amino-4-methylquinolin-2(1 <i>H</i>)-one	269
15.4.5.1.4.2.9	Method 9: Transformations Involving 3-Acetylquinolin-2(1 <i>H</i>)-ones	271
15.4.5.1.4.2.10	Method 10: Transformations Involving 3-Acryloyl-4-hydroxyquinolin-2(1 <i>H</i>)-ones	276
15.4.5.2	Quinolin-4(1 <i>H</i>)-ones	277
15.4.5.2.1	Synthesis by Ring-Closure Reactions	278
15.4.5.2.1.1	By Annulation to an Arene	278
15.4.5.2.1.1.1	By Formation of Two N—C and One C—C Bonds	278
15.4.5.2.1.1.1.1	With Formation of the 1—8a, 1—2, and 2—3 Bonds	278
15.4.5.2.1.1.1.1.1	Method 1: Synthesis from 2-Substituted 1-(2-Haloaryl)ethan-1-ones	278
15.4.5.2.1.1.2	By Formation of One N—C and Two C—C Bonds	280
15.4.5.2.1.1.2.1	With Formation of the 1—2, 3—4, and 4—4a Bonds	280
15.4.5.2.1.1.2.1.1	Method 1: Synthesis from 2-Haloanilines	280
15.4.5.2.1.1.2.1.2	Method 2: Synthesis from Anilines	282
15.4.5.2.1.1.2.1.3	Method 3: Synthesis from <i>N</i> -Nitrosoanilines	284
15.4.5.2.1.1.3	By Formation of One N—C and One C—C Bond	286
15.4.5.2.1.1.3.1	With Formation of the 1—8a and 2—3 Bonds	286
15.4.5.2.1.1.3.1.1	Method 1: Synthesis from 2-Bromoaryl Methyl Ketones	286

15.4.5.2.1.1.3.2	With Formation of the 1—8a and 4—4a Bonds	287
15.4.5.2.1.1.3.2.1	Method 1: Synthesis from Arynes and Aza-Morita–Baylis–Hillman Adducts	287
15.4.5.2.1.1.3.3	With Formation of the 1—2 and 2—3 Bonds	289
15.4.5.2.1.1.3.3.1	Method 1: Synthesis from 2-Aminoaryl Methyl Ketones	289
15.4.5.2.1.1.3.3.2	Method 2: Synthesis from <i>N</i> -(2-Acetylaryl)picolinamides	292
15.4.5.2.1.1.3.4	With Formation of the 1—2 and 3—4 Bonds	293
15.4.5.2.1.1.3.4.1	Method 1: Synthesis from 2-Aminobenzoates and Ketones (The Niementowski Reaction)	293
15.4.5.2.1.1.3.4.2	Method 2: Synthesis from 2-Aminobenzoates and β -Oxo Enol Ethers	294
15.4.5.2.1.1.3.4.3	Method 3: Synthesis from 2-Aminobenzoates and α,β -Unsaturated Ketones	296
15.4.5.2.1.1.3.4.4	Method 4: Synthesis from 5-Phenyl 2-(Tosylamino)benzothioates	298
15.4.5.2.1.1.3.5	With Formation of the 1—2 and 4—4a Bonds	299
15.4.5.2.1.1.3.5.1	Method 1: Synthesis from Anilines and 3-Oxo Esters	299
15.4.5.2.1.1.3.5.2	Method 2: Synthesis from Anilines and Diethyl Acetylenedicarboxylate	300
15.4.5.2.1.1.3.5.3	Method 3: Synthesis from Anilines and α,α -Dioxo Ketene Dithioacetals	301
15.4.5.2.1.1.4	By Formation of Two N—C Bonds	301
15.4.5.2.1.1.4.1	With Formation of the 1—2 and 1—8a Bonds	301
15.4.5.2.1.1.4.1.1	Method 1: Synthesis from β -Oxo Aldehydes	301
15.4.5.2.1.1.4.1.2	Method 2: Synthesis from 1,3-Diaryl Monothio-1,3-diketones	304
15.4.5.2.1.1.4.1.3	Method 3: Synthesis from Alk-1-enyl 2-Bromoaryl Ketones	305
15.4.5.2.1.1.4.1.4	Method 4: Synthesis from Alk-1-ynyl 2-Haloaryl Ketones and Primary Amines	306
15.4.5.2.1.1.4.1.5	Method 5: Synthesis from Alk-1-ynyl 2-Haloaryl Ketones and <i>N</i> -Arylamides	308
15.4.5.2.1.1.4.1.6	Method 6: Synthesis from Alk-1-ynyl 2-Haloaryl Ketones and <i>N</i> -Substituted Arenesulfonamides	309
15.4.5.2.1.1.4.1.7	Method 7: Synthesis from Baylis–Hillman Acetates	310
15.4.5.2.1.1.5	By Formation of Two C—C Bonds	312
15.4.5.2.1.1.5.1	With Formation of the 2—3 and 4—4a Bonds	312
15.4.5.2.1.1.5.1.1	Method 1: Synthesis from Deprotonated α -Aminonitriles	312
15.4.5.2.1.1.5.2	With Formation of the 3—4 and 4—4a Bonds	313
15.4.5.2.1.1.5.2.1	Method 1: Synthesis from <i>N</i> -(2-Iodoaryl)enaminones	313
15.4.5.2.1.1.6	By Formation of One N—C Bond	315
15.4.5.2.1.1.6.1	With Formation of the 1—2 Bond	315
15.4.5.2.1.1.6.1.1	Method 1: Synthesis from 1-[2-(Benzoylamino)aryl]-3-(dimethylamino)prop-2-en-1-ones	315
15.4.5.2.1.1.6.1.2	Method 2: Synthesis from 2-Aminophenyl 2-Arylviny Ketones and 2-Aminophenyl 3-Aryloxiran-2-yl Ketones	316
15.4.5.2.1.1.6.1.3	Method 3: Synthesis from 2-Nitroaryl Vinyl Ketones	317

15.4.5.2.1.1.6.1.4	Method 4:	Synthesis from 2-Azidophenyl Cyclopropyl Ketones	319
15.4.5.2.1.1.6.1.5	Method 5:	Synthesis from 2-Aminobenzamides	319
15.4.5.2.1.1.6.1.6	Method 6:	Synthesis from Ynones and Alk-1-ynyl 2-Aminoaryl Ketones	321
15.4.5.2.1.1.6.1.7	Method 7:	Synthesis from Ynones and Alk-1-ynyl 2-Azidoaryl Ketones	322
15.4.5.2.1.1.6.1.8	Method 8:	Synthesis from Ynones and 1-(2-Azidoaryl)propyn-1-ols	324
15.4.5.2.1.1.6.1.9	Method 9:	Synthesis from Ynones and 2-(1-Hydroxyalk-2-ynyl)- <i>N</i> -tosylanilines	325
15.4.5.2.1.1.6.2	With Formation of the 1—8a Bond		326
15.4.5.2.1.1.6.2.1	Method 1:	Synthesis from 3-Amino-1-(2-halophenyl)- or 3-Amino-1-(2-nitrophenyl)alk-2-en-1-ones	326
15.4.5.2.1.1.6.2.2	Method 2:	Synthesis from 3-Amino-2-(2-methoxybenzoyl)acrylates	328
15.4.5.2.1.1.6.2.3	Method 3:	Synthesis from Dimethyl 2-(2-Fluorobenzoyl)-3-(phenylamino)fumarates	329
15.4.5.2.1.1.7	By Formation of One C—C Bond		331
15.4.5.2.1.1.7.1	With Formation of the 2—3 Bond		331
15.4.5.2.1.1.7.1.1	Method 1:	Synthesis from 2-Acetylanilides	331
15.4.5.2.1.1.7.1.2	Method 2:	Synthesis from [2-(Arylmethyl)amino]aryl Ketones	334
15.4.5.2.1.1.7.2	With Formation of the 3—4 Bond		335
15.4.5.2.1.1.7.2.1	Method 1:	Synthesis from <i>N</i> -[(2-Methoxycarbonyl)aryl]enamines	335
15.4.5.2.1.1.7.2.2	Method 2:	Synthesis from 2-(Methoxycarbonyl)formanilides	336
15.4.5.2.1.1.7.2.3	Method 3:	Synthesis from (<i>E</i>)-2-[(2-Nitrovinyl)amino]benzoic Acid	338
15.4.5.2.1.1.7.3	With Formation of the 4—4a Bond		338
15.4.5.2.1.1.7.3.1	Method 1:	Synthesis from β -(Arylamino)acrylates: The Conrad–Limpach Synthesis (Gould–Jacobs Modification)	338
15.4.5.2.1.1.7.3.2	Method 2:	Synthesis from Vinylogous Carbamates	342
15.4.5.2.2	Synthesis by Ring Transformation		343
15.4.5.2.2.1	By Ring Enlargement		343
15.4.5.2.2.1.1	Method 1:	Synthesis from Indoles	343
15.4.5.2.2.1.2	Method 2:	Synthesis from Isatins	344
15.4.5.2.2.1.2.1	Variation 1:	Reaction with 1,3-Dicarbonyl Compounds	344
15.4.5.2.2.1.2.2	Variation 2:	Reaction with Alkynes	346
15.4.5.2.2.2	Formal Exchange of Ring Members with Retention of the Ring Size		348
15.4.5.2.2.2.1	Method 1:	Synthesis from Isatoic Anhydrides	348
15.4.5.2.2.2.1.1	Variation 1:	Reaction with 1,3-Dicarbonyl Compounds	348
15.4.5.2.2.2.1.2	Variation 2:	Reaction with Alkynes	349
15.4.5.2.2.2.1.3	Variation 3:	Reaction with Triphenylphosphonium Salts	350
15.4.5.2.3	Aromatization		352
15.4.5.2.3.1	Method 1:	Dehydrogenation of Dihydroquinolin-4(1 <i>H</i>)-ones	352
15.4.5.2.4	Synthesis by Substituent Modification		353
15.4.5.2.4.1	Substitution of Existing Substituents		353

15.4.5.2.4.1.1	Of <i>N</i> -Hydrogen	353
15.4.5.2.4.1.2	Of <i>G</i> -Hydrogen	355
15.4.5.2.4.1.2.1	Method 1: Metalation	355
15.4.5.2.4.1.2.2	Method 2: Alkenylation and Arylation	356
15.4.5.2.4.1.2.3	Method 3: Halogenation	357
15.4.5.2.4.1.2.4	Method 4: Hydroxylation	358
15.4.5.2.4.1.2.5	Method 5: Nitration	359
15.4.5.2.4.1.2.6	Method 6: Sulfonation and Sulfanylation	361
15.4.5.2.4.1.3	Of Carbon Functionalities	363
15.4.5.2.4.1.4	Of Heteroatoms	364
15.4.5.2.4.1.4.1	Method 1: Substitution of Haloquinolin-4(<i>1H</i>)-ones	364
15.4.5.2.4.2	Modification of Substituents	366
15.4.5.2.4.2.1	Method 1: Oxidation of Methyl 4-Hydroxy-2-(methylsulfanyl)quinoline-3-carboxylates	366
15.4.5.2.4.2.2	Method 2: Of <i>C</i> -Oxygen Quinolines	367
15.4.5.3	Quinoline-2(<i>1H</i>)-thiones and Quinoline-4(<i>1H</i>)-thiones	368
15.4.5.3.1	Synthesis by Ring-Closure Reactions	369
15.4.5.3.1.1	By Annulation to an Arene	369
15.4.5.3.1.1.1	By Formation of One <i>N</i> — <i>C</i> and One <i>C</i> — <i>C</i> Bond	369
15.4.5.3.1.1.1.1	With Formation of the 1—2 and 2—3 Bonds	369
15.4.5.3.1.1.1.1.1	Method 1: Synthesis from 2-(Alk-1-ynyl)anilines	369
15.4.5.3.1.1.1.1.2	Method 2: Synthesis from 2-(1-Arylvinyl)anilines	371
15.4.5.3.1.1.2	By Formation of One <i>N</i> — <i>C</i> Bond	372
15.4.5.3.1.1.2.1	With Formation of the 1—2 Bond	372
15.4.5.3.1.1.2.1.1	Method 1: Synthesis from 1-(2-Aminophenyl)-1-arylprop-2-yn-1-ols	372
15.4.5.3.1.1.3	By Formation of One <i>C</i> — <i>C</i> Bond	373
15.4.5.3.1.1.3.1	With Formation of the 2—3 Bond	373
15.4.5.3.1.1.3.1.1	Method 1: Synthesis from 2-(Alk-1-ynyl)aryl Isothiocyanates	373
15.4.5.3.1.1.3.1.2	Method 2: Synthesis from 2-Alkenylaryl Isothiocyanates	375
15.4.5.3.2	Synthesis by Ring Transformation	376
15.4.5.3.2.1	Formal Exchange of Ring Members with Retention of the Ring Size	376
15.4.5.3.3	Synthesis by Substituent Modification	377
15.4.5.3.3.1	Substitution of Existing Substituents	377
15.4.5.3.3.1.1	Of Heteroatoms	377
15.4.5.3.3.1.1.1	Method 1: Conversion of 2- or 4-Heterosubstituted Quinolines into Quinolinethiones	377

15.4.5.4	Amine Derivatives of Quinolinones	378
15.4.5.4.1	Synthesis by Ring-Closure Reactions	380
15.4.5.4.1.1	By Annulation to an Arene	380
15.4.5.4.1.1.1	By Formation of Two N—C and One C—C Bonds	380
15.4.5.4.1.1.1.1	With Formation of the 1—2, 1—8a, and 3—4 Bonds	380
15.4.5.4.1.1.1.1.1	Method 1: Synthesis from 2-Bromobenzaldehydes, Cyanoacetamides and Ammonia	380
15.4.5.4.1.1.1.1.2	Method 2: Synthesis from 2-Bromobenzaldehydes, Activated Carbonitriles and Sodium Azide	381
15.4.5.4.1.1.2	By Formation of One N—C and Two C—C Bonds	382
15.4.5.4.1.1.2.1	With Formation of the 1—2, 3—4, and 4—4a Bonds	382
15.4.5.4.1.1.2.1.1	Method 1: Synthesis from 2-Bromoanilines, Isocyanides and Alkynes ...	382
15.4.5.4.1.1.2.2	With Formation of the 1—8a, 2—3, and 4—4a Bonds	383
15.4.5.4.1.1.2.2.1	Method 1: Synthesis from Aryliodonium Salts, Nitriles, and N-Alkynylsulfonamides	383
15.4.5.4.1.1.3	By Formation of One N—C and One C—C Bond	385
15.4.5.4.1.1.3.1	With Formation of the 1—2 and 2—3 Bonds	385
15.4.5.4.1.1.3.1.1	Method 1: Synthesis from 2-Alkynylanilines and Aryl Iodides	385
15.4.5.4.1.1.3.1.2	Method 2: Synthesis from 2-Alkynylanilines and Isocyanides	387
15.4.5.4.1.1.3.1.3	Method 3: Synthesis from 2-Alkynylanilines and Amines	388
15.4.5.4.1.1.3.1.4	Method 4: Synthesis from 2-(Alk-1-enyl)anilines	390
15.4.5.4.1.1.3.2	With Formation of the 1—2 and 3—4 Bonds	391
15.4.5.4.1.1.3.2.1	Method 1: Synthesis from 2-Acylanilines	391
15.4.5.4.1.1.3.2.2	Method 2: Synthesis from 2-Ethynylanilines	392
15.4.5.4.1.1.3.2.3	Method 3: Synthesis from 2-Aminobenzaldehydes	393
15.4.5.4.1.1.3.2.4	Method 4: Synthesis from Acetonitrile	394
15.4.5.4.1.1.3.2.5	Method 5: Synthesis from 2-Aminobenzonitriles and Carbonyl Compounds	396
15.4.5.4.1.1.3.2.6	Method 6: Synthesis from 2-Aminobenzonitriles and Unsaturated Compounds	397
15.4.5.4.1.1.3.2.7	Method 7: Synthesis from 2-Aminobenzyl Alcohols	399
15.4.5.4.1.1.4	By Formation of Two C—C Bonds	400
15.4.5.4.1.1.4.1	With Formation of the 2—3 and 3—4 Bonds	400
15.4.5.4.1.1.4.1.1	Method 1: Synthesis from N-(2-Cyanophenyl)imines	400
15.4.5.4.1.1.4.2	With Formation of the 2—3 and 4—4a Bonds	401
15.4.5.4.1.1.4.2.1	Method 1: Synthesis from Anilides	401
15.4.5.4.1.1.4.2.2	Method 2: Synthesis from 1-Aryl-1H-tetrazoles	402
15.4.5.4.1.1.4.2.3	Method 3: Synthesis from <i>ortho</i> -Palladated Arylcarbodiimides	404
15.4.5.4.1.1.4.3	With Formation of the 3—4 and 4—4a Bonds	404
15.4.5.4.1.1.4.3.1	Method 1: Synthesis from N-Arylimines	404

15.4.5.4.1.1.4.3.2	Method 2: Synthesis from <i>N</i> -Arylenamines	405
15.4.5.4.1.1.5	By Formation of One N—C Bond	407
15.4.5.4.1.1.5.1	With Formation of the 1—2 Bond	407
15.4.5.4.1.1.5.1.1	Method 1: Synthesis from 3-(2-Nitroaryl)acrylonitriles	407
15.4.5.4.1.1.5.1.2	Method 2: Synthesis from 3-(2-Aminophenyl)-1-arylprop-2-yn-1-ones ..	408
15.4.5.4.1.1.5.1.3	Method 3: Synthesis from 1-(2-Acetamidoaryl)propargylic Alcohols	409
15.4.5.4.1.1.6	By Formation of One C—C Bond	410
15.4.5.4.1.1.6.1	With Formation of the 2—3 Bond	410
15.4.5.4.1.1.6.1.1	Method 1: Synthesis from <i>N</i> -[2-(Alk-2-ynyl)phenyl]carbodiimides	410
15.4.5.4.1.1.6.1.2	Method 2: Synthesis from 2-(2-Methoxyvinyl)aryl Isocyanides	411
15.4.5.4.1.1.6.2	With Formation of the 3—4 Bond	412
15.4.5.4.1.1.6.2.1	Method 1: Synthesis from 2-Aminobenzonitrile Derivatives	412
15.4.5.4.1.1.6.3	With Formation of the 4—4a Bond	412
15.4.5.4.2	Synthesis by Ring Transformation	414
15.4.5.4.2.1	By Ring Enlargement	414
15.4.5.4.3	Synthesis by Substituent Modification	417
15.4.5.4.3.1	Substitution of Existing Substituents	417
15.4.5.4.3.1.1	Of Hydrogen	417
15.4.5.4.3.1.1.1	Method 1: Amination	417
15.4.5.4.3.1.2	Of Heteroatoms	419
15.4.5.4.3.1.2.1	Method 1: Synthesis from Quinoline 1-Oxides	419
15.4.5.4.3.1.2.2	Method 2: Substitution of Heteroatoms in Position C2 or C4	422

Volume 48: Alkanes

48.2

Product Class 2: Cyclopropanes

48.2.3

Cyclopropanes

2022

X. Tang

48.2.3

Cyclopropanes

443

48.2.3.1

Method 1: Synthesis by Addition to Cyclopropenes

443

48.2.3.1.1

Variation 1: Palladium-Catalyzed Addition to Cyclopropenes

443

48.2.3.1.2

Variation 2: Copper-Catalyzed Addition to Cyclopropenes

446

48.2.3.2

Method 2: Synthesis of Cyclopropanes by Elimination

449

48.2.3.2.1

Variation 1: Palladium-Catalyzed Cyclopropanation through Alkyl C—H
Activation

449

48.2.3.2.2

Variation 2: Palladium-Catalyzed Cyclopropanation of Allyl Chloride

450

48.2.3.2.3

Variation 3: Cyclopropanation via 1,3-Elimination

450

2022

Updated Section •

2022

Completely Revised Contributions •

New

New Contributions

48.2.3.2.4	Variation 4:	Cyclopropanation via Intramolecular Nucleophilic Substitution	454
48.2.3.3	Method 3:	Synthesis by Ring-Contraction Reactions	456
48.2.3.3.1	Variation 1:	Cyclopropanation via Ring-Contracting Elimination	456
48.2.3.3.2	Variation 2:	Cyclopropanation via Ring Contraction of Fused Cyclobutanols	457
48.2.3.3.3	Variation 3:	Cyclopropanation via Ring Contraction of Aluminacyclopent-2-enes	458
48.2.3.3.4	Variation 4:	Synthesis by Decarbonylation of Cyclobutanone	459
48.2.3.4	Method 4:	Synthesis by Cycloaddition Reactions	460
48.2.3.4.1	Variation 1:	Cyclopropanation with Photochemically or Thermally Generated Carbenes	460
48.2.3.4.2	Variation 2:	Cyclopropanation with Methyleneoids (Simmons–Smith Cyclopropanation)	468
48.2.3.4.3	Variation 3:	Cyclopropanation with Methylene Catalytically Generated by Gold	469
48.2.3.4.4	Variation 4:	Cyclopropanation by Cobalt Catalysis	482
48.2.3.4.5	Variation 5:	Cyclopropanation by Nickel Catalysis	484
48.2.3.4.6	Variation 6:	Cyclopropanation by Iron Catalysis	487
48.2.3.4.7	Variation 7:	Cyclopropanation by Zinc Catalysis	491
48.2.3.4.8	Variation 8:	Cyclopropanation by Palladium Catalysis	492
48.2.3.4.9	Variation 9:	Cyclopropanation by Silver Catalysis	495
	Author Index		499
	Abbreviations		531