

**Volume 2:
Compounds of Groups 7–3
(Mn^{...}, Cr^{...}, V^{...}, Ti^{...}, Sc^{...}, La^{...}, Ac^{...})**

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	XI
	Introduction	
	T. Imamoto	1
2.1	Product Class 1: Organometallic Complexes of Manganese	
	K. Oshima	13
2.2	Product Class 2: Organometallic Complexes of Technetium	
	I. D. Gridnev and T. Imamoto	91
2.3	Product Class 3: Organometallic Complexes of Rhenium	
	F. E. Kühn, C. C. Romão, and W. A. Herrmann	111
2.4	Product Class 4: Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten	
	E. P. Kündig and S. H. Pache	155
2.5	Product Class 5: Organometallic π-Complexes of Chromium, Molybdenum, and Tungsten Excluding Arenes	
	K. H. Theopold, A. Mommertz, and B. A. Salisbury	229
2.6	Product Class 6: Organometallic Complexes of Chromium, Molybdenum, and Tungsten without Carbonyl Ligands	
	R. Poli and K. M. Smith	283
2.7	Product Class 7: Carbonyl Complexes of Chromium, Molybdenum, and Tungsten with σ-Bonded Ligands	
	T. Ito and M. Minato	333
2.8	Product Class 8: Organometallic Complexes of Vanadium	
	T. Imamoto and I. D. Gridnev	385
2.9	Product Class 9: Organometallic Complexes of Niobium and Tantalum	
	K. Mashima and A. Nakamura	415
2.10	Product Class 10: Organometallic Complexes of Titanium	
	K. Mikami, Y. Matsumoto, and T. Shiono	457

2.11	Product Class 11: Organometallic Complexes of Zirconium and Hafnium E.-i. Negishi and T. Takahashi	681
2.12	Product Class 12: Organometallic Complexes of Scandium, Yttrium and the Lanthanides Z. Hou and Y. Wakatsuki	849
2.13	Product Class 13: Organometallic Complexes of the Actinides A. Dormond and D. Barbier-Baudry	943
	Keyword Index	975
	Author Index	1011
	Abbreviations	1065

Table of Contents

Introduction

T. Imamoto

Introduction	1
---------------------------	---

2.1 Product Class 1: Organometallic Complexes of Manganese

K. Oshima

2.1	Product Class 1: Organometallic Complexes of Manganese	13
2.1.1	Product Subclass 1: Manganese–Cyclopentadienyl Complexes	13
	Synthesis of Product Subclass 1	13
2.1.1.1	Method 1: By Reaction between Cyclopentadienyl Anions and Manganese Halides	13
2.1.1.1.1	Variation 1: From Lithium Cyclopentadienide Salts and Manganese(II) Chloride	14
2.1.1.1.2	Variation 2: From Cyclopentadienyl Salts and Carbonyl(halo)manganese Complexes	15
2.1.1.2	Method 2: By Reaction between 5-Acetyl-1,2,3,4,5-pentamethylcyclopentadiene and Decacarbonyldimanganese(0)	17
2.1.1.3	Method 3: By Substitution Reactions on the Manganese-Coordinated Cyclopentadienyl Ring	18
2.1.1.4	Method 4: By Insertion of 5-Diazocyclopenta-1,3-diene into a Manganese–Halogen Bond	18
2.1.2	Product Subclass 2: Manganese–Dieryl and –Diene Complexes	19
	Synthesis of Product Subclass 2	19
2.1.2.1	Method 1: (η^5 -Pentadienyl)manganese Complexes from Pentadienyl Anions	19
2.1.2.1.1	Variation 1: A Tetrakis(pentadienyl)trimanganese Complex from Manganese(II) Chloride and 3-Methylpentadienyl Anion	21
2.1.2.2	Method 2: (η^4 -Butadiene)manganese Complexes from the Butadiene-magnesium–Bis(tetrahydrofuran) Complex and Manganese(II) Chloride	22
2.1.2.3	Method 3: (η^3 -Pentadienyl)manganese Complexes from Potassium Pentadienide Salts	22
2.1.2.4	Method 4: (η^5 -Cyclohexadienyl)manganese Complexes by Reaction between Decacarbonyldimanganese(0) and Cyclohexa-1,3-dienes or by Reduction of Manganese–Arene Complexes	23

2.1.3	Product Subclass 3: Manganese–η^3-Allyl Complexes	24
	Synthesis of Product Subclass 3	24
2.1.3.1	Method 1: From Carbonyl(halo)manganese Complexes and Allyl Bromide	24
2.1.3.2	Method 2: From (η^2 -Alkene)- or (η^2 -1,3-Diene)manganese Complexes ...	24
2.1.3.3	Method 3: From (η^1 -Allyl)manganese Complexes by η^1 to η^3 Isomerization	25
	Applications of Product Subclass 3 in Organic Synthesis	26
2.1.3.4	Method 4: Reaction of (η^3 -Allyl)manganese Complexes with Nucleophiles	26
2.1.4	Product Subclass 4: Manganese–Alkyne Complexes	27
	Synthesis of Product Subclass 4	27
2.1.4.1	Method 1: By Ligand Substitution	27
2.1.5	Product Subclass 5: Manganese–Alkene Complexes	29
	Synthesis of Product Subclass 5	29
2.1.5.1	Method 1: By Ligand Substitution	29
2.1.5.2	Method 2: By Ligand Transformation	30
2.1.6	Product Subclass 6: Manganese–Carbene Complexes	30
	Synthesis of Product Subclass 6	30
2.1.6.1	Method 1: By Reaction between Alkylmetals and Carbonylmanganese Complexes	30
2.1.6.2	Method 2: Exocyclic Fischer Carbene Complexes by Reaction of Dibromoalkanes, Aziridines, or Oxiranes with Carbonylmanganese Complexes	33
2.1.6.3	Method 3: Manganese–Ethenylidene Complexes from Ethylidyne Complexes	34
2.1.6.4	Method 4: From Manganese–Acetylene Complexes	35
	Applications of Product Subclass 6 in Organic Synthesis	36
2.1.6.5	Method 5: Reaction with Enynes, α,β -Unsaturated Esters, or Alkynes ...	36
2.1.7	Product Subclass 7: Manganese–Carbyne Complexes	38
	Synthesis of Product Subclass 7	38
2.1.7.1	Method 1: From Manganese–Carbene Complexes	38
2.1.8	Product Subclass 8: Manganese–σ-Alkyl Complexes	39
	Synthesis of Product Subclass 8	39
2.1.8.1	Method 1: From Alkyl Halides and Sodium Pentacarbonylmanganate(–I)	39
2.1.8.2	Method 2: From Alkylmetals and Manganese(II) Halides	40
2.1.8.2.1	Variation 1: Preparation of Tetraalkylmanganate(II)	40
2.1.8.2.2	Variation 2: Preparation of Mono-, Di-, and Trialkylmanganese(II) Complexes	41
	Applications of Product Subclass 8 in Organic Synthesis	43
2.1.8.3	Method 3: Use of Organomanganese Reagents	43
2.1.8.4	Method 4: Use of Alkylpentacarbonylmanganese(I) Complexes	44

2.1.9	Product Subclass 9: Manganese-η^1-Allyl Complexes	44
	Synthesis of Product Subclass 9	45
2.1.9.1	Method 1: From Allyl Halides and Metallic Manganese or Low-Valent Manganese Generated by the Reduction of Manganese(II) Halides	45
2.1.9.2	Method 2: From Allylmagnesium Halides and Manganese(II) Halides	45
2.1.9.3	Method 3: From Allylic Halides and Tetrabutylmanganate(II)	45
2.1.9.4	Method 4: From 1,3-Dienes and Pentacarbonylhydridomanganese(I)	45
	Applications of Product Subclass 9 in Organic Synthesis	46
2.1.9.5	Method 5: Allylation of Carbonyl and Other Unsaturated Compounds	46
2.1.10	Product Subclass 10: Manganese-Aryl, -Alkenyl, and -Alkynyl Complexes	48
	Synthesis of Product Subclass 10	48
2.1.10.1	Method 1: Arylmanganese Complexes from Arylmetals and Manganese(II) Halides	48
2.1.10.2	Method 2: Arylmanganese Complexes from Acetophenones and Carbonylmanganese Complexes	49
2.1.10.3	Method 3: Arylmanganese Complexes by Acylation-Decarbonylation	50
2.1.10.4	Method 4: Alkenylmanganese Complexes from Alkynes and Alkyl(carbonyl)manganese Complexes by Alkyne Insertion	50
2.1.10.5	Method 5: Alkynyl(carbonyl)manganese Complexes from Alkynes and Carbonyl(halo)manganese Complexes	51
	Applications of Product Subclass 10 in Organic Synthesis	52
2.1.10.6	Method 6: Reaction of Alkenyl-, Aryl-, and Alkynylmanganese Halides with Acid Chlorides	52
2.1.10.7	Method 7: Demetalation of Aryl- and Alkenylmanganese Complexes	53
2.1.11	Product Subclass 11: Manganese-Hydrido Complexes	53
	Synthesis of Product Subclass 11	53
2.1.11.1	Method 1: Preparation of Pentacarbonylhydridomanganese(I)	53
2.1.11.2	Method 2: Preparation of Substituted Carbonylhydridomanganese(I) Complexes	54
2.1.11.3	Method 3: Preparation of Tetracarbonylmanganate(-III) and Tris[tetracarbonylhydridomanganese(I)]	55
2.1.11.4	Method 4: Preparation of (η^6 -Arene)dicarbonylhydridomanganese(I) Complexes	56
2.1.11.5	Method 5: Preparation of (η^5 -Cyclopentadienyl)dihydridomanganese(III) Complexes	57
2.1.11.6	Method 6: Preparation of Hydrido(iodo)manganese(II)	58
	Applications of Product Subclass 11 in Organic Synthesis	58
2.1.11.7	Method 7: Reduction of Activated C=C Bonds	58
2.1.12	Product Subclass 12: Neutral Dimanganese-Carbonyl Complexes	60
	Synthesis of Product Subclass 12	60
2.1.12.1	Method 1: Homoleptic Dimanganese-Carbonyl Complexes by Reduction under Carbon Monoxide	60

2.1.12.2	Method 2:	Dimanganese–Carbonyl Complexes Substituted with Group 15 Ligands	62
2.1.12.3	Method 3:	Nonacarbonyldimanganese(0)–Aldehyde Complexes	62
2.1.13	Product Subclass 13: Anionic Manganese–Carbonyl Complexes		63
	Synthesis of Product Subclass 13		63
2.1.13.1	Method 1:	By Reduction	63
2.1.13.1.1	Variation 1:	With Sodium/Mercury Amalgam	63
2.1.13.1.2	Variation 2:	With Trialkylborohydride or Potassium Hydride	66
2.1.13.1.3	Variation 3:	With Sodium Bis(2-methoxyethoxy)aluminum Hydride	67
2.1.13.1.4	Variation 4:	With Lithium/Naphthalene	68
2.1.14	Product Subclass 14: Cationic Manganese–Carbonyl Complexes		69
	Synthesis of Product Subclass 14		71
2.1.14.1	Method 1:	From Carbonyl(halo)manganese(I) Complexes by Substitution of a Halide for a Neutral Monohapto Ligand in the Presence of a Halide Acceptor	71
2.1.14.2	Method 2:	From Carbonyl(halo)manganese(I) Complexes by Substitution of a Halide for a Neutral Monohapto Ligand in the Absence of a Halide Acceptor	71
2.1.14.3	Method 3:	From (Alkoxy carbonyl)manganese Complexes by Treatment with Acid	72
2.1.14.4	Method 4:	By Oxidation of Decacarbonyldimanganese(0) by Nitrosonium Hexafluorophosphate in the Presence of a Neutral Ligand	73
2.1.14.5	Method 5:	From Carbonyl(halo)manganese(I) Complexes by Substitution of a Halo for an Arene Ligand To Form Cationic (Arene)tricarbonylmanganese(I) Complexes	74
2.1.14.6	Method 6:	From Carbonylhydridomanganese(I) Complexes by Substitution of the Hydrido for a Neutral Ligand	75
	Applications of Product Subclass 14 in Organic Synthesis		76
2.1.14.7	Method 7:	Functionalization of Arenes	76
2.1.15	Product Subclass 15: Miscellaneous Complexes		77
	Synthesis of Product Subclass 15		77
2.1.15.1	Method 1:	Preparation of Carbonylmanganese–Halo Complexes	77
2.1.15.1.1	Variation 1:	Pentacarbonylhalomanganese(I) Complexes from Decacarbonyldimanganese(0)	77
2.1.15.1.2	Variation 2:	Bis[tetracarbonyl(halo)manganese] Complexes from Bromopentacarbonylmanganese(I)	78
2.1.15.1.3	Variation 3:	Tricarbonyl(halo)bis(triphenyl phosphite)manganese from Tricarbonylhydridobis(triphenyl phosphite)manganese	79
2.1.15.2	Method 2:	Preparation of Carbonylmanganese–Pseudohalo Complexes	80
2.1.15.3	Method 3:	Preparation of Nitrosylmanganese Complexes	80
2.1.15.4	Method 4:	Preparation of Isocyanidemanganese Complexes	82
2.1.15.5	Method 5:	Preparation of Acyl(carbonyl)manganese Complexes	82
2.1.15.6	Method 6:	Preparation of Silylmanganese Complexes	83

2.1.15.7	Method 7:	Preparation of (1-Hydroxyalkyl)manganese Complexes	84
2.1.15.8	Method 8:	Preparation of Tetracarbonyl[octahydrotriborato(1-)]manga- nese	84
2.2	Product Class 2: Organometallic Complexes of Technetium		
	I. D. Gridnev and T. Imamoto		
2.2	Product Class 2: Organometallic Complexes of Technetium		
	I. D. Gridnev and T. Imamoto		
2.2	Product Class 2: Organometallic Complexes of Technetium		
2.2.1	Product Subclass 1: Technetium–Arene Complexes		
	Synthesis of Product Subclass 1		
2.2.1.1	Method 1:	By Interelement Synthesis	92
2.2.1.2	Method 2:	From Technetium(IV) Chloride or Sodium Pertechnetate ...	92
2.2.1.3	Method 3:	Synthesis of Mixed Arene–Diene Complexes by Reduction of Bis(arene) Complexes	93
2.2.1.4	Method 4:	Synthesis of (η^6 -Benzene)tricarbonyltechnetium Chloride from Sodium Nonacarbonylheptamethoxytritechneate(1-)	93
2.2.2	Product Subclass 2: Technetium–Cyclopentadienyl and Substituted Cyclopentadienyl Complexes		
	Synthesis of Product Subclass 2		
2.2.2.1	Method 1:	By the Reactions of Technetium Halides with Metal Cyclopentadienides	94
2.2.2.2	Method 2:	From Decacarbonylditechnetium	95
2.2.2.3	Method 3:	From Pentacarbonyltechnetium Iodide	96
2.2.2.4	Method 4:	From Sodium Nonacarbonylheptamethoxytritechneate(1-)	96
2.2.3	Product Subclass 3: Technetium–Carbene Complexes		
	Synthesis of Product Subclass 3		
2.2.3.1	Method 1:	From Technetium–Carbonyls and Organolithium Compounds	97
2.2.3.2	Method 2:	By the Reactions of Chlorobis[1,2-bis(diphenylphos- phino)ethane]technetium with Terminal Alkynes	97
2.2.3.3	Method 3:	Reaction of a Benzoylcarbonyltechnetium Complex with Triethyloxonium Tetrafluoroborate	98
2.2.3.4	Method 4:	From Carbyne Complexes	98
2.2.4	Product Subclass 4: Technetium–Carbyne Complexes		
	Synthesis of Product Subclass 4		
2.2.4.1	Method 1:	By Protonation of Carbene Complexes	99
2.2.4.2	Method 2:	By Reaction of Carbene Complexes with Boron Trichloride ...	100
2.2.5	Product Subclass 5: Technetium–σ-Alkyl Complexes		
	Synthesis of Product Subclass 5		
2.2.5.1	Method 1:	Reaction of Technetium(VII) Oxide with Tetramethylstannane	100
2.2.5.2	Method 2:	Reaction of Technetium–Imido Complexes with Grignard Reagents	101

2.2.6	Product Subclass 6: Technetium–Carbonyl Complexes	102
	Synthesis of Product Subclass 6	102
2.2.6.1	Method 1: Synthesis of Decacarbonylditechnetium	102
2.2.6.2	Method 2: Synthesis of Pentacarbonyltechnetium Halides and Related Complexes	102
2.2.6.3	Method 3: Synthesis of Technetium–Carbonyl Complexes Containing Triphenylphosphine and Other Ligands	104
2.2.6.4	Method 4: Synthesis of Technetium–Aquacarbonyl Complexes	104
2.2.7	Product Subclass 7: Technetium–Isocyanide Complexes	105
	Synthesis of Product Subclass 7	105
2.2.7.1	Method 1: Reduction of Pertechnetate Ion in the Presence of Isocyanide Ligands	105
2.2.7.2	Method 2: By Substitution Reactions	106
2.2.8	Product Subclass 8: Miscellaneous Technetium Complexes	107
	Synthesis of Product Subclass 8	107
2.2.8.1	Method 1: Synthesis of Hydridotechnetium Complexes	107
2.2.8.2	Method 2: Synthesis of Technetium Dinitrogen Complexes	107
2.3	Product Class 3: Organometallic Complexes of Rhenium F. E. Kühn, C. C. Romão, and W. A. Herrmann	
<hr/>		
2.3	Product Class 3: Organometallic Complexes of Rhenium	111
2.3.1	Product Subclass 1: Rhenium–Arene Complexes	111
	Synthesis of Product Subclass 1	112
2.3.1.1	Method 1: Reductive Synthesis from Rhenium Halides	112
2.3.1.2	Method 2: Synthesis from Low-Oxidation-State Rhenium Precursors	113
2.3.1.2.1	Variation 1: By Metal-Vapor Synthesis	113
2.3.1.2.2	Variation 2: By Ligand Substitution from Rhenium–Carbonyl Complexes	114
2.3.2	Product Subclass 2: Rhenium–Dienyl Complexes	114
	Synthesis of Product Subclass 2	116
2.3.2.1	Method 1: Ligand Substitutions	116
2.3.2.1.1	Variation 1: Synthesis from Trioxo(η^5 -pentamethylcyclopentadienyl)rhe- nium(VII) and Tetrachloro(η^5 -pentamethylcyclopentadienyl) rhenium(V)	117
2.3.2.1.2	Variation 2: Synthesis from Rhenium(VII) Oxide	119
2.3.2.2	Method 2: Oxidation Reactions	119
2.3.2.2.1	Variation 1: Synthesis from Tricarbonyl(η^5 -pentamethylcyclopentadienyl) rhenium(I)	120
2.3.2.2.2	Variation 2: Synthesis from Bis(η^5 -cyclopentadienyl)hydridorhenium(III)	121

2.3.3	Product Subclass 3: Rhenium–Alkyne Complexes	121
	Synthesis of Product Subclass 3	121
2.3.3.1	Method 1: Reduction of Rhenium(VII) Precursors	121
2.3.4	Product Subclass 4: Rhenium–Alkene Complexes	122
	Synthesis of Product Subclass 4	122
2.3.4.1	Method 1: Nucleophilic Additions	122
2.3.4.1.1	Variation 1: Nucleophilic Addition to (η^5 -Cyclopentadienyl)(nitrosyl)(tri- phenylphosphine)rhenium(1+)	122
2.3.4.1.2	Variation 2: Nucleophilic Addition to Pentacarbonylrhenium(1+)	123
2.3.5	Product Subclass 5: Rhenium–Carbene Complexes	124
	Synthesis of Product Subclass 5	124
2.3.5.1	Method 1: Photolysis of an Organorhenium(VII) Oxide	124
2.3.6	Product Subclass 6: Rhenium–Carbyne Complexes	125
	Synthesis of Product Subclass 6	125
2.3.6.1	Method 1: Ligand Substitution	125
	Applications of Product Subclass 6 in Organic Synthesis	126
2.3.6.2	Method 2: Alkene Metathesis	126
2.3.7	Product Subclass 7: Rhenium–Alkyl Complexes	127
	Synthesis of Product Subclass 7	127
2.3.7.1	Method 1: By Nucleophilic Reactions of Pentacarbonylrhenate(1–)	127
2.3.7.2	Method 2: Ligand Substitutions	128
2.3.7.2.1	Variation 1: From Rhenium(VII) Oxide	128
2.3.7.2.2	Variation 2: From Silver(I) Perrhenate	129
2.3.7.2.3	Variation 3: Synthesis of Alkyl(peroxo)rhenium(VII) Complexes	130
	Applications of Product Subclass 7 in Organic Synthesis	130
2.3.7.3	Method 3: Oxidation Catalysis	131
2.3.7.3.1	Variation 1: Alkene Epoxidation	131
2.3.7.3.2	Variation 2: Arene Oxidation	134
2.3.7.4	Method 4: Alkene Metathesis	136
2.3.7.5	Method 5: Alkenation of Aldehydes	137
2.3.8	Product Subclass 8: Rhenium–Hydride Complexes	139
	Synthesis of Product Subclass 8	140
2.3.8.1	Method 1: Substitution Reactions from Other Rhenium Hydrides	140
2.3.9	Product Subclass 9: Rhenium–Carbonyl Complexes	142
	Synthesis of Product Subclass 9	142
2.3.9.1	Method 1: From Decacarbonyldirhenium	142
2.3.9.1.1	Variation 1: Substitution Reactions	143
2.3.9.1.2	Variation 2: Redox Reactions	143
2.3.9.1.3	Variation 3: Nucleophilic Attack	144

2.3.9.1.4	Variation 4:	Homolytic Cleavage	144
2.3.9.2	Method 2:	Nucleophilic Reactions of Pentacarbonylrhenate(1–)	145
2.3.9.3	Method 3:	Cationic Carbonylrhenium Complexes	146
2.3.9.4	Method 4:	Carbonyl(halo)rhenium Complexes Prepared by Oxidative Addition	146
2.3.9.5	Method 5:	Carbonyl(halo)- and Carbonyl(pseudohalo)rhenium Complexes Prepared from Pentacarbonylrhenium(I) Tetrafluoroborate	147
2.4	Product Class 4: Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten		
	E. P. Kündig and S. H. Pache		
2.4	Product Class 4: Arene Organometallic Complexes of Chromium, Molybdenum, and Tungsten		
	Synthesis of Product Class 4		
2.4.1	Method 1:	Direct Synthesis of Metal–Bis(arene) Complexes via Metal Evaporation	155
2.4.2	Method 2:	Synthesis of Metal–Bis(arene) Complexes by Reductive Methods	157
2.4.3	Method 3:	Synthesis of Metal–Bis(arene) Complexes by Arene Exchange, by Arene Transformation Reactions, and by Cyclic Condensation Reactions	158
2.4.4	Method 4:	Synthesis of Tricarbonylmetal–Arene Complexes from Metal–Carbonyls	159
2.4.4.1	Variation 1:	From Hexacarbonylmetal Complexes	159
2.4.4.2	Variation 2:	From $[M(CO)_3L_3]$ Complexes	162
2.4.4.3	Variation 3:	By Arene and Heteroarene Exchange	163
2.4.4.4	Variation 4:	From (Carbene)pentacarbonylmetal Complexes	164
2.4.5	Method 5:	Synthesis of Tricarbonylmetal–Arene Complexes by Arene Modification	165
2.4.5.1	Variation 1:	Via Lithiation and Reaction with Electrophiles	166
2.4.5.2	Variation 2:	Via Nucleophilic Substitution	168
2.4.5.3	Variation 3:	Via Palladium-Catalyzed Reactions	170
2.4.6	Method 6:	Synthesis of Tricarbonylmetal–Arene Complexes by Side-Chain Modification	172
2.4.6.1	Variation 1:	Via Nucleophile Addition	172
2.4.6.2	Variation 2:	Via Benzylic Cations	176
2.4.6.3	Variation 3:	Via Benzylic Anions	180
2.4.6.4	Variation 4:	Via Cycloaddition Reactions	182
2.4.6.5	Variation 5:	Via Radical Coupling Reactions	186
2.4.6.6	Variation 6:	Via Ring Expansion Rearrangements	187
2.4.7	Method 7:	Synthesis of Optically Active Arene Complexes	188
2.4.7.1	Variation 1:	Resolution of Racemates	188
2.4.7.2	Variation 2:	Diastereoselective Complexation	189

2.4.7.3	Variation 3:	Diastereo- and Enantioselective Lithiation–Electrophilic Addition Reactions	191
2.4.7.4	Variation 4:	Diastereo- or Enantioselective Nucleophile Addition Followed by <i>endo</i> -Hydride Abstraction	195
2.4.7.5	Variation 5:	Palladium-Catalyzed Reactions	196
2.4.7.6	Variation 6:	Diastereoselective Benzannulation Reactions	198
2.4.8	Method 8:	Synthesis of $[M(\text{arene})(\text{CO})_x(\text{L})_{3-x}]$ Complexes	199
2.4.9	Method 9:	Synthesis of Heteroarene Complexes	203
		Applications of Product Class 4 in Organic Synthesis	207
2.4.10	Method 10:	(Arene)tricarbonylchromium(0) Complexes as Catalysts	207
2.4.11	Method 11:	(Arene)tricarbonylchromium(0) Complexes as Auxiliaries and Building Blocks	209
2.4.11.1	Variation 1:	(Arene)tricarbonylchromium(0) Complexes as Chiral Ligands	209
2.4.11.2	Variation 2:	Arene Decomplexation	210
2.4.11.3	Variation 3:	Aromatic Substitution via Nucleophile Addition–Oxidation of (Arene)tricarbonylchromium(0) Complexes	214
2.4.11.4	Variation 4:	Dearomatization Reactions	216

2.5 Product Class 5: Organometallic π -Complexes of Chromium, Molybdenum, and Tungsten Excluding Arenes

K. H. Theopold, A. Mommertz, and B. A. Salisbury

2.5	Product Class 5: Organometallic π-Complexes of Chromium, Molybdenum, and Tungsten Excluding Arenes	229	
2.5.1	Product Subclass 1: Metal–Triene and –Trienyl Complexes	229	
	Synthesis of Product Subclass 1	229	
2.5.1.1	Method 1:	Ligand Substitution Reactions of Hexacarbonylchromium(0) or Hexacarbonylmolybdenum(0) with Trienes	229
2.5.1.1.1	Variation 1:	Substitution of Nitriles with Trienes	231
2.5.1.2	Method 2:	Synthesis of η^6 -Fulvene Complexes by Photochemical Substitution of Arenes in (η^6 -Arene)tricarbonylchromium(0)	231
2.5.1.3	Method 3:	Synthesis of η^7 -Cycloheptatrienyl Complexes by Abstraction of Hydride from Coordinated Cycloheptatriene	232
2.5.1.3.1	Variation 1:	Hydride Abstraction with Oxonium Salt	233
2.5.1.4	Method 4:	Reduction of Metal Halides in the Presence of Cycloheptatriene	233
2.5.1.5	Method 5:	Metal-Vapor Synthesis	234
	Applications of Product Subclass 1 in Organic Synthesis	235	
2.5.1.6	Method 6:	Allylic Alkylation Catalyzed by a Tungsten–Cycloheptatriene Complex	235
2.5.2	Product Subclass 2: Metal–Dienyl Complexes	235	
	Synthesis of Product Subclass 2	236	
2.5.2.1	Method 1:	Ligand Substitution with Alkali Metal–Dienyl Complexes	236

2.5.2.2	Method 2:	Ligand Substitution with Dienes	237
2.5.2.2.1	Variation 1:	Ligand Substitution of Metal Oxychlorides with Dienes	238
2.5.2.3	Method 3:	Intramolecular Reactions with Allylic Halides	238
2.5.2.4	Method 4:	Synthesis of Metal–Cyclodienyl Complexes from Metal–Arene or –Cycloheptatriene Complexes by Nucleophilic Addition	239
2.5.2.5	Method 5:	Protonation of Metal–Triene Complexes	241
		Applications of Product Subclass 2 in Organic Synthesis	241
2.5.2.6	Method 6:	Carbonyl Reduction with Molybdenum–Cyclopentadienyl Complexes	241
2.5.2.7	Method 7:	Hydrodehalogenation with Molybdenum–Cyclopentadienyl Complexes	242
2.5.2.8	Method 8:	Hydrogenation with Molybdenum–Cyclopentadienyl Complexes	243
2.5.3		Product Subclass 3: Metal–Diene Complexes	244
		Synthesis of Product Subclass 3	244
2.5.3.1	Method 1:	Ligand Metathesis with Dienes	244
2.5.3.1.1	Variation 1:	Substitution of Electron-Deficient η^2 -Acetylenes	245
2.5.3.1.2	Variation 2:	Substitution of Nitriles	247
2.5.3.2	Method 2:	Photolysis in the Presence of Dienes	247
2.5.3.3	Method 3:	Nucleophilic Addition to Metal–Cyclopentadienyl Complexes	249
2.5.3.4	Method 4:	Addition of Radicals to Metal–Cyclopentadienyl Complexes	250
2.5.3.5	Method 5:	Reduction of Metal Halides in the Presence of Dienes	251
2.5.3.6	Method 6:	Coupling of Metal-Bound Allyl Groups	252
2.5.3.7	Method 7:	[2 + 2] Cycloaddition of Metal-Bound Alkynes	253
2.5.3.8	Method 8:	Metal-Vapor Synthesis	254
2.5.4		Product Subclass 4: Metal–Allyl Complexes	255
		Synthesis of Product Subclass 4	255
2.5.4.1	Method 1:	Substitution by Photolysis in the Presence of Alkynes	255
2.5.4.2	Method 2:	Deprotonation of Metal-Bound Dienes	256
2.5.4.3	Method 3:	Oxidative Addition of Allylic Compounds	257
2.5.4.4	Method 4:	Addition of Allylic Anions to Metal Complexes	258
2.5.4.5	Method 5:	Nucleophilic Substitution of Anionic Metal Complexes	259
2.5.4.6	Method 6:	Addition of Nucleophiles to Metal-Bound Dienes	260
		Applications of Product Subclass 4 in Organic Synthesis	260
2.5.4.7	Method 7:	Functionalization of Metal-Bound Allyls	260
2.5.4.8	Method 8:	Trimerization of Alkynes with Chromium– π -Allyl Compounds	261
2.5.5		Product Subclass 5: Metal–Alkyne Complexes	262
		Synthesis of Product Subclass 5	262
2.5.5.1	Method 1:	Substitution by Photolysis of a Heteroleptic Metal–Carbonyl Complex in the Presence of Alkyne	262
2.5.5.2	Method 2:	Substitution Reactions	264
2.5.5.3	Method 3:	Reduction of Metal Halides in the Presence of Alkyne	265
2.5.5.3.1	Variation 1:	Reduction with Magnesium	266

2.5.5.4	Method 4: Coupling of Two Isocyanide Ligands	267
	Applications of Product Subclass 5 in Organic Synthesis	268
2.5.5.5	Method 5: Cycloaddition of Metal-Bound Alkynes with Cyclo- octatetraene	268
2.5.6	Product Subclass 6: Metal–Alkene Complexes	269
	Synthesis of Product Subclass 6	270
2.5.6.1	Method 1: Photosubstitutions of Carbonyl Complexes	270
2.5.6.2	Method 2: Thermal Ligand Substitutions	271
2.5.6.2.1	Variation 1: Shifting the Equilibrium in Favor of the Alkene Complexes ...	273
2.5.6.3	Method 3: β -Hydride Elimination/Abstraction from Metal–Alkyl Complexes	274
2.5.6.4	Method 4: Nucleophilic Attack on Metal–Allyl Complexes	276
2.5.6.5	Method 5: Reduction of Metal Halides in the Presence of Alkene	276
2.6	Product Class 6: Organometallic Complexes of Chromium, Molybdenum, and Tungsten without Carbonyl Ligands R. Poli and K. M. Smith	
2.6	Product Class 6: Organometallic Complexes of Chromium, Molybdenum, and Tungsten without Carbonyl Ligands	283
2.6.1	Product Subclass 1: Metal–Carbene Complexes	283
	Synthesis of Product Subclass 1	284
2.6.1.1	Method 1: By α -Hydrogen Elimination from Alkyl Complexes	284
2.6.1.1.1	Variation 1: Alkylation of Chloride Precursors	284
2.6.1.1.2	Variation 2: Ligand Addition	285
2.6.1.1.3	Variation 3: Replacement of an Oxo or Imido Ligand	286
2.6.1.1.4	Variation 4: Deprotonation with an External Base	287
2.6.1.2	Method 2: By Stoichiometric Alkene Metathesis	287
2.6.1.3	Method 3: By Carbene Transfer	288
2.6.1.4	Method 4: From Carbyne Complexes	289
	Applications of Product Subclass 1 in Organic Synthesis	290
2.6.1.5	Method 5: Alkene Metathesis	290
2.6.1.5.1	Variation 1: Ring-Opening Metathesis Polymerization (ROMP)	291
2.6.1.5.2	Variation 2: Alkyne Polymerization	291
2.6.1.5.3	Variation 3: Ring-Closing Metathesis	292
2.6.1.5.4	Variation 4: Other Selective Metathesis Processes	294
2.6.1.6	Method 6: Carbonylmethylenation	295
2.6.2	Product Subclass 2: Metal–Carbyne Complexes	296
	Synthesis of Product Subclass 2	297
2.6.2.1	Method 1: By α,α -Hydrogen Elimination from Alkyl Complexes	297
2.6.2.2	Method 2: By Addition of Alkynes to Compounds with Metal–Metal Triple Bonds	298

2.6.2.3	Method 3:	By Stoichiometric Alkyne Metathesis	299
2.6.2.4	Method 4:	By Oxidation of Fischer-Type Carbyne Complexes	300
2.6.2.5	Method 5:	By Rearrangement of Vinyl Complexes	301
2.6.2.6	Method 6:	By Other Rearrangement Processes	302
		Applications of Product Subclass 2 in Organic Synthesis	303
2.6.2.7	Method 7:	Alkyne Metathesis	303
2.6.3	Product Subclass 3: Metal-σ-Alkyl and -σ-Aryl Homoleptic Complexes		303
		Synthesis of Product Subclass 3	304
2.6.3.1	Method 1:	By Transmetalation	304
2.6.4	Product Subclass 4: Metal-σ-Alkyl and -σ-Aryl Non-homoleptic Complexes		305
		Synthesis of Product Subclass 4	306
2.6.4.1	Method 1:	By Transmetalation	306
2.6.4.2	Method 2:	By Oxidative Addition of Alkyl Halides	307
2.6.4.2.1	Variation 1:	One-Electron Oxidative Additions	307
2.6.4.2.2	Variation 2:	Two-Electron Oxidative Additions	307
2.6.4.3	Method 3:	By Oxidative Addition of Alkanes and Arenes	308
2.6.4.4	Method 4:	By Protonation of Carbene and Carbyne Ligands	309
		Applications of Product Subclass 4 in Organic Synthesis	309
2.6.4.5	Method 5:	Addition of Organochromium(III) Compounds to Carbonyl Compounds	310
2.6.4.5.1	Variation 1:	Reaction of Organochromium(III) Compounds Prepared from Organochromium(III) Chloride by Transmetalation	310
2.6.4.5.2	Variation 2:	Reaction of Organochromium(III) Compounds Prepared from Chromium(II) Chloride by Oxidative Addition (The Nozaki-Hiyama-Kishi Procedure)	311
2.6.4.5.3	Variation 3:	Catalytic Nozaki-Hiyama-Kishi Reaction (The Fürstner Procedure)	312
2.6.4.6	Method 6:	Additive-Reductive Carbonyl Dimerization	312
2.6.5	Product Subclass 5: Metallacyclic Complexes		314
		Synthesis of Product Subclass 5	314
2.6.5.1	Method 1:	By Transmetalation	314
2.6.5.2	Method 2:	By Reductive Coupling of Alkenes	315
2.6.5.3	Method 3:	By Addition of Alkenes to Carbene Complexes	316
2.6.6	Product Subclass 6: Complexes with Triply Bonded Heteroelement Ligands		316
2.6.7	Product Subclass 7: Complexes with Doubly Bonded Heteroelement Ligands		317
		Synthesis of Product Subclass 7	318
2.6.7.1	Method 1:	From Complexes Containing Singly Bonded Heteroelement Ligands	318
2.6.7.2	Method 2:	From Other Complexes Containing Doubly Bonded Heteroelement Ligands	319

2.6.7.3	Method 3: From Complexes Containing Triply Bonded Heteroelement Ligands	320
2.6.7.4	Method 4: By Oxidative Processes	321
	Applications of Product Subclass 7 in Organic Synthesis	322
2.6.7.5	Method 5: Catalytic Epoxidation of Alkenes	322
2.6.8	Product Subclass 8: Complexes with Singly Bonded Heteroelement Ligands	323
	Synthesis of Product Subclass 8	323
2.6.8.1	Method 1: By Oxidative Addition of Compounds with Single Bonds between Heteroelements	323
2.6.8.2	Method 2: By Transmetalation	324
2.6.8.3	Method 3: From σ -Alkyl Complexes	324
2.6.8.4	Method 4: From Carbene or Carbyne Complexes	325
2.6.8.5	Method 5: From Complexes Containing Doubly Bonded Heteroelement Ligands	326
2.6.9	Product Subclass 9: Miscellaneous Complexes	326
	Synthesis of Product Subclass 9	326
2.6.9.1	Method 1: Allylidene Complexes from Cyclopropenes	326
2.7	Product Class 7: Carbonyl Complexes of Chromium, Molybdenum, and Tungsten with σ-Bonded Ligands T. Ito and M. Minato	
2.7	Product Class 7: Carbonyl Complexes of Chromium, Molybdenum, and Tungsten with σ-Bonded Ligands	333
2.7.1	Product Subclass 1: Metal–Carbene Complexes	333
	Synthesis of Product Subclass 1	333
2.7.1.1	Method 1: Fischer Method	334
2.7.1.1.1	Variation 1: From Anionic Carbene Complexes	336
2.7.1.1.2	Variation 2: From Dianionic Complexes	337
2.7.1.1.3	Variation 3: From Acyloxycarbene Complexes	339
2.7.1.1.4	Variation 4: Synthesis of Miscellaneous Carbene Complexes	340
	Application of Product Subclass 1 in Organic Synthesis	341
2.7.1.2	Method 2: Cyclohexadiene and Cyclohexadienone Annulation	341
2.7.2	Product Subclass 2: Metal–Carbyne Complexes	343
	Synthesis of Product Subclass 2	343
2.7.2.1	Method 1: From Fischer-Type Carbene Complexes	343
2.7.2.1.1	Variation 1: By Formal Oxygen Abstraction from Acyl Ligands	344
2.7.2.1.2	Variation 2: From Acetylides	345
2.7.2.1.3	Variation 3: Synthesis of Miscellaneous Carbyne Complexes	345

	Applications of Product Subclass 2 in Organic Synthesis	348
2.7.2.2	Method 2: Synthesis of Phenol Derivatives	348
2.7.3	Product Subclass 3: Metal–Isocyanide Complexes	349
	Synthesis of Product Subclass 3	349
2.7.3.1	Method 1: By Substitution of Carbonyl Complexes	350
2.7.3.1.1	Variation 1: By Catalytic Substitution Using Palladium(II) Oxide	350
2.7.3.1.2	Variation 2: From Cyano Anionic Complexes	351
2.7.3.1.3	Variation 3: Synthesis of Miscellaneous Isocyanide Complexes	352
	Applications of Product Subclass 3 in Organic Synthesis	353
2.7.3.2	Method 2: Synthesis of Functionalized Isocyanides	353
2.7.4	Product Subclass 4: Metal–Nitrile Complexes and –Cyanide Complexes	354
	Synthesis of Product Subclass 4	354
2.7.4.1	Method 1: Synthesis of Nitrile Complexes	354
2.7.4.1.1	Variation 1: Synthesis of Acrylonitrile–Carbonyl Complexes	355
2.7.4.2	Method 2: Synthesis of Cyanide Complexes	355
2.7.4.2.1	Variation 1: By Reaction of Hexacarbonyl Complexes with Sodium Bis(trimethylsilyl)amide	356
2.7.5	Product Subclass 5: Metal–Carbonyl Complexes with Ligands Containing Group 15 Elements	357
	Synthesis of Product Subclass 5	357
2.7.5.1	Method 1: Synthesis of Carbonyl Complexes of Phosphine, Arsine, or Stibine	357
2.7.5.1.1	Variation 1: Synthesis of Phosphine Complexes	358
2.7.5.1.2	Variation 2: Synthesis of Complexes with Chelating Ligands	358
2.7.5.2	Method 2: Synthesis of Amino Acid Complexes	359
	Applications of Product Subclass 5 in Organic Synthesis	360
2.7.5.3	Method 3: Ring-Opening Polymerization	360
2.7.6	Product Subclass 6: Metal–Carbonyl Complexes with Ligands Containing Group 16 Elements	360
	Synthesis of Product Subclass 6	360
2.7.6.1	Method 1: Synthesis of Pentacarbonyl(dialkyl sulfide) Complexes	361
2.7.6.2	Method 2: Synthesis of Alkoxide Complexes	361
2.7.6.2.1	Variation 1: Synthesis of Hydroxide Complexes	362
2.7.6.2.2	Variation 2: Synthesis of Aryloxo Complexes	363
2.7.6.2.3	Variation 3: Synthesis of Catecholato Complexes	364
2.7.6.2.4	Variation 4: Synthesis of Miscellaneous Complexes	365
2.7.7	Product Subclass 7: Carbonyl Halides	366
	Synthesis of Product Subclass 7	366
2.7.7.1	Method 1: By Reaction of Metal–Hexacarbonyl Complexes with Chlorine or Bromine	366
2.7.7.1.1	Variation 1: From Metal–Hexacarbonyl Complexes	367

2.7.7.1.2	Variation 2: Using a Phase-Transfer Agent	368
2.7.7.1.3	Variation 3: By Photoreaction in the Presence of Crown Ethers	369
2.7.7.1.4	Variation 4: Synthesis of Miscellaneous Complexes	370
2.7.8	Product Subclass 8: Carbonyl Hydrides	370
	Synthesis of Product Subclass 8	370
2.7.8.1	Method 1: By Reduction of Hexacarbonyl Complexes with Sodium Borohydride	370
2.7.8.1.1	Variation 1: By Ion-Pair Extraction	371
2.7.8.1.2	Variation 2: By Reaction of Hydridochromium Pentacarbonyl Anion with Metal Pentacarbonyl(piperidine) Complexes	372
2.7.8.2	Method 2: From Carbonylmetalate Tetraanions	372
2.7.8.3	Method 3: Utilizing a Phase-Transfer Agent	373
	Applications of Product Subclass 8 in Organic Synthesis	373
2.7.9	Product Subclass 9: Anionic Carbonyl Complexes	374
	Synthesis of Product Subclass 9	374
2.7.9.1	Method 1: By Reduction of Hexacarbonyl Complexes with Sodium in Liquid Ammonia	375
2.7.9.1.1	Variation 1: By Reduction with Alkali Metal Amalgam	376
2.7.9.2	Method 2: By Reduction of Hexacarbonylchromium(0) with Potassium-Graphite	376
2.7.9.3	Method 3: From Carbonyl Derivatives	377
2.8	Product Class 8: Organometallic Complexes of Vanadium T. Imamoto and I. D. Gridnev	
2.8	Product Class 8: Organometallic Complexes of Vanadium	385
2.8.1	Product Subclass 1: Vanadium–Arene Complexes	385
	Synthesis of Product Subclass 1	386
2.8.1.1	Method 1: Reduction of Vanadium Chlorides	386
2.8.1.2	Method 2: By Metal-Vapor Deposition	387
2.8.1.3	Method 3: By Ring Substitution	388
2.8.1.4	Method 4: From Vanadocene	388
2.8.2	Product Subclass 2: Vanadium–Cyclopentadienyl and Substituted Cyclopentadienyl Complexes	389
	Synthesis of Product Subclass 2	389
2.8.2.1	Method 1: Synthesis of Bis(η^5 -cyclopentadienyl)vanadium(II) (Vanadocene) and Ring-Substituted Derivatives	389
2.8.2.2	Method 2: Synthesis of Vanadocene Halides and Ring-Substituted Derivatives	390
2.8.2.3	Method 3: Synthesis of Ring-Bridged Vanadocene Dichlorides	390
2.8.2.4	Method 4: Synthesis of Tetracarbonyl(η^5 -cyclopentadienyl)vanadium and Ring-Substituted Derivatives	391

2.8.2.5	Method 5:	By the Reaction of Pentafulvenes with Alkylstannyl(carbonyl)-vanadium Complexes	392
2.8.2.6	Method 6:	Synthesis of Mono(η^5 -cyclopentadienyl)vanadium Halides	393
2.8.2.7	Method 7:	Synthesis of Tripledecker (η^5 -Cyclopentadienyl)vanadium Complexes	394
		Applications of Product Subclass 2 in Organic Synthesis	395
2.8.3		Product Subclass 3: Vanadium–Alkyne Complexes	395
		Synthesis of Product Subclass 3	395
2.8.3.1	Method 1:	From Vanadocene	395
2.8.3.2	Method 2:	Synthesis of Mono(η^5 -cyclopentadienyl)vanadium(I)–Alkyne Complexes	396
2.8.4		Product Subclass 4: Vanadium–Alkene Complexes	396
		Synthesis of Product Subclass 4	396
2.8.4.1	Method 1:	Reaction of Vanadocene with Electron-Deficient Alkenes	396
2.8.4.2	Method 2:	Synthesis of η^2 -Ethene Complexes from a 1,4-Di-Grignard Species	397
2.8.5		Product Subclass 5: Vanadium–Carbene Complexes	398
		Synthesis of Product Subclass 5	398
2.8.5.1	Method 1:	Synthesis of Fischer-Type Vanadium–Carbene Complexes	398
2.8.5.2	Method 2:	Synthesis of Schrock-Type Vanadium–Carbene Complexes	399
2.8.6		Product Subclass 6: Vanadium–σ-Alkyl and –σ-Aryl Complexes	400
		Synthesis of Product Subclass 6	400
2.8.6.1	Method 1:	Synthesis of Homoleptic Complexes	400
2.8.6.2	Method 2:	Synthesis of Non-homoleptic Complexes	401
2.8.6.2.1	Variation 1:	Photochemical Insertion of Alkenes into a V–H Bond	402
2.8.6.2.2	Variation 2:	By the Reaction of Vanadocene with Iodomethane or Bromomethane	402
		Applications of Product Subclass 6 in Organic Synthesis	403
2.8.6.3	Method 3:	Reaction of Organovanadium Complexes with Aldehydes	403
2.8.6.4	Method 4:	Synthesis of 1 <i>H</i> -1,2-Azaphospholes from Imidovanadium(V) Complexes and Phosphaalkynes	403
2.8.7		Product Subclass 7: Vanadium–Carbonyl Complexes without Cyclopentadienyl and Related Groups	404
		Synthesis of Product Subclass 7	404
2.8.7.1	Method 1:	Synthesis of Hexacarbonylvanadium	404
2.8.7.2	Method 2:	Synthesis of Hexacarbonylvanadate(1–) Complexes	405
2.8.8		Product Subclass 8: Vanadium–Isocyanide Complexes	406
		Synthesis of Product Subclass 8	406
2.8.8.1	Method 1:	By Ligand Substitution	406

2.8.8.2	Method 2: Complex Formation Accompanying Oxidation or Reduction of the Central Vanadium Atom	407
2.8.9	Product Subclass 9: Hydridovanadium Complexes	407
	Synthesis of Product Subclass 9	408
2.8.9.1	Method 1: Synthesis of Carbonylhydridovanadium Complexes Stabilized by Oligotertiary Phosphines	408
2.8.9.2	Method 2: Synthesis of Bis(η^5 -pentamethylcyclopentadienyl)hydrido-vanadium(III)	409
2.8.9.3	Method 3: Synthesis of Anionic Hydridovanadium(1-) Complexes	409
	Applications of Product Subclass 9 in Organic Synthesis	410
2.8.9.4	Method 4: Reduction of Organic Halides by Tricarbonyl(η^5 -cyclopentadienyl)hydridovanadate(1-) Anion under Phase-Transfer Conditions	410
2.9	Product Class 9: Organometallic Complexes of Niobium and Tantalum K. Mashima and A. Nakamura	
2.9	Product Class 9: Organometallic Complexes of Niobium and Tantalum	415
2.9.1	Product Subclass 1: Metal-Arene Complexes	419
	Synthesis of Product Subclass 1	419
2.9.1.1	Method 1: By Reduction of Metal Halides	419
2.9.1.2	Method 2: Via Alkyne Cyclootrimerization	421
2.9.2	Product Subclass 2: Metal-Triene and Metal-Tetraene Complexes	421
	Synthesis of Product Subclass 2	422
2.9.2.1	Method 1: Reductive Synthesis from Metal(V) Halides	422
2.9.2.2	Method 2: Using Dipotassium Cyclooctatetraene	422
2.9.2.3	Method 3: From Tetrachloro(η^5 -cyclopentadienyl)niobium	423
2.9.2.4	Method 4: From Niobium Hydride Derivatives	423
2.9.3	Product Subclass 3: Metal-Cyclopentadienyl and Metal-Tris(pyrazolyl)-borate Complexes	423
	Synthesis of Product Subclass 3	423
2.9.3.1	Method 1: From Metal(V) Halides	423
2.9.3.2	Method 2: Via Halide-Ligand Exchange	424
2.9.3.3	Method 3: By Sodium Reduction	425
2.9.3.4	Method 4: Tris(pyrazolyl)borate Complexes	425
2.9.4	Product Subclass 4: Metal-Diene Complexes	426
	Synthesis of Product Subclass 4	427
2.9.4.1	Method 1: By Reaction of Magnesium Butadiene	427
2.9.4.2	Method 2: Via Halide-Ligand Exchange	428

2.9.5	Product Subclass 5: Metal–Allyl Complexes	428
	Synthesis of Product Subclass 5	429
2.9.5.1	Method 1: From Allyl Grignard Reagents	429
2.9.5.2	Method 2: From Butadiene	429
2.9.6	Product Subclass 6: Metal–Alkyne Complexes	430
	Synthesis of Product Subclass 6	430
2.9.6.1	Method 1: Via Ligand Exchange	430
2.9.6.2	Method 2: By Reduction	433
	Applications of Product Subclass 6 in Organic Synthesis	434
2.9.7	Product Subclass 7: Metal–Alkene Complexes	434
	Synthesis of Product Subclass 7	434
2.9.7.1	Method 1: By Alkylation Reactions	434
2.9.7.2	Method 2: By Reaction of Ethene and an Alkylidene Complex	436
	Applications of Product Subclass 7 in Organic Synthesis	436
2.9.8	Product Subclass 8: Metal–Alkylidene Complexes	436
	Synthesis of Product Subclass 8	437
2.9.8.1	Method 1: Via α -Hydrogen Elimination	437
2.9.8.2	Method 2: By Addition of a Chelating Ligand	437
2.9.8.3	Method 3: By Proton Abstraction	438
2.9.8.4	Method 4: By Alkylation of Tetrachloro(η^5 -pentamethylcyclopentadienyl)- tantalum	438
2.9.8.5	Method 5: By Ligand Exchange	439
2.9.8.6	Method 6: By Sodium Reduction	440
2.9.8.7	Method 7: Dialkylation Followed by Alkane Elimination	440
	Applications of Product Subclass 8 in Organic Synthesis	440
2.9.9	Product Subclass 9: Metal–Alkylidyne Complexes	441
	Synthesis of Product Subclass 9	441
2.9.9.1	Method 1: From Carbene Complex by Addition of Trimethylaluminum ..	441
2.9.9.1.1	Variation 1: By Addition of Trimethylphosphine	442
	Applications of Product Subclass 9 in Organic Synthesis	442
2.9.10	Product Subclass 10: Metal–σ-Alkyl Homoleptic Complexes	442
	Synthesis of Product Subclass 10	443
2.9.10.1	Method 1: By Alkylation	443
2.9.11	Product Subclass 11: Metal–σ-Alkyl Non-homoleptic Complexes	444
	Synthesis of Product Subclass 11	445
2.9.11.1	Method 1: By Alkylation	445
2.9.11.2	Method 2: By Addition of Cyclopentadienyl Ligands	446
	Applications of Product Subclass 11 in Organic Synthesis	447

2.9.12	Product Subclass 12: Metal–Hydride Complexes	447
	Synthesis of Product Subclass 12	448
2.9.12.1	Method 1: From Niobium(V) Chloride	448
	Applications of Product Subclass 12 in Organic Synthesis	448
2.9.13	Product Subclass 13: Metal–Carbonyl Complexes	448
	Synthesis of Product Subclass 13	449
2.9.13.1	Method 1: By Reductive Carbonylation	449
2.9.14	Product Subclass 14: Metal–Alkoxy Complexes	451
	Synthesis of Product Subclass 14	451
2.9.14.1	Method 1: Via Halide–Ligand Exchange	451
2.9.14.2	Method 2: By Sodium Reduction	452
2.10	Product Class 10: Organometallic Complexes of Titanium K. Mikami, Y. Matsumoto, and T. Shiono	
<hr/>		
2.10	Product Class 10: Organometallic Complexes of Titanium	457
2.10.1	Product Subclass 1: Titanium–Arene Complexes	458
	Synthesis of Product Subclass 1	458
2.10.1.1	Method 1: Titanium(0)–Arene Complexes	458
2.10.1.2	Method 2: Titanium(II)–Arene Complexes	458
2.10.1.2.1	Variation 1: Titanium(II)–Arene Complexes by the Fischer–Hafner Method	459
2.10.1.2.2	Variation 2: Titanium(II)–Arene Complexes by Ligand Exchange of Aluminum–Titanium(II) Halide Complexes with Arenes	459
2.10.1.2.3	Variation 3: Titanium(II)–Arene Complexes by Ligand Exchange with Aluminum Reagents	460
2.10.1.3	Method 3: Titanium(IV)–Arene Complexes by Cationic Complex Formation	460
2.10.2	Product Subclass 2: Titanium–Triene, –Trienyl, and –Tetraene Complexes	461
	Synthesis of Product Subclass 2	461
2.10.2.1	Method 1: Titanium–Tetraene Complexes by Reaction of Tetrabutoxytitanium(IV) with Cyclooctatetraene	461
2.10.2.2	Method 2: Titanium–Tetraene Complexes by Reaction of Trichloro(pentamethylcyclopentadienyl)titanium(IV) with Dipotassium Cyclooctatetraene	461
2.10.2.3	Method 3: Titanium–Tetraene and –Triene Complexes by Reaction of Trichloro(η^5 -cyclopentadienyl)titanium(IV) Complexes with Cyclooctatetraene or Cycloheptatriene in the Presence of Magnesium	462

2.10.2.4	Method 4:	Titanium–Trienyl Complexes by Functionalization of the Cycloheptatrienyl Ligand	464
2.10.2.5	Method 5:	Titanium(II)–Trienyl Complexes by Reaction of Titanium(II) with Cycloheptatriene	465
2.10.3	Product Subclass 3: Bis(η^5-cyclopentadienyl)titanium Complexes without Allyl Functionalities or Titanacycles		465
	Synthesis of Product Subclass 3		468
2.10.3.1	Method 1:	Salt Elimination Reactions between Cyclopentadienyllithium Compounds and Titanium(IV) Chloride	468
2.10.3.1.1	Variation 1:	Salt Elimination Reactions between Sodium Cyclopentadienide Compounds and Titanium(III) Chloride ...	472
2.10.3.1.2	Variation 2:	Salt Elimination Reactions between Titanium(IV)–Chloro Complexes, Potassium, and Cyclopentadienes	473
2.10.3.1.3	Variation 3:	Salt Elimination Reactions between Thallium Cyclopentadienide Compounds and Trichloro(η^5 -cyclopentadienyl)titanium(IV) Complexes	473
2.10.3.1.4	Variation 4:	Transmetalation between Tin Cyclopentadienide Complexes and Titanium Complexes	475
2.10.3.2	Method 2:	Transmetalation between Metal Cyclopentadienide Complexes and Titanium(III) Chloride, Followed by Oxidation	476
2.10.3.2.1	Variation 1:	Transmetalation between Magnesium Cyclopentadienide Salts and Titanium(III) Chloride	477
2.10.3.3	Method 3:	Hydrogenation of the Indenyl Ligand in Titanium(IV) Complexes	478
2.10.3.4	Method 4:	Titanium(IV) Complexes by Oxidation of Alkylbis(η^5 -cyclopentadienyl)titanium(III) Complexes by Lead(II) Chloride	482
2.10.3.5	Method 5:	Halide Exchange between Titanium(IV)–Halo Complexes and Alkali Metal Halides	482
2.10.3.5.1	Variation 1:	Halide Exchange with Hydrogen Halides	483
2.10.3.5.2	Variation 2:	Halide Exchange with Boron Halides	484
	Applications of Product Subclass 3 in Organic Synthesis		484
2.10.3.6	Method 6:	Bis(η^5 -cyclopentadienyl)titanium Complexes as Alkene Polymerization Catalysts	484
2.10.4	Product Subclass 4: Mono(η^5-cyclopentadienyl)titanium Complexes		487
	Synthesis of Product Subclass 4		488
2.10.4.1	Method 1:	Reaction between Titanium(IV) Chloride and Metal Cyclopentadienide Compounds	488
2.10.4.1.1	Variation 1:	Reaction between Titanium(IV) Chloride and Silyl-Substituted Cyclopentadienyl Reagents	489
2.10.4.1.2	Variation 2:	Reaction between Titanium(III) Chloride and Lithium Cyclopentadienide Compounds, Followed by Oxidation	492
2.10.4.2	Method 2:	Reaction between Titanium(IV) Chloride and Unsaturated Hydrocarbons	492

2.10.4.3	Method 3:	Trichloro(η^5 -cyclopentadienyl)titanium(IV) Complexes by Redistribution Reactions	492
2.10.4.4	Method 4:	Trihalo(η^5 -cyclopentadienyl)titanium(IV) Complexes by Halogenation of Mono- and Bis(η^5 -cyclopentadienyl)titanium(IV) Complexes	493
2.10.4.5	Method 5:	Replacement of Alkoxy Ligands in Alkoxy(η^5 -cyclopentadienyl)titanium Complexes by Halides	494
2.10.4.6	Method 6:	Reaction between Tetraalkoxytitanium(IV) or Tetraamidotitanium(IV) Complexes and Cyclopentadienes	494
2.10.4.7	Method 7:	Halide Exchange between Cyclopentadienyl(halo)titanium Complexes and Trimethyltin Fluoride or Arsenic Trifluoride	494
		Applications of Product Subclass 4 in Organic Synthesis	495
2.10.4.8	Method 8:	Mono(η^5 -cyclopentadienyl)titanium Complexes as Styrene Polymerization Catalysts	495
2.10.4.9	Method 9:	Mono(η^5 -cyclopentadienyl)titanium Complexes as Buta-1,3-diene Polymerization Catalysts	498
2.10.4.10	Method 10:	Mono(η^5 -cyclopentadienyl)titanium Complexes as Alkene Polymerization Catalysts	499
2.10.5		Product Subclass 5: Trivalent Titanium(III) Complexes Including Bis- and Mono(η^5-cyclopentadienyl)titanium-Hydrido Complexes	499
		Synthesis of Product Subclass 5	500
2.10.5.1	Method 1:	Titanium-Hydrido Complexes by Reduction of Titanium(IV)-Methyl Complexes by Hydrogen	500
2.10.5.1.1	Variation 1:	Hydridotitanium Complexes by Reduction of Alkyltitanium(IV) Complexes by Silanes	501
2.10.5.1.2	Variation 2:	Hydridotitanium Complexes by Reduction of Chlorotitanium(IV) Complexes by Potassium or Sodium	501
2.10.5.2	Method 2:	Titanium(III) Complexes by Reduction of Titanium(IV) Complexes by Lithium Nitride	502
2.10.5.2.1	Variation 1:	Titanium(III) Complexes by Reduction by Zinc and Magnesium	503
2.10.5.2.2	Variation 2:	Titanium(III) Complexes by Reduction by Cobalt(II) Complexes	503
		Applications of Product Subclass 5 in Organic Synthesis	503
2.10.5.3	Method 3:	Preparation of Alkene Hydrogenation Catalysts by Reduction with Aluminum Hydrides	503
2.10.5.3.1	Variation 1:	Preparation of Alkene Hydrogenation Catalysts by Reduction with Alkyl lithium Compounds	505
2.10.5.3.2	Variation 2:	Preparation of Alkene Hydrogenation Catalysts by Reduction with Grignard Reagents	505
2.10.6		Product Subclass 6: Bis- or Mono(η^5-cyclopentadienyl)titanium(II) Complexes	505
		Synthesis of Product Subclass 6	506
2.10.6.1	Method 1:	Titanocenes by Reduction of Titanium(IV) Complexes	506

2.10.6.2	Method 2:	Titanocene by Photochemical Reaction of Bis(η^5 -cyclopentadienyl)dimethyltitanium(IV)	508
2.10.6.3	Method 3:	Dicarbonylbis(η^5 -cyclopentadienyl)titanium(II) Complexes from Titanium–Alkyl and –Aryl Complexes	509
2.10.6.4	Method 4:	Dicarbonylbis(η^5 -cyclopentadienyl)titanium(II) Complexes by Photolysis of Titanium–Alkyl and –Aryl Complexes	510
2.10.6.5	Method 5:	Titanium(II)–Carbonyl Complexes by Reduction of Chlorotitanium(IV) Complexes with Aluminum under Carbon Monoxide	511
2.10.6.5.1	Variation 1:	Reduction with Sodium–Naphthalene	513
2.10.6.5.2	Variation 2:	Reduction with Cobaltocene	513
2.10.6.6	Method 6:	Bis(η^5 -cyclopentadienyl)bis(trimethylphosphine)titanium(II) by Reduction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) with Magnesium	514
2.10.6.7	Method 7:	Titanium(II)–Phosphine Complexes by Photolysis of Dicarbonylbis(η^5 -cyclopentadienyl)titanium(II)	514
		Applications of Product Subclass 6 in Organic Synthesis	516
2.10.6.8	Method 8:	Titanium(II)–Carbonyl Complexes as Catalysts in the Pauson–Khand Reaction	516
2.10.7	Product Subclass 7: Titanium–Allyl, –Allenyl, and –Propargyl Complexes		518
		Synthesis of Product Subclass 7	520
2.10.7.1	Method 1:	(η^3 -Allyl)titanium(III) Complexes by Reaction between Chlorotitanium(III) Complexes and Allyl Grignard Reagents ..	520
2.10.7.2	Method 2:	(η^3 -Allyl)titanium(III) Complexes by Reaction between Chlorotitanium(IV) Complexes and Allyl Grignard Reagents ..	520
2.10.7.2.1	Variation 1:	(η^3 -Allyl)bis(η^5 -cyclopentadienyl)titanium(III) Complexes by Reaction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) with a Grignard Reagent and a Diene	522
2.10.7.2.2	Variation 2:	(η^3 -Allyl)bis(η^5 -cyclopentadienyl)titanium(III) by Rearrangement of Bis(η^5 -cyclopentadienyl)(η^2 -ethene)(η^2 -vinyl)titanium(III) ...	523
2.10.7.3	Method 3:	(η^1 -Allyl)bis(η^5 -cyclopentadienyl)halotitanium(IV) Complexes by Reaction of (η^3 -Allyl)bis(η^5 -cyclopentadienyl)titanium(III) Complexes with 1-Halobut-2-enes	524
2.10.7.4	Method 4:	(η^1 -Allyl)bis(η^5 -cyclopentadienyl)titanium(IV) Complexes by Reaction of Vinyl Halides, Vinyl Esters, or Carboxylic Esters with the Dichlorobis(η^5 -cyclopentadienyl)titanium(IV)– Trimethylaluminum Complex	524
2.10.7.5	Method 5:	(η^1 -Allyl)bis(isopropoxy)titanium(IV) Complexes by Reaction of Low-Valent Titanium Complexes with Allylic Halides, Acetates, Carbonates, Phosphates, Sulfonates, or Aryl Ethers	525
2.10.7.6	Method 6:	Bis(isopropoxy)titanium(IV)–Propargyl or –Allenyl Complexes by Transmetalation of Titanium(IV) Complexes with Propargyl- or Allenyllithium Compounds	526

2.10.7.7	Method 7: Bis(isopropoxy)titanium(IV)–Propargyl or –Allenyl Complexes by Reaction of Low-Valent Titanium Complexes with Propargyl Halides, Acetates, Carbonates, Phosphates, or Sulfonates ...	527
	Applications of Product Subclass 7 in Organic Synthesis	528
2.10.7.8	Method 8: Allylation of Carbonyl Compounds by Allyltris(amido)titanium(IV) Complexes	528
2.10.7.9	Method 9: Reactions of Bis(isopropoxy)titanium(IV)–Propargyl or –Allenyl Complexes with Electrophiles	530
2.10.8	Product Subclass 8: Titanium–Diene and Titanacyclopentene Complexes	531
	Synthesis of Product Subclass 8	532
2.10.8.1	Method 1: [Bis(dimethylphosphino)ethane]bis(butadiene)titanium(0) by Reduction of [Bis(dimethylphosphino)ethane]tetrachlorotitanium(IV) by Sodium Amalgam in the Presence of Butadiene	532
2.10.8.2	Method 2: Chloro(η^5 -pentamethylcyclopentadienyl)titanium(II)–Diene Complexes by Reaction of Trichloro(η^5 -pentamethylcyclopentadienyl)titanium(IV) with the Magnesium–Diene Complex	533
2.10.8.3	Method 3: Titanium–Buta-1,3-diene Complexes from Titanium– η^3 -Methallyl Complexes	534
2.10.8.4	Method 4: Titanium–Cyclobutadiene Complexes by Reaction between Titanium–Arene Complexes and Alkynes	535
2.10.9	Product Subclass 9: Titanacycles	536
	Synthesis of Product Subclass 9	538
2.10.9.1	Method 1: Reaction of Bis(η^5 -cyclopentadienyl)titanium(II)–Phosphine Complexes with Alkynes or Allenes	538
2.10.9.2	Method 2: Reduction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) Complexes by Grignard Reagents in the Presence of Alkenes or Alkynes	539
2.10.9.2.1	Variation 1: Reactions of Bis(aryloxy)dichlorotitanium(IV) Complexes with Butyllithium in the Presence of Dienes	540
2.10.9.2.2	Variation 2: Reduction of Titanium(IV)–Chloro Complexes by Sodium Amalgam in the Presence of Alkenes or Alkynes	541
2.10.9.2.3	Variation 3: Reaction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) with Lithium Naphthalene in the Presence of an Alkene	542
2.10.9.2.4	Variation 4: Reduction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) by Magnesium in the Presence of Alkynes	543
2.10.9.3	Method 3: Photolysis of Bis(η^5 -cyclopentadienyl)dimethyltitanium(IV) in the Presence of an Alkyne	544
2.10.9.4	Method 4: Substitution Reaction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) with an Alkanediylolithium Reagent	544
2.10.9.5	Method 5: Insertion Reactions of Alkenes with Alkyne- or Alkenetitanium(II) Complexes	544

2.10.9.5.1	Variation 1:	Reactions of Alkynes, Dialkynes, or Carbonyl Compounds with Alkyne- or Alkenetitanium Complexes	545
2.10.9.6	Method 6:	Titanacycles from Ligand Exchange Reactions of Titanacyclopentanes	547
2.10.9.6.1	Variation 1:	Large Metallacycles by Insertion Reactions of Smaller Titanacycles	548
2.10.9.7	Method 7:	Titanacyclobutanes from Tebbe's Reagent	549
2.10.9.7.1	Variation 1:	Titanacyclobutanes via Vinylaluminum Complexes	551
2.10.9.7.2	Variation 2:	Titanacyclobutanes by Reaction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) with a Dimagnesium Reagent	551
2.10.9.7.3	Variation 3:	Ligand Exchange of Titanacyclobutanes with Alkenes, Alkynes, or Allenes To Form Other Titanacyclobutanes or Titanacyclobutenes	552
		Applications of Product Subclass 9 in Organic Synthesis	553
2.10.9.8	Method 8:	Ring-Opening Metathesis Polymerization	553
2.10.10		Product Subclass 10: Titanium–Alkyne Complexes	555
		Synthesis of Product Subclass 10	557
2.10.10.1	Method 1:	Reaction of an Alkyne with a Titanium(II)–Carbonyl Complex	557
2.10.10.1.1	Variation 1:	Reaction of an Alkyne with a Titanium(II)–Phosphine Complex	557
2.10.10.2	Method 2:	Reduction of Dichlorobis(η^5 -cyclopentadienyl)titanium(IV) by Magnesium in the Presence of an Alkyne	558
2.10.10.2.1	Variation 1:	Reaction of Titanium(II) Complexes with Diynes or Polyyne	559
2.10.10.3	Method 3:	Reaction of an Alkyne with Bis(isopropoxy)(η^2 -propene)titanium(II)	560
2.10.10.4	Method 4:	Benzynetitanium Complexes by Thermolysis of Aryltitanium Complexes	560
2.10.10.4.1	Variation 1:	Benzynetitanium Complexes by Thermolysis of Aryl(methyl)titanium Complexes	561
2.10.10.4.2	Variation 2:	A Benzynetitanium Complex from 1-Bromo-2-fluorobenzene and Dichlorobis(η^5 -cyclopentadienyl)titanium(IV)	562
2.10.11		Product Subclass 11: Titanium–Alkene Complexes	563
		Synthesis of Product Subclass 11	564
2.10.11.1	Method 1:	(η^2 -Alkene)bis(η^5 -cyclopentadienyl)titanium(II) Complexes by Substitution of Bis(η^5 -cyclopentadienyl)bis(trimethylphosphine)titanium(II) by Alkenes	564
2.10.11.1.1	Variation 1:	(η^2 -Ethene)bis(η^5 -pentamethylcyclopentadienyl)titanium(II) by Reaction of (-Dinitrogen)bis[bis(η^5 -pentamethylcyclopentadienyl)titanium(II)] with Ethene	564
2.10.11.2	Method 2:	(η^2 -Alkene)bis(η^5 -pentamethylcyclopentadienyl)titanium(II) Complexes by Reduction of	

		Dichlorobis(η^5 -pentamethylcyclopentadienyl)titanium(IV) by Sodium Amalgam in the Presence of an Alkene	565
2.10.11.2.1	Variation 1:	(η^2 -Alkene)bis(η^5 -pentamethylcyclopentadienyl)titanium(II) Complexes by Reduction of Dichlorobis(η^5 -pentamethylcyclopentadienyl)titanium(IV) by an Alkylolithium in the Presence of an Alkene	565
2.10.11.2.2	Variation 2:	(η^2 -Alkene)titanium(II) Complexes by Reduction of Titanium(IV) Complexes by Grignard Reagents in the Presence of an Alkene	565
2.10.11.3	Method 3:	(η^2 -Alkene)titanium(II) Complexes by Ligand-Exchange Reactions	566
		Applications of Product Subclass 11 in Organic Synthesis	566
2.10.11.4	Method 4:	Titanium-Mediated Cyclization of Enynes	566
2.10.11.5	Method 5:	Preparation of Cyclopropanols from Dialkoxotitanacyclopropanes	567
2.10.12	Product Subclass 12: Titanium–Carbene Complexes		567
		Synthesis of Product Subclass 12	567
2.10.12.1	Method 1:	Preparation of Tebbe’s Reagent	567
		Applications of Product Subclass 12 in Organic Synthesis	568
2.10.12.2	Method 2:	Methylenation of Amides, Esters, Ketones, and Aldehydes by Tebbe’s Reagent	568
2.10.12.2.1	Variation 1:	Alkenation of Carbonyl Compounds by the Lead(II) Chloride/Dihaloalkane/Titanium(IV) Chloride/Zinc Reagent ..	569
2.10.12.2.2	Variation 2:	Alkylidenation with Magnesium Analogues of Tebbe’s Reagent	570
2.10.12.2.3	Variation 3:	Other Applications of Titanium–Carbene Complexes	570
2.10.13	Product Subclass 13: Titanium–Alkenyl, –Alkynyl, and –Aryl Complexes ..		572
		Synthesis of Product Subclass 13	572
2.10.13.1	Method 1:	Alkenyltitanium Complexes by Reaction of Chlorotitanium Complexes with Vinylithium Reagents	572
2.10.13.2	Method 2:	Alkenyltitanium Complexes by Hydrotitanation	573
2.10.13.2.1	Variation 1:	Alkenyltitanium Complexes by Carbotitanation	574
2.10.13.2.2	Variation 2:	Alkenyltitanium Complexes by Silyltitanation	575
2.10.13.2.3	Variation 3:	Alkenyltitanium Complexes by Partial Hydrolysis of Titanium–Silylalkyne and–Stannylalkyne Complexes	576
2.10.13.3	Method 3:	Alkenyltitanium Heterotitanacycles by [2 + 2] Cycloadditions of Titanium(IV) Complexes with Alkynes	577
2.10.13.4	Method 4:	Alkynyltitanium Complexes by Reaction of Titanium(IV) Complexes with Alkynes	577
2.10.13.5	Method 5:	Aryltitanium Complexes by Reaction of Titanium Complexes with Arylmetal Reagents	578
2.10.13.5.1	Variation 1:	Tetraaryltitanium(IV) Complexes by Reaction of Titanium(IV) Complexes with Grignard Reagents	579

2.10.14	Product Subclass 14: Titanium–σ-Alkyl Complexes	579
	Synthesis of Product Subclass 14	585
2.10.14.1	Method 1: Alkyltitanium Complexes by Transmetalation of Chlorotitanium Complexes with Grignard Reagents	585
2.10.14.1.1	Variation 1: Alkylation of Alkoxy(halo)titanium Complexes by Grignard Reagents	587
2.10.14.1.2	Variation 2: Alkyltitanium Complexes by Reaction of Titanium Complexes with Alkylolithium Reagents	587
2.10.14.1.3	Variation 3: Alkyltris(alkoxy)titanium(IV) Complexes by Reaction of Alkoxytitanium Complexes with Alkylolithium Reagents	589
2.10.14.1.4	Variation 4: Alkyltitanium Complexes by Reaction of Titanium Complexes with Alkylaluminum Reagents	589
2.10.14.1.5	Variation 5: Alkyltitanium Complexes by Alkylation of Titanium Halides with Dialkylzinc Reagents	590
2.10.14.1.6	Variation 6: Alkyl- or Aryltitanium Complexes by Reaction of Tetramethyltitanium(IV) with Alkyl- or Arylboranes	591
2.10.14.1.7	Variation 7: Alkyltitanium Complexes by Alkylation and Oxidation of Titanium Complexes by Dimethylcadmium(II)	591
2.10.14.2	Method 2: Acyltitanium Complexes by Oxidative Addition of Alkyl- or Acyl Halides to Dicarboxylbis(η^5 -cyclopentadienyl)titanium(II)	592
2.10.14.3	Method 3: Alkyltitanium Complexes by Hydrotitanation of Alkenyl Sulfides	592
2.10.14.4	Method 4: Alkyltitanium Complexes by Redistribution	593
2.10.14.5	Method 5: Alkyltitanium Complexes by Insertion	594
2.10.14.6	Method 6: Cationic Alkyltitanium Complexes	595
2.10.14.7	Method 7: Benzyl(halo)titanium Complexes from Tetrabenzyltitanium(IV) and a Halide Source	595
	Applications of Product Subclass 14 in Polymerization	596
2.10.14.8	Method 8: Alkyltitanium Complexes as Catalysts for Alkene Polymerization	596
2.10.14.9	Method 9: Alkyltitanium Complexes as Catalysts for Styrene Polymerization	598
2.10.14.10	Method 10: Alkyltitanium Complexes as Cocatalysts in Alkene Polymerization	599
2.10.15	Product Subclass 15: Titanium–Alkoxy Complexes	600
	Synthesis of Product Subclass 15	601
2.10.15.1	Method 1: Titanium–Phenoxy Complexes from Alkyltitanium Complexes by Ligand Exchange with Phenols	601
2.10.15.2	Method 2: Titanium–Alkoxy and –Phenoxy Complexes from Chlorotitanium Complexes by Ligand Exchange with Alcohols or Phenols in the Presence of Amines	602
2.10.15.2.1	Variation 1: Titanium–Alkoxy and –Phenoxy Complexes from Chlorotitanium Complexes by Ligand Exchange with Alcohols or Phenols	602

2.10.15.2.2	Variation 2:	Cyclopentadienyltitanium–Alkoxy Complexes for Enantio- and Diastereomeric Reactions by Hydrolysis of Chlorotitanium Complexes with Alcohols	603
2.10.15.2.3	Variation 3:	Titanium–Alkoxy and –Phenoxy Complexes from Chlorotitanium Complexes by Ligand Exchange with Lithium Alkoxides or Phenoxides	604
2.10.15.2.4	Variation 4:	Titanium–Alkoxy and –Phenoxy Complexes from Chlorotitanium Complexes by Ligand Exchange with Sodium Alkoxides or Phenoxides	607
2.10.15.2.5	Variation 5:	Titanium–Phenoxy Complexes from Chlorotitanium Complexes by Ligand Exchange with Aryl Silyl Ethers	607
2.10.15.2.6	Variation 6:	Titanium–Phenoxy Complexes from Titanium–Alkoxy Complexes by Ligand Replacement with Esters	608
2.10.15.3	Method 3:	Chiral Titanium–Phenoxy Complexes from Achiral Titanium–Alkoxy Complexes by Ligand Replacement	608
2.10.15.4	Method 4:	Titanium–Alkoxy and –Phenoxy Complexes from Amidotitanium Complexes by Ligand Replacement with Alcohols or Phenols	609
2.10.15.4.1	Variation 1:	By Ligand Exchange with β -Diketonates	610
2.10.15.4.2	Variation 2:	From Chlorotitanium Complexes by Ligand Exchange with Carboxylates	611
2.10.15.4.3	Variation 3:	From Chlorotitanium Complexes by Ligand Exchange with Silanols or Diphosphines	611
2.10.15.5	Method 5:	Titanium–Sulfanyl Complexes by Ligand Exchange	612
		Applications of Product Subclass 15 in Organic Synthesis	612
2.10.15.6	Method 6:	Catalytic Asymmetric Alkylation of Aldehydes	612
2.10.15.7	Method 7:	Catalytic Asymmetric Allylation	616
2.10.15.8	Method 8:	Catalytic Asymmetric Ene Reaction	617
2.10.15.9	Method 9:	Catalytic Asymmetric Mukaiyama Aldol Reaction	620
2.10.15.10	Method 10:	Catalytic Asymmetric Diels–Alder and Hetero-Diels–Alder Reactions	621
2.10.15.11	Method 11:	Catalytic Asymmetric [2 + 2]- and [2 + 3] Cycloadditions	624
2.10.15.12	Method 12:	Catalytic Asymmetric Cyanization	625
2.10.15.13	Method 13:	Other Catalytic Asymmetric Reactions	628
2.10.15.13.1	Variation 1:	Sharpless Epoxidation	628
		Applications of Product Subclass 15 in Polymerization	631
2.10.15.14	Method 14:	Cyclopentadienyl(phenoxy)titanium Complexes as Catalysts for Alkene Polymerization	631
2.10.15.15	Method 15:	Alkoxytitanium Complexes as Catalysts for Living Polymerization of Polar Monomers	632
2.10.15.16	Method 16:	Chelating Bis(phenoxy)titanium Complexes as Catalysts for Alkene Polymerization	634
2.10.16		Product Subclass 16: Titanium–Amido Complexes	637
		Synthesis of Product Subclass 16	638

2.10.16.1	Method 1:	Amidotitanium Complexes from Chlorotitanium Complexes by Transmetalation with Lithium or Magnesium Amides	638
2.10.16.1.1	Variation 1:	Amidotitanium Complexes from Halotitanium Complexes and Silylamines	639
2.10.16.1.2	Variation 2:	Titanium Complexes with Chelating Cyclopentadienyl–Amido Ligands from Titanium(III) or Titanium(IV) Halides by Transmetalation with Metal Amides	640
		Applications of Product Subclass 16 in Organic Synthesis	644
2.10.16.2	Method 2:	Stereoselective Organic Reactions Promoted by Amidotitanium Complexes	644
2.10.16.3	Method 3:	Fixation of Atmospheric Nitrogen by Titanium Complexes ...	646
		Applications of Product Subclass 16 in Polymerization	650
2.10.16.4	Method 4:	Diamidotitanium Complexes as Alkene Polymerization Catalysts	650
2.10.16.5	Method 5:	Titanium Complexes with Monocyclopentadienyl–Amido Ligands Bridged by Silylene Groups as Alkene Polymerization Catalysts	652
2.10.17		Product Subclass 17: Miscellaneous Titanium Complexes	654
		Applications of Product Subclass 17 in Organic Synthesis	654
2.10.17.1	Method 1:	McMurry Coupling	654
2.10.17.2	Method 2:	Pinacol Coupling	656
2.10.17.3	Method 3:	Carbonyl Coupling of Carbamoyl(oxo) Compounds Promoted by Low-Valent Titanium	657
2.10.17.4	Method 4:	Dimerization of Imines and Iminium Salts Promoted by Low-Valent Titanium Species	659
2.10.17.5	Method 5:	Reactions of Epoxides Promoted by Titanium Complexes ...	659
2.10.17.6	Method 6:	Addition of Alkyl Halides to Alkenes Promoted by Titanium Complexes	660
2.11		Product Class 11: Organometallic Complexes of Zirconium and Hafnium E.-i. Negishi and T. Takahashi	
2.11		Product Class 11: Organometallic Complexes of Zirconium and Hafnium ·	681
2.11.1		Product Subclass 1: Metal–η^8-Arene and –η^7-Arene Complexes	683
		Synthesis of Product Subclass 1	683
2.11.1.1	Method 1:	By π -Complexation	683
2.11.1.2	Method 2:	By Transmetalation	683
2.11.1.3	Method 3:	Miscellaneous Transformations	685
		Applications of Product Subclass 1 in Organic Synthesis	686
2.11.1.4	Method 4:	Reactions of (η^8 -Cyclooctatetraene)zirconium Derivatives ...	686

2.11.2	Product Subclass 2: Metal-η^6-Arene Complexes	687
	Synthesis of Product Subclass 2	687
2.11.2.1	Method 1: By π -Complexation	687
2.11.2.1.1	Variation 1: Co-condensation of Metal Vapors with Arenes	687
2.11.2.1.2	Variation 2: Reduction of Zirconium(IV) and Hafnium(IV) Compounds ...	688
2.11.2.1.3	Variation 3: Complexation with Activated Zirconium(IV) and Hafnium(IV) Compounds of Low Electron Count	689
2.11.2.2	Method 2: By Transmetalation	689
2.11.2.3	Method 3: Other Methods	690
	Applications of Product Subclass 2 in Organic Synthesis	691
2.11.3	Product Subclass 3: Metal-Triene Complexes	692
2.11.4	Product Subclass 4: Metal-Bis(η^5-cyclopentadienyl) Complexes and Related Derivatives of Oxidation State Four	692
	Synthesis of Product Subclass 4	693
2.11.4.1	Bis(η^5 -cyclopentadienyl)metal(IV) Complexes Containing Two Electronegative Heteroatom Groups	693
2.11.4.1.1	Method 1: Synthesis of Bis(η^5 -cyclopentadienyl)dihalometal(IV) Complexes	693
2.11.4.1.2	Method 2: Synthesis of Bis(η^5 -cyclopentadienyl)dihalometal(IV) Complexes and Their Derivatives with Modified Cyclopentadienyl Ligands	695
2.11.4.1.3	Method 3: Synthesis of Bis(η^5 -cyclopentadienyl)metal(IV) Complexes Containing Monohalo and/or Group 16 or 15 Atom Ligands and Their Derivatives with Modified Cyclopentadienyl Ligands	699
2.11.4.2	Bis(η^5 -cyclopentadienyl)hydridometal(IV) Complexes	701
2.11.4.2.1	Method 1: By Transmetalation	703
2.11.4.3	Bis(η^5 -cyclopentadienyl)monometallo- and Bis(η^5 -cyclopentadienyl)dimetallo- zirconium Complexes (Excluding Hydrido Derivatives)	703
2.11.4.4	Bis(η^5 -cyclopentadienyl)monoorganometal Complexes	704
2.11.4.4.1	Method 1: By Transmetalation	704
2.11.4.4.2	Method 2: By Hydrometalation	707
2.11.4.4.3	Method 3: By Carbometalation	707
2.11.4.4.4	Method 4: By Oxidative Addition	707
2.11.4.4.5	Method 5: Miscellaneous Methods	709
2.11.4.5	Bis(η^5 -cyclopentadienyl)diorganometal Complexes	710
2.11.4.5.1	Method 1: Synthesis of Bis(η^5 -cyclopentadienyl)diorganometal Complexes and Their Derivatives	710
	Applications of Product Subclass 4 in Organic Synthesis	712
2.11.4.6	Bis(η^5 -cyclopentadienyl)hydridometal(IV) Complexes	712

2.11.4.6.1	Method 1:	Stoichiometric Reactions of Bis(η^5 -cyclopentadienyl)hydrido- zirconium(IV) and Bis(η^5 -cyclopentadienyl)dihydrido- zirconium(IV) Complexes and Related Reagents	712
2.11.4.6.1.1	Variation 1:	Hydrozirconation and Hydrogen-Transfer Hydrozirconation ..	712
2.11.4.6.1.2	Variation 2:	Other Stoichiometric Reactions	715
2.11.4.6.1.3	Variation 3:	Catalytic Reactions Involving Bis(η^5 -cyclopentadienyl)hydrido- zirconium Derivatives	716
2.11.4.7		Bis(η^5 -cyclopentadienyl)monoorganometal Complexes	718
2.11.4.7.1	Method 1:	Protonolysis, Halogenolysis, Oxidation, and Related Hetero- atom—Carbon Bond Formation	719
2.11.4.7.1.1	Variation 1:	Protonolysis and Deuterolysis	719
2.11.4.7.1.2	Variation 2:	Halogenolysis	720
2.11.4.7.1.3	Variation 3:	Oxidation	720
2.11.4.7.2	Method 2:	C—C Bond Formation via Polar Reactions of Chlorobis- (η^5 -cyclopentadienyl)monoorganozirconium Complexes with Carbon Electrophiles	721
2.11.4.7.2.1	Variation 1:	Reactions of Allylbis(η^5 -cyclopentadienyl)zirconium Derivatives with Aldehydes	721
2.11.4.7.3	Method 3:	C—C Bond Formation via Carbonylation and Other Migratory Insertion Reactions of Bis(η^5 -cyclopentadienyl)monoorgano- zirconium Complexes	722
2.11.4.7.3.1	Variation 1:	Carbonylation	723
2.11.4.7.3.2	Variation 2:	Isocyanide Insertion	723
2.11.4.7.3.3	Variation 3:	Other Migratory Insertion Reactions	725
2.11.4.7.4	Method 4:	C—C Bond Formation via Stoichiometric Transmetalation	726
2.11.4.7.5	Method 5:	C—C Bond Formation via Metal-Catalyzed Reactions of Bis(η^5 - cyclopentadienyl)monoorganozirconium Complexes with Organic Electrophiles	727
2.11.4.7.5.1	Variation 1:	Nickel- or Palladium-Catalyzed Cross Coupling of Alkenyl- chlorobis(η^5 -cyclopentadienyl)zirconium Complexes	728
2.11.4.7.5.2	Variation 2:	Nickel-Catalyzed Conjugate Addition of Alkenylchlorobis(η^5 - cyclopentadienyl)zirconium Complexes	729
2.11.4.7.5.3	Variation 3:	Copper-Catalyzed Conjugate Addition of Chlorobis(η^5 -cyclo- pentadienyl)monoorganozirconium Complexes	730
2.11.4.7.6	Method 6:	C—C Bond Formation Reactions of Organometals Catalyzed by Bis(η^5 -cyclopentadienyl)monoorganozirconium Com- plexes	732
2.11.4.7.6.1	Variation 1:	Zirconium-Catalyzed Carboalumination of Alkynes	732
2.11.4.7.6.2	Variation 2:	Zirconium-Catalyzed Enantioselective Carboalumination of Alkenes	734
2.11.4.7.6.3	Variation 3:	Other Zirconium-Catalyzed Carbometalation Reactions of Alkynes and Alkenes	736
2.11.4.8		Bis(η^5 -cyclopentadienyl)diorganometal Complexes	736
2.11.4.8.1	Method 1:	By β -Hydrogen Abstraction	736

2.11.4.8.2	Method 2: Other Reactions of Bis(η^5 -cyclopentadienyl)diorgano-zirconium Complexes	739
2.11.5	Product Subclass 5: Five-Membered Metallocycle–Bis(η^5-cyclopentadienyl) Derivatives of Oxidation State Four	739
	Synthesis of Product Subclass 5	740
2.11.5.1	Method 1: By Transmetalation	740
2.11.5.2	Method 2: Carbometalative Ring-Expansion Reactions of Three-Membered Zirconocene and Hafnocene Derivatives	741
2.11.5.2.1	Variation 1: The Erker–Buchwald Protocol	747
2.11.5.2.2	Variation 2: The Negishi–Takahashi Protocol	750
2.11.5.2.3	Variation 3: Other Protocols for the Synthesis of Five-Membered Zirconacycles and Hafnacycles	753
	Applications of Product Subclass 5 in Organic Synthesis	754
2.11.5.3	Method 3: Reactions of Five-Membered Zirconacycles Leading to the Formation of C–H(D) and C–X Bonds	755
2.11.5.3.1	Variation 1: Protonolysis, Deuterolysis, and Halogenolysis	755
2.11.5.3.2	Variation 2: Synthesis of Five-Membered Heterocycles	759
2.11.5.3.3	Variation 3: Reactions with Organometals Containing Electropositive Metals	759
2.11.5.4	Method 4: C–C Bond Formation via Polar Reactions of Five-Membered Zirconacycles with Carbon Electrophiles and Related π -Compounds	761
2.11.5.4.1	Variation 1: Reactions of Zirconocene–Conjugated Diene Complexes with π -Compounds	761
2.11.5.4.2	Variation 2: Ring Expansion of Zirconacyclopentenes and Zirconacyclopentanes with Aldehydes	763
2.11.5.4.3	Variation 3: Reactions of Zirconacyclopentenes with Allyl and Alkenyl Ethers and Halides	764
2.11.5.5	Method 5: C–C Bond Formation by the Reactions of Five-Membered Zirconacycles with Carbon Monoxide, Isocyanides, and Related Carbon Nucleophiles	765
2.11.5.5.1	Variation 1: Migratory Insertion Reactions of Zirconacycles with Carbon Monoxide and Isocyanides	765
2.11.5.6	Method 6: C–C Bond Formation by the Transition-Metal-Catalyzed Reaction of Five-Membered Zirconacycles	769
2.11.5.6.1	Variation 1: Copper-Catalyzed Allylation of Zirconacyclopentadienes	769
2.11.5.6.2	Variation 2: Copper-Catalyzed Allylation of Zirconacyclopentenes	770
2.11.5.6.3	Variation 3: Copper-Catalyzed Acylation of Zirconacycles	771
2.11.5.6.4	Variation 4: Synthesis of Arenes from Three Different Alkynes by Copper- or Nickel-Mediated Reactions of Alkynes with Zirconacyclopentadienes	772
2.11.5.6.5	Variation 5: Coupling Reaction of Diiodobenzene with Zirconacyclopentadienes	773
2.11.5.7	Method 7: Organometallic Reactions Catalyzed by Five-Membered Zirconacycles	774

2.11.6	Product Subclass 6: Metal–Bis(η^5-cyclopentadienyl) Derivatives Containing Carbene, Nitrene, and Other Doubly Bonded Ligands	774
	Synthesis of Product Subclass 6	774
2.11.6.1	Method 1: By α -Hydrogen Elimination	774
2.11.6.1.1	Variation 1: Formation of Imido- or Hydrazidozirconium Complexes	775
2.11.6.1.2	Variation 2: Formation of Oxo-, Thioxo-, or Phosphinidenezirconium Complexes	776
2.11.6.1.3	Variation 3: Formation of Zirconium–Carbene Complexes	777
2.11.6.2	Method 2: Zirconium–Nitrene Complexes by Cleavage of Metallacycles	778
2.11.6.3	Method 3: Oxo-, Thioxo-, Selenoxo-, or Telluroxozirconium Complexes by the Oxidative Reaction of a Zirconium(II) Complex	778
2.11.6.4	Method 4: Miscellaneous Reactions	779
	Applications of Product Subclass 6 in Organic Synthesis	779
2.11.6.5	Method 5: Hydroamination of Internal Alkynes Catalyzed by Zirconium–Nitrene Complexes	779
2.11.6.6	Method 6: Formation of 1-Phenyl-1 <i>H</i> -indole from a Hydrazidozirconium Complex	779
2.11.7	Product Subclass 7: Cationic Metal–Bis(η^5-cyclopentadienyl) Derivatives of Oxidation State Four	780
	Synthesis of Product Subclass 7	780
2.11.7.1	Method 1: By Halogen or Alkyl Abstraction from Bis(η^5 -cyclopentadienyl)-organozirconium Complexes	780
2.11.7.1.1	Variation 1: Cationic Alkylbis(η^5 -cyclopentadienyl)zirconium Complexes by Halogen Abstraction from Bis(η^5 -cyclopentadienyl)halo-(methyl)zirconium	780
2.11.7.1.2	Variation 2: One-Electron Oxidation of Bis(η^5 -cyclopentadienyl)diorganozirconium	781
2.11.7.1.3	Variation 3: Cationic Alkylbis(η^5 -cyclopentadienyl)zirconium Complexes by Alkyl Abstraction Using a Lewis Acid	782
2.11.7.2	Method 2: By Ligand Exchange of Cationic Alkylbis(η^5 -cyclopentadienyl)-zirconium Complexes	783
2.11.7.3	Method 3: By Insertion Reactions of Cationic Alkylbis(η^5 -cyclopentadienyl)zirconium Complexes	783
	Applications of Product Subclass 7 in Organic Synthesis	783
2.11.7.4	Method 4: Coupling of Propene and 2-Methylpyridine Catalyzed by Cationic Bis(η^5 -cyclopentadienyl)zirconium Complexes	783
2.11.7.5	Method 5: Catalytic Oligomerization of Terminal Alkynes	784
2.11.7.6	Method 6: Addition of Alkyl(chloro)bis(η^5 -cyclopentadienyl)zirconium Complexes to Aldehydes	784
2.11.8	Product Subclass 8: Metal–Bis(η^5-cyclopentadienyl) Derivatives of Oxidation States Two and Three	785
	Synthesis of Product Subclass 8	785
2.11.8.1	Method 1: By Reduction with Metals	785

2.11.8.2	Method 2:	By β -Hydrogen Abstraction	786
2.11.8.2.1	Variation 1:	Formation of Bis(η^5 -cyclopentadienyl)zirconium Complexes with Allenes, Silenes, Imines, and Diphenyldiazene Derivatives	786
2.11.8.2.2	Variation 2:	Formation of Bis(η^5 -cyclopentadienyl)zirconium–Benzyne Complexes	787
2.11.8.2.3	Variation 3:	Formation of Bis(η^5 -cyclopentadienyl)zirconium–Alkyne Complexes	788
2.11.8.2.4	Variation 4:	Formation of Bis(η^5 -cyclopentadienyl)zirconium–Alkene Complexes	789
2.11.8.3	Method 3:	By π -Complexation	790
2.11.8.4	Method 4:	By Transmetalation	791
2.11.8.5	Method 5:	By Reductive Elimination or Migration	792
2.11.8.6	Method 6:	By β,γ -C–C Bond Cleavage	792
2.11.8.7	Method 7:	Formation of Bis(η^5 -cyclopentadienyl)zirconium(III) Complexes	793
		Applications of Product Subclass 8 in Organic Synthesis	794
2.11.8.8	Method 8:	Bis(η^5 -cyclopentadienyl)zirconium(II)-Catalyzed C–C Bond Formation	794
2.11.8.8.1	Variation 1:	Using Grignard or Other Magnesium Reagents	795
2.11.8.8.2	Variation 2:	Using Organoaluminum Reagents	801
2.11.8.8.3	Variation 3:	Using Organozinc Reagents	805
2.11.8.9	Method 9:	Bis(η^5 -cyclopentadienyl)zirconium(II)-Catalyzed Hydrosilylation of Alkenes	806
2.11.9	Product Subclass 9: Metal–Mono(η^5-cyclopentadienyl) and –Tris(η^5-cyclopentadienyl) Complexes and Related Derivatives		807
		Synthesis of Product Subclass 9	807
2.11.9.1	Method 1:	By Transmetalation	807
2.11.9.1.1	Variation 1:	Formation of Trichloromono(η^5 -cyclopentadienyl)metal Derivatives from Metal(IV) Tetrachloride–Bis(dimethyl sulfide) Complexes	808
2.11.9.1.2	Variation 2:	Formation of Trichloro(η^5 -cyclopentadienyl)zirconium from Thallium(I) Methylcyclopentadienide and Zirconium(IV) Chloride–Bis(tetrahydrofuran) Complex	809
2.11.9.1.3	Variation 3:	Formation of Zirconium Complexes Containing an Amido-Linked Cyclopentadienyl Ligand	809
2.11.9.1.4	Variation 4:	Formation of Tris(η^5 -cyclopentadienyl)metal Complexes	809
2.11.9.2	Method 2:	By Radical Chlorination of Dichlorobis(η^5 -cyclopentadienyl)-zirconium	810
2.11.9.3	Method 3:	By Amine Elimination	811
		Applications of Product Subclass 9 in Organic Synthesis	811
2.11.9.4	Method 4:	Aldol-Type Reactions of 1-Naphthol Catalyzed by Trichloro-(η^5 -cyclopentadienyl)zirconium Derivatives	811

2.11.10	Product Subclass 10: “Ate” Complexes of Metal–Bis(η^5-cyclopentadienyl) and Other Derivatives	812
	Synthesis of Product Subclass 10	813
2.11.10.1	Method 1: Synthesis of Bis(η^5 -cyclopentadienyl)metal(IV) “Ate” Complexes	813
2.11.10.1.1	Variation 1: Reactions of Bis(η^5 -cyclopentadienyl)zirconium(IV) Derivatives with Alkyl- and Arylmetals Containing Lithium or Magnesium, or with Metal Hydrides	813
	Applications of Product Subclass 10 in Organic Synthesis	815
2.11.10.2	Method 2: “Ate” Complexes of Bis(η^5 -cyclopentadienyl)metal(IV) Derivatives	815
2.11.10.2.1	Variation 1: Reactions of Bis(η^5 -cyclopentadienyl)zirconium(IV) Derivatives with Alkynylmetals Containing Lithium and Magnesium	815
2.11.10.2.2	Variation 2: Reactions of Bis(η^5 -cyclopentadienyl)metal(IV) Derivatives with α - and γ -Hetero-Substituted Alkyl- and Alkenyllithiums	819
2.11.10.2.3	Variation 3: Zwitterionic Bis(η^5 -cyclopentadienyl)zirconium(IV) Derivatives	822
2.11.10.3	Method 3: Zirconate Complexes of Bis(η^5 -cyclopentadienyl)zirconium(II) Derivatives	823
2.11.11	Product Subclass 11: Metal π-Complexes Containing η^5-Ligands Other than η^5-Cyclopentadienyl	825
	Synthesis of Product Subclass 11	825
2.11.11.1	Method 1: By Transmetalation	825
2.11.11.2	Method 2: By Protonation with Carborane	827
2.11.12	Product Subclass 12: Metal π-Complexes Containing η^4-, η^3-, and η^2-Ligands	827
	Synthesis of Product Subclass 12	828
2.11.12.1	Method 1: By π -Complexation	828
2.11.12.2	Method 2: By Transmetalation	828
2.11.13	Product Subclass 13: Metal σ-Complexes without π-Ligands of Oxidation State Four	829
	Synthesis of Product Subclass 13	830
2.11.13.1	Method 1: By Transmetalation	830
2.11.13.2	Method 2: Miscellaneous Methods	832
	Applications of Product Subclass 13 in Organic Synthesis	833
2.11.13.3	Method 3: Carbonyl Addition and Related Addition Reactions of σ -Organozirconium Complexes	833
2.11.13.4	Method 4: Migratory Insertion of Isocyanides and Carbon Monoxide	834
2.11.14	Product Subclass 14: Metal σ-Complexes of Oxidation States below Four	835
2.11.14.1	Method 1: By Reduction	835
2.11.14.2	Method 2: By Reductive Carbonylation	836

2.12	Product Class 12: Organometallic Complexes of Scandium, Yttrium and the Lanthanides	
	Z. Hou and Y. Wakatsuki	
<hr/>		
2.12	Product Class 12: Organometallic Complexes of Scandium, Yttrium, and the Lanthanides	849
2.12.1	Product Subclass 1: Complexes in the Zero Oxidation State	849
	Synthesis of Product Subclass 1	849
2.12.1.1	Method 1: By Co-condensation of Metal Vapor with a Ligand Compound	849
2.12.1.2	Method 2: By Reduction of Lanthanide(II) Species	850
	Applications of Product Subclass 1 in Organic Synthesis	851
2.12.1.3	Method 3: Catalytic Conversion of Carbon Dioxide and Epoxides into Dioxolan-2-ones	851
2.12.2	Product Subclass 2: Lanthanide(II) Complexes with σ-Organo Ligands	851
	Synthesis of Product Subclass 2	852
2.12.2.1	Method 1: By Reduction of Appropriate Organic Compounds with Lanthanide Metals	852
2.12.2.1.1	Variation 1: By Reduction of Organic Iodides	852
2.12.2.1.2	Variation 2: By Reduction of Aromatic Ketones, Thioketones, and Imines	853
2.12.2.2	Method 2: By Transmetalation	854
2.12.2.2.1	Variation 1: From Lanthanide(II) Iodides	854
2.12.2.2.2	Variation 2: From Lanthanide Metals	855
	Applications of Product Subclass 2 in Organic Synthesis	856
2.12.2.3	Method 3: Cross-Coupling Reactions with Organic Electrophiles	856
2.12.3	Product Subclass 3: Mono- and Bis(cyclopentadienyl)lanthanide(II) Complexes	857
	Synthesis of Product Subclass 3	857
2.12.3.1	Method 1: By Transmetalation	857
	Applications of Product Subclass 3 in Organic Synthesis	858
2.12.3.2	Method 2: Formation of Nucleophilic Allyl- and Benzylsamarium(III) Species	858
2.12.4	Product Subclass 4: Mono- and Bis(pentamethylcyclopentadienyl)lanthanide(II) Complexes	859
	Synthesis of Product Subclass 4	859
2.12.4.1	Method 1: By Transmetalation	859
	Applications of Product Subclass 4 in Organic Synthesis	862
2.12.4.2	Method 2: Reductive Coupling Reactions	862
2.12.4.2.1	Variation 1: Homocoupling Reactions	862
2.12.4.2.2	Variation 2: Cross-Coupling Reactions	863
2.12.4.3	Method 3: Acylation of Alcohols and Amines	866

2.12.4.4	Method 4: Polymerization	866
2.12.4.4.1	Variation 1: Synthesis of (Meth)acrylate Triblock Copolymers	866
2.12.4.4.2	Variation 2: Block Copolymerization of Ethene and Styrene	867
2.12.5	Product Subclass 5: Lanthanide(II) Complexes with Other Modified Cyclopentadienyl Ligands	868
	Synthesis of Product Subclass 5	868
2.12.5.1	Method 1: By Transmetalation	868
	Applications of Product Subclass 5 in Organic Synthesis	870
2.12.5.2	Method 2: Alkene Polymerization	870
2.12.6	Product Subclass 6: Miscellaneous Lanthanide(II) Complexes	871
	Synthesis of Product Subclass 6	871
2.12.6.1	Method 1: By Oxidation of Lanthanide Metals	871
2.12.6.2	Method 2: By Transmetalation	872
	Applications of Product Subclass 6 in Organic Synthesis	874
2.12.6.3	Method 3: Reversible Pinacol-Coupling Reactions	874
2.12.6.4	Method 4: Ring-Opening Polymerization and Copolymerization of Lactones	875
2.12.7	Product Subclass 7: Scandium(III)-, Yttrium(III)-, and Lanthanide(III)-σ-Organo Complexes without Anionic π-Ligands	876
	Synthesis of Product Subclass 7	876
2.12.7.1	Method 1: By Transmetalation	876
2.12.7.2	Method 2: By Deprotonation of Terminal Alkynes	880
	Applications of Product Subclass 7 in Organic Synthesis	881
2.12.7.3	Method 3: Nucleophilic Addition	881
2.12.7.4	Method 4: Catalytic Dimerization of Alk-1-yne and Polymerization of Ethene	882
2.12.8	Product Subclass 8: Mono- and Bis(cyclopentadienyl) Complexes of Scandium(III), Yttrium(III), and Lanthanides(III) Bearing σ-Organo or Other Anionic Ligands	883
	Synthesis of Product Subclass 8	883
2.12.8.1	Method 1: By Transmetalation	883
2.12.8.1.1	Variation 1: From Rare Earth Trihalides	883
2.12.8.1.2	Variation 2: From Cyclopentadienyl Rare Earth Chlorides	885
2.12.8.2	Method 2: By Hydrogenolysis or Protonation of Rare Earth Metal–Carbon Bonds	887
	Applications of Product Subclass 8 in Organic Synthesis	889
2.12.8.3	Method 3: Addition of Ln–X (X = H, Alkyl, Silyl, or Germyl) to Unsaturated C–C, C–N, or C–O Bonds	889

2.12.9	Product Subclass 9: Tris(substituted or unsubstituted cyclopentadienyl) Complexes	891
	Synthesis of Product Subclass 9	891
2.12.9.1	Method 1: By Transmetalation	891
	Applications of Product Subclass 9 in Organic Synthesis	893
2.12.9.2	Method 2: Coupling Reactions between Pentamethylcyclopentadienide Anion and Electrophilic Substrates	893
2.12.10	Product Subclass 10: Mono- and Bis(pentamethylcyclopentadienyl) Complexes of Scandium(III), Yttrium(III), and the Lanthanides(III) Bearing σ-Organo or Other Anionic Ligands	895
	Synthesis of Product Subclass 10	895
2.12.10.1	Method 1: By Transmetalation	895
2.12.10.1.1	Variation 1: From Rare Earth Trihalides or Tris(aryloxides)	895
2.12.10.1.2	Variation 2: From Pentamethylcyclopentadienyl Rare Earth Halides or Aryloxides	897
2.12.10.2	Method 2: By Hydrogenolysis or Protonation of Rare Earth Metal—Organo or Metal—Amide Bonds	898
2.12.10.3	Method 3: By Oxidation of Bis(pentamethylcyclopentadienyl)lanthanide(II) Complexes	900
	Applications of Product Subclass 10 in Organic Synthesis	901
2.12.10.4	Method 4: Catalytic Dimerization of Alk-1- or Alk-2-yne	901
2.12.10.5	Method 5: Catalytic Hydrogenation, Hydrosilylation, and Hydroboration of Alkenes or Alkynes	903
2.12.10.6	Method 6: Catalytic Cyclization Reactions	904
2.12.10.7	Method 7: Polymerization Reactions	906
2.12.11	Product Subclass 11: Other Modified Cyclopentadienyl Complexes in Oxidation State Three	907
	Synthesis of Product Subclass 11	907
2.12.11.1	Method 1: By Transmetalation	907
2.12.11.2	Method 2: By Deprotonation	915
	Applications of Product Subclass 11 in Organic Synthesis	916
2.12.11.3	Method 3: Catalytic Cyclization—Silylation of Hindered Dienes and Trienes	917
2.12.11.4	Method 4: Asymmetric Catalysis	917
2.12.11.5	Method 5: Dimerization and Polymerization of Alk-1-ene	918
2.12.12	Product Subclass 12: Cyclooctatetraenyl Complexes in Oxidation States Two and Three	919
	Synthesis of Product Subclass 12	919
2.12.12.1	Method 1: By Transmetalation	919
2.12.12.2	Method 2: By Oxidation of Low-Valent Lanthanides	921

2.12.13	Product Subclass 13: Miscellaneous Complexes in Oxidation State Three ·	922
	Synthesis of Product Subclass 13 ·····	923
2.12.13.1	Method 1: By Transmetalation ·····	923
2.12.13.2	Method 2: By Oxidation of Low-Valent Lanthanides ·····	925
	Applications of Product Subclass 13 in Organic Synthesis ·····	927
2.12.13.3	Method 3: Polymerization of Buta-1,3-diene, Methyl Methacrylate, and Lactones ·····	927
2.12.13.4	Method 4: Catalytic Asymmetric C—C, C—O, and C—P Bond Formation ·	928
2.12.14	Product Subclass 14: Complexes in Oxidation State Four ·····	929
	Synthesis of Product Subclass 14 ·····	929
2.12.14.1	Method 1: By Transmetalation ·····	929
2.12.14.2	Method 2: By Oxidation of Cerium(III) Compounds ·····	931
2.13	Product Class 13: Organometallic Complexes of the Actinides A. Dormond and D. Barbier-Baudry	
2.13	Product Class 13: Organometallic Complexes of the Actinides ·····	943
2.13.1	Product Subclass 1: Actinide–Cyclooctatetraenyl Complexes ·····	943
	Synthesis of Product Subclass 1 ·····	944
2.13.1.1	Method 1: Preparation of Actinide–Cyclooctatetraenyl Complexes by Ligand Substitution ·····	944
2.13.2	Product Subclass 2: Actinide–Cycloheptatrienyl Complexes ·····	946
	Synthesis of Product Subclass 2 ·····	947
2.13.2.1	Method 1: Preparation of Uranium–Cycloheptatrienyl Complexes by Ligand Substitution ·····	947
2.13.3	Product Subclass 3: Actinide–Arene Complexes ·····	947
	Synthesis of Product Subclass 3 ·····	947
2.13.3.1	Method 1: Preparation of Uranium(III) Arene Complexes by Reduction of Uranium(IV) Complexes ·····	947
2.13.4	Product Subclass 4: Actinide–Cyclopentadienyl and Substituted Cyclopentadienyl Complexes ·····	948
	Synthesis of Product Subclass 4 ·····	948
2.13.4.1	Method 1: Preparation of Actinide Cyclopentadienyl Halide and Amide Complexes by Ligand Substitution ·····	948
2.13.4.2	Method 2: Preparation of Actinide Cyclopentadienyl Alkyl Complexes by Ligand Substitution ·····	950
2.13.4.3	Method 3: Preparation of Other Actinide Cyclopentadienyl Complexes by Ligand Substitution ·····	952
2.13.4.4	Method 4: Preparation of (Cyclopentadienyl)actinide(III) Complexes by Reduction ·····	953

2.13.5	Product Subclass 5: Actinide–Pentamethylcyclopentadienyl Complexes	954
	Synthesis of Product Subclass 5	954
2.13.5.1	Method 1: Preparation of (Pentamethylcyclopentadienyl)actinide(IV) Halide and Alkyl Complexes by Ligand Substitution	954
2.13.5.2	Method 2: Preparation of (Pentamethylcyclopentadienyl)uranium(III) Complexes by Reduction	958
2.13.5.3	Method 3: Preparation of (Tetramethylcyclopentadienyl)actinide Adduct Complexes by Ligand Addition	959
	Applications of Product Subclass 5 in Organic Synthesis	959
2.13.5.4	Method 4: Catalytic Synthesis of Imines by Addition	959
2.13.6	Product Subclass 6: Actinide–Tetramethylphospholyl Complexes	960
	Synthesis of Product Subclass 6	960
2.13.6.1	Method 1: Preparation of (Tetramethylphospholyl)uranium Complexes by Ligand Substitution	960
2.13.7	Product Subclass 7: Actinide–Hexadienyl and –Pentadienyl Complexes	961
	Synthesis of Product Subclass 7	961
2.13.7.1	Method 1: Preparation of (Hexadienyl)- and (Pentadienyl)actinide Complexes by Ligand Substitution	961
2.13.8	Product Subclass 8: Actinide–Allyl Complexes	962
	Synthesis of Product Subclass 8	962
2.13.8.1	Method 1: Preparation of Actinide–Allyl Complexes by Ligand Substitution	962
2.13.9	Product Subclass 9: Actinide–σ-Organo Complexes without Anionic π-Ligands	963
	Synthesis of Product Subclass 9	964
2.13.9.1	Method 1: Preparation of Actinide Alkyl Pyrazolylborate Complexes by Ligand Substitution	964
2.13.9.2	Method 2: Preparation of Actinide Alkyl Aryloxy Complexes by Ligand Substitution	964
2.13.9.3	Method 3: Preparation of Actinide Alkyl Silylamido Complexes by Ligand Substitution	965
2.13.9.4	Method 4: Preparation of Actinide Metallacycles by Elimination Reactions	966
	Applications of Product Subclass 9 in Organic Synthesis	967
2.13.9.5	Method 5: Selective Nucleophilic Addition to Carbonyl Compounds	967
2.13.9.6	Method 6: Nucleophilic Addition to Unsaturated Compounds	967
2.13.10	Product Subclass 10: Miscellaneous Complexes	969
	Synthesis of Product Subclass 10	969
2.13.10.1	Method 1: Preparation of Uranium(IV) Borohydride by Ligand Substitution	969

Keyword Index	975
Author Index	1011
Abbreviations	1065