

**Volume 20a:
Three Carbon–Heteroatom Bonds:
Acid Halides; Carboxylic Acids and Acid Salts**

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	XI
	Introduction	
	J. S. Panek	1
20.1	Product Class 1: Acid Halides	
	S. G. Nelson	15
20.2	Product Class 2: Carboxylic Acids	
20.2.1	Product Subclass 1: Alkanoic Acids	
20.2.1.1	Synthesis from Carbonic Acid Derivatives	
	S. J. Collier and E. Kataisto	53
20.2.1.2	Synthesis from Carboxylic Acid Derivatives	
	N. F. Jain and C. E. Masse	75
20.2.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers)	
	S. Lin, L. Yan, and P. Liu	93
20.2.1.4	Synthesis from Organic Halides	
	G. Evano	137
20.2.1.5	Synthesis from Alcohols	
	B. Figadère and X. Franck	173
20.2.1.6	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives)	
	G. Evano	205
20.2.1.7	Synthesis by Rearrangement	
	A. J. Phillips and C. E. Love	241
20.2.1.8	Synthesis with Retention of the Functional Group	
	P. Vedantham, M. Jiménez, and P. R. Hanson	265
20.2.2	Product Subclass 2: Arenedicarboxylic Acids	
	L. R. Subramanian	307
20.2.3	Product Subclass 3: Butenedioic and Butynedioic Acids	
	C. E. Masse	329
20.2.4	Product Subclass 4: Alkanedioic Acids	
	C. E. Masse	337

20.2.5	Product Subclass 5: 2-Oxo- and 2-Imino-Substituted Alkanoic Acids J. A. Westbrook and S. E. Schaus	355
20.2.6	Product Subclass 6: 2,2-Diheteroatom-Substituted Alkanoic Acids J. A. Westbrook and S. E. Schaus	371
20.2.7	Product Subclass 7: 2-Aminoalkanoic Acids (α-Amino Acids) S. E. Wolkenberg and R. M. Garbaccio	385
20.2.8	Product Subclass 8: 2-Heteroatom-Substituted Alkanoic Acids S. R. Chemler and T. P. Zabawa	483
20.2.9	Product Subclass 9: Alk-2-ynoic Acids G. Evano	507
20.2.10	Product Subclass 10: Arenecarboxylic Acids T. P. Yoon and E. N. Jacobsen	533
20.2.11	Product Subclass 11: Alk-2-enoic Acids C. D. Vanderwal and E. N. Jacobsen	551
20.2.12	Product Subclass 12: 3-Oxoalkanoic and 3,3-Dioxyalkanoic Acids J. Beignet	569
20.2.13	Product Subclass 13: 3-Heteroatom-Substituted Alkanoic Acids G. Sartori and R. Maggi	579
20.3	Product Class 3: Carboxylic Acid Salts L. Dakin and B. Lahue	605
20.4	Product Class 4: Carboxylic Acid Anhydrides and Their Sulfur, Selenium, and Tellurium Derivatives P. A. Keller	617
	Keyword Index	i
	Author Index	xxxiii
	Abbreviations	lxiii

Table of Contents

Introduction

J. S. Panek

Introduction	1
---------------------------	---

20.1 Product Class 1: Acid Halides

S. G. Nelson

20.1	Product Class 1: Acid Halides	15
20.1.1	Product Subclass 1: Acid Fluorides	20
20.1.1.1	Synthesis of Product Subclass 1	21
20.1.1.1.1	Method 1: Fluorination of Carboxylic Acids	21
20.1.1.1.1.1	Variation 1: Treatment with 2,4,6-Trifluoro-1,3,5-triazine	21
20.1.1.1.1.2	Variation 2: Treatment with Tetramethylfluoroformamidinium Hexafluorophosphate	22
20.1.1.1.1.3	Variation 3: Treatment with <i>N,N</i> -Diethylaminosulfur Trifluoride or <i>N,N</i> -Bis(2-methoxyethyl)aminosulfur Trifluoride	23
20.1.1.1.1.4	Variation 4: Treatment with Pyridinium Poly(hydrogen fluoride)/ Dicyclohexylcarbodiimide	25
20.1.1.1.1.5	Variation 5: Treatment with 1-Fluoro- <i>N,N</i> ,2-trimethylprop-1-en-1-amine ..	26
20.1.1.1.2	Method 2: Reactions of Acid Chlorides with Fluoride Ion	27
20.1.1.1.3	Method 3: Reactions of Carboxylate Esters and Anhydrides with Hydrogen Fluoride or Hydrogen Fluoride/Pyridine	28
20.1.2	Product Subclass 2: Acid Chlorides	29
20.1.2.1	Synthesis of Product Subclass 2	30
20.1.2.1.1	Method 1: Chlorination of Carboxylic Acids	30
20.1.2.1.1.1	Variation 1: Treatment with Oxalyl Chloride	30
20.1.2.1.1.2	Variation 2: Treatment with Thionyl Chloride	33
20.1.2.1.1.3	Variation 3: Treatment with Triphenylphosphine/Carbon Tetrachloride and Other Phosphorus-Based Reagents	36
20.1.2.1.1.4	Variation 4: Treatment with 1-Chloro- <i>N,N</i> ,2-trimethylprop-1-en-1-amine ..	38
20.1.2.1.1.5	Variation 5: Treatment with Bis(trichloromethyl) Carbonate	39
20.1.2.1.1.6	Variation 6: Treatment with 2,4,6-Trichloro-1,3,5-triazine	40
20.1.2.1.2	Method 2: Chlorination of Trialkylsilyl Carboxylate Esters	41
20.1.3	Product Subclass 3: Acid Bromides	42
20.1.3.1	Synthesis of Product Subclass 3	43
20.1.3.1.1	Method 1: Reactions of Carboxylic Acids with Phosphorus Tribromide	43
20.1.3.1.2	Method 2: Reactions of Carboxylic Acids or Trialkylsilyl Carboxylate Esters with Dibromotriphenylphosphorane	43
20.1.3.1.3	Method 3: Reactions of Carboxylic Acids with 1-Bromo- <i>N,N</i> ,2-trimethylprop-1-en-1-amine	45
20.1.3.1.4	Method 4: Halide-Exchange Reactions of Acid Chlorides	46
20.1.3.1.5	Method 5: Oxidation of Aldehydes	47

20.1.4	Product Subclass 4: Acid Iodides	47
20.1.4.1	Synthesis of Product Subclass 4	48
20.1.4.1.1	Method 1: Synthesis from Acid Chlorides	48
20.1.4.1.2	Method 2: Synthesis from Carboxylate Esters	49
20.2	Product Class 2: Carboxylic Acids	
<hr/>		
20.2.1	Product Subclass 1: Alkanoic Acids	
<hr/>		
20.2.1.1	Synthesis from Carbonic Acid Derivatives S. J. Collier and E. Kataisto	
<hr/>		
20.2.1.1	Synthesis from Carbonic Acid Derivatives	53
20.2.1.1.1	Method 1: Reactions with Carbon Dioxide	53
20.2.1.1.1.1	Variation 1: Reaction with Unstabilized Organometallic Carbanions	54
20.2.1.1.1.2	Variation 2: Reaction with Benzylic Carbanions	58
20.2.1.1.1.3	Variation 3: Reaction with Allylic and Propargylic Carbanions	62
20.2.1.1.1.4	Variation 4: Reaction with α -Heteroatom-Stabilized Carbanions	63
20.2.1.1.1.5	Variation 5: Electrochemical Carboxylations	66
20.2.1.1.1.6	Variation 6: Miscellaneous Carboxylations with Carbon Dioxide	69
20.2.1.1.2	Method 2: Use of Other Carbonic Acid Derivatives	70
20.2.1.2	Synthesis from Carboxylic Acid Derivatives N. F. Jain and C. E. Masse	
<hr/>		
20.2.1.2	Synthesis from Carboxylic Acid Derivatives	75
20.2.1.2.1	Method 1: Hydrolysis of Acid Halides	75
20.2.1.2.2	Method 2: Hydrolysis of Acid Anhydrides	76
20.2.1.2.3	Method 3: Hydrolysis of Esters	76
20.2.1.2.3.1	Variation 1: Base-Catalyzed Hydrolysis	76
20.2.1.2.3.2	Variation 2: Acid-Catalyzed Hydrolysis	78
20.2.1.2.3.3	Variation 3: Other Methods	79
20.2.1.2.4	Method 4: Hydrolysis of Amides	80
20.2.1.2.4.1	Variation 1: Base-Catalyzed Hydrolysis	80
20.2.1.2.4.2	Variation 2: Acid-Catalyzed Hydrolysis	81
20.2.1.2.5	Method 5: Hydrolysis of 2-Alkyl-4,5-dihydrooxazoles	81
20.2.1.2.6	Method 6: Hydrolysis of Nitriles	84
20.2.1.2.6.1	Variation 1: Base-Catalyzed Hydrolysis	84
20.2.1.2.6.2	Variation 2: Acid-Catalyzed Hydrolysis	85
20.2.1.2.7	Method 7: Hydrolysis of Ketenes	86
20.2.1.2.8	Method 8: Hydrolysis of Ketene Acetals	87
20.2.1.2.9	Method 9: Hydrolysis of 1-Heteroatom-Substituted Alkynes	88
20.2.1.2.9.1	Variation 1: Hydrolysis of 1-Haloalkynes	88
20.2.1.2.9.2	Variation 2: Hydrolysis of 1-Sulfanylalkynes	88
20.2.1.2.9.3	Variation 3: Hydrolysis of Alkynylbenzotriazoles	89

20.2.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers) S. Lin, L. Yan, and P. Liu	
<hr/>		
20.2.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers)	93
20.2.1.3.1	Oxidation of Aldehydes	93
20.2.1.3.1.1	Method 1: Oxidation Using the Jones Reagent	93
20.2.1.3.1.2	Method 2: Oxidation Using Permanganate Salts	94
20.2.1.3.1.2.1	Variation 1: Using Solid-Supported Permanganate Salts	95
20.2.1.3.1.3	Method 3: Oxidation Using Silver(I) Oxide	96
20.2.1.3.1.4	Method 4: Oxidation Using Hydrogen Peroxide	97
20.2.1.3.1.5	Method 5: Oxidation Using Peroxy Acids	98
20.2.1.3.1.6	Method 6: Oxidation Using a Peroxide	101
20.2.1.3.1.7	Method 7: Oxidation Using Oxygen	101
20.2.1.3.1.8	Method 8: Oxidation Using Pyridinium Chlorochromate or Pyridinium Dichromate	103
20.2.1.3.1.9	Method 9: Oxidation Using Ruthenium(III) Chloride or Ruthenium(IV) Oxide and Sodium Periodate	104
20.2.1.3.1.10	Method 10: Oxidation Using Sodium Chlorite or Sodium Hypochlorite	105
20.2.1.3.1.10.1	Variation 1: Using Solid-Supported Chlorite Ion	106
20.2.1.3.1.11	Method 11: Oxidation Using Iodine or Bromine	107
20.2.1.3.1.12	Method 12: Oxidation Using Fuming Nitric Acid	108
20.2.1.3.1.13	Method 13: Oxidation Using Oxone	109
20.2.1.3.1.14	Method 14: Oxidation Using 1-Hydroxy-1,2-benziodoxol-3(1 <i>H</i>)-one 1-Oxide	111
20.2.1.3.1.15	Method 15: Enzymatic Oxidation	113
20.2.1.3.2	Oxidation of Methyl Ketones	116
20.2.1.3.2.1	Method 1: Oxidation Using Halogens (Haloform Reactions)	116
20.2.1.3.2.1.1	Variation 1: Using Sodium Bromite	118
20.2.1.3.2.2	Method 2: Oxidation Using Rhenium(VII) Oxide and <i>tert</i> -Butyl Hydroperoxide	119
20.2.1.3.3	Oxidation of α -Hydroxy Ketones	120
20.2.1.3.3.1	Method 1: Oxidation Using the Jones Reagent	120
20.2.1.3.3.2	Method 2: Oxidation Using Periodic Acid or a Periodate	120
20.2.1.3.3.3	Method 3: Oxidation Using Bismuth(III) Mandelate and Oxygen	122
20.2.1.3.3.4	Method 4: Oxidation Using a Bis(1,3-diketonato)nickel(II) Complex and Oxygen	123
20.2.1.3.3.5	Method 5: Oxidation Using a Peroxy Acid	125
20.2.1.3.4	Oxidation of α -Oxo Ketones	126
20.2.1.3.4.1	Method 1: Oxidation Using Hydrogen Peroxide	126
20.2.1.3.4.1.1	Variation 1: Using Sodium Perborate	126
20.2.1.3.5	Oxidation of Aldehyde and Ketone Derivatives	127
20.2.1.3.5.1	Method 1: Oxidation of Acetals	127
20.2.1.3.5.2	Method 2: Oxidation of Enol Ethers	130
20.2.1.3.5.2.1	Variation 1: From O-Alkylated Enol Ethers	130
20.2.1.3.5.2.2	Variation 2: From O-Silylated Enol Ethers	131

20.2.1.4	Synthesis from Organic Halides G. Evano	
<hr/>		
20.2.1.4	Synthesis from Organic Halides	137
20.2.1.4.1	Carboxylation	137
20.2.1.4.1.1	Method 1: Acid-Catalyzed Carboxylation with Carbon Monoxide	137
20.2.1.4.1.2	Method 2: Transition-Metal-Catalyzed Carboxylation with Carbon Monoxide	138
20.2.1.4.1.2.1	Variation 1: Of Aryl Halides	138
20.2.1.4.1.2.2	Variation 2: Of Vinyl Halides	144
20.2.1.4.1.2.3	Variation 3: Of Benzyl Halides	147
20.2.1.4.1.2.4	Variation 4: Of Allyl Halides	150
20.2.1.4.1.2.5	Variation 5: Of Simple Alkyl Halides	151
20.2.1.4.1.3	Method 3: Carboxylation with Formate or Its Derivatives	152
20.2.1.4.2	Electrocarboxylation	154
20.2.1.4.2.1	Method 1: Electrocarboxylation with Carbon Dioxide	154
20.2.1.4.3	Metalation	157
20.2.1.4.3.1	Method 1: Metalation of an Organic Halide Followed by Carbon Dioxide Addition	157
20.2.1.4.3.1.1	Variation 1: Via Grignard Reagents	158
20.2.1.4.3.1.2	Variation 2: Via Organolithium Reagents	160
20.2.1.4.3.1.3	Variation 3: Via Other Organometallic Reagents	165
20.2.1.4.3.2	Method 2: Metalation of an Organic Halide Followed by a Ring-Opening Reaction with a Lactone	166
20.2.1.4.4	Miscellaneous Routes	168
20.2.1.4.4.1	Method 1: Coupling with Chloroform	168
20.2.1.4.4.2	Method 2: Reaction with Sodium Nitrite and Acetic Acid	169
20.2.1.5	Synthesis from Alcohols B. Figadère and X. Franck	
<hr/>		
20.2.1.5	Synthesis from Alcohols	173
20.2.1.5.1	Synthesis by Oxidation Mediated by Metallic Salts	173
20.2.1.5.1.1	Method 1: Electrochemical Oxidation with Mercury and Oxygen	174
20.2.1.5.1.2	Method 2: Oxidation with a Copper(II) Complex and Hydrogen Peroxide	174
20.2.1.5.1.3	Method 3: Electrochemical Oxidation with Silver and Oxygen	175
20.2.1.5.1.4	Method 4: Oxidation with Gold on Carbon and Oxygen	176
20.2.1.5.1.5	Method 5: Oxidation with Nickel	176
20.2.1.5.1.5.1	Variation 1: With Nickel Peroxide	176
20.2.1.5.1.5.2	Variation 2: Electrochemical Oxidation with Nickel(II) Hydroxide	177
20.2.1.5.1.6	Method 6: Oxidation with Palladium	177
20.2.1.5.1.6.1	Variation 1: With Palladium on Carbon and Oxygen	177
20.2.1.5.1.6.2	Variation 2: With Palladium(II) and Oxygen	178
20.2.1.5.1.7	Method 7: Oxidation with Platinum on Carbon and Oxygen	179
20.2.1.5.1.8	Method 8: Oxidation with Cobalt	179

20.2.1.5.1.8.1	Variation 1:	With Cobalt(II) and Hydrogen Peroxide	180
20.2.1.5.1.8.2	Variation 2:	With a Heterogeneous Cobalt–Cerium–Ruthenium Catalyst	180
20.2.1.5.1.8.3	Variations 3:	Miscellaneous Oxidations	181
20.2.1.5.1.9	Method 9:	Oxidation with Ruthenium	181
20.2.1.5.1.9.1	Variation 1:	With Ruthenium(III) Chloride and Sodium Periodate	181
20.2.1.5.1.9.2	Variation 2:	With Ruthenium(III) Chloride and Potassium Persulfate	182
20.2.1.5.1.9.3	Variation 3:	With Ruthenium(III) Chloride and Hydrogen Peroxide	182
20.2.1.5.1.9.4	Variation 4:	With Ruthenium(III) Chloride and Trichloroisocyanuric Acid	183
20.2.1.5.1.9.5	Variation 5:	Electrochemical Oxidation with Ruthenium(IV) Oxide	184
20.2.1.5.1.10	Method 10:	Oxidation with Manganese	185
20.2.1.5.1.10.1	Variation 1:	With Sodium Permanganate	185
20.2.1.5.1.10.2	Variation 2:	With Copper(II) Permanganate	185
20.2.1.5.1.10.3	Variation 3:	With Zinc(II) Permanganate	186
20.2.1.5.1.10.4	Variation 4:	With Manganese(IV) Phosphate	187
20.2.1.5.1.11	Method 11:	Oxidation with Chromium	187
20.2.1.5.1.11.1	Variation 1:	With Chromium(VI) Oxide	187
20.2.1.5.1.11.2	Variation 2:	With Potassium or Sodium Dichromate	189
20.2.1.5.1.11.3	Variation 3:	With Pyridinium Dichromate	190
20.2.1.5.1.12	Method 12:	Oxidation with Sodium Tungstate	190
20.2.1.5.1.13	Method 13:	Oxidation with Ammonium Cerium(IV) Nitrate	191
20.2.1.5.1.14	Method 14:	Oxidation with Polyoxometalates	191
20.2.1.5.2	Synthesis by Metal-Free Oxidation		192
20.2.1.5.2.1	Method 1:	Oxidation with 2,2,6,6-Tetramethylpiperidin-1-oxyl	192
20.2.1.5.2.1.1	Variation 1:	2,2,6,6-Tetramethylpiperidin-1-oxyl with Sodium Hypochlorite	193
20.2.1.5.2.1.2	Variation 2:	2,2,6,6-Tetramethylpiperidin-1-oxyl with (Diacetoxyiodo)benzene	195
20.2.1.5.2.1.3	Variations 3:	Miscellaneous Oxidations with 2,2,6,6-Tetramethylpiperidin-1-oxyl	196
20.2.1.5.2.2	Method 2:	Oxidation with Hypervalent Iodine	196
20.2.1.5.2.2.1	Variation 1:	Hypervalent Iodine(III) with Potassium Bromide	196
20.2.1.5.2.2.2	Variation 2:	Hypervalent Iodine(V)	197
20.2.1.5.2.3	Methods 3:	Miscellaneous Oxidations	198
20.2.1.5.2.3.1	Variation 1:	Oxidation with Nitric Acid	198
20.2.1.5.2.3.2	Variation 2:	Oxidation with Sodium Bromate	199
20.2.1.5.3	Synthesis by Biotransformations		200
20.2.1.5.3.1	Method 1:	Oxidation with Enzymes	200
20.2.1.5.3.2	Method 2:	Oxidation with Microorganisms	201
20.2.1.6	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives) G. Evans		
20.2.1.6	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives)		205
20.2.1.6.1	Method 1:	Oxidative C=C Bond Cleavage	205
20.2.1.6.1.1	Variation 1:	Using Ozone	205

20.2.1.6.1.2	Variation 2:	Using Manganese Oxides	207
20.2.1.6.1.3	Variation 3:	Using the Lemieux–von Rudloff Reagent	209
20.2.1.6.1.4	Variation 4:	Using Ruthenium(VIII) Oxide	211
20.2.1.6.1.5	Variation 5:	Using Chromium Oxides	213
20.2.1.6.1.6	Variation 6:	Using Miscellaneous Reagents	215
20.2.1.6.2	Method 2:	Hydrocarboxylation with Carbon Monoxide	217
20.2.1.6.2.1	Variation 1:	Acid-Catalyzed Hydrocarboxylation (Koch Reaction)	218
20.2.1.6.2.2	Variation 2:	Transition-Metal-Catalyzed Hydrocarboxylation	219
20.2.1.6.3	Method 3:	Hydrocarboxylation without Carbon Monoxide	225
20.2.1.6.3.1	Variation 1:	Acid-Catalyzed Hydrocarboxylation with Formic Acid (Koch–Haaf Reaction)	225
20.2.1.6.3.2	Variation 2:	Transition-Metal-Catalyzed Hydrocarboxylation with Formic Acid	225
20.2.1.6.4	Method 4:	Hydroboration–Oxidation Sequences	226
20.2.1.6.4.1	Variation 1:	With Conservation of the Carbon Skeleton	226
20.2.1.6.4.2	Variation 2:	With One- or Two-Carbon Homologation	228
20.2.1.6.5	Method 5:	Metalation–Carboxylation Reactions	231
20.2.1.6.5.1	Variation 1:	Hydrometalation–Carboxylation Sequence	231
20.2.1.6.5.2	Variation 2:	Carbolithiation–Carboxylation Sequence	233
20.2.1.6.6	Methods 6:	Miscellaneous Methods	235
20.2.1.6.6.1	Variation 1:	Free-Radical Addition	235
20.2.1.6.6.2	Variation 2:	Using 1,1-Dichloroalkenes	235
20.2.1.7	Synthesis by Rearrangement		
	A. J. Phillips and C. E. Love		
20.2.1.7	Synthesis by Rearrangement		241
20.2.1.7.1	Method 1:	The Favorskii Rearrangement	241
20.2.1.7.2	Method 2:	Claisen Rearrangements	246
20.2.1.7.2.1	Variation 1:	Rearrangement of Ketene Silyl Acetals (The Ireland–Claisen Rearrangement)	246
20.2.1.7.2.2	Variation 2:	Rearrangement of Zinc Enolates (The Reformatsky–Claisen Rearrangement)	254
20.2.1.7.3	Method 3:	[2,3]-Wittig Rearrangements	255
20.2.1.7.4	Method 4:	The Arndt–Eistert Reaction	257
20.2.1.7.5	Method 5:	The Benzil–Benzilic Acid Rearrangement	259
20.2.1.8	Synthesis with Retention of the Functional Group		
	P. Vedantham, M. Jiménez, and P. R. Hanson		
20.2.1.8	Synthesis with Retention of the Functional Group		265
20.2.1.8.1	Method 1:	Synthesis by Alkylation	265
20.2.1.8.1.1	Variation 1:	Direct Alkylation of Alkanoic and Alkenoic Acids	265
20.2.1.8.1.2	Variation 2:	Regioselective Alkylation of Alkynoic Acids	266
20.2.1.8.1.3	Variation 3:	Diastereoselective Alkylation	267
20.2.1.8.2	Method 2:	Synthesis by Addition Across C–C Multiple Bonds	267
20.2.1.8.2.1	Variation 1:	Addition of Sodium Hydrogen Telluride to Alkenes	268

20.2.1.8.2.2	Variation 2:	ω -Alkynoic Acids and Aromatic Acids by Addition–Elimination	269
20.2.1.8.3	Method 3:	Synthesis by Conjugate Addition	273
20.2.1.8.3.1	Variation 1:	Asymmetric Conjugate Addition	273
20.2.1.8.3.2	Variation 2:	Stereospecific Conjugate Addition	274
20.2.1.8.4	Method 4:	Synthesis by Cycloaddition	275
20.2.1.8.4.1	Variation 1:	Diels–Alder Reaction	275
20.2.1.8.4.2	Variation 2:	Tandem Ene/Intramolecular Diels–Alder Reaction	277
20.2.1.8.4.3	Variation 3:	Asymmetric Diels–Alder Reaction	277
20.2.1.8.5	Method 5:	Synthesis by Homologation	278
20.2.1.8.5.1	Variation 1:	Homologation by One Carbon Atom	278
20.2.1.8.5.2	Variation 2:	Homologation by Multiple Carbon Atoms	279
20.2.1.8.6	Method 6:	Synthesis by Hydrogenation	281
20.2.1.8.6.1	Variation 1:	Nonselective Hydrogenation	281
20.2.1.8.6.2	Variation 2:	Regioselective Hydrogenation	284
20.2.1.8.6.3	Variation 3:	Diastereoselective Hydrogenation	285
20.2.1.8.6.4	Variation 4:	Asymmetric Hydrogenation	286
20.2.1.8.7	Method 7:	Synthesis by Alkene Isomerization	287
20.2.1.8.7.1	Variation 1:	Base-Catalyzed Deconjugation	287
20.2.1.8.7.2	Variation 2:	<i>Z–E</i> Isomerization	288
20.2.1.8.8	Method 8:	Synthesis by Oxidation	289
20.2.1.8.8.1	Variation 1:	Aromatization	289
20.2.1.8.8.2	Variation 2:	Oxidative Cleavage of Unsaturated Carboxylic Acids	290
20.2.1.8.8.3	Variation 3:	Oxidative Dimerization of Carboxylic Acids	290
20.2.1.8.9	Method 9:	Synthesis by Reduction	291
20.2.1.8.9.1	Variation 1:	Hydroboration Reactions	291
20.2.1.8.9.2	Variation 2:	Birch Reduction	292
20.2.1.8.10	Method 10:	Synthesis by Wittig Reaction	293
20.2.1.8.11	Method 11:	Synthesis by Resolution	294
20.2.1.8.11.1	Variation 1:	Chemical Resolution	294
20.2.1.8.11.2	Variation 2:	Enzymatic Resolution	297
20.2.1.8.12	Methods 12:	Miscellaneous Reactions	298
20.2.1.8.12.1	Variation 1:	Functional Group Transformation	298
20.2.1.8.12.2	Variation 2:	Transcarboxylation	298
20.2.1.8.12.3	Variation 3:	Ring-Closing Metathesis	299
20.2.1.8.12.4	Variation 4:	Barton’s Radical Decarboxylation	300
20.2.1.8.12.5	Variation 5:	The Kolbe Reaction	301
20.2.1.8.12.6	Variation 6:	Reactions on Solid Support	301

20.2.2 Product Subclass 2: Arenedicarboxylic Acids

L. R. Subramanian

20.2.2	Product Subclass 2: Arenedicarboxylic Acids	307
20.2.2.1	Synthesis of Product Subclass 2	307
20.2.2.1.1	Method 1: Carboxylation Using Carbon Tetrachloride and Copper Powder with Cyclodextrin as Catalyst	307
20.2.2.1.2	Method 2: Carboxylation Using Carbon Dioxide	309
20.2.2.1.3	Method 3: Synthesis by Carbonylation of Aryl Halides	310

20.2.2.1.3.1	Variation 1:	Under Photostimulation	310
20.2.2.1.3.2	Variation 2:	Using Palladium Complexes as Catalysts	311
20.2.2.1.4	Method 4:	Electrochemical Carboxylation of Iodoarenes	312
20.2.2.1.5	Method 5:	Hydrolysis Reactions	312
20.2.2.1.5.1	Variation 1:	Hydrolysis of Arenedinitriles	312
20.2.2.1.5.2	Variation 2:	Hydrolysis of Arenedicarboxylic Esters	313
20.2.2.1.5.3	Variation 3:	Hydrolysis of Phthalimide Derivatives	314
20.2.2.1.6	Method 6:	Ring Aromatization Using Trifluoroacetic Acid	315
20.2.2.1.7	Method 7:	Reduction of Anhydrides	317
20.2.2.1.8	Method 8:	Oxidation	318
20.2.2.1.8.1	Variation 1:	Oxidation of Alkylarenes	318
20.2.2.1.8.2	Variation 2:	Oxidation of Aromatic Aldehydes	320
20.2.2.1.8.3	Variation 3:	Oxidation of Arenes with Annulated Alcohols, Ketones, or Anhydrides	322
20.2.3	Product Subclass 3: Butenedioic and Butynedioic Acids		
	C. E. Masse		
20.2.3	Product Subclass 3: Butenedioic and Butynedioic Acids		329
20.2.3.1	Synthesis of Product Subclass 3		329
20.2.3.1.1	Method 1:	Butenedioic Acids by Transition-Metal Mediated Oxidation ...	329
20.2.3.1.1.1	Variation 1:	From Furfural	329
20.2.3.1.1.2	Variation 2:	From Furan	330
20.2.3.1.1.3	Variation 3:	From But-2-enal	330
20.2.3.1.2	Method 2:	Butenedioic Acids from 3-Oxobutanoate Esters by Rearrangement	331
20.2.3.1.3	Method 3:	Butenedioic Acids by Aldol Condensation	331
20.2.3.1.4	Method 4:	Acetylenedicarboxylic Acid by Carboxylation of Organometallic Species	333
20.2.3.1.5	Method 5:	Acetylenedicarboxylic Acid by Oxidative Methods	333
20.2.3.1.5.1	Variation 1:	Electrochemical Oxidation	333
20.2.3.1.5.2	Variation 2:	Chromic Acid Oxidation	334
20.2.3.1.6	Method 6:	Acetylenedicarboxylic Acid by Elimination Protocols	334
20.2.3.1.6.1	Variation 1:	From Halosuccinic Acids	334
20.2.3.1.6.2	Variation 2:	From Halobutenedioic Acids	335
20.2.4	Product Subclass 4: Alkanedioic Acids		
	C. E. Masse		
20.2.4	Product Subclass 4: Alkanedioic Acids		337
20.2.4.1	Synthesis of Product Subclass 4		337
20.2.4.1.1	Method 1:	Azeotropic Dehydration of Oxalic Acid Dihydrate with Carbon Tetrachloride	337
20.2.4.1.2	Method 2:	Oxalic Acid by Oxidative Methods	338
20.2.4.1.2.1	Variation 1:	Oxidative Dimerization of Sodium Formate	338
20.2.4.1.2.2	Variation 2:	Oxidation of Acetic Acid Derivatives	338
20.2.4.1.3	Method 3:	Malonic Acids by Cyanation of Chloroacetic Acid	339

20.2.4.1.4	Method 4:	Malonic Acids by Nucleophilic Acyl Substitution	340
20.2.4.1.4.1	Variation 1:	Microwave Hydrolysis of Meldrum's Acid Derivatives	340
20.2.4.1.4.2	Variation 2:	Phenolysis of Meldrum's Acid	341
20.2.4.1.4.3	Variation 3:	Alcoholysis of Meldrum's Acid with <i>tert</i> -Butyl Alcohol	342
20.2.4.1.4.4	Variation 4:	Using Silicon Nucleophiles	342
20.2.4.1.5	Method 5:	Malonic Acids by Acylation of Acetic Acid Derivatives	344
20.2.4.1.5.1	Variation 1:	From Lithio Dianions of Acetic Acid	344
20.2.4.1.6	Method 6:	Succinic Acids by Oxidative Coupling of Carboxylate Dianions	345
20.2.4.1.6.1	Variation 1:	Cross Coupling with Lithium α -Halocarboxylates	345
20.2.4.1.6.2	Variation 2:	Homocouplings Mediated by Iodine	346
20.2.4.1.7	Method 7:	Succinic Acid by Hydrolysis of Succinic Anhydride	346
20.2.4.1.8	Method 8:	Succinic Acids by Oxidative Protocols	347
20.2.4.1.8.1	Variation 1:	From Lactones	347
20.2.4.1.8.2	Variation 2:	From Nitroalkanes	348
20.2.4.1.8.3	Variation 3:	From Cyclobutanones	348
20.2.4.1.8.4	Variation 4:	From Dihalocyclobutanones	349
20.2.4.1.8.5	Variation 5:	From Halocyclobutenes	350
20.2.4.1.9	Method 9:	Succinic Acids by Allylic Alkylation	351
20.2.4.1.9.1	Variation 1:	From Chiral Allylic Carbonates	351

20.2.5 Product Subclass 5: 2-Oxo- and 2-Imino-Substituted Alkanoic Acids

J. A. Westbrook and S. E. Schaus

20.2.5	Product Subclass 5: 2-Oxo- and 2-Imino-Substituted Alkanoic Acids	355
20.2.5.1	Synthesis of Product Subclass 5	355
20.2.5.1.1	Method 1: Synthesis by Hydrolysis	355
20.2.5.1.1.1	Variation 1: 2-Oxo and 2-(Oxyimino) Acids by Hydrolysis of the Corresponding Esters	355
20.2.5.1.1.2	Variation 2: α -Oxo Acids by Hydrolysis of Acyl Cyanides	358
20.2.5.1.1.3	Variation 3: 3-Aryl-2-oxopropanoic Acids by Hydrolysis of 4-(Arylmethylene)oxazol-5(4 <i>H</i>)-ones	359
20.2.5.1.1.4	Variation 4: Aryl(oxo)acetic Acids by Hydrolysis of Indole-2,3-diones	360
20.2.5.1.1.5	Variation 5: α -Oxo Acids by Acid Hydrolysis of 2-Hydroxymorpholin-3-ones	361
20.2.5.1.2	Method 2: Synthesis by Oxidation	361
20.2.5.1.2.1	Variation 1: α -Oxo Acids by Oxidation of α -Amino or α -Hydroxy Acids	361
20.2.5.1.2.2	Variation 2: α -Oxo Acids by Oxidation of Methyl Ketones	362
20.2.5.1.2.3	Variation 3: Aryl(oxo)acetic Acids by Oxidation of 1-Aryl-2-nitroethanols	363
20.2.5.1.2.4	Variation 4: α -Oxo Acids by Oxidation of α -Sulfanyl Esters	364
20.2.5.1.2.5	Variation 5: α -Oxo Acids by Oxidative Cleavage of 2-Alkylidene-Substituted Carboxylic Acids	364
20.2.5.1.3	Method 3: Friedel–Crafts Acylation	365
20.2.5.1.3.1	Variation 1: Hetaryl(oxo)acetic Acids by Acylation of Hetarenes	365
20.2.5.1.3.2	Variation 2: Oxo(phenyl)acetic Acids by Acylation of Benzenes	365
20.2.5.1.4	Method 4: Aldol Condensations between Pyruvic Acid and Benzaldehydes	366

20.2.6	Product Subclass 6: 2,2-Diheteroatom-Substituted Alkanoic Acids	
	J. A. Westbrook and S. E. Schaus	
<hr/>		
20.2.6	Product Subclass 6: 2,2-Diheteroatom-Substituted Alkanoic Acids	371
20.2.6.1	Synthesis of Product Subclass 6	371
20.2.6.1.1	Method 1: Synthesis by Hydrolysis	371
20.2.6.1.1.1	Variation 1: Hydrolysis of 2,2-Diheteroatom-Substituted Esters	371
20.2.6.1.1.2	Variation 2: Hydrolysis of 2,2-Diheteroatom-Substituted Amides	373
20.2.6.1.1.3	Variation 3: Hydrolysis of a 2,2-Diheteroatom-Substituted Thioester	374
20.2.6.1.1.4	Variation 4: Hydrolysis of Thiazoles	375
20.2.6.1.1.5	Variation 5: Hydrolysis of 2,2-Dihalo Acid Halides	375
20.2.6.1.2	Method 2: Synthesis by Oxidation	376
20.2.6.1.2.1	Variation 1: Oxidation of α -Hydroxycarboxylic Acids	376
20.2.6.1.2.2	Variation 2: Oxidation of 2,2-Diheteroatom-Substituted Aldehydes	376
20.2.6.1.2.3	Variation 3: Oxidation of 2,2-Dihaloalkan-1-ols	377
20.2.6.1.2.4	Variation 4: Oxidative Cleavage of an Alkynol	378
20.2.6.1.3	Method 3: Synthesis by Addition	378
20.2.6.1.3.1	Variation 1: Addition to α -Oxo or α -Hydrazono Acids	378
20.2.6.1.3.2	Variation 2: Addition of the Carboxy Group to Dithioates	380
20.2.6.1.3.3	Variation 3: Addition to an α,β -Unsaturated Carboxylic Acid	380
20.2.6.1.4	Method 4: Sigmatropic Rearrangement of Allyl Trihaloacetates	381
20.2.6.1.5	Method 5: Nucleophilic Substitution at the α -Carbon of 2,2-Diheteroatom-Substituted Acetic Acids	382
20.2.7	Product Subclass 7: 2-Aminoalkanoic Acids (α-Amino Acids)	
	S. E. Wolkenberg and R. M. Garbaccio	
<hr/>		
20.2.7	Product Subclass 7: 2-Aminoalkanoic Acids (α-Amino Acids)	385
20.2.7.1	Synthesis of Product Subclass 7	385
20.2.7.1.1	α,β -Didehydroamino Acids	385
20.2.7.1.1.1	Synthesis of α,β -Didehydroamino Acids through Elimination	385
20.2.7.1.1.1.1	Method 1: Acetamide Condensation with α -Oxo Acids	385
20.2.7.1.2	α -Aminoalkanoic Acids	386
20.2.7.1.2.1	Introduction of the Side Chain: Alkylation of Glycyl and Related Enolates	386
20.2.7.1.2.1.1	Method 1: Alkylation of Chiral Cyclic Enolates	386
20.2.7.1.2.1.1.1	Variation 1: Alkylation of Chiral Oxazinones	386
20.2.7.1.2.1.1.2	Variation 2: Alkylation of Chiral Imidazolidinones	388
20.2.7.1.2.1.1.3	Variation 3: Alkylation of Transition-Metal Complexes	389
20.2.7.1.2.1.2	Method 2: Alkylation of Chiral Acyclic Schiff Bases	390
20.2.7.1.2.1.2.1	Variation 1: Alkylation of Chiral <i>trans</i> -Pyrrolidine Amides	390
20.2.7.1.2.1.2.2	Variation 2: Alkylation of Chiral Acyloxazolidinones	391
20.2.7.1.2.2	Introduction of the Side Chain: Addition to Glycine Cations	392
20.2.7.1.2.2.1	Method 1: Alkylation of Cyclic Imines	393

20.2.7.1.2.3	Introduction of the α -Amino Group: Nucleophilic Addition of Nitrogen to Electrophiles	395
20.2.7.1.2.3.1	Method 1: Intermolecular Nucleophilic Addition to Chiral Epoxides	395
20.2.7.1.2.3.1.1	Variation 1: Nucleophilic Amination of α,β -Epoxy Acids Using Ammonia ..	395
20.2.7.1.2.3.1.2	Variation 2: Nucleophilic Amination of 2,3-Epoxy Alcohols Using Diazidotitanium(IV) Diisopropoxide	396
20.2.7.1.2.3.2	Method 2: Intramolecular Nucleophilic Addition to Epoxides	396
20.2.7.1.2.3.2.1	Variation 1: Intramolecular Nucleophilic Nitrogen Addition to Epoxides To Generate Cyclic Carbamates	397
20.2.7.1.2.3.2.2	Variation 2: Intramolecular Nucleophilic Addition to Epoxides Using Trichloroacetimidate	398
20.2.7.1.2.3.3	Method 3: Nucleophilic Displacement of Halides	399
20.2.7.1.2.3.4	Method 4: Using Azide via Chiral (Trichloromethyl)methanols	400
20.2.7.1.2.4	Introduction of the α -Amino Group: Electrophilic Amination of Enolates	401
20.2.7.1.2.4.1	Method 1: Electrophilic Amination of Chiral Enolates Using Azodicarboxylates	401
20.2.7.1.2.4.1.1	Variation 1: Electrophilic Amination of Chiral Silyl Enol Ethers with Azodicarboxylates	403
20.2.7.1.2.4.1.2	Variation 2: Direct Amination of Enolates with Azodicarboxylates	404
20.2.7.1.2.4.2	Method 2: Electrophilic Amination of Chiral Enolates Using Sulfonyl Azides	405
20.2.7.1.2.4.3	Method 3: Electrophilic Amination of Enolates Using a Chiral Catalyst and Azodicarboxylate	406
20.2.7.1.2.4.4	Method 4: Electrophilic Amination of Enolates Using 1-Chloro-1-nitrosocyclohexane	407
20.2.7.1.2.5	Introduction of the Nitrogen: Reductive Amination	409
20.2.7.1.2.5.1	Method 1: Rhodium(I)-Catalyzed Asymmetric Reductive Amination of α -Oxo Acids	409
20.2.7.1.2.5.2	Method 2: Chiral Pyridoxamine Promoted Asymmetric Reductive Amination of α -Oxo Acids	410
20.2.7.1.2.6	Asymmetric Hydrogenation of α,β -Didehydroamino Acids Using Homogeneous Catalysis	410
20.2.7.1.2.7	Introduction of the α -Hydrogen: Asymmetric Hydrogenation of α,β -Didehydroamino Acids Using Heterogeneous Catalysts	411
20.2.7.1.2.7.1	Method 1: Asymmetric Reduction of Hydrazono Lactones Based on Chiral <i>N</i> -Aminodihydroindoles	411
20.2.7.1.2.7.2	Method 2: Asymmetric Hydrogenation of Dehydropiperazinediones	412
20.2.7.1.2.7.3	Method 3: Asymmetric Hydrogenation Using Pinene-Based Cyclic Imino Esters as Templates	413
20.2.7.1.2.8	Introduction of the Carboxylate: Catalytic Asymmetric Addition of Nitriles to Imines (Strecker and Ugi Syntheses)	414
20.2.7.1.2.8.1	Method 1: Chiral Salicylamine Catalyzed Strecker Reaction	415
20.2.7.1.2.8.2	Method 2: Chiral Salicylamine–Titanium Complex Catalyzed Strecker Synthesis	416
20.2.7.1.2.8.3	Method 3: Chiral Guanidine Catalyzed Strecker Synthesis	418

20.2.7.1.2.8.4	Method 4:	Addition of Cyanide to Chiral Sulfinimines	419
20.2.7.1.2.8.5	Method 5:	Carbohydrate Templates for Asymmetric Strecker Synthesis	420
20.2.7.1.2.8.6	Method 6:	5-Amino-1,3-dioxanes as Chiral Auxiliaries	421
20.2.7.1.2.8.7	Method 7:	β -Amino Alcohols as Chiral Auxiliaries	422
20.2.7.1.2.8.8	Method 8:	α -Arylethylamines as Chiral Auxiliaries	423
20.2.7.1.2.8.9	Method 9:	Asymmetric Addition of Isocyanide to Imines (Ugi Synthesis)	424
20.2.7.1.2.9		Introduction of the Side Chain: Additions to Oximes and Imino Esters	426
20.2.7.1.2.9.1	Method 1:	Copper-Catalyzed Alkylations of Imino Esters	427
20.2.7.1.2.9.2	Method 2:	Asymmetric Addition to Chiral Oximes	429
20.2.7.1.2.9.3	Method 3:	Asymmetric Addition to Camphorsultam-Based Oximes	430
20.2.7.1.2.9.4	Method 4:	[2 + 2] Cycloaddition and the β -Lactam Route to Amino Acids	430
20.2.7.1.2.10		Introduction of the α -Amino Group	431
20.2.7.1.2.10.1	Method 1:	Diels–Alder Cycloaddition Reactions of Chiral Nitroso Compounds	431
20.2.7.1.2.10.2	Method 2:	Intramolecular Amidomercuration	432
20.2.7.1.2.10.3	Method 3:	Diastereoselective Michael Addition to Nitroalkenes	433
20.2.7.1.2.10.4	Method 4:	Rearrangement of Allylic Trichloroacetimidates	435
20.2.7.1.2.10.4.1	Variation 1:	Thermal Rearrangement of Allylic Trichloroacetimidates on a Chiral Template	435
20.2.7.1.2.10.4.2	Variation 2:	Diastereoselective Palladium-Catalyzed Rearrangement of Allylic Trichloroacetimidates	436
20.2.7.1.2.11		Introduction of the Side Chain: Claisen Rearrangement	437
20.2.7.1.2.11.1	Method 1:	Ester Enolate Claisen Rearrangement	437
20.2.7.1.2.11.1.1	Variation 1:	Diastereoselective Ester Enolate Claisen Rearrangement	437
20.2.7.1.2.11.1.2	Variation 2:	Enantioselective Ester Enolate Claisen Rearrangement	438
20.2.7.1.2.12		Introduction of the Carboxylate Group: Carbene Rearrangement	439
20.2.7.1.2.12.1	Method 1:	Photolysis of Chromium–Carbene Complexes	439
20.2.7.1.3		α -Alkyl- α -aminoalkanoic Acids	440
20.2.7.1.3.1		Introduction of the Side Chain: Self-Reproduction of Chirality	441
20.2.7.1.3.1.1	Method 1:	Alkylation of <i>cis</i> - and <i>trans</i> -Imidazolidinones	441
20.2.7.1.3.1.2	Method 2:	Alkylation of <i>cis</i> - and <i>trans</i> -Oxazolidinones	443
20.2.7.1.3.1.2.1	Variation 1:	Alkylation of <i>tert</i> -Butyloxazolidinones	443
20.2.7.1.3.1.2.2	Variation 2:	Alkylation of Aryloxazolidinones	444
20.2.7.1.3.1.3	Method 3:	Alkylation of Oxazolidines, Thiazolidines, and Pyrroloindoles	446
20.2.7.1.3.1.4	Method 4:	Alkylation of Oxazaborolidinones	447
20.2.7.1.3.1.5	Method 5:	Alkylation of Chiral Borane–Amine Adducts	449
20.2.7.1.3.1.6	Method 6:	Memory of Chirality Alkylations	450
20.2.7.1.3.2		Introduction of the Side Chain: Alkylation of Chiral Amino Acid Enolates	451
20.2.7.1.3.2.1	Method 1:	Alkylation of Dihydroimidazol-4-ones	451
20.2.7.1.3.2.2	Method 2:	Oxazinone Alkylations	453
20.2.7.1.3.2.2.1	Variation 1:	5,6-Diphenyltetrahydro-1,4-oxazin-2-one Alkylation	453
20.2.7.1.3.2.2.2	Variation 2:	3,6-Dihydro-2 <i>H</i> -1,4-oxazin-2-one Alkylation	454
20.2.7.1.3.2.3	Method 3:	Alkylation of Chiral Nickel Complexes	455
20.2.7.1.3.2.4	Method 4:	Alkylation of Menthol Derivatives	455

20.2.7.1.3.3	Introduction of the Side Chain: Chiral β -Lactams as Building Blocks	457
20.2.7.1.3.3.1	Method 1: Alkylation at C3 of a Chiral β -Lactam	458
20.2.7.1.3.3.2	Method 2: Alkylation at the α -Carbon of a Chiral β -Lactam	459
20.2.7.1.3.4	Introduction of the Side Chain: Reductive Methods	461
20.2.7.1.3.4.1	Method 1: Stereoselective Birch Reduction of Chiral Pyrrole-2-carboxylates	461
20.2.7.1.3.5	Introduction of the Side Chain: Addition to C=N Bonds	462
20.2.7.1.3.5.1	Method 1: Addition of Grignard Reagents to Chiral Dehydro-morpholinones	462
20.2.7.1.3.5.2	Method 2: Addition to Chiral Sulfinimines	462
20.2.7.1.3.6	Introduction of the Side Chain: Cycloaddition to C=C Bonds	463
20.2.7.1.3.6.1	Method 1: Diels–Alder Cycloadditions	463
20.2.7.1.3.6.2	Method 2: Cyclopropanation	464
20.2.7.1.3.6.3	Method 3: [3+2]-Dipolar Cycloaddition Reactions	465
20.2.7.1.3.7	Introduction of the Carboxylate: Addition of Nitrile or α -Bromo Ester Enolates to Imines (Strecker and Darzens Syntheses)	466
20.2.7.1.3.7.1	Method 1: Chiral Salicylamine-Based Strecker Synthesis	466
20.2.7.1.3.7.2	Method 2: Sulfinimine-Mediated Strecker Synthesis	467
20.2.7.1.3.7.3	Method 3: Chiral Dioxane-Based Strecker Synthesis	468
20.2.7.1.3.7.4	Method 4: 1-Phenylethylamine-Based Strecker Synthesis	469
20.2.7.1.3.7.5	Method 5: Morpholinone-Based Strecker Synthesis	470
20.2.7.1.3.7.6	Method 6: Darzens Condensation of α -Bromo Ester Enolates with Sulfinimines	471
20.2.7.1.3.8	Introduction of the Nitrogen and Carboxylate Groups	472
20.2.7.1.3.8.1	Method 1: Spirohydantoins of Ketones (Bucherer–Bergs Reaction)	472
20.2.7.1.3.9	Introduction of the Side Chain: Sigmatropic Rearrangements	473
20.2.7.1.3.9.1	Method 1: Claisen Rearrangement	473
20.2.7.1.3.10	Introduction of the α -Amino Group: Rearrangement of α,α -Dialkyl- β -carbonyl Carboxylic Acids and Sigmatropic Rearrangements	474
20.2.7.1.3.10.1	Method 1: Rearrangement of Allylic Trichloroacetimidates	474
20.2.7.1.3.10.2	Method 2: Curtius Rearrangement of α,α -Dialkyl β -Ester Carboxylic Acids	475
20.2.7.1.3.10.3	Method 3: Hofmann Rearrangement of α,α -Dialkyl β -Amido Esters	476
20.2.8	Product Subclass 8: 2-Heteroatom-Substituted Alkanoic Acids S. R. Chemler and T. P. Zabawa	
20.2.8	Product Subclass 8: 2-Heteroatom-Substituted Alkanoic Acids	483
20.2.8.1	Synthesis of Product Subclass 8	483
20.2.8.1.1	2-Haloalkanoic Acids	483
20.2.8.1.1.1	2-Fluoroalkanoic Acids	483
20.2.8.1.1.1.1	Method 1: Deaminative Fluorination (Fluorodiazotiation) of Chiral α -Amino Acids	484

20.2.8.1.1.2	Method 2:	Electrophilic Fluorination with Acetyl Hypofluorite	485
20.2.8.1.1.3	Method 3:	Enantioselective Hydrogenation of α -Fluoro- α,β -unsaturated Acids	485
20.2.8.1.1.2		2-Chloroalkanoic Acids	486
20.2.8.1.1.2.1	Method 1:	Chlorination of Acylphosphonates with Sulfuryl Chloride	487
20.2.8.1.1.2.2	Method 2:	Deaminative Chlorination (Chlorodediazoniatio) of α -Amino Acids	487
20.2.8.1.1.3		2-Bromoalkanoic Acids	488
20.2.8.1.1.3.1	Method 1:	Bromination of Alkanoic Acids with <i>N</i> -Bromosuccinimide	488
20.2.8.1.1.3.2	Method 2:	Deaminative Bromination (Bromodediazoniatio) of Chiral α -Amino Acids	489
20.2.8.1.1.4		2-Iodoalkanoic Acids	490
20.2.8.1.1.4.1	Method 1:	2-Iodoalkanoic Acids by Treatment with Iodine and Chlorosulfonic Acid	490
20.2.8.1.2		2-Hydroxyalkanoic Acids	491
20.2.8.1.2.1	Method 1:	Deaminative Hydroxylation (Hydroxydediazoniatio) of α -Amino Acids	492
20.2.8.1.2.2	Method 2:	Stereoselective Reduction of 2-Oxoalkanoic Acids and Esters	493
20.2.8.1.2.2.1	Variation 1:	Enantioselective Reduction with (+)-Chlorodiisopinocampheylborane or (-)-Diisopinocampheylborane	493
20.2.8.1.2.2.2	Variation 2:	Enzyme-Catalyzed Enantioselective Reduction	494
20.2.8.1.3		2-Alkoxyalkanoic Acids	494
20.2.8.1.3.1	Method 1:	Oxidation of a Chiral Enolate	495
20.2.8.1.3.2	Method 2:	Catalytic Enantioselective Hydrogenation of 2-(Aryloxy)but-2-enoic Acids	496
20.2.8.1.4		2,3-Epoxyalkanoic Acids	497
20.2.8.1.4.1	Method 1:	Synthesis from 2,3-Epoxyalkanoic Acid Esters	497
20.2.8.1.4.2	Method 2:	Oxidation of 2,3-Epoxyalkan-1-ols	497
20.2.8.1.5		2-Sulfanylalkanoic Acids	499
20.2.8.1.5.1	Method 1:	Nucleophilic Displacement on an α -Substituted Carbonyl Compound	499
20.2.8.1.5.1.1	Variation 1:	Achiral 2-Sulfanylalkanoic Acids	499
20.2.8.1.5.1.2	Variation 2:	Chiral 2-Sulfanylalkanoic Acids	499
20.2.8.1.5.2	Method 2:	Chiral 2-Sulfanylalkanoic Acids by α -Carboxylation	500
20.2.8.1.6		2-Selanylalkanoic Acids	501
20.2.8.1.6.1	Method 1:	Synthesis from 2-Bromoalkanoic Acids	501
20.2.8.1.7		2-Tellanylalkanoic acids	502
20.2.8.1.7.1	Method 1:	Synthesis from 2-Bromoacetic Acid	502

20.2.9 Product Subclass 9: Alk-2-ynoic Acids

G. Evano

20.2.9	Product Subclass 9: Alk-2-ynoic Acids	507
20.2.9.1	Synthesis of Product Subclass 9	507
20.2.9.1.1	Method 1: Oxidation of Propargylic Alcohols or Aldehydes	507
20.2.9.1.1.1	Variation 1: Oxidation of Propargylic Alcohols	507
20.2.9.1.1.2	Variation 2: Oxidation of Conjugated Ynals or Synthetic Equivalents	510
20.2.9.1.2	Method 2: Carboxylation of Metalated Alk-1-ynes	511
20.2.9.1.2.1	Variation 1: Carboxylation of Alk-1-ynes	511
20.2.9.1.2.2	Variation 2: Carboxylation of 1,1-Dibromoalkenes	516
20.2.9.1.2.3	Variation 3: Carboxylation of 1-Haloalkenes	517
20.2.9.1.3	Method 3: Hydrolysis of Alk-2-ynoic Acid Esters	518
20.2.9.1.4	Method 4: Bromination/Dehydrobromination of Alk-2-enoic Acids	519
20.2.9.1.5	Method 5: Oxidation of the C=C Bond of Enynes	521
20.2.9.1.6	Method 6: Substituent Modification of Propynoic Acids	521
20.2.9.1.6.1	Variation 1: Coupling of Alk-1-ynes with Bromopropynoic Acid (Cadiot–Chodkiewicz Reaction)	521
20.2.9.1.6.2	Variation 2: Coupling of Haloarenes with Propynoic Acid	522
20.2.9.1.6.3	Variation 3: Addition of Metalated Propynoic Acid to Electrophiles	525

20.2.10 Product Subclass 10: Arenecarboxylic Acids

T. P. Yoon and E. N. Jacobsen

20.2.10	Product Subclass 10: Arenecarboxylic Acids	533
20.2.10.1	Synthesis of Product Subclass 10	533
20.2.10.1.1	Method 1: Electrophilic Aromatic Substitution	533
20.2.10.1.1.1	Variation 1: Friedel–Crafts Carboxylation	533
20.2.10.1.1.2	Variation 2: Kolbe–Schmitt Reaction	534
20.2.10.1.1.3	Variation 3: Carboxylation of Phenols by Carbon Tetrachloride	535
20.2.10.1.2	Method 2: Palladium-Mediated C–H Activation and Carboxylation	535
20.2.10.1.3	Method 3: Oxidative Degradation	536
20.2.10.1.3.1	Variation 1: Oxidation of Alkyl Substituents	536
20.2.10.1.3.2	Variation 2: Oxidation of Aryl Ketones	537
20.2.10.1.4	Method 4: Carboxylation of Arylmetal Species	538
20.2.10.1.4.1	Variation 1: Simple Metalation	538
20.2.10.1.4.2	Variation 2: Directed <i>ortho</i> -Metalation	539
20.2.10.1.4.3	Variation 3: Reductive Metalation of Haloarenes	540
20.2.10.1.4.4	Variation 4: Lithium–Halogen Exchange	540
20.2.10.1.5	Method 5: Base-Promoted Cleavage of Diaryl Ketones	541
20.2.10.1.6	Method 6: Substitution of Halogen	542
20.2.10.1.6.1	Variation 1: Metal-Catalyzed Carboxylation of Haloarenes	542
20.2.10.1.6.2	Variation 2: Cyanation/Hydrolysis of Haloarenes	543
20.2.10.1.7	Method 7: Carboxylation of Arenediazonium Salts	544
20.2.10.1.8	Method 8: Addition to Benzyne Intermediates	544
20.2.10.1.9	Method 9: The von Richter Rearrangement	545
20.2.10.1.10	Method 10: Metalation/Alkylation of Arene Carboxylates	545

20.2.10.1.10.1	Variation 1:	<i>ortho</i> -Lithiation of Arene Carboxylates	545
20.2.10.1.10.2	Variation 2:	Lithiation of <i>ortho</i> -Alkyl Substituents of Arene Carboxylic Acids	546
20.2.10.1.11	Method 11:	S _N Ar Reaction of 2-(Methoxyaryl)dihydrooxazoles	547
20.2.11	Product Subclass 11: Alk-2-enoic Acids		
	C. D. Vanderwal and E. N. Jacobsen		
20.2.11	Product Subclass 11: Alk-2-enoic Acids		551
20.2.11.1	Synthesis of Product Subclass 11		551
20.2.11.1.1	Method 1:	Carboxylation of Alkenyl Organometallics	551
20.2.11.1.1.1	Variation 1:	Metalation/Carboxylation of Alkenyl Ethers, Carbamates, and Sulfides	551
20.2.11.1.1.2	Variation 2:	Reductive Metalation/Carboxylation of Haloalkenes	552
20.2.11.1.1.3	Variation 3:	Reductive Carboxylation of Alkynes	553
20.2.11.1.1.4	Variation 4:	Carbometalation/Carboxylation of Alkynes	554
20.2.11.1.1.5	Variation 5:	Palladium-Catalyzed Hydroxycarbonylation of Alkenyl Electrophiles	555
20.2.11.1.2	Method 2:	Elimination Reactions	556
20.2.11.1.2.1	Variation 1:	Elimination from β-Heteroatom-Substituted Alkanoic Acids ..	556
20.2.11.1.2.2	Variation 2:	Reductive Elimination of Vicinal Heteroatom Substituents ...	557
20.2.11.1.2.3	Variation 3:	Haloform Reaction of Alkenyl Methyl Ketones	558
20.2.11.1.3	Method 3:	Carbonyl Alkenations	558
20.2.11.1.3.1	Variation 1:	Knoevenagel–Doebner Condensation	558
20.2.11.1.3.2	Variation 2:	Perkin Reaction	559
20.2.11.1.3.3	Variation 3:	Wittig Reaction	560
20.2.11.1.3.4	Variation 4:	Horner–Wadsworth–Emmons Reaction	560
20.2.11.1.3.5	Variation 5:	Peterson Reaction	561
20.2.11.1.3.6	Variation 6:	Alkenation of α-Oxo Acids	562
20.2.11.1.4	Method 4:	Reduction of Alk-1-ynoic Acids	562
20.2.11.1.5	Method 5:	Cycloaddition of Alkynoic Acids	563
20.2.11.1.6	Method 6:	Palladium-Catalyzed Cross Coupling to β-Halogen-Substituted Alk-2-enoic Acids	564
20.2.11.1.7	Method 7:	Heck Reaction	564
20.2.11.1.8	Method 8:	Alkene Metathesis	565
20.2.12	Product Subclass 12: 3-Oxoalkanoic and 3,3-Dioxyalkanoic Acids		
	J. Beignet		
20.2.12	Product Subclass 12: 3-Oxoalkanoic and 3,3-Dioxyalkanoic Acids		569
20.2.12.1	Synthesis of Product Subclass 12		569
20.2.12.1.1	3-Oxoalkanoic Acids		569
20.2.12.1.1.1	Method 1:	Acylation of Bis(trimethylsilyl) Malonate	569
20.2.12.1.1.1.1	Variation 1:	Use of the Lithium Enolate of Bis(trimethylsilyl) Malonate ...	569
20.2.12.1.1.1.2	Variation 2:	Use of Triethylamine and Metal Salts	570
20.2.12.1.1.2	Method 2:	Carboxylation of Methyl Ketones	571
20.2.12.1.1.2.1	Variation 1:	Use of Magnesium Methyl Carbonate	571

20.2.12.1.1.2.2	Variation 2: Use of Carbon Dioxide	572
20.2.12.1.1.3	Method 3: Acylation of Trimethylsilyl Acetate	572
20.2.12.1.1.4	Method 4: Electrocarboxylation of Chloroacetone	573
20.2.12.1.1.5	Method 5: Electrocarboxylation of Vinyl Trifluoromethanesulfonates	574
20.2.12.1.1.6	Method 6: Hydration of Alk-2-ynoic Acids	575
20.2.12.1.2	3,3-Dioxyalkanoic Acids	575
20.2.12.1.2.1	Method 1: Hydroxyacylation and Oxidation of Alkenes	575
20.2.13	Product Subclass 13: 3-Heteroatom-Substituted Alkanoic Acids G. Sartori and R. Maggi	
20.2.13	Product Subclass 13: 3-Heteroatom-Substituted Alkanoic Acids	579
20.2.13.1	Synthesis of Product Subclass 13	579
20.2.13.1.1	3-Haloalkanoic Acids	579
20.2.13.1.1.1	Method 1: Nucleophilic Substitutions	579
20.2.13.1.1.2	Method 2: Ring-Opening Reactions	580
20.2.13.1.1.2.1	Variation 1: Ring Opening of Lactones	580
20.2.13.1.1.2.2	Variation 2: Ring Opening of Epoxides	580
20.2.13.1.1.3	Method 3: Oxidation Reactions	582
20.2.13.1.1.4	Methods 4: Miscellaneous Reactions	582
20.2.13.1.2	3-Hydroxy- and 3-Sulfanylalkanoic Acids and Derivatives	584
20.2.13.1.2.1	Method 1: Addition to α,β -Unsaturated Compounds	584
20.2.13.1.2.2	Method 2: Ring Opening of Cyclic Precursors	584
20.2.13.1.2.2.1	Variation 1: Ring Opening of Lactones	584
20.2.13.1.2.2.2	Variation 2: Ring Opening of Heterocyclic Compounds	586
20.2.13.1.2.3	Method 3: Selective Reduction of Dicarboxyl Compounds	588
20.2.13.1.2.4	Method 4: Oxidation Reactions	589
20.2.13.1.2.5	Method 5: Carboxylation Reactions	591
20.2.13.1.2.6	Methods 6: Miscellaneous Reactions	593
20.2.13.1.3	3-Amino- and 3-Phosphorus-Substituted Alkanoic Acids and Derivatives	593
20.2.13.1.3.1	Method 1: Addition to α,β -Unsaturated Acids	593
20.2.13.1.3.2	Method 2: Ring Opening of Cyclic Precursors	597
20.2.13.1.3.3	Methods 3: Miscellaneous Reactions	600
20.3	Product Class 3: Carboxylic Acid Salts L. Dakin and B. Lahue	
20.3	Product Class 3: Carboxylic Acid Salts	605
20.3.1	Product Subclass 1: Group 1 Metal Carboxylic Acid Salts	607
20.3.1.1	Synthesis of Product Subclass 1	607
20.3.1.1.1	Method 1: Deprotonation of Carboxylic Acids	607
20.3.1.1.2	Method 2: Saponification of Esters	608

20.3.2	Product Subclass 2: Non-Group 1 Metal Carboxylic Acid Salts	610
20.3.2.1	Synthesis of Product Subclass 2	610
20.3.2.1.1	Method 1: Synthesis from Carboxylic Acids and Esters	610
20.3.3	Product Subclass 3: Amine Carboxylic Acid Salts	612
20.3.3.1	Synthesis of Product Subclass 3	612
20.3.3.1.1	Method 1: Synthesis of Amine Carboxylic Acid Salts	612
20.3.3.1.2	Method 2: Asymmetric Resolution of Amines with Carboxylic Acids	614
20.4	Product Class 4: Carboxylic Acid Anhydrides and Their Sulfur, Selenium, and Tellurium Derivatives P. A. Keller	
<hr/>		
20.4	Product Class 4: Carboxylic Acid Anhydrides and Their Sulfur, Selenium, and Tellurium Derivatives	617
20.4.1	Product Subclass 1: Carboxylic Acid Anhydrides	617
20.4.1.1	Synthesis of Product Subclass 1	617
20.4.1.1.1	Method 1: Direct Elimination of Water from Carboxylic Acids	617
20.4.1.1.2	Method 2: Formal Elimination of Water from Carboxylic Acids via an Intermediate	617
20.4.1.1.2.1	Variation 1: Via Acid Chloride Intermediates	617
20.4.1.1.2.2	Variation 2: Via Carboxylate Phosphorus Intermediates	618
20.4.1.1.2.3	Variation 3: Using Phosphine-Based Reagents	619
20.4.1.1.2.4	Variation 4: Exchange Reactions with Acetic Anhydride	620
20.4.1.1.2.5	Variation 5: Using Phosgene	621
20.4.1.1.2.6	Variation 6: Using Ethyl Chloroformate	622
20.4.1.1.2.7	Variation 7: Using Carbodiimides	622
20.4.1.1.2.8	Variation 8: Using Imidazoles	623
20.4.1.1.2.9	Variation 9: Using Cyanates	624
20.4.1.1.2.10	Variation 10: Reaction of Carboxylic Acids with Acetylenes	625
20.4.1.1.2.11	Variation 11: Activation with 1-Ethoxy-2-silylacetylenes	626
20.4.1.1.2.12	Variation 12: Activation Using Methanesulfonyl Chloride and Triethylamine	627
20.4.1.1.3	Method 3: Using Acid Chlorides in the Presence of Pyridinium Bases	628
20.4.1.1.4	Method 4: Using Acid Chlorides and 4-Benzylpyridine as an Activator	628
20.4.1.1.5	Method 5: Activation of Acid Chlorides with Methyl(2-pyridyl)carbamoyl Chloride	629
20.4.1.1.6	Method 6: Zinc(II) Chloride Mediated Reaction of Acid Chlorides with Acylpyridazine Derivatives	630
20.4.1.1.7	Method 7: Activation of Acid Chlorides Using Pyridine-2-thiones	631
20.4.1.1.8	Method 8: Cobalt(II)-Catalyzed Reaction of Acid Chlorides	631
20.4.1.1.9	Method 9: Synthesis by Reaction of Carboxylate Anions	632
20.4.1.1.9.1	Variation 1: Reaction with Acid Chlorides	632
20.4.1.1.9.2	Variation 2: Reaction with Sulfonylpyridazinones	633
20.4.1.1.9.3	Variation 3: In Situ Halogenation of Carboxylate Anions	634
20.4.1.1.9.4	Variation 4: Using Thallium Carboxylate Salts	634
20.4.1.1.10	Method 10: Insertion of Carbon Monoxide into Arenediazonium Salts	635

20.4.2	Product Subclass 2: Sulfur-Based Anhydrides	636
20.4.2.1	Synthesis of Product Subclass 2	636
20.4.2.1.1	Method 1: Oxo/Thioxo Anhydrides Using Hydrogen Sulfide	636
20.4.2.1.2	Method 2: Oxo/Thioxo Anhydrides Using Hydrogen Disulfide	637
20.4.2.1.3	Method 3: Oxo/Thioxo Anhydrides by Cyclization of Aromatic Compounds with Adjacent Methyl and Carboxylic Acid Substituents	638
20.4.2.1.4	Method 4: Dithioxo Anhydrides from Naphthalic Anhydride	638
20.4.3	Product Subclass 3: Selenium- and Tellurium-Based Anhydrides	639
	Keyword Index	i
	Author Index	xxxiii
	Abbreviations	lxiii

