

Water in Organic Synthesis

| | | |
|------------|--|------|
| | Preface | V |
| | Volume Editor's Preface | VII |
| | Abstracts | IX |
| | Table of Contents | XXIX |
| 1 | Introduction | |
| | S. Kobayashi | 1 |
| 2 | Structure and Properties of Water | |
| | S. Otto and J. B. F. N. Engberts | 17 |
| 3 | Aqueous Media: Reactions of C–C Multiple Bonds | 53 |
| 3.1 | Asymmetric Oxidation Reactions: Sulfoxidation, Epoxidation, Dihydroxylation, and Aminohydroxylation | |
| | T. Katsuki | 53 |
| 3.2 | Hydrogenation of Alkenes, Alkynes, Arenes, and Heteroarenes | |
| | F. Joó | 95 |
| 3.3 | Hydroformylation and Related Reactions | |
| | L. T. Mika and I. T. Horváth | 121 |
| 3.4 | Conjugate Addition Reactions | |
| | N. Mase | 155 |
| 3.5 | Cyclopropanation Reactions | |
| | G. Simonneaux, P. Le Maux, and S. Chevance | 211 |
| 3.6 | Metathesis Reactions | |
| | C. Torborg, C. Samojłowicz, and K. Grela | 225 |
| 4 | Aqueous Media: Reactions of Carbonyl and Imino Groups | 257 |
| 4.1 | Reduction of Carbonyl and Imino Groups | |
| | X. Wu and J. Xiao | 257 |
| 4.2 | Alkylation, Allylation, and Benzylation of Carbonyl and Imino Groups | |
| | L. Zhao and C.-J. Li | 301 |
| 4.3 | Arylation, Vinylation, and Alkynylation of Carbonyl and Imino Groups | |
| | L. Zhao and C.-J. Li | 333 |

| | | |
|-----|---|-----|
| 4.4 | Aldol Reaction M. Woyciechowska, O. El-Sepelgy, and J. Mlynarski | 353 |
| 4.5 | Mannich Reaction and Baylis–Hillman Reaction M. Benohoud and Y. Hayashi | 385 |
| 5 | Aqueous Media: Cyclization, Rearrangement, Substitution, Cross Coupling, Oxidation, and Other Reactions | 433 |
| 5.1 | Cycloaddition and Cyclization Reactions G. Molteni | 433 |
| 5.2 | Pericyclic Rearrangements: Sigmatropic, Electrocyclic, and Ene Reactions F. Fringuelli and O. Piermatti | 481 |
| 5.3 | Allylic and Aromatic Substitution Reactions Y. Uozumi | 511 |
| 5.4 | Cross-Coupling and Heck Reactions D. A. Alonso and C. Nájera | 535 |
| 5.5 | Ring Opening of Epoxides and Aziridines C. Ogawa and S. Kobayashi | 579 |
| 5.6 | Asymmetric α-Functionalization of Carbonyl Compounds and Alkylation of Enolates S. Shirakawa and K. Maruoka | 601 |
| 5.7 | Oxidation of Alcohols, Allylic and Benzylic Oxidation, Oxidation of Sulfides R. A. Sheldon | 617 |
| 5.8 | Free-Radical Reactions H. Yorimitsu and K. Oshima | 645 |
| 5.9 | Polymerization M. Ouchi and M. Sawamoto | 679 |
| 6 | Special Techniques with Water | 697 |
| 6.1 | Organic Synthesis “On Water” A. Chanda and V. V. Fokin | 697 |
| 6.2 | Sub- and Supercritical Water A. Kruse and E. Dinjus | 749 |
| 6.3 | β-Cyclodextrin Chemistry in Water F. Hapiot and E. Monflier | 773 |
| 7 | Industrial Application | 807 |

| | | |
|------------|---|-----|
| 7.1 | Hydroformylation | |
| | E. Wiebus, K. Schmid, and B. Cornils | 807 |
| 7.2 | Industrial Applications Other than Hydroformylation | |
| | Y. Mori and S. Kobayashi | 831 |
| 8 | Perspective: The New World of Organic Chemistry Using Water as Solvent | |
| | S. Kobayashi | 855 |
| | Keyword Index | 869 |
| | Author Index | 917 |
| | Abbreviations | 955 |

Table of Contents

| | | |
|---------------|--|----|
| 1 | Introduction S. Kobayashi | |
| <hr/> | | |
| 1 | Introduction | 1 |
| 1.1 | Water-Compatible Lewis Acids | 1 |
| 1.2 | Lewis Acid–Surfactant Combined Catalysts for Organic Reactions in Water ... | 5 |
| 2 | Structure and Properties of Water S. Otto and J. B. F. N. Engberts | |
| <hr/> | | |
| 2 | Structure and Properties of Water | 17 |
| 2.1 | The Single Water Molecule | 18 |
| 2.2 | Liquid Water | 20 |
| 2.3 | Water as a Reaction Medium for Organic Synthesis | 24 |
| 2.4 | Thermodynamics of Hydration | 25 |
| 2.5 | Solvent Properties of Water | 26 |
| 2.5.1 | The Size of the Water Molecule | 26 |
| 2.5.2 | Polarizability | 27 |
| 2.5.3 | Solvent Polarity Indicators | 28 |
| 2.5.4 | Solvatochromic Solvent Parameters | 29 |
| 2.5.5 | The Solvatochromic Comparison Method: Linear Solvation Energy Relationships | 30 |
| 2.5.6 | Cohesive Energy Density | 32 |
| 2.5.7 | Internal Pressure | 32 |
| 2.5.8 | The Ionic Product of Water: Proton and Hydroxide Ion Mobilities | 32 |
| 2.5.9 | Water at High and Low Temperatures and Pressures | 33 |
| 2.5.10 | Water and Deuterium Oxide | 34 |
| 2.6 | Aqueous Electrolyte Solutions | 35 |
| 2.6.1 | Ionic Hydration: Hydration Numbers | 35 |
| 2.6.2 | Dynamics of Ion Hydration | 37 |
| 2.7 | Hydrophobic Effects | 38 |
| 2.7.1 | Hydrophobic Hydration | 39 |
| 2.7.2 | Hydrophobic Interactions | 41 |
| 2.8 | Organic Reactivity in Water | 42 |
| 2.8.1 | Catalysis in Water | 42 |
| 2.8.2 | Micellar Catalysis | 43 |

| | | |
|---------|--|----|
| 2.8.3 | Hydrophobic Effects on Reactivity: Initial-State versus Transition-State Effects | 44 |
| 2.8.4 | Effects of Additives on Reactivity in Water | 46 |
| 2.8.4.1 | Salt Effects | 46 |
| 2.8.4.2 | Cosolvent Effects | 46 |
| 2.8.5 | Reactions on Water | 47 |
| 2.8.6 | Reactions in Supercritical Water | 47 |
| 2.8.7 | Water as a Green Solvent | 48 |
| 2.9 | Epilogue | 48 |

3 Aqueous Media: Reactions of C–C Multiple Bonds

3.1 Asymmetric Oxidation Reactions: Sulfoxidation, Epoxidation, Dihydroxylation, and Aminohydroxylation

T. Katsuki

| | | |
|-----------|--|----|
| 3.1 | Asymmetric Oxidation Reactions: Sulfoxidation, Epoxidation, Dihydroxylation, and Aminohydroxylation | 53 |
| 3.1.1 | Catalyst Tuning by Water | 54 |
| 3.1.1.1 | Enantioselective Oxidation of Sulfides Using a Water-Modified Titanium/Tartrate Catalyst | 54 |
| 3.1.1.2 | Asymmetric Aerobic Epoxidation Using a Water-Bound Ruthenium–Salen Complex as Catalyst | 54 |
| 3.1.2 | Enantioselective Oxidation of Sulfides under Aqueous Conditions | 55 |
| 3.1.2.1 | Enantioselective Oxidation of Sulfides Using Chiral Metal–Schiff Base Catalysts | 55 |
| 3.1.2.1.1 | Vanadium-Catalyzed Oxidation | 55 |
| 3.1.2.1.2 | Iron-Catalyzed Oxidation | 56 |
| 3.1.2.2 | Enantioselective Oxidation of Sulfides Using Metallosalen and Related Complexes as Catalysts | 57 |
| 3.1.2.2.1 | Manganese–Salen-Catalyzed Oxidation | 57 |
| 3.1.2.2.2 | Titanium–Salen-Catalyzed Oxidation | 57 |
| 3.1.2.2.3 | Aluminum–Salalen-Catalyzed Oxidation | 58 |
| 3.1.2.3 | Asymmetric Oxidation of Sulfides in Water | 59 |
| 3.1.2.3.1 | Platinum-Catalyzed Asymmetric Oxidation of Sulfides | 59 |
| 3.1.2.3.2 | Iron–Salan-Catalyzed Oxidation | 60 |
| 3.1.3 | Enantioselective Epoxidation | 61 |
| 3.1.3.1 | Asymmetric Epoxidation of Allylic Alcohols | 62 |
| 3.1.3.1.1 | Asymmetric Epoxidation of Allylic Alcohols under Aqueous Conditions | 62 |
| 3.1.3.1.2 | Asymmetric Epoxidation of Allylic Alcohols Using Aqueous Hydrogen Peroxide | 63 |

| | | |
|-------------|--|-----|
| 3.1.3.2 | Asymmetric Epoxidation of Unfunctionalized Alkenes | 64 |
| 3.1.3.2.1 | Metalloporphyrin-Catalyzed Enantioselective Epoxidation | 64 |
| 3.1.3.2.2 | Enantioselective Epoxidation Using Metal–Salen/Salalen/Salan Complexes as Catalyst | 65 |
| 3.1.3.2.2.1 | Bioinspired Enantioselective Epoxidation Using Manganese–Salalen or Manganese–Salen Complexes as Catalyst | 66 |
| 3.1.3.2.2.2 | Enantioselective Epoxidation Using Titanium–Salalen or Titanium–Salan Complexes as Catalyst | 67 |
| 3.1.3.2.3 | Iron-Catalyzed Enantioselective Epoxidation | 71 |
| 3.1.3.2.4 | Ruthenium-Catalyzed Enantioselective Epoxidation | 71 |
| 3.1.3.2.5 | Platinum-Catalyzed Enantioselective Epoxidation | 72 |
| 3.1.3.3 | Enantioselective Epoxidation Using Organic Compounds as Catalysts | 74 |
| 3.1.3.3.1 | Chiral Ketone Catalyzed Enantioselective Epoxidation | 74 |
| 3.1.3.3.2 | Enantioselective Epoxidation of Electron-Deficient Alkenes Using Organocatalysts | 76 |
| 3.1.3.3.2.1 | Polyamino Acid Catalyzed Asymmetric Epoxidation | 76 |
| 3.1.3.3.2.2 | Phase-Transfer Catalyst Mediated Epoxidation | 77 |
| 3.1.3.3.2.3 | Amine-Catalyzed Asymmetric Epoxidation | 79 |
| 3.1.4 | Enantioselective Dihydroxylation | 81 |
| 3.1.4.1 | Osmium-Catalyzed Enantioselective Dihydroxylation | 81 |
| 3.1.4.2 | Iron-Catalyzed Enantioselective Dihydroxylation | 88 |
| 3.1.5 | Enantioselective Aminohydroxylation | 88 |
| 3.1.6 | Conclusions | 91 |
| 3.2 | Hydrogenation of Alkenes, Alkynes, Arenes, and Heteroarenes F. Joó | |
| 3.2 | Hydrogenation of Alkenes, Alkynes, Arenes, and Heteroarenes | 95 |
| 3.2.1 | Catalysts and General Techniques for Hydrogenations in Water | 95 |
| 3.2.2 | Hydrogenation of Alkenes | 96 |
| 3.2.2.1 | Alkanes by Hydrogenation of Alkenes with Water-Soluble Analogues of Wilkinson’s Catalyst | 97 |
| 3.2.2.1.1 | Using Preprepared Rhodium(I)–Sulfonated Triphenylphosphine Catalysts | 97 |
| 3.2.2.1.2 | Using In Situ Prepared Rhodium(I)–Sulfonated Triphenylphosphine Catalysts | 97 |
| 3.2.2.1.3 | Using In Situ Prepared Rhodium(I) Catalysts in Microemulsions | 99 |
| 3.2.2.2 | Alkanes by Hydrogenation of Alkenes with Rhodium(I)-Based Catalysts Attached to Proteins | 100 |
| 3.2.2.3 | Alkanes by Hydrogenation of Alkenes with Ruthenium(II) Catalysts | 100 |

| | | |
|-----------|---|-----|
| 3.2.2.4 | Alkanes by Hydrogenation of Alkenes with Polymer-Stabilized Colloidal Metal Catalysts | 101 |
| 3.2.2.4.1 | Using an In Situ Prepared Palladium–Poly(vinylpyrrolidone) Catalyst | 101 |
| 3.2.2.4.2 | Using a Preprepared Palladium–Poly(vinylpyrrolidone) Catalyst | 102 |
| 3.2.2.5 | Isotope Labeling by Hydrogenation in Water | 103 |
| 3.2.3 | Asymmetric Hydrogenation of Alkenes | 104 |
| 3.2.3.1 | Chiral Alkanes by Hydrogenation of Prochiral Alkenes Catalyzed by Rhodium(I) Complexes | 105 |
| 3.2.3.2 | Chiral Alkanes by Hydrogenation of Prochiral Alkenes Catalyzed by Ruthenium(II) Complexes | 107 |
| 3.2.3.2.1 | In Homogeneous Aqueous Solution with a Ruthenium(II)–Tetrasulfonated 2,2'-Bis(diphenylphosphino)-1,1'-binaphthyl Catalyst | 107 |
| 3.2.3.2.2 | Alkanoic Acids by Hydrogenation of Alkenoic Acids with a Water-Soluble Chiral Ruthenium(II)–Bisphosphine Catalyst | 108 |
| 3.2.4 | Hydrogenation of Dienes | 108 |
| 3.2.4.1 | Alkenes by Selective Hydrogenation of Dienes with Potassium Pentacyanohydridocobaltate(III) | 108 |
| 3.2.4.2 | Alkenoic Acids by Selective Hydrogenation of Hexa-2,4-dienoic Acid with a Ruthenium(II)–Sulfonated Phosphine Catalyst | 109 |
| 3.2.5 | Hydrogenation of Polymers | 110 |
| 3.2.5.1 | Modified Elastomers by Hydrogenation of Polymers | 110 |
| 3.2.6 | Hydrogenation of Alkynes | 112 |
| 3.2.6.1 | Alkenes by Selective Hydrogenation of Alkynes | 112 |
| 3.2.6.1.1 | Hydrogenation of Pent-2-yne with Polymer-Stabilized Metal Colloids | 112 |
| 3.2.6.1.2 | Hydrogenation of Diphenylacetylene with a Ruthenium(II)–Sulfonated Triphenylphosphine Catalyst | 113 |
| 3.2.7 | Hydrogenation of Arenes and Hetarenes | 114 |
| 3.2.7.1 | Hydrogenation of Benzene Derivatives with a Homogeneous Ruthenium-Based Catalyst | 114 |
| 3.2.7.2 | Hydrogenation of Aromatics with Stabilized Metal Nanoparticles | 115 |
| 3.2.7.2.1 | Arene Hydrogenation Catalyzed by Aqueous Solutions of Rhodium(III) Chloride Trihydrate and Aliquat 336 | 115 |
| 3.2.7.2.2 | Arene Hydrogenation Catalyzed by Aqueous Solutions of Rhodium(III) Chloride and <i>N</i> -Alkyl- <i>N</i> -(2-hydroxyethyl)- <i>N,N</i> -dimethylammonium Surfactants | 115 |
| 3.2.7.2.3 | Hydrogenation of Arenes with Poly(<i>N</i> -vinylpyrrolidone)-Stabilized Ruthenium Nanoparticles | 116 |
| 3.2.7.2.4 | 4-Propylcyclohexanols by Stereoselective Hydrogenation of 4-Propylphenols (Lignin Degradation Model Compounds) | 117 |
| 3.2.7.2.5 | Hydrogenation of Hetarenes with Water-Soluble Ruthenium(II) Complexes | 118 |

3.3 Hydroformylation and Related Reactions

L. T. Mika and I. T. Horváth

| | | |
|------------------|---|-----|
| 3.3 | Hydroformylation and Related Reactions | 121 |
| 3.3.1 | Background to Hydroformylation and Related Reactions | 123 |
| 3.3.2 | Ligands for Hydroformylation in Aqueous Media | 123 |
| 3.3.3 | Hydroformylation in Aqueous Media | 127 |
| 3.3.3.1 | Hydroformylation of Higher Alkenes | 131 |
| 3.3.3.2 | Hydroformylation of Functionalized Alkenes | 139 |
| 3.3.3.3 | Asymmetric Hydroformylation Reactions | 140 |
| 3.3.3.4 | Laboratory Techniques | 142 |
| 3.3.3.4.1 | Biphasic Hydroformylation under Batch Conditions | 142 |
| 3.3.3.4.2 | Biphasic Hydroformylation under Continuous Conditions | 143 |
| 3.3.4 | Supported Aqueous-Phase Hydroformylation | 144 |
| 3.3.5 | Hydrocarboxylation in Aqueous Media | 147 |

3.4 Conjugate Addition Reactions

N. Mase

| | | |
|--------------------|---|-----|
| 3.4 | Conjugate Addition Reactions | 155 |
| 3.4.1 | C—H Bond Formation | 155 |
| 3.4.1.1 | Metal-Complex-Mediated Conjugate Reduction | 155 |
| 3.4.1.2 | Metal-Free Catalytic Conjugate Reduction of Enals | 156 |
| 3.4.2 | C—C Bond Formation | 158 |
| 3.4.2.1 | Addition of Alkyl Groups in C—C Bond Formation | 158 |
| 3.4.2.1.1 | Radical-Mediated Addition of Alkyl Groups | 158 |
| 3.4.2.1.2 | Metal-Complex-Mediated Addition of Alkyl Groups | 159 |
| 3.4.2.1.3 | Metal-Free Catalytic Addition of Alkyl Groups | 160 |
| 3.4.2.2 | Addition of Alkenyl and Aryl Groups in C—C Bond Formation | 163 |
| 3.4.2.2.1 | Catalyst-Free Addition of Aryl Groups | 163 |
| 3.4.2.2.2 | Metal-Complex-Catalyzed Addition of Alkenyl and Aryl Groups | 164 |
| 3.4.2.2.2.1 | Addition of Alkenyl and Aryl Groups to Carbonyl Compounds | 164 |
| 3.4.2.2.2.2 | Asymmetric Addition of Aryl Groups to Carbonyl Compounds | 166 |
| 3.4.2.2.2.3 | Addition of Indoles to Electron-Deficient Alkenes | 167 |
| 3.4.2.2.3 | Metal-Free Catalytic Addition of Aryl Groups | 169 |
| 3.4.2.2.3.1 | Brønsted Acid Catalyzed Addition of Indoles to Electron-Deficient Alkenes ... | 169 |
| 3.4.2.2.3.2 | Asymmetric Addition of Pyrroles and Indoles to Enals via Iminium Catalysis | 170 |
| 3.4.2.3 | Addition of Alkynyl Groups in C—C Bond Formation | 171 |

| | | |
|-------------|--|-----|
| 3.4.2.3.1 | Metal-Complex-Catalyzed Addition of Alkynyl Groups | 171 |
| 3.4.2.4 | Addition of Carbonyl Compounds in C—C Bond Formation | 174 |
| 3.4.2.4.1 | Catalyst-Free Addition of Carbonyl Compounds | 174 |
| 3.4.2.4.2 | Metal-Complex-Catalyzed Addition of Carbonyl Compounds to Enones | 174 |
| 3.4.2.4.3 | Metal-Free Catalytic Addition of Carbonyl Compounds | 176 |
| 3.4.2.4.3.1 | Addition of Carbonyl Compounds to Enals or Enones via Iminium Catalysis | 176 |
| 3.4.2.4.3.2 | Addition of Carbonyl Compounds to α,β -Unsaturated Esters via Enamine Catalysis | 179 |
| 3.4.2.4.3.3 | Addition of Carbonyl Compounds to Nitroalkenes via Enamine Catalysis | 180 |
| 3.4.2.4.3.4 | Addition of Carbonyl Compounds Using Other Metal-Free Catalysts | 186 |
| 3.4.3 | C—N Bond Formation | 188 |
| 3.4.3.1 | Catalyst-Free Addition in C—N Bond Formation | 188 |
| 3.4.3.1.1 | Addition of Amines to Enones | 188 |
| 3.4.3.1.2 | Addition of Amines to α,β -Unsaturated Carboxylic Acid Derivatives | 189 |
| 3.4.3.1.3 | Addition of Amines to Acrylonitrile | 191 |
| 3.4.3.1.4 | Addition of Amines to Nitro, Phosphonate, and Sulfonate Derivatives | 193 |
| 3.4.3.2 | Metal-Complex-Catalyzed Addition in C—N Bond Formation | 195 |
| 3.4.3.3 | Metal-Free Catalytic Addition in C—N Bond Formation | 196 |
| 3.4.4 | C—O Bond Formation | 198 |
| 3.4.4.1 | Metal-Free Catalytic Addition in C—O Bond Formation | 198 |
| 3.4.4.1.1 | Phosphine-Catalyzed Hydration | 198 |
| 3.4.4.1.2 | Asymmetric Addition of Alcohols to Enals via Iminium Catalysis | 198 |
| 3.4.5 | C—S and C—Se Bond Formation | 199 |
| 3.4.5.1 | Catalyst-Free Addition in C—S Bond Formation | 199 |
| 3.4.5.1.1 | Addition of Thiols to Enones and Quinones | 199 |
| 3.4.5.1.2 | Addition of Thiols to α,β -Unsaturated Carboxylic Acid Derivatives | 201 |
| 3.4.5.1.3 | Addition of Thiols to Acrylonitrile | 204 |
| 3.4.5.1.4 | Addition of Thiols to Nitroalkenes | 205 |
| 3.4.5.2 | Catalytic Addition in C—S Bond Formation | 206 |
| 3.4.5.3 | C—Se Bond Formation: Reaction of Zinc Selenolates | 207 |

3.5**Cyclopropanation Reactions**

G. Simonneaux, P. Le Maux, and S. Chevance

| | | |
|-----------|--|-----|
| 3.5 | Cyclopropanation Reactions | 211 |
| 3.5.1 | Transition-Metal-Catalyzed Reaction of Diazo Compounds | 211 |
| 3.5.1.1 | Reaction Using Water-Soluble Catalysts | 212 |
| 3.5.1.1.1 | Using pybox–Ruthenium Catalysts | 212 |

| | | |
|---------------|--|-----|
| 3.5.1.1.2 | Using Metalloporphyrin Catalysts | 213 |
| 3.5.1.2 | Using Diazo Esters in Biphasic Media | 216 |
| 3.5.1.3 | In Situ Generation of the Diazo Reagent | 218 |
| 3.5.2 | Triphenylarsine-Catalyzed Cyclopropanation | 221 |
| 3.5.3 | Radical Reaction from Halogenated Compounds and Zinc Powder | 222 |
| 3.6 | Metathesis Reactions C. Torborg, C. Samojłowicz, and K. Grela | |
| 3.6 | Metathesis Reactions | 225 |
| 3.6.1 | Aqueous Alkene Metathesis Using Poorly Defined Catalytic Systems | 227 |
| 3.6.1.1 | Polymerization of 7-Oxabicyclo[2.2.1]hept-2-ene Derivatives | 227 |
| 3.6.1.2 | Polymerization of 7-Oxabicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate Derivatives | 227 |
| 3.6.2 | Aqueous Alkene Metathesis Using Water-Insoluble Well-Defined Catalysts ... | 229 |
| 3.6.2.1 | Applications in Homogeneous Aqueous Solutions | 229 |
| 3.6.2.1.1 | Ring-Closing Metathesis Using Ruthenium-Based Defined Catalysts in Homogeneous Water/Organic Solvent Mixtures | 229 |
| 3.6.2.1.2 | Cross Metathesis Using Ruthenium-Based Defined Catalysts in Homogeneous Water/Organic Solvent Mixtures | 230 |
| 3.6.2.2 | Applications in Water-Containing Heterogeneous Mixtures | 231 |
| 3.6.2.2.1 | Metathesis in the Presence of Water without a Cosolvent, Additives, or Surfactants | 231 |
| 3.6.2.3 | Metathesis in Aqueous Emulsions | 232 |
| 3.6.2.3.1 | Ring-Opening Metathesis Polymerization in Aqueous Emulsions | 232 |
| 3.6.2.3.1.1 | Ring-Opening Polymerization Using Dodecyltrimethylammonium Bromide as a Surfactant | 232 |
| 3.6.2.3.1.1.1 | Polymerization of Bicyclo[2.2.1]hept-2-enes and 7-Oxa Derivatives | 232 |
| 3.6.2.3.1.1.2 | Polymerization of Bicyclo[2.2.1]hept-5-ene-2-carboxamides and 7-Oxa Derivatives | 233 |
| 3.6.2.3.1.1.3 | Polymerization of Vancomycin-Based Oligomers | 234 |
| 3.6.2.3.1.2 | Polymerization Using Sodium Dodecyl Sulfate as a Surfactant | 235 |
| 3.6.2.3.1.2.1 | Polymerization of Bicyclo[2.2.1]hept-2-ene | 235 |
| 3.6.2.3.1.2.2 | Polymerization of Cyclooctadiene and Cyclooctene | 235 |
| 3.6.2.3.1.3 | Polymerizations Using Acacia Gum as a Surfactant | 235 |
| 3.6.2.3.2 | Ring-Closing Metathesis and Cross Metathesis in Aqueous Emulsions | 236 |
| 3.6.2.3.2.1 | Ring-Closing Metathesis and Cross Metathesis in Aqueous Emulsions Using Surfactants | 236 |

| | | |
|---------------|--|-----|
| 3.6.2.3.2.1.1 | Ring-Closing Metathesis of Diethyl 2,2-Diallylmalonate Using Sodium Dodecyl Sulfate | 236 |
| 3.6.2.3.2.1.2 | Homo-Cross Metathesis of Vancomycin Derivatives Using Dodecyltrimethylammonium Bromide | 236 |
| 3.6.2.3.2.1.3 | Cross Metathesis Using Polyoxyethanyl α -Tocopheryl Sebacate | 237 |
| 3.6.2.3.2.1.4 | Ring-Closing Metathesis Using Polyoxyethanyl α -Tocopheryl Sebacate | 238 |
| 3.6.2.3.2.1.5 | Ring-Closing Metathesis and Cross Metathesis in the Presence of Calix[n]arenes | 239 |
| 3.6.2.3.2.2 | Ring-Closing Metathesis and Cross Metathesis in Aqueous Emulsions Using Other Methods | 239 |
| 3.6.2.3.2.2.1 | Non-Water-Soluble Catalysts Embedded in Poly(dimethylsiloxane) | 239 |
| 3.6.2.3.2.2.2 | Ring-Closing Metathesis and Cross Metathesis Using Dendrimers | 240 |
| 3.6.2.4 | Applications of Water-Insoluble Catalysts for Protein Modification | 242 |
| 3.6.2.4.1 | Cross Metathesis with SBL-156Sac | 242 |
| 3.6.2.4.2 | Intramolecular Alkene Metathesis in <i>O</i> -Crotylserine Containing cpVenus-2TAG | 243 |
| 3.6.3 | Tagged Metathesis Catalysts | 243 |
| 3.6.3.1 | Catalysts Tagged to Hydrophilic Polymers | 243 |
| 3.6.3.2 | Small-Molecule Polar Catalysts | 247 |
| 3.6.3.3 | Applications in Heterogeneous Aqueous Media | 252 |

4 **Aqueous Media: Reactions of Carbonyl and Imino Groups**

4.1 **Reduction of Carbonyl and Imino Groups**

X. Wu and J. Xiao

| | | |
|-------------|--|-----|
| 4.1 | Reduction of Carbonyl and Imino Groups | 257 |
| 4.1.1 | Reduction of Carbonyl Groups | 257 |
| 4.1.1.1 | Hydrogenation of Carbonyl Groups | 257 |
| 4.1.1.1.1 | Nonasymmetric Hydrogenation of Aldehydes and Ketones | 257 |
| 4.1.1.1.2 | Hydrogenation of Carbon Dioxide | 262 |
| 4.1.1.1.3 | Asymmetric Hydrogenation of Ketones | 264 |
| 4.1.1.2 | Transfer Hydrogenation of Carbonyl Groups | 265 |
| 4.1.1.2.1 | Nonasymmetric Transfer Hydrogenation | 268 |
| 4.1.1.2.2 | Asymmetric Transfer Hydrogenation | 272 |
| 4.1.1.2.2.1 | Of Ketones with Molecular Catalysts | 272 |
| 4.1.1.2.2.2 | Of Ketones with Immobilized Catalysts | 276 |
| 4.1.1.2.2.3 | Of Ketones by Biomimetic Reduction | 279 |
| 4.1.1.2.2.4 | Of Functionalized Ketones | 282 |

| | | |
|------------------|---|-----|
| 4.1.2 | Reduction of Imino Groups | 286 |
| 4.1.2.1 | Hydrogenation of Imino Groups | 286 |
| 4.1.2.1.1 | Nonasymmetric Hydrogenation | 286 |
| 4.1.2.1.2 | Asymmetric Hydrogenation | 288 |
| 4.1.2.2 | Transfer Hydrogenation of Imino Groups | 290 |
| 4.1.2.2.1 | With Water-Soluble Catalysts | 290 |
| 4.1.2.2.2 | With Water-Insoluble Catalysts | 291 |
| 4.2 | Alkylation, Allylation, and Benzylation of Carbonyl and Imino Groups L. Zhao and C.-J. Li | |
| 4.2 | Alkylation, Allylation, and Benzylation of Carbonyl and Imino Groups | 301 |
| 4.2.1 | Metal-Mediated Alkylation of Carbonyl and Imino Groups | 301 |
| 4.2.1.1 | Alkylation of Carbonyl Groups | 301 |
| 4.2.1.1.1 | Metal-Mediated Alkylation Reactions with Alkyl Halides | 301 |
| 4.2.1.1.2 | Metal-Mediated Reformatsky-Type Reactions | 303 |
| 4.2.1.2 | Alkylation of Imino Groups | 304 |
| 4.2.2 | Metal-Mediated Allylation of Carbonyl and Imino Groups | 306 |
| 4.2.2.1 | Allylation of Carbonyl Groups | 307 |
| 4.2.2.1.1 | Mediated by Zinc | 307 |
| 4.2.2.1.2 | Mediated by Tin | 308 |
| 4.2.2.1.3 | Mediated by Indium | 311 |
| 4.2.2.1.4 | Mediated by Other Metals | 319 |
| 4.2.2.1.5 | Regio- and Stereoselectivity | 320 |
| 4.2.2.1.6 | Asymmetric Allylation | 325 |
| 4.2.2.2 | Allylation of Imino Groups | 325 |
| 4.2.3 | Metal-Mediated Benzylation of Carbonyl and Imino Groups | 327 |
| 4.3 | Arylation, Vinylation, and Alkynylation of Carbonyl and Imino Groups L. Zhao and C.-J. Li | |
| 4.3 | Arylation, Vinylation, and Alkynylation of Carbonyl and Imino Groups | 333 |
| 4.3.1 | Arylation and Vinylation of Carbonyl and Imino Groups | 333 |
| 4.3.1.1 | Arylation and Vinylation of Aldehydes | 333 |
| 4.3.1.2 | Arylation and Vinylation of Imino Groups | 336 |
| 4.3.1.2.1 | Asymmetric Arylation of Imino Groups | 337 |
| 4.3.2 | Alkynylation of Carbonyl and Imino Groups | 338 |
| 4.3.2.1 | Alkynylation of Carbonyl Compounds | 339 |

| | | |
|------------|--|-----|
| 4.3.2.1.1 | Alkynylation of Aldehydes | 339 |
| 4.3.2.1.2 | Alkynylation of Acid Chlorides | 343 |
| 4.3.2.1.3 | Alkynylation of Ketones | 344 |
| 4.3.2.2 | Alkynylation of Imino Groups | 345 |
| 4.3.2.2.1 | Alkynylation of Imines | 345 |
| 4.3.2.2.2 | Alkynylation of Iminium Ions | 347 |
| 4.3.2.2.3 | Alkynylation of Acylimines or Acyliminium Ions | 349 |
| 4.4 | Aldol Reaction | |
| | M. Woyciechowska, O. El-Sepelgy, and J. Mlynarski | |
| 4.4 | Aldol Reaction | 353 |
| 4.4.1 | Indirect Catalytic Aldol Addition Reactions | 353 |
| 4.4.1.1 | Mukaiyama-Type Aldol Reactions | 354 |
| 4.4.1.1.1 | Application of Bis(4,5-dihydrooxazole) Ligands | 355 |
| 4.4.1.1.2 | Application of Crown Ether Type Ligands | 356 |
| 4.4.1.1.3 | Europium-Catalyzed Mukaiyama Aldol Reactions | 358 |
| 4.4.1.1.4 | Application of a Trost-Type Semicrown Ligand | 359 |
| 4.4.1.1.5 | Application of Iron(II) and Zinc(II) Complexes | 360 |
| 4.4.1.1.6 | Hydroxymethylation of Silyl Enol Ethers | 361 |
| 4.4.2 | Direct Catalytic Aldol Reactions | 363 |
| 4.4.2.1 | Enamine-Based Direct Aldol Reactions | 364 |
| 4.4.2.1.1 | Synthesis of 2-[Aryl(hydroxy)methyl]cycloalkanones | 365 |
| 4.4.2.1.2 | Synthesis of 4-Aryl-4-hydroxybutan-2-ones | 369 |
| 4.4.2.1.3 | Synthesis of <i>syn</i> - α -Methyl- β -hydroxy Ketones | 370 |
| 4.4.2.1.4 | Synthesis of Alcohols Containing a Quaternary Carbon Atom | 370 |
| 4.4.2.1.5 | Synthesis of 1,4-Dihydroxylated Ketones | 372 |
| 4.4.2.1.6 | Synthesis of <i>syn</i> -3,4-Dihydroxylated Ketones | 373 |
| 4.4.2.1.7 | Synthesis of 1,3,4-Trihydroxylated Ketones | 374 |
| 4.4.2.1.8 | Synthesis of 1,3-Dihydroxylated Compounds | 377 |
| 4.4.2.1.9 | Synthesis of Erythrose and Threose Derivatives | 378 |
| 4.4.2.2 | Direct Aldol Reactions Assisted by Chiral Metal Complexes | 380 |
| 4.4.2.2.1 | Synthesis of Hydroxymethyl Ketones | 381 |

| | | |
|--------------------|---|-----|
| 4.5 | Mannich Reaction and Baylis–Hillman Reaction M. Benohoud and Y. Hayashi | |
| <hr/> | | |
| 4.5 | Mannich Reaction and Baylis–Hillman Reaction | 385 |
| 4.5.1 | Mannich Reaction | 385 |
| 4.5.1.1 | Reaction Catalyzed by Organometals | 386 |
| 4.5.1.1.1 | Lewis Acids | 386 |
| 4.5.1.1.1.1 | Reaction Using a Preformed Imine or a Preformed Enolate | 386 |
| 4.5.1.1.1.2 | One-Pot Three-Component Reaction | 389 |
| 4.5.1.1.1.3 | Stereoselective Methods | 391 |
| 4.5.1.1.2 | Lewis Bases | 395 |
| 4.5.1.2 | Reaction Catalyzed by Brønsted Acids or Bases | 396 |
| 4.5.1.2.1 | Brønsted Acids | 396 |
| 4.5.1.2.2 | Brønsted Bases | 400 |
| 4.5.1.2.3 | Enantioselective Methods | 400 |
| 4.5.1.3 | Chiral Amine Catalysis via an Enamine Intermediate | 403 |
| 4.5.1.3.1 | <i>syn</i> -Selective Mannich Reaction | 405 |
| 4.5.1.3.2 | <i>anti</i> -Selective Mannich Reaction | 413 |
| 4.5.1.3.3 | Application in Total Synthesis | 416 |
| 4.5.1.4 | Autocatalysis | 418 |
| 4.5.1.5 | Biocatalyzed Mannich Reaction | 419 |
| 4.5.2 | Baylis–Hillman Reaction | 420 |
| 4.5.2.1 | Stereoselective Baylis–Hillman Reaction | 426 |
| 4.5.2.2 | Biocatalyzed Baylis–Hillman Reaction | 430 |

5 Aqueous Media: Cyclization, Rearrangement, Substitution, Cross Coupling, Oxidation, and Other Reactions

| | | |
|------------------|--|-----|
| 5.1 | Cycloaddition and Cyclization Reactions G. Molteni | |
| <hr/> | | |
| 5.1 | Cycloaddition and Cyclization Reactions | 433 |
| 5.1.1 | Cycloadditions | 434 |
| 5.1.1.1 | Diels–Alder Cycloadditions | 434 |
| 5.1.1.1.1 | Hetero-Diels–Alder Cycloadditions | 442 |
| 5.1.1.1.2 | Lewis Acid Catalyzed Diels–Alder Cycloadditions | 448 |
| 5.1.1.2 | 1,3-Dipolar Cycloadditions | 454 |
| 5.1.1.2.1 | Nitrile Imine Cycloadditions | 455 |

| | | |
|-----------|--|-----|
| 5.1.1.2.2 | Nitrile Oxide Cycloadditions | 457 |
| 5.1.1.2.3 | Diazo Compound Cycloadditions | 462 |
| 5.1.1.2.4 | Azide Cycloadditions | 463 |
| 5.1.1.2.5 | Azomethine Ylide Cycloadditions | 467 |
| 5.1.1.2.6 | Nitrone Cycloadditions | 468 |
| 5.1.2 | Cyclization Reactions | 470 |
| 5.1.2.1 | Barbier-Type Cyclizations | 470 |
| 5.1.2.2 | Epoxide-Opening Cascade Cyclizations | 473 |
| 5.1.2.3 | Radical Cyclizations | 474 |

5.2 Pericyclic Rearrangements: Sigmatropic, Electrocyclic, and Ene Reactions
 F. Fringuelli and O. Piermatti

| | | |
|------------|---|------------|
| 5.2 | Pericyclic Rearrangements: Sigmatropic, Electrocyclic, and Ene Reactions | 481 |
| 5.2.1 | Sigmatropic Rearrangement | 481 |
| 5.2.1.1 | Claisen Rearrangement | 481 |
| 5.2.1.1.1 | First Examples in Water | 482 |
| 5.2.1.1.2 | Rearrangement of Allyl Vinyl Ethers | 483 |
| 5.2.1.1.3 | Rearrangement of Allyl Aryl Ethers | 485 |
| 5.2.1.1.4 | Claisen Rearrangement Coupled with Other Reactions | 487 |
| 5.2.1.1.5 | Aza-Claisen Rearrangements | 490 |
| 5.2.1.2 | Cope Rearrangement | 493 |
| 5.2.1.2.1 | Rearrangement of Compounds Containing a Hydrophilic Group | 494 |
| 5.2.1.2.2 | Catalyzed Rearrangement | 494 |
| 5.2.1.2.3 | Aza-Cope Rearrangement | 495 |
| 5.2.1.3 | [1,5] Rearrangement | 495 |
| 5.2.1.4 | [2,3] Rearrangement | 496 |
| 5.2.1.4.1 | Rearrangement of Allyl Sulfoxides | 496 |
| 5.2.1.4.2 | Rearrangement of Sulfonium and Ammonium Ylides | 497 |
| 5.2.2 | Electrocyclic Rearrangement | 500 |
| 5.2.2.1 | 4 π -Electrocyclic Rearrangement | 500 |
| 5.2.2.2 | 6 π -Electrocyclic Rearrangement | 501 |
| 5.2.3 | Ene Reaction | 502 |
| 5.2.3.1 | Photoinduced Reaction | 503 |
| 5.2.3.2 | Aza-Ene Reaction | 504 |
| 5.2.3.3 | Ene-Like Reaction | 505 |
| 5.2.3.4 | Catalyzed Reactions | 506 |

5.3 Allylic and Aromatic Substitution Reactions

Y. Uozumi

| | | |
|----------------------|--|-----|
| 5.3 | Allylic and Aromatic Substitution Reactions | 511 |
| 5.3.1 | Allylic Substitution | 511 |
| 5.3.1.1 | Palladium-Catalyzed Substitution | 511 |
| 5.3.1.1.1 | Using Water-Soluble Ligands | 511 |
| 5.3.1.1.1.1 | Substitution of Allylic Esters | 512 |
| 5.3.1.1.1.1.1 | Intermolecular Allylic Substitution | 512 |
| 5.3.1.1.1.1.2 | Intramolecular Allylic Substitution | 513 |
| 5.3.1.1.1.2 | Substitution of Allylic Alcohols | 514 |
| 5.3.1.1.2 | Using Amphiphilic Polymeric Ligands | 515 |
| 5.3.1.1.3 | Using Additives | 517 |
| 5.3.1.1.4 | Miscellaneous Metal-Catalyzed Systems | 519 |
| 5.3.1.2 | Metal-Mediated Substitution | 521 |
| 5.3.1.3 | Allylic Substitution with Calixarene Catalysts | 521 |
| 5.3.1.4 | Asymmetric Allylic Substitution | 522 |
| 5.3.1.4.1 | Substitution of Acyclic Allylic Systems | 522 |
| 5.3.1.4.2 | Substitution of Cyclic Allylic Systems | 523 |
| 5.3.2 | Aromatic Substitution | 525 |
| 5.3.2.1 | Electrophilic Aromatic Substitution | 525 |
| 5.3.2.1.1 | Electrophilic Substitution of Indoles | 525 |
| 5.3.2.1.1.1 | Synthesis of Bis(indolyl)methanes | 525 |
| 5.3.2.1.1.2 | Synthesis of 3-Substituted Indoles | 527 |
| 5.3.2.1.1.2.1 | Nucleophilic Addition of Indoles | 527 |
| 5.3.2.1.1.2.2 | Michael Addition of Indoles | 527 |
| 5.3.2.1.2 | Electrophilic Substitution of Benzenes | 528 |
| 5.3.2.1.2.1 | Indium-Catalyzed Aromatic Substitution | 528 |
| 5.3.2.1.2.2 | Sulfonic Acid Catalyzed Aromatic Substitution | 529 |
| 5.3.2.2 | Nucleophilic Aromatic Substitution | 530 |
| 5.3.2.2.1 | Intermolecular C—N and C—S Bond-Forming Substitution | 530 |
| 5.3.2.2.2 | Intramolecular C—N and C—S Bond-Forming Substitution | 531 |

5.4 Cross-Coupling and Heck Reactions

D. A. Alonso and C. Nájera

| | | |
|--------------------|---|-----|
| 5.4 | Cross-Coupling and Heck Reactions | 535 |
| 5.4.1 | Palladium-Catalyzed Coupling Reactions | 535 |
| 5.4.1.1 | C—C Bond-Forming Reactions | 536 |
| 5.4.1.1.1 | Mizoroki–Heck Reaction | 536 |
| 5.4.1.1.1.1 | Aqueous Ligand-Free Palladium-Catalyzed Heck Coupling | 537 |
| 5.4.1.1.1.2 | Aqueous Heck Coupling Catalyzed by Palladium–Nitrogen Complexes | 538 |
| 5.4.1.1.1.3 | Aqueous Palladium-Catalyzed Heck Coupling Employing Hydrophobic Phosphine Ligands | 539 |
| 5.4.1.1.1.4 | Aqueous Palladium-Catalyzed Heck Couplings Employing Hydrophilic Phosphine Ligands | 541 |
| 5.4.1.1.1.5 | Aqueous Palladacycle-Catalyzed Heck Coupling | 541 |
| 5.4.1.1.1.6 | Aqueous Heck Couplings Catalyzed by Supported Palladium Complexes | 542 |
| 5.4.1.1.2 | Suzuki–Miyaura Coupling | 545 |
| 5.4.1.1.2.1 | Aqueous Ligand-Free Palladium-Catalyzed Suzuki–Miyaura Coupling | 545 |
| 5.4.1.1.2.2 | Aqueous Suzuki–Miyaura Coupling Catalyzed by Palladium–Nitrogen Complexes | 546 |
| 5.4.1.1.2.3 | Aqueous Palladium-Catalyzed Suzuki–Miyaura Coupling Employing Hydrophobic Phosphine or N-Heterocyclic Carbene Ligands | 547 |
| 5.4.1.1.2.4 | Palladium-Catalyzed Suzuki–Miyaura Coupling Employing Hydrophilic Ligands | 549 |
| 5.4.1.1.2.5 | Aqueous Palladacycle-Catalyzed Suzuki–Miyaura Coupling | 550 |
| 5.4.1.1.2.6 | Aqueous Suzuki–Miyaura Couplings Catalyzed by Supported Palladium Complexes | 552 |
| 5.4.1.1.3 | Sonogashira Coupling | 555 |
| 5.4.1.1.3.1 | Aqueous Ligand-Free Palladium-Catalyzed Sonogashira Coupling | 555 |
| 5.4.1.1.3.2 | Aqueous Sonogashira Coupling Catalyzed by Palladium–Nitrogen Complexes | 556 |
| 5.4.1.1.3.3 | Aqueous Sonogashira Coupling Employing Hydrophobic Phosphine Ligands | 556 |
| 5.4.1.1.3.4 | Aqueous Sonogashira Coupling Catalyzed by Supported Palladium Complexes | 557 |
| 5.4.1.1.4 | Hiyama Coupling | 559 |
| 5.4.1.1.4.1 | Aqueous Ligand-Free Palladium-Catalyzed Hiyama Coupling | 559 |
| 5.4.1.1.4.2 | Aqueous Hiyama Coupling Catalyzed by Palladium–Nitrogen Complexes | 559 |
| 5.4.1.1.4.3 | Aqueous Hiyama Coupling Catalyzed by Palladium–Phosphine Complexes | 560 |
| 5.4.1.1.4.4 | Aqueous Oxime Palladacycle Catalyzed Hiyama Coupling | 561 |
| 5.4.1.1.5 | Kosugi–Migita–Stille Coupling | 563 |
| 5.4.1.1.6 | Ullmann-Type Coupling | 563 |
| 5.4.1.1.7 | Negishi Coupling | 564 |
| 5.4.1.1.8 | C—H Activation | 565 |

| | | |
|-----------|---|-----|
| 5.4.1.1.9 | Cyanation Reactions | 566 |
| 5.4.1.2 | Carbon–Heteroatom Bond-Forming Reactions | 567 |
| 5.4.1.2.1 | Buchwald–Hartwig Amination | 567 |
| 5.4.2 | Copper-Catalyzed Cross-Coupling Reactions | 569 |
| 5.4.2.1 | C–C Bond-Forming Reactions | 569 |
| 5.4.2.1.1 | Sonogashira–Hagihara Reaction | 569 |
| 5.4.2.1.2 | Cyanation Reactions | 570 |
| 5.4.2.2 | Carbon–Heteroatom Bond-Forming Reactions | 570 |
| 5.4.2.2.1 | Aqueous Copper-Catalyzed C–N Bond-Forming Reactions | 570 |
| 5.4.2.2.2 | Aqueous Copper-Catalyzed C–S Bond-Forming Reactions | 572 |
| 5.4.2.2.3 | Aqueous Copper-Catalyzed C–O Bond-Forming Reactions | 572 |

5.5 Ring Opening of Epoxides and Aziridines

C. Ogawa and S. Kobayashi

| | | |
|---------------|--|-----|
| 5.5 | Ring Opening of Epoxides and Aziridines | 579 |
| 5.5.1 | Ring-Opening Reactions of Epoxides | 579 |
| 5.5.1.1 | Epoxide Ring Opening with Oxygen Nucleophiles | 579 |
| 5.5.1.1.1 | Noncatalyzed Epoxide Ring Opening | 579 |
| 5.5.1.1.2 | Small Organic Molecule Catalyzed Epoxide Ring Opening | 580 |
| 5.5.1.1.3 | Metal-Catalyzed Epoxide Ring Opening | 581 |
| 5.5.1.1.3.1 | Using Zirconium(IV) Tetrakis(dodecyl sulfate) | 581 |
| 5.5.1.1.3.2 | Using Cobalt–Salen Complexes | 581 |
| 5.5.1.1.3.3 | Using Scandium–Chiral Bipyridine Complexes | 582 |
| 5.5.1.2 | Epoxide Ring Opening with Nitrogen Nucleophiles | 583 |
| 5.5.1.2.1 | Epoxide Ring Opening with Amines | 583 |
| 5.5.1.2.1.1 | Noncatalyzed Epoxide Ring Opening with Amines in Water | 583 |
| 5.5.1.2.1.2 | Small Organic Molecule Catalyzed Aminolysis | 585 |
| 5.5.1.2.1.3 | Metal-Catalyzed Aminolysis | 586 |
| 5.5.1.2.1.4 | Aminolysis Catalyzed by Chiral Lewis Acids | 587 |
| 5.5.1.2.2 | Epoxide Ring Opening with Azide | 589 |
| 5.5.1.2.2.1 | Metal-Catalyzed Azidolysis | 589 |
| 5.5.1.2.2.1.1 | Using Zirconium(IV) Tetrakis(dodecyl sulfate) | 589 |
| 5.5.1.2.2.1.2 | Using Copper(II) Nitrate | 590 |
| 5.5.1.2.3 | Epoxide Ring Opening with Other Nitrogen-Containing Nucleophiles | 590 |
| 5.5.1.3 | Epoxide Ring Opening with Thiols | 591 |
| 5.5.1.3.1 | Noncatalyzed Epoxide Ring Opening with Thiols | 591 |
| 5.5.1.3.2 | Metal-Catalyzed Epoxide Ring Opening with Thiols | 592 |

| | | |
|-------------|---|-----|
| 5.5.1.3.2.1 | Using Indium(III) Chloride | 592 |
| 5.5.1.3.2.2 | Using Scandium(III) Tris(dodecyl sulfate) | 593 |
| 5.5.1.4 | Epoxide Ring Opening with Carbon Nucleophiles | 594 |
| 5.5.2 | Ring-Opening Reactions of Aziridines | 594 |
| 5.5.2.1 | Aziridine Ring Opening with Oxygen Nucleophiles | 594 |
| 5.5.2.1.1 | Noncatalyzed Aziridine Ring Opening with Oxygen Nucleophiles | 594 |
| 5.5.2.1.2 | Aziridine Ring Opening with Oxygen Nucleophiles Promoted by Tributylphosphine and Silica Gel | 595 |
| 5.5.2.2 | Aziridine Ring Opening with Nitrogen Nucleophiles | 596 |
| 5.5.2.2.1 | Noncatalyzed Aziridine Ring Opening with Nitrogen Nucleophiles | 596 |
| 5.5.2.2.2 | Small Organic Molecule Catalyzed Aziridine Ring Opening with Nitrogen Nucleophiles | 596 |
| 5.5.2.3 | Aziridine Ring Opening with Sulfur Nucleophiles | 597 |
| 5.6 | Asymmetric α-Functionalization of Carbonyl Compounds and Alkylation of Enolates S. Shirakawa and K. Maruoka | |
| 5.6 | Asymmetric α-Functionalization of Carbonyl Compounds and Alkylation of Enolates | 601 |
| 5.6.1 | Asymmetric Alkylation | 601 |
| 5.6.1.1 | Asymmetric Benzylation of Glycine Derivatives for the Synthesis of Phenylalanine Derivatives | 601 |
| 5.6.1.1.1 | Asymmetric Alkylation of Glycine Derivatives for the Synthesis of α -Alkyl- α -amino Acids | 604 |
| 5.6.1.2 | Asymmetric α -Alkylation of Ketones | 604 |
| 5.6.1.3 | Asymmetric Alkylation of β -Keto Esters | 605 |
| 5.6.1.4 | Asymmetric Alkylation of Diaryloxazolidine-2,4-diones | 606 |
| 5.6.1.5 | Asymmetric α -Alkylation of Aldehydes with Alcohols | 607 |
| 5.6.2 | Asymmetric Alkenylation and Alkynylation | 607 |
| 5.6.2.1 | Asymmetric Alkenylation of β -Keto Esters | 607 |
| 5.6.2.1.1 | Asymmetric Alkynylation of β -Keto Esters | 609 |
| 5.6.3 | Asymmetric Oxidation | 609 |
| 5.6.3.1 | Asymmetric α -Hydroxylation of Ketones | 609 |
| 5.6.3.2 | Asymmetric α -Oxyamination of Aldehydes | 610 |
| 5.6.4 | Asymmetric Amination | 611 |
| 5.6.4.1 | Asymmetric Amination of β -Keto Esters | 611 |
| 5.6.5 | Asymmetric Fluorination | 612 |
| 5.6.5.1 | Asymmetric Fluorination of β -Keto Esters | 612 |

| | | |
|------------------|--|-----|
| 5.7 | Oxidation of Alcohols, Allylic and Benzylic Oxidation, Oxidation of Sulfides R. A. Sheldon | |
| <hr/> | | |
| 5.7 | Oxidation of Alcohols, Allylic and Benzylic Oxidation, Oxidation of Sulfides | 617 |
| 5.7.1 | Water-Soluble Ligands | 618 |
| 5.7.2 | Biomimetic Metalloporphyrins and Metallophthalocyanines | 619 |
| 5.7.3 | Enzymatic Oxidations: Oxidoreductases | 620 |
| 5.7.4 | Alcohol Oxidations in Aqueous Media | 620 |
| 5.7.4.1 | Tungsten(VI) Catalysts | 621 |
| 5.7.4.2 | Palladium–Diamine Complexes as Catalysts | 623 |
| 5.7.4.3 | Noble Metal Nanoparticles as Quasi-homogeneous Catalysts | 627 |
| 5.7.4.4 | Ruthenium and Manganese Catalysts | 628 |
| 5.7.4.5 | Organocatalysts: Hypervalent Iodine Compounds and Stable <i>N</i> -Oxyl Radicals | 628 |
| 5.7.4.6 | Enzymatic Oxidation of Alcohols | 631 |
| 5.7.5 | Benzylic and Allylic Oxidations in Water | 632 |
| 5.7.5.1 | Benzylic Oxidations | 632 |
| 5.7.5.2 | Allylic Oxidations | 633 |
| 5.7.6 | Sulfoxidations in Water | 634 |
| 5.7.6.1 | Tungsten- and Vanadium-Catalyzed Oxidations with Hydrogen Peroxide | 634 |
| 5.7.6.2 | Enantioselective Sulfoxidation with Enzymes | 636 |
| 5.7.6.3 | Flavins as Organocatalysts for Sulfoxidation | 638 |
| 5.7.7 | Concluding Remarks | 639 |
| | | |
| 5.8 | Free-Radical Reactions H. Yorimitsu and K. Oshima | |
| <hr/> | | |
| 5.8 | Free-Radical Reactions | 645 |
| 5.8.1 | Reductive Processes | 646 |
| 5.8.1.1 | Reductions with Metal Hydrides | 646 |
| 5.8.1.2 | Reduction with Phosphinic Acid and Its Derivatives | 652 |
| 5.8.1.3 | Reductions with Trialkylboranes | 662 |
| 5.8.1.3.1 | With Trialkylborane–Water Complexes | 662 |
| 5.8.1.3.2 | Triethylborane-Mediated Radical Addition to a C=N Bond | 665 |
| 5.8.1.4 | Reduction with Inorganic Reducing Agents | 666 |
| 5.8.2 | Atom Transfer Processes | 669 |
| 5.8.3 | Fragmentation Processes | 674 |

| | | |
|----------------|--|-----|
| 5.9 | Polymerization M. Ouchi and M. Sawamoto | |
| <hr/> | | |
| 5.9 | Polymerization | 679 |
| 5.9.1 | Living Radical Polymerization | 680 |
| 5.9.1.1 | Nitroxide-Mediated Polymerization | 681 |
| 5.9.1.2 | Metal-Catalyzed Living Radical Polymerization or Atom-Transfer Radical Polymerization | 681 |
| 5.9.1.3 | Reversible Addition–Fragmentation Chain-Transfer Polymerization | 682 |
| 5.9.2 | Living Radical Suspension Polymerization | 682 |
| 5.9.2.1 | Iron-Catalyzed Living Radical Polymerization | 682 |
| 5.9.2.2 | Copper-Catalyzed Living Radical Polymerization | 683 |
| 5.9.3 | Living Radical Mini-emulsion Polymerization | 684 |
| 5.9.3.1 | Mini-emulsion with Reverse Atom-Transfer Radical Polymerization | 685 |
| 5.9.3.2 | Mini-emulsion with AGET Atom-Transfer Radical Polymerization | 686 |
| 5.9.3.3 | Mini-emulsion with Nitroxide-Mediated Polymerization | 687 |
| 5.9.4 | Living Radical Emulsion Polymerization | 689 |
| 5.9.4.1 | Emulsion with Nitroxide-Mediated Polymerization | 689 |
| 5.9.4.2 | Emulsion with Reversible Addition–Fragmentation Chain-Transfer Polymerization | 691 |
| 5.9.5 | Homogeneous Aqueous Living Radical Polymerization | 692 |
| 5.9.5.1 | Homogeneous Aqueous Atom-Transfer Radical Polymerization | 693 |
| 5.9.5.2 | Homogeneous Aqueous Reversible Addition–Fragmentation Chain-Transfer Polymerization | 694 |
| 6 | Special Techniques with Water | |
| <hr/> | | |
| 6.1 | Organic Synthesis “On Water” A. Chanda and V. V. Fokin | |
| <hr/> | | |
| 6.1 | Organic Synthesis “On Water” | 697 |
| 6.1.1 | On-Water Reactions | 699 |
| 6.1.1.1 | Diels–Alder Reactions | 699 |
| 6.1.1.2 | Dipolar Cycloadditions | 702 |
| 6.1.1.3 | Cycloadditions of Azodicarboxylates | 708 |
| 6.1.1.4 | Claisen Rearrangement | 710 |
| 6.1.1.5 | Passerini and Ugi Reactions | 712 |
| 6.1.1.6 | Nucleophilic Opening of Three-Membered Rings | 715 |

| | | |
|------------|---|-----|
| 6.1.1.7 | Nucleophilic Substitution Reactions | 720 |
| 6.1.1.8 | Transformations Catalyzed by Transition Metals | 722 |
| 6.1.1.9 | Metal-Free Carbon—Carbon Bond-Forming Processes | 731 |
| 6.1.1.10 | Bromination Reactions | 734 |
| 6.1.1.11 | Oxidations and Reductions | 737 |
| 6.1.2 | Theoretical Studies | 741 |
| 6.1.3 | Concluding Remarks | 744 |
| 6.2 | Sub- and Supercritical Water | |
| | A. Kruse and E. Dinjus | |
| 6.2 | Sub- and Supercritical Water | 749 |
| 6.2.1 | Properties of Water | 750 |
| 6.2.1.1 | Macroscopic Properties | 750 |
| 6.2.1.2 | Microscopic Properties | 751 |
| 6.2.1.3 | Special Aspects of Heterogeneous Catalysis | 752 |
| 6.2.2 | Synthesis Reactions | 753 |
| 6.2.2.1 | Hydrolysis/Water Addition Reactions | 753 |
| 6.2.2.2 | Condensation/Water Elimination Reactions | 755 |
| 6.2.2.3 | Addition Reactions | 757 |
| 6.2.2.3.1 | Hydroformylation | 757 |
| 6.2.2.3.2 | Diels–Alder Reaction | 757 |
| 6.2.2.3.3 | Other Addition and Coupling Reactions | 758 |
| 6.2.2.4 | Rearrangements | 760 |
| 6.2.2.5 | Oxidations | 762 |
| 6.2.2.6 | Reductions | 763 |
| 6.2.2.6.1 | Using Formic Acid/Formates | 763 |
| 6.2.2.6.2 | Using Hydrogen and a Noble Metal Catalyst | 763 |
| 6.2.2.6.3 | Using Zinc | 764 |
| 6.2.3 | Summary | 764 |
| 6.2.4 | Outlook | 765 |
| 6.2.5 | Conclusion | 765 |

| | | |
|-----------------|---|-----|
| 6.3 | β-Cyclodextrin Chemistry in Water F. Hapiot and E. Monflier | |
| 6.3 | β-Cyclodextrin Chemistry in Water | 773 |
| 6.3.1 | Cyclodextrins as Mass-Transfer Additives or Organocatalysts for Organic Synthesis in Water | 774 |
| 6.3.1.1 | Glycoside Hydrolysis Using Modified α - and β -Cyclodextrin Dicyanohydrins in Water | 774 |
| 6.3.1.2 | Oxidation of Benzylic Alcohols | 776 |
| 6.3.1.3 | Deprotection of Aromatic Acetals under Neutral Conditions Using β -Cyclodextrin in Water | 777 |
| 6.3.1.4 | Cyclodextrin-Promoted Synthesis of 3,4,5-Trisubstituted Furan-2(5H)-ones .. | 778 |
| 6.3.1.5 | β -Cyclodextrin-Catalyzed Strecker Synthesis of α -Aminonitriles in Water | 779 |
| 6.3.1.6 | Synthesis of 3-Hydroxy-3-(1H-indol-3-yl)-1,3-dihydro-2H-indol-2-ones under Neutral Conditions in Water | 780 |
| 6.3.1.7 | Synthesis of Pyrrole-Substituted 1,3-Dihydro-2H-indol-2-ones | 781 |
| 6.3.1.8 | Friedel–Crafts Alkylation of Indoles | 782 |
| 6.3.1.9 | Supramolecular Synthesis of Selenazoles Using Selenourea in Water | 783 |
| 6.3.1.10 | Cyclodextrin-Promoted Nucleophilic Opening of Oxiranes | 784 |
| 6.3.1.11 | Cyclodextrin-Promoted Michael Reactions of Thiols to Conjugated Alkenes | 785 |
| 6.3.1.12 | Cyclodextrin-Promoted Mild Oxidation of Alcohols with 1-Hydroxy-1,2-benziodoxol-3(1H)-one 1-Oxide | 786 |
| 6.3.1.13 | Synthesis of Thiiranes from Oxiranes in the Presence of β -Cyclodextrin in Water | 788 |
| 6.3.2 | Cyclodextrins as Organocatalyst Solubilizers | 789 |
| 6.3.2.1 | For Organocatalysts with an Adamantyl Subunit | 789 |
| 6.3.2.2 | For Organocatalysts with a 4- <i>tert</i> -Butylphenyl Subunit | 791 |
| 6.3.3 | Cyclodextrins as Mass-Transfer Additives in Aqueous Organometallic Catalysis | 792 |
| 6.3.4 | Cyclodextrins as Ligands for Metal-Catalyzed Reactions | 797 |
| 6.3.5 | Cyclodextrins as Stabilizers of Water-Soluble Noble Metal Nanoparticles | 797 |
| 6.3.6 | Cyclodextrins as Dispersing Agents of Catalytically Active Solids | 800 |
| 6.3.6.1 | Cyclodextrins as Dispersing Agents of Supported Metals | 800 |
| 6.3.6.2 | Cyclodextrins as Dispersing Agents of Metallic Powder | 802 |

| | | |
|------------------|--|-----|
| 7 | Industrial Application | |
| 7.1 | Hydroformylation E. Wiebus, K. Schmid, and B. Cornils | |
| 7.1 | Hydroformylation | 807 |
| 7.1.2 | Immobilized Oxo Catalysts | 809 |
| 7.1.3 | Biphasic Catalyst System | 810 |
| 7.1.4 | Ruhrchemie/Rhône-Poulenc Process | 812 |
| 7.1.4.1 | Reaction | 812 |
| 7.1.4.2 | Recycle and Recovery of the Aqueous Catalyst | 816 |
| 7.1.4.2.1 | Recycle | 816 |
| 7.1.4.2.2 | Recovery | 819 |
| 7.1.4.3 | Economics of the Process | 822 |
| 7.1.4.4 | Environmental Aspects | 823 |
| 7.1.5 | Conclusions | 825 |
| 7.2 | Industrial Applications Other than Hydroformylation Y. Mori and S. Kobayashi | |
| 7.2 | Industrial Applications Other than Hydroformylation | 831 |
| 7.2.1 | Classical Reactions | 832 |
| 7.2.1.1 | Hydrolysis | 832 |
| 7.2.1.2 | Hydration | 833 |
| 7.2.1.3 | Homogeneous Mixed-Solvent Systems | 833 |
| 7.2.1.4 | Heterogeneous Mixed-Solvent Systems | 834 |
| 7.2.2 | Metal-Catalyzed Reactions | 835 |
| 7.2.2.1 | Palladium-Catalyzed Coupling Reactions | 835 |
| 7.2.2.2 | Palladium-Catalyzed Telomerization of Butadiene | 837 |
| 7.2.2.3 | Lewis Acid Catalysis | 837 |
| 7.2.3 | Enzymatic Reactions | 837 |
| 7.2.3.1 | Synthesis of Tamiflu | 837 |
| 7.2.3.2 | Synthesis of Statins (Lipitor and Crestor) | 838 |
| 7.2.3.3 | Synthesis of LY300164 | 840 |
| 7.2.3.4 | Synthesis of Pregabalin | 840 |
| 7.2.3.5 | Synthesis of 6-Aminopenicillanic Acid | 841 |
| 7.2.3.6 | Synthesis of Rhinovirus Protease Inhibitor Intermediates | 842 |

| | | |
|------------|---|-----|
| 7.2.3.7 | Synthesis of a GABA Inhibitor | 842 |
| 7.2.3.8 | Synthesis of an HIV Protease Inhibitor | 842 |
| 7.2.3.9 | Synthesis of Pelitrexol | 843 |
| 7.2.4 | Other Reactions | 844 |
| 7.2.5 | Conclusions and Perspectives | 849 |
| 8 | Perspective: The New World of Organic Chemistry Using Water as Solvent S. Kobayashi | |
| <hr/> | | |
| 8 | Perspective: The New World of Organic Chemistry Using Water as Solvent | 855 |
| 8.1 | Palladium-Catalyzed Allylic Amination Using Aqueous Ammonia | 855 |
| 8.2 | Aldehyde Allylation with Allylboronates in Aqueous Media | 858 |
| 8.3 | Catalytic Use of Indium(0) for C—C Bond Transformations in Water | 861 |
| 8.4 | Conclusions and Outlook | 865 |
| | Keyword Index | 869 |
| | Author Index | 917 |
| | Abbreviations | 955 |