

Table of Contents

Volume 10: Fused Five-Membered Heteroarenes with One Heteroatom

10.23	Product Class 23: Pyrido[X,Y-<i>b</i>]indoles (Carbolines)	New
	J. A. Joule	
<hr/>		
10.23	Product Class 23: Pyrido[X,Y-<i>b</i>]indoles (Carbolines)	1
10.23.1	Product Subclass 1: 9<i>H</i>-Pyrido[2,3-<i>b</i>]indoles (α-Carbolines)	6
10.23.1.1	Synthesis by Ring-Closure Reactions	6
10.23.1.1.1	By Annulation to an Arene	6
10.23.1.1.1.1	By Formation of Four N—C and Two C—C Bonds	6
10.23.1.1.1.1.1	With Formation of 1—2, 2—3, 4—4a, 1—9a, 8a—9, and 9—9a Bonds	6
10.23.1.1.1.1.1.1	Method 1: From 1-Bromo-2-(2,2-dibromovinyl)benzenes, Ammonia, and Alkyl Aldehydes	6
10.23.1.1.1.1.2	By Formation of Two N—C and One C—C Bonds	8
10.23.1.1.1.2.1	With Formation of 1—9a, 4—4a, and 9—9a Bonds	8
10.23.1.1.1.2.1.1	Method 1: From (2-Nitroaryl)acetonitriles and 3-Acetoxy-3-aryl-2-methylene Ketones	8
10.23.1.1.1.2.1.2	Method 2: From (2-Nitrophenyl)acetonitrile and 3-Arylenones	10
10.23.1.1.1.2.1.2.1	Variation 1: From (2-Nitrophenyl)acetonitrile and 4 <i>H</i> -1-Benzopyran-4-ones	12
10.23.1.1.1.3	By Formation of Two N—C Bonds	13
10.23.1.1.1.3.1	With Formation of 8a—9 and 9—9a Bonds	13
10.23.1.1.1.3.1.1	Method 1: From Primary Amines and 3-(2-Bromophenyl)-2-chloropyridine	13
10.23.1.1.1.4	By Formation of One N—C Bond and One C—C Bond	15
10.23.1.1.1.4.1	With Formation of 4a—4b and 9—9a Bonds	15
10.23.1.1.1.4.1.1	Method 1: From 2,3-Dihalopyridines and Anilines	15
10.23.1.1.1.4.1.2	Method 2: From 2-Iodopyridine and a 2-Bromoaniline	16
10.23.1.1.1.5	By Formation of Two C—C Bonds	17
10.23.1.1.1.5.1	With Formation of 3—4 and 4a—9a Bonds	17
10.23.1.1.1.5.1.1	Method 1: From (2-Alkenylaryl)carbodiimides	17
10.23.1.1.1.5.1.2	Method 2: From <i>N</i> -Acyl- <i>N</i> -(2-alkynylaryl)pyrimidin-2-amines or 3-[(2-Alkynylphenyl)amino]pyrazin-2-ones	19
10.23.1.1.1.6	By Formation of One N—C Bond	21
10.23.1.1.1.6.1	With Formation of the 9—9a Bond	21

10.23.1.1.1.6.1.1	Method 1: From 3-(2-Azidoaryl)pyridines	21
10.23.1.1.1.6.1.1.1	Variation 1: From 3-(2-Azidoaryl)pyridinium Trifluoromethanesulfonates and a Rhodium Catalyst	22
10.23.1.1.1.6.1.2	Method 2: From 3-(2-Nitroaryl)pyridines	23
10.23.1.1.1.6.1.2.1	Variation 1: From 3-(2-Nitrosoaryl)pyridines	24
10.23.1.1.1.6.1.3	Method 3: From 2-(3-Pyridyl)- <i>N</i> -tosylanilines or <i>N</i> -Acetyl-2-(3-pyridyl)-anilines	24
10.23.1.1.1.6.1.4	Method 4: From <i>N</i> -[2-(2-Fluoropyridin-3-yl)phenyl]pivalamide	26
10.23.1.1.1.7	By Formation of One C—C Bond	26
10.23.1.1.1.7.1	With Formation of the 4a—4b Bond	26
10.23.1.1.1.7.1.1	Method 1: From <i>N</i> -Arylpyridin-2-amines	26
10.23.1.1.1.7.1.1.1	Variation 1: From <i>N,N</i> -Diphenylpyridin-2-amine or <i>N</i> -Methyl- <i>N</i> -phenylpyridin-2-amine	27
10.23.1.1.1.7.1.2	Method 2: From <i>N</i> ² -Phenylpyridine-2,3-diamines	28
10.23.1.1.1.7.1.3	Method 3: From an <i>N</i> -Arylpyridin-2-amine with at Least One Halogen on at Least One Ring	29
10.23.1.1.1.7.1.3.1	Variation 1: From <i>N</i> -Aryl-3-chloropyridin-2-amines by Palladium Catalysis	29
10.23.1.1.1.7.1.3.2	Variation 2: From <i>N</i> -Aryl-3-bromopyridin-2-amines with Palladium Catalysis	30
10.23.1.1.1.7.1.3.3	Variation 3: From <i>N</i> -[3-Chloro-1-methylpyridin-2(<i>1H</i>)-ylidene]anilines	33
10.23.1.1.1.7.1.3.4	Variation 4: From <i>N</i> -(Chloroaryl)-3-chloro-1-methylpyridin-2(<i>1H</i>)-imines and Secondary Amines	34
10.23.1.1.1.7.1.3.5	Variation 5: From <i>N</i> -Aryl-3-halopyridin-2-amines by Photostimulated S _{RN} 1 Reactions	37
10.23.1.1.1.7.1.3.6	Variation 6: From 3-Bromo- <i>N</i> -(2-bromophenyl)pyridin-2-amines by Palladium(0)-Catalyzed Bond Formation via Tributylstannyl Intermediates	39
10.23.1.1.2	By Annulation to a Heterocycle	39
10.23.1.1.2.1	By Annulation to a Pyridine	39
10.23.1.1.2.1.1	By Formation of One N—C and One C—C Bond	39
10.23.1.1.2.1.1.1	With Formation of 4a—4b and 8a—9 Bonds	39
10.23.1.1.2.1.1.1.1	Method 1: From Pyridin-2,4,6-triamine	39
10.23.1.1.2.2	By Annulation to an Indole	40
10.23.1.1.2.2.1	By Formation of Two N—C and One C—C Bonds	40
10.23.1.1.2.2.1.1	With Formation of 1—2, 1—9a, and 4—4a Bonds	40
10.23.1.1.2.2.1.1.1	Method 1: From 2-Bromo-1 <i>H</i> -indole	40
10.23.1.1.2.2.2	By Formation of One N—C and Two C—C Bonds	41
10.23.1.1.2.2.2.1	With Formation of 1—2, 2—3, and 4—4a Bonds	41
10.23.1.1.2.2.2.1.1	Method 1: From Ethyl 2-Amino-1 <i>H</i> -indole-3-carboxylates, an Arylacetylene, and an Aryl Aldehyde	41
10.23.1.1.2.2.3	By Formation of Two N—C Bonds	43

10.23.1.1.2.2.3.1	With Formation of 1—2 and 1—9a Bonds	43
10.23.1.1.2.2.3.1.1	Method 1: From 1,5-Dicarbonyl Compounds or Equivalents	43
10.23.1.1.2.2.4	By Formation of One N—C and One C—C Bonds	46
10.23.1.1.2.2.4.1	With Formation of 1—2 and 4—4a Bonds	46
10.23.1.1.2.2.4.1.1	Method 1: From 1 <i>H</i> -Indol-2-amines and Alkynes	46
10.23.1.1.2.2.4.1.1.1	Variation 1: From 1 <i>H</i> -Indol-2-amines and 1,3-Diketones	48
10.23.1.1.2.2.4.1.1.2	Variation 2: From <i>N</i> -(Phosphoranylidene)indol-2-amines	49
10.23.1.1.2.2.4.1.2	Method 2: From <i>N</i> -(Arylsulfonyl)-3-diazo-1,3-dihydroindol-2-imines ...	50
10.23.1.1.2.2.4.2	With Formation of 1—2 and 2—3 Bonds	52
10.23.1.1.2.2.4.2.1	Method 1: From 3-Alkenyl- <i>N</i> -(triphenylphosphoranylidene)-1 <i>H</i> -indol-2-amines	52
10.23.1.1.2.2.4.2.1.1	Variation 1: From 3-(2-Nitrovinyl)- <i>N</i> -(triphenylphosphoranylidene)-1 <i>H</i> -indol-2-amines	53
10.23.1.1.2.2.4.3	With Formation of 1—2 and 3—4 Bonds	54
10.23.1.1.2.2.4.3.1	Method 1: From a 2-Amino-1 <i>H</i> -indole-3-carbothioaldehyde	54
10.23.1.1.2.2.4.4	With Formation of 1—9a and 3—4 Bonds	55
10.23.1.1.2.2.4.4.1	Method 1: From 3-[Bis(methylsulfanyl)methylene]-1-methyl-1,3-dihydro-2 <i>H</i> -indol-2-one	55
10.23.1.1.2.2.5	By Formation of Two C—C Bonds	56
10.23.1.1.2.2.5.1	With Formation of 3—4 and 4—4a Bonds	56
10.23.1.1.2.2.5.1.1	Method 1: From <i>N</i> -(1 <i>H</i> -Indol-2-yl)acetamide	56
10.23.1.1.2.2.6	By Formation of One N—C Bond	56
10.23.1.1.2.2.6.1	With Formation of the 1—9b Bond	56
10.23.1.1.2.2.6.1.1	Method 1: From 3-(1 <i>H</i> -Indol-3-yl)allyl Azides	56
10.23.1.1.2.2.6.1.2	Method 2: From 3-(1 <i>H</i> -Indol-3-yl)propanone <i>O</i> -2,4-Dinitrophenyl Oximes	57
10.23.1.1.2.2.6.1.2.1	Variation 1: From 3-(1 <i>H</i> -Indol-3-yl)propanone <i>O</i> -Pentafluorobenzoyl Oximes	58
10.23.1.1.2.2.6.1.2.2	Variation 2: From 3-(1 <i>H</i> -Indol-3-yl)propanone <i>O</i> -Acetyl Oximes	59
10.23.1.1.2.2.6.1.2.3	Variation 3: From 3-(1 <i>H</i> -Indol-3-yl)prop-2-enone <i>O</i> -Methyl Oximes	60
10.23.1.1.2.2.6.1.3	Method 3: From a 3-(2-Bromo-1 <i>H</i> -indol-3-yl)allylamine	61
10.23.1.1.2.2.6.2	With Formation of the 1—2 Bond	62
10.23.1.1.2.2.6.2.1	Method 1: From a 3-Propargyl-1 <i>H</i> -indol-2-amine	62
10.23.1.1.2.2.6.2.2	Method 2: From a 3-(2-Amino-1 <i>H</i> -indol-3-yl)-2-cyanoacrylate	64
10.23.1.1.2.2.6.2.3	Method 3: From <i>N'</i> -[3-(2-Aroylvinyl)-1 <i>H</i> -indol-2-yl]alkanimidamides ...	65
10.23.1.1.2.2.7	By Formation of One C—C Bond	66
10.23.1.1.2.2.7.1	With Formation of the 2—3 Bond	66
10.23.1.1.2.2.7.1.1	Method 1: From 3-Acetyl-2-(acylamino)-1 <i>H</i> -indoles with Phosphoryl Chloride	66
10.23.1.1.2.2.7.1.1.1	Variation 1: From 3-Acetyl-2-(acylamino)-1 <i>H</i> -indoles with Potassium <i>tert</i> -Butoxide	68

10.23.1.1.2.2.7.1.1.2	Variation 2: From <i>N'</i> -[3-(2-Aroylvinyl)-1 <i>H</i> -indol-2-yl]alkanimidamides	69
10.23.1.1.2.2.7.2	With Formation of the 3—4 Bond	70
10.23.1.1.2.2.7.2.1	Method 1: From <i>N'</i> -(3-Cyano-1 <i>H</i> -indol-2-yl)acetimidamides	70
10.23.1.1.2.2.7.2.2	Method 2: From <i>N'</i> -(3-Formyl-1 <i>H</i> -indol-2-yl)alkanimidamides	71
10.23.1.1.2.2.7.2.3	Method 3: From a 2-Amino-1 <i>H</i> -indole-3-carboxylate and a 1,3-Oxo Ester Equivalent	72
10.23.1.1.2.3	By Annulation to a 1 <i>H</i> -Pyrrolo[2,3- <i>b</i>]pyridine (a 7-Azaindole)	73
10.23.1.1.2.3.1	By Formation of Three C—C Bonds	73
10.23.1.1.2.3.1.1	With Formation of 4b—5, 6—7, and 8—8a Bonds	73
10.23.1.1.2.3.1.1.1	Method 1: From a 1 <i>H</i> -Pyrrolo[2,3- <i>b</i>]pyridine and Two Equivalents of Methyl Acrylate	73
10.23.1.1.2.3.2	By Formation of Two C—C Bonds	74
10.23.1.1.2.3.2.1	With Formation of 4b—5 and 8—8a Bonds	74
10.23.1.1.2.3.2.1.1	Method 1: From a 1 <i>H</i> -Pyrrolo[2,3- <i>b</i>]pyridine-3-boronic Acid	74
10.23.1.1.2.3.2.2	With Formation of 4b—5 and 6—7 Bonds	74
10.23.1.1.2.3.2.2.1	Method 1: From a 2-Vinyl-1 <i>H</i> -pyrrolo[2,3- <i>b</i>]pyridine	74
10.23.1.1.2.3.2.3	With Formation of 6—7 and 8—8b Bonds	76
10.23.1.1.2.3.2.3.1	Method 1: From a 3-Vinyl-1 <i>H</i> -pyrrolo[2,3- <i>b</i>]pyridine	76
10.23.1.1.2.3.3	By Formation of One C—C Bond	76
10.23.1.1.2.3.3.1	With Formation of the 8—8a Bond	76
10.23.1.1.2.3.3.1.1	Method 1: Intramolecular Acylation	76
10.23.1.2	Synthesis by Ring Transformation	77
10.23.1.2.1	Method 1: From 1-(2-Pyridyl)-1 <i>H</i> -benzotriazoles	77
10.23.1.2.2	Method 2: From 3-Aryl-3 <i>H</i> -[1,2,3]-triazolo[4,5- <i>b</i>]pyridines	78
10.23.1.3	Aromatization	79
10.23.1.4	Synthesis by Substituent Modification	82
10.23.1.4.1	Substitution of Existing Substituents	82
10.23.1.4.1.1	Substitution of <i>N</i> -Hydrogen	82
10.23.1.4.1.1.1	Giving <i>N</i> -Sulfur 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	82
10.23.1.4.1.1.2	Giving <i>N</i> -Carbon 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	83
10.23.1.4.1.1.2.1	Method 1: Using an Alkyl or Aryl Halide	83
10.23.1.4.1.1.2.2	Method 2: Via 1-Alkyl-9 <i>H</i> -pyrido[2,3- <i>b</i>]indol-1-ium Salts	86
10.23.1.4.1.1.2.3	Method 3: Using Acyl Halides or Anhydrides	87
10.23.1.4.1.2	Substitution of <i>N</i> -Carbon and <i>N</i> -Sulfur	88
10.23.1.4.1.2.1	Giving <i>N</i> -Hydrogen 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	88
10.23.1.4.1.2.1.1	Method 1: <i>N</i> -Deprotection	88
10.23.1.4.1.3	Substitution of <i>C</i> -Hydrogen	89
10.23.1.4.1.3.1	Direct Substitution by Electrophiles	89
10.23.1.4.1.3.1.1	Method 1: Giving <i>C</i> -Halogen 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	89

10.23.1.4.1.3.1.2	Method 2: Giving C-Sulfur 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	90
10.23.1.4.1.3.1.3	Method 3: Giving C-Nitrogen 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	91
10.23.1.4.1.3.1.4	Method 4: Giving C-Carbon 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	92
10.23.1.4.1.3.2	Substitution via Metalation	92
10.23.1.4.1.3.3	Substitution via 1-Oxides	94
10.23.1.4.1.3.4	Substitution via Displacement of Halogen	98
10.23.1.4.1.3.4.1	Method 1: Direct Nucleophilic Displacement	98
10.23.1.4.1.3.4.2	Method 2: Substitution of Halogen via Cross-Coupling Processes	101
10.23.1.4.1.3.4.2.1	Variation 1: Forming Amines	101
10.23.1.4.1.3.4.2.2	Variation 2: Forming Phenolic Ethers	103
10.23.1.4.1.3.4.2.3	Variation 3: Adding Carbon Substituents	104
10.23.1.4.2	Modification of Substituents	109
10.23.1.4.2.1	Modification of C-Oxygen Functionalities	109
10.23.1.4.2.1.1	Method 1: Giving C-Halogen	109
10.23.1.4.2.1.2	Method 2: Giving Quinones	109
10.23.1.4.2.1.3	Method 3: Giving Phenolic Ethers	110
10.23.1.4.2.2	Modification of C-Nitrogen Functionalities	110
10.23.1.4.2.2.1	Method 1: Giving C-Nitrogen 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	110
10.23.1.4.2.2.2	Method 2: Giving C-Halogen 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	111
10.23.1.4.2.2.3	Method 3: Giving C-Carbon 9 <i>H</i> -Pyrido[2,3- <i>b</i>]indoles	111
10.23.1.4.2.3	Modification of C-Carbon Functionalities	112
10.23.1.4.2.3.1	Method 1: Giving C-Carbon 5 <i>H</i> -Pyrido[3,2- <i>b</i>]indoles	112
10.23.2	Product Subclass 2: 9<i>H</i>-Pyrido[3,4-<i>b</i>]indoles (β-Carbolines)	114
10.23.2.1	Synthesis by Ring-Closure Reactions	114
10.23.2.1.1	By Annulation to an Arene	114
10.23.2.1.1.1	By Formation of One N—C and Two C—C Bonds	114
10.23.2.1.1.1.1	With Formation of 1—2, 3—4, and 4a—9b Bonds	114
10.23.2.1.1.1.1.1	Method 1: From 2, <i>N</i> -Dialkynyl- <i>N</i> -tosylanilines and Methyl Cyanofornate	114
10.23.2.1.1.1.1.2	Method 2: By Intramolecular Reaction of a Cyano-Substituted 2, <i>N</i> -Dialkynyl- <i>N</i> -tosylaniline	115
10.23.2.1.1.2	By Formation of One N—C Bond and One C—C Bond	116
10.23.2.1.1.2.1	With Formation of 4a—4b and 9—9a Bonds	116
10.23.2.1.1.2.1.1	Method 1: From (2-Aminophenyl)boronic Acid	116
10.23.2.1.1.3	By Formation of Two C—C Bonds	117
10.23.2.1.1.3.1	With Formation of 3—4 and 4a—9a Bonds	117
10.23.2.1.1.3.1.1	Method 1: From 3-[(2-Alkynylphenyl)amino]pyrazin-2-ones	117
10.23.2.1.1.4	By Formation of One N—C Bond	118
10.23.2.1.1.4.1	With Formation of the 2—3 Bond	118
10.23.2.1.1.4.1.1	Method 1: From 3-Alkynyl-1 <i>H</i> -indole-2-carbaldehyde Oximes	118

10.23.2.1.1.4.1.2	Method 2: From 3-Alkenyl-1 <i>H</i> -indole-2-carbaldehyde Oximes	118
10.23.2.1.1.4.1.3	Method 3: From 3-Alkynyl-1 <i>H</i> -indole-2-carboxamides	119
10.23.2.1.1.4.2	With Formation of the 8a—9 Bond	120
10.23.2.1.1.4.2.1	Method 1: From 4-Aryl-3-nitropyridines	120
10.23.2.1.1.4.2.2	Method 2: From 4-(2-Bromoaryl)pyridin-3-amines	121
10.23.2.1.1.4.2.3	Method 3: From 3-Acetamido-4-(2-bromoaryl)-3,4-dihydropyridin-2-ones	122
10.23.2.1.1.4.3	With Formation of the 9—9a Bond	122
10.23.2.1.1.4.3.1	Method 1: From a 4-(2-Azidophenyl)pyridine by Thermolysis	122
10.23.2.1.1.4.3.2	Method 2: From 4-(2-Azidoaryl)pyridinium Trifluoromethanesulfonates and a Rhodium Catalyst	123
10.23.2.1.1.4.3.3	Method 3: From 4-(2-Nitroaryl)pyridines	125
10.23.2.1.1.4.3.4	Method 4: From 2-(3-Halopyridin-4-yl)anilines	125
10.23.2.1.1.4.3.5	Method 5: From <i>N</i> -[2-(3-Fluoropyridin-4-yl)phenyl]pivalamides	126
10.23.2.1.1.4.3.6	Method 6: From 2-(2-Chloropyridin-4-yl)- <i>N</i> -tosylanilines	127
10.23.2.1.1.5	By Formation of One C—C Bond	128
10.23.2.1.1.5.1	With Formation of the 4a—4b Bond	128
10.23.2.1.1.5.1.1	Method 1: From an <i>N</i> -Arylpyridin-3-amine by Irradiation	128
10.23.2.1.1.5.1.2	Method 2: From <i>N</i> -(2-Haloaryl)pyridin-3-amines by Palladium(0)-Catalyzed Bond Formation	129
10.23.2.1.1.5.1.3	Method 3: From 4-Halo- <i>N</i> -phenylpyridin-3-amines by Intramolecular Palladium(0)-Catalyzed Bond Formation	131
10.23.2.1.1.5.1.4	Method 4: From 4-Bromo- <i>N</i> -phenylpyridin-3-amines by Intramolecular Photostimulated S _{RN} 1 Reaction	131
10.23.2.1.1.5.1.5	Method 5: From 4-Bromo- <i>N</i> -(2-bromophenyl)pyridin-3-amines by Palladium(0)-Catalyzed Bond Formation via Tributylstannyl Intermediates	132
10.23.2.1.1.5.1.6	Method 6: From an <i>N</i> -(2-Diazophenyl)- <i>N</i> -methylpyridin-3-amine	133
10.23.2.1.2	By Annulation to a Heterocycle	133
10.23.2.1.2.1	By Annulation to an Indole	133
10.23.2.1.2.1.1	By Formation of Two N—C Bonds	134
10.23.2.1.2.1.1.1	With Formation of 1—2 and 2—3 Bonds	134
10.23.2.1.2.1.1.1.1	Method 1: From 1 <i>H</i> -Indolic 1,5-Dicarbonyls and Ammonia	134
10.23.2.1.2.1.1.1.1.1	Variation 1: From 2-Acyl-3-(2-ethoxyvinyl)-1 <i>H</i> -indoles and Ammonia	135
10.23.2.1.2.1.1.1.1.2	Variation 2: From Ethyl 3-[1-(Dimethylamino)-3-ethoxy-3-oxoprop-1-en-2-yl]-1-methyl-1 <i>H</i> -indole-2-carboxylate	136
10.23.2.1.2.1.1.1.1.3	Variation 3: From 3-Alkynyl-1 <i>H</i> -indole-2-carbaldehydes and Ammonia	136
10.23.2.1.2.1.1.1.1.4	Variation 4: From 2-Acyl-3-alkynyl-1 <i>H</i> -indoles and Ammonia	137
10.23.2.1.2.1.2	By Formation of One N—C Bond and One C—C Bond	138
10.23.2.1.2.1.2.1	With Formation of 1—2 and 3—4 Bonds	138
10.23.2.1.2.1.2.1.1	Method 1: From Ethyl 3-(2-Ethoxy-2-oxoethyl)-1 <i>H</i> -indole-2-carboxylate	138

10.23.2.1.2.1.2.2	With Formation of 2—3 and 4—4a Bonds	139
10.23.2.1.2.1.2.2.1	Method 1: From <i>tert</i> -Butylimines of 1 <i>H</i> -Indole-2-carbaldehydes	139
10.23.2.1.2.1.2.2.1.1	Variation 1: From <i>tert</i> -Butylimines of 3-Iodo-1 <i>H</i> -indole-2-carbaldehydes	139
10.23.2.1.2.1.2.2.1.2	Variation 2: From <i>tert</i> -Butylimines of 3-Unsubstituted 1 <i>H</i> -Indole-2-carbaldehydes	140
10.23.2.1.2.1.2.2.1.3	Variation 3: From <i>O</i> -Acetyloximes of 2-Acyl-1 <i>H</i> -indoles and Internal Alkynes by a Copper/Rhodium Bimetallic Relay Catalyst	141
10.23.2.1.2.1.2.2.1.4	Variation 4: From a 2-(1-Azidovinyl)-1 <i>H</i> -indole with an Internal Alkyne and Copper/Rhodium Bimetallic Catalysis	142
10.23.2.1.2.1.2.2.2	Method 2: From 1 <i>H</i> -Indole-2-carboxamides	143
10.23.2.1.2.1.2.2.2.1	Variation 1: From 1-Alkyl-1 <i>H</i> -indole-2-carboxamides with Internal Alkynes and Palladium(II) Acetate	143
10.23.2.1.2.1.2.2.2.2	Variation 2: From 1-Methyl-1 <i>H</i> -indole-2-carboxamide with Diphenylacetylene and a Ruthenium Catalyst	144
10.23.2.1.2.1.2.2.2.3	Variation 3: From 1-Alkyl-1 <i>H</i> -indole-2-carboxamides with Ethynyl <i>N</i> -Methyliminodiacetic Acid (MIDA) Boronate and a Rhodium Catalyst	144
10.23.2.1.2.1.2.2.2.4	Variation 4: From 1-Methyl-1 <i>H</i> -indole-2-carboxamide with Vinyl Acetate	145
10.23.2.1.2.1.2.2.3	Method 3: From 2-(Azidomethyl)-1 <i>H</i> -indoles and Ynamides	145
10.23.2.1.2.1.2.3	With Formation of 1—2 and 1—9a Bonds	147
10.23.2.1.2.1.2.3.1	Method 1: From 2-(1 <i>H</i> -Indol-3-yl)ethan-1-amines (Tryptamines) and Aldehydes	147
10.23.2.1.2.1.2.3.1.1	Variation 1: With Hetaryl Aldehydes	147
10.23.2.1.2.1.2.3.1.2	Variation 2: With α -Oxoaldehydes	152
10.23.2.1.2.1.2.3.1.3	Variation 3: From Tryptamine with an Arylglyoxal and Palladium on Carbon	156
10.23.2.1.2.1.2.3.1.4	Variation 4: With Aryl Methyl Ketones or Styrenes	157
10.23.2.1.2.1.2.3.2	Method 2: From Tryptophan Esters or Amides and Trifluoroacetic Acid	158
10.23.2.1.2.1.2.3.3	Method 3: From Iminophosphoranes	159
10.23.2.1.2.1.2.4	With Formation of 2—3 and 1—9a Bonds	162
10.23.2.1.2.1.2.4.1	Method 1: From 3-Alkenyl-1 <i>H</i> -indoles and an Oxime	162
10.23.2.1.2.1.3	By Formation of Two C—C Bonds	164
10.23.2.1.2.1.3.1	With Formation of 1—9a and 4—4a Bonds	164
10.23.2.1.2.1.3.1.1	Method 1: From a 1 <i>H</i> -Indole and a 2-Aza-1,3-diene	164
10.23.2.1.2.1.3.1.2	Method 2: From 1 <i>H</i> -Indoles and 1,2,4-Triazines via Cycloaddition then Elimination of Nitrogen	166
10.23.2.1.2.1.3.1.2.1	Variation 1: Intramolecularly from a 1-Acyl-1 <i>H</i> -indole with a 1,2,4-Triazine Substituent	166
10.23.2.1.2.1.3.1.2.2	Variation 2: Intramolecularly from a 1-Alkyl-1 <i>H</i> -indole with a 1,2,4-Triazine Substituent	166
10.23.2.1.2.1.3.1.2.3	Variation 3: Intermolecularly from 1 <i>H</i> -Indoles and 1,2,4-Triazines	167
10.23.2.1.2.1.3.1.2.4	Variation 4: From 1 <i>H</i> -Indoles and 1,2,4-Triazines Generated In Situ	168

10.23.2.1.2.1.4	By Formation of One N—C Bond	169
10.23.2.1.2.1.4.1	With Formation of the 1—2 Bond	169
10.23.2.1.2.1.4.1.1	Method 1: From a 2-[Bis(acetylsulfanyl)methyl]-1 <i>H</i> -indole-3-pyruvate Oxime	169
10.23.2.1.2.1.4.1.2	Method 2: From a 2-[2-[Bis(methylsulfanyl)methylene]-2,3-dihydro-indol-3-yl]acetonitrile	170
10.23.2.1.2.1.4.2	With Formation of the 2—3 Bond	170
10.23.2.1.2.1.4.2.1	Method 1: From 2-Acyl-3-alkenyl-1 <i>H</i> -indole Oximes	170
10.23.2.1.2.1.4.2.2	Method 2: From 2-Acyl-3-alkynyl-1 <i>H</i> -indole Imines or Oximes	172
10.23.2.1.2.1.4.2.3	Method 3: From <i>tert</i> -Butylimines of 3-Alkynyl-1 <i>H</i> -indole-2-carbaldehydes	174
10.23.2.1.2.1.4.2.4	Method 4: From 3-Alkynyl-2-(azidomethyl)-1 <i>H</i> -indoles	175
10.23.2.1.2.1.5	By Formation of One C—C Bond	175
10.23.2.1.2.1.5.1	With Formation of the 1—9a Bond	175
10.23.2.1.2.1.5.1.1	Method 1: From <i>N</i> -Acyltryptamines	175
10.23.2.1.2.1.5.2	With Formation of the 4—4a Bond	178
10.23.2.1.2.1.5.2.1	Method 1: From <i>N</i> -(2,2-Dialkoxyethyl)-1 <i>H</i> -indole-2-carboxamides	178
10.23.2.1.2.1.5.2.2	Method 2: From an <i>N</i> -Allyl-3-iodo-1 <i>H</i> -indole-2-carboxamide	180
10.23.2.1.2.1.5.2.3	Method 3: From an <i>N</i> -(2-Oxoalkyl)-1 <i>H</i> -indole-2-carboxamide	180
10.23.2.1.2.1.5.2.4	Method 4: From an <i>N</i> -Propargyl-1 <i>H</i> -indole-2-carboxamide	183
10.23.2.2	Synthesis by Ring Transformation	183
10.23.2.2.1	Method 1: From 1-(3-Pyridyl)-1 <i>H</i> -benzotriazoles	183
10.23.2.2.2	Method 2: From 3-Aryl-3 <i>H</i> -1,2,3-triazolo[4,5- <i>c</i>]pyridines	184
10.23.2.2.3	Method 3: From 4-[(1 <i>H</i> -Indol-3-yl)methyl]oxazol-5(4 <i>H</i>)-ones	184
10.23.2.2.4	Method 4: From Pyrano[3,4- <i>b</i>]indol-3(9 <i>H</i>)-ones	185
10.23.2.3	Aromatization	186
10.23.2.3.1	Method 1: From 2,3,4,9-Tetrahydro-1 <i>H</i> -pyrido[3,4- <i>b</i>]indoles	187
10.23.2.3.2	Method 2: From 4,9-Dihydro-3 <i>H</i> -pyrido[3,4- <i>b</i>]indoles	196
10.23.2.3.3	Method 3: From 2-Aryl-4,9-dihydro-3 <i>H</i> -pyrido[3,4- <i>b</i>]indol-2-iums	201
10.23.2.3.4	Method 4: From 2,9-Dihydro-1 <i>H</i> -pyrido[3,4- <i>b</i>]indoles	201
10.23.2.3.5	Method 5: From 6,7,8,9-Tetrahydro-5 <i>H</i> -pyrido[3,4- <i>b</i>]indoles	205
10.23.2.4	Synthesis by Substituent Modification	206
10.23.2.4.1	Substitution of Existing Substituents	206
10.23.2.4.1.1	Substitution of <i>N</i> -Hydrogen	206
10.23.2.4.1.1.1	Giving <i>N</i> -Carbon 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indoles	206
10.23.2.4.1.1.1.1	Method 1: 9-Alkylation Using an Alkyl Halide	206
10.23.2.4.1.1.1.2	Method 2: 9-Arylation Using an Aryl Halide	208
10.23.2.4.1.1.1.3	Method 3: 9-Acylation	210

10.23.2.4.1.1.1.4	Method 4: 2-Alkylation Giving 2-Alkyl-9H-pyrido[3,4- <i>b</i>]indol-2-ium Salts and thence 2-Alkyl-2H-pyrido[3,4- <i>b</i>]indoles	211
10.23.2.4.1.2	Substitution of <i>N</i> -Carbon and <i>N</i> -Sulfur	215
10.23.2.4.1.2.1	Giving <i>N</i> -Hydrogen 9H-Pyrido[3,4- <i>b</i>]indoles	215
10.23.2.4.1.2.1.1	Method 1: <i>N</i> -Deprotection	215
10.23.2.4.1.3	Substitution of <i>C</i> -Hydrogen	216
10.23.2.4.1.3.1	Direct Substitution by Electrophiles	216
10.23.2.4.1.3.1.1	Method 1: Giving <i>C</i> -Halogen 9H-Pyrido[3,4- <i>b</i>]indoles	216
10.23.2.4.1.3.1.2	Method 2: Giving <i>C</i> -Sulfur 9H-Pyrido[3,4- <i>b</i>]indoles	218
10.23.2.4.1.3.1.3	Method 3: Giving <i>C</i> -Nitrogen 9H-Pyrido[3,4- <i>b</i>]indoles	219
10.23.2.4.1.3.1.4	Method 4: Giving <i>C</i> -Carbon 9H-Pyrido[3,4- <i>b</i>]indoles	220
10.23.2.4.1.3.2	Direct Substitution by Radicals	221
10.23.2.4.1.3.3	Substitution via Metalation	223
10.23.2.4.1.3.4	Substitution via 2-Oxides (<i>N</i> -Oxides)	224
10.23.2.4.1.3.4.1	Variation 1: With Formation of 9H-Pyrido[3,4- <i>b</i>]indole-1-carbonitriles ..	225
10.23.2.4.1.3.4.2	Variation 2: With Formation of 9H-Pyrido[3,4- <i>b</i>]indol-1-ols (2,9-Dihydro-1H-pyrido[3,4- <i>b</i>]indol-1-ones)	226
10.23.2.4.1.3.4.3	Variation 3: With Formation of 1-Halo-9H-pyrido[3,4- <i>b</i>]indoles	228
10.23.2.4.1.3.4.4	Variation 4: With Formation of 1-Carbon-9H-pyrido[3,4- <i>b</i>]indoles	228
10.23.2.4.1.3.5	Substitution via Displacement of Halogen	229
10.23.2.4.1.3.5.1	Method 1: Direct Nucleophilic Displacement	229
10.23.2.4.1.3.5.1.1	Variation 1: With Formation of Amines	229
10.23.2.4.1.3.5.1.2	Variation 2: With Formation of Ethers	230
10.23.2.4.1.3.5.1.3	Variation 3: With Formation of Halides	230
10.23.2.4.1.3.5.2	Method 2: Substitution of Halogen (or Trifluoromethanesulfonate) via Cross-Coupling Processes	231
10.23.2.4.1.3.5.2.1	Variation 1: Reaction at C1	231
10.23.2.4.1.3.5.2.2	Variation 2: Reaction at C4	234
10.23.2.4.1.3.5.2.3	Variation 3: Reaction at Benzene Ring Positions	235
10.23.2.4.1.3.6	Substitution via Displacement of Oxygen	236
10.23.2.4.2	Modification of Substituents	236
10.23.2.4.2.1	Modification of <i>C</i> -Oxygen Functionalities	236
10.23.2.4.2.1.1	Method 1: Giving <i>C</i> -Halogen	236
10.23.2.4.2.1.2	Method 2: Giving <i>C</i> -Oxygen	237
10.23.2.4.2.2	Modification of <i>C</i> -Nitrogen Functionalities	240
10.23.2.4.2.2.1	Method 1: Giving <i>C</i> -Nitrogen	240
10.23.2.4.2.2.2	Method 2: Giving <i>C</i> -Halogen	242
10.23.2.4.2.2.3	Method 3: Giving <i>C</i> -Oxygen	242
10.23.2.4.2.3	Modification of <i>C</i> -Carbon Functionalities	244
10.23.2.4.2.3.1	Method 1: Giving <i>C</i> -Carbon 9H-Pyrido[3,4- <i>b</i>]indoles	244

10.23.2.4.2.3.1.1	Variation 1: From Alkyl-Substituted 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indoles	244
10.23.2.4.2.3.1.2	Variation 2: From 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indolyl Alcohols	245
10.23.2.4.2.3.1.3	Variation 3: From 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indolyl Aldehydes and Ketones	246
10.23.2.4.2.3.1.4	Variation 4: From 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indole Acids, Esters, and Amides	247
10.23.2.4.2.3.2	Method 2: Giving C-Nitrogen 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indoles	249
10.23.2.4.2.3.3	Method 3: Giving C-Hydrogen 9 <i>H</i> -Pyrido[3,4- <i>b</i>]indoles	251
10.23.3	Product Subclass 3: 5<i>H</i>-Pyrido[4,3-<i>b</i>]indoles (γ-Carbolines)	251
10.23.3.1	Synthesis by Ring-Closure Reactions	251
10.23.3.1.1	By Annulation to an Arene	251
10.23.3.1.1.1	By Formation of One N—C and Two C—C Bonds	251
10.23.3.1.1.1.1	With Formation of 1—2, 3—4, and 4a—9b Bonds	251
10.23.3.1.1.1.1.1	Method 1: From 2, <i>N</i> -Dialkynyl- <i>N</i> -tosylanilines and Methyl Cyanofornate	251
10.23.3.1.1.1.2	By Formation of One N—C Bond and One C—C Bond	252
10.23.3.1.1.2.1	With Formation of 4a—5 and 9a—9b Bonds	252
10.23.3.1.1.2.1.1	Method 1: From Arylhydrazines	252
10.23.3.1.1.2.1.1.1	Variation 1: Using a 4-Hydroxypyridin-2-one	252
10.23.3.1.1.2.1.1.2	Variation 2: Using 1-Acetyl-3-bromopiperidin-4-one	253
10.23.3.1.1.2.1.2	Method 2: From 4-Fluoro-3-iodopyridine	254
10.23.3.1.1.2.2	With Formation of 1—2 and 1—9b Bonds	255
10.23.3.1.1.2.2.1	Method 1: From Iminophosphoranes	255
10.23.3.1.1.3	By Formation of One N—C Bond	257
10.23.3.1.1.3.1	With Formation of the 4a—5 Bond	257
10.23.3.1.1.3.1.1	Method 1: From 3-(2-Azidoaryl)pyridines	257
10.23.3.1.1.3.1.1.1	Variation 1: From 3-(2-Azidoaryl)pyridinium Salts and a Ruthenium Catalyst	257
10.23.3.1.1.3.1.2	Method 2: From 3-(2-Nitrosoaryl)pyridines	259
10.23.3.1.1.3.1.3	Method 3: From 2-(3-Pyridyl)- <i>N</i> -tosylanilines or <i>N</i> -Acetyl-2-(3-pyridyl)-anilines	259
10.23.3.1.1.3.1.4	Method 4: From 4-Fluoro-3-(2-pivaloylaminophenyl)pyridine	260
10.23.3.1.1.4	By Formation of One C—C Bond	261
10.23.3.1.1.4.1	With Formation of the 9a—9b Bond	261
10.23.3.1.1.4.1.1	Method 1: From <i>N</i> -Arylpyridin-4-amines	261
10.23.3.1.1.4.1.2	Method 2: From an <i>N</i> -Arylpyridin-4-amine with at Least One Halogen on at Least One Ring	262
10.23.3.1.1.4.1.2.1	Variation 1: From an <i>N</i> -(2-Bromophenyl)pyridin-4-amine	262
10.23.3.1.1.4.1.2.2	Variation 2: From an <i>N</i> -Aryl-3-bromopyridin-4-amine	262
10.23.3.1.1.4.1.2.3	Variation 3: From an <i>N</i> -(2-Bromophenyl)-3-bromopyridin-4-amine by Palladium(0)-Catalyzed Bond Formation via Tributylstannyl Intermediates	263

10.23.3.1.1.4.1.3	Method 3: From <i>N</i> -Aryl-3-halopyridin-4-amines by Photostimulated $S_{RN}1$ Reactions	264
10.23.3.1.2	By Annulation to a Heterocycle	264
10.23.3.1.2.1	By Annulation to a Pyridine	264
10.23.3.1.2.2	By Annulation to an Indole	265
10.23.3.1.2.2.1	By Formation of Two N—C and One C—C Bonds	265
10.23.3.1.2.2.1.1	With Formation of 1—2, 2—3, and 4—4a Bonds	265
10.23.3.1.2.2.1.1.1	Method 1: From 3-Acetyl-1 <i>H</i> -indole, an Alkyne and a Primary Amine ..	265
10.23.3.1.2.2.1.2	With Formation of 1—2, 2—3, and 3—4 Bonds	266
10.23.3.1.2.2.1.2.1	Method 1: From 2-(2-Oxoalkyl)-1 <i>H</i> -indole-3-carbaldehydes and Aryl Aldehydes	266
10.23.3.1.2.2.2	By Formation of Two N—C Bonds	267
10.23.3.1.2.2.2.1	With Formation of 1—2 and 2—3 Bonds	267
10.23.3.1.2.2.2.1.1	Method 1: From 2-(3-Acetyl-1 <i>H</i> -indol-2-yl)acetonitrile	267
10.23.3.1.2.2.2.1.2	Method 2: From 2-(3-Formyl-1 <i>H</i> -indol-2-yl)acrylates	268
10.23.3.1.2.2.2.1.2.1	Variation 1: From a 2-Alkynyl-1 <i>H</i> -indole-3-carbaldehyde	269
10.23.3.1.2.2.2.1.2.2	Variation 2: From a 2-Alkenyl-1 <i>H</i> -indole-3-carbaldehyde	269
10.23.3.1.2.2.2.1.3	Method 3: From (3-Acyl-1 <i>H</i> -indol-2-yl)malonates	270
10.23.3.1.2.2.3	By Formation of One N—C Bond and One C—C Bond	272
10.23.3.1.2.2.3.1	With Formation of 2—3 and 3—4 Bonds	272
10.23.3.1.2.2.3.1.1	Method 1: From Secondary 2-Alkyl-1 <i>H</i> -indole-3-carboxamides	272
10.23.3.1.2.2.3.2	With Formation of 2—3 and 4—4a Bonds	274
10.23.3.1.2.2.3.2.1	Method 1: From Oxime <i>O</i> -Methyl Ethers of 1 <i>H</i> -Indol-3-yl Aldehydes or Ketones	274
10.23.3.1.2.2.3.2.1.1	Variation 1: Reaction with Alkynes and Alkenes	274
10.23.3.1.2.2.3.2.1.2	Variation 2: Reaction with Diphenylacetylene under Rhodium Catalysis ..	276
10.23.3.1.2.2.3.2.2	Method 2: From Tosylhydrazones of 1 <i>H</i> -Indol-3-yl Aldehydes and Ketones	276
10.23.3.1.2.2.3.2.3	Method 3: From <i>tert</i> -Butylimines of 1 <i>H</i> -Indole-3-carbaldehydes	278
10.23.3.1.2.2.3.2.3.1	Variation 1: From <i>tert</i> -Butylimines of 2-Halo-1 <i>H</i> -indole-3-carbaldehydes ..	278
10.23.3.1.2.2.3.2.3.2	Variation 2: From <i>tert</i> -Butylimines of 2-Unsubstituted 1 <i>H</i> -Indole-3-carbaldehydes	280
10.23.3.1.2.2.3.2.4	Method 4: From <i>N</i> -Methoxy or <i>N</i> -Alkyl/Aryl 1-Methyl-1 <i>H</i> -indole-3-carboxamides	281
10.23.3.1.2.2.4	By Formation of Two C—C Bonds	282
10.23.3.1.2.2.4.1	With Formation of 1—9b and 4—4a Bonds	282
10.23.3.1.2.2.4.1.1	Method 1: From Triethyl 1,2,4-Triazine-3,5,6-tricarboxylate	282
10.23.3.1.2.2.5	By Formation of One N—C Bond	283
10.23.3.1.2.2.5.1	With Formation of the 1—2 Bond	283
10.23.3.1.2.2.5.1.1	Method 1: From a 3-Methyl-1 <i>H</i> -indole-2-carbaldehyde	283

10.23.3.1.2.2.5.2	With Formation of the 2—3 Bond	284
10.23.3.1.2.2.5.2.1	Method 1: From a 3-Acyl-2-alkenyl-1 <i>H</i> -indole Oxime	284
10.23.3.1.2.2.5.2.2	Method 2: From <i>tert</i> -Butylimines of 2-Alkynyl-1 <i>H</i> -indole-3-carbaldehydes	285
10.23.3.1.2.2.6	By Formation of One C—C Bond	287
10.23.3.1.2.2.6.1	With Formation of the 4—4a Bond	287
10.23.3.1.2.2.6.1.1	Method 1: From 3-[[2-(2-Diethoxyethyl)imino]methyl]-1 <i>H</i> -indoles	287
10.23.3.1.2.2.6.1.1.1	Variation 1: From 3-[[2-(2-Diethoxyethyl)amino]methyl]-1 <i>H</i> -indoles	288
10.23.3.1.2.2.6.1.2	Method 2: From Ethyl [(1 <i>H</i> -Indol-3-yl)methyl]glycinates	289
10.23.3.1.2.2.6.1.3	Method 3: From <i>N</i> -Allyl-2-iodo-1 <i>H</i> -indole-3-carboxamides	290
10.23.3.2	Synthesis by Ring Transformation	291
10.23.3.2.1	Method 1: From 1-(4-Pyridyl)-1 <i>H</i> -benzotriazoles	291
10.23.3.2.2	Method 2: From 1-Aryl-1 <i>H</i> -1,2,3-triazolo[4,5- <i>c</i>]pyridines	293
10.23.3.2.3	Method 3: By Ring Expansion of 5-Azidocyclopent-2-en-1-ols To Form Pyridines	293
10.23.3.3	Aromatization	294
10.23.3.3.1	Method 1: From Tetrahydro-5 <i>H</i> -pyrido[4,3- <i>b</i>]indoles and Octahydro-5 <i>H</i> -pyrido[4,3- <i>b</i>]indoles	294
10.23.3.3.2	Method 2: From Dihydro-5 <i>H</i> -pyrido[4,3- <i>b</i>]indoles	298
10.23.3.4	Synthesis by Substituent Modification	301
10.23.3.4.1	Substitution of Existing Substituents	301
10.23.3.4.1.1	Substitution of <i>N</i> -Hydrogen	301
10.23.3.4.1.1.1	Giving <i>N</i> -Sulfur 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	301
10.23.3.4.1.1.2	Giving <i>N</i> -Carbon 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	302
10.23.3.4.1.1.2.1	Method 1: 5-Alkylation Using an Alkyl Halide	302
10.23.3.4.1.1.2.2	Method 2: 5-Arylation Using an Aryl Halide	304
10.23.3.4.1.1.2.3	Method 3: 2-Alkylation Giving 2-Alkyl-5 <i>H</i> -pyrido[4,3- <i>b</i>]indol-2-ium Salts and thence 5-Alkylation	304
10.23.3.4.1.2	Substitution of <i>N</i> -Carbon and <i>N</i> -Sulfur	306
10.23.3.4.1.2.1	Giving <i>N</i> -Hydrogen 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	306
10.23.3.4.1.2.1.1	Method 1: <i>N</i> -Deprotection	306
10.23.3.4.1.3	Substitution of <i>C</i> -Hydrogen	307
10.23.3.4.1.3.1	Direct Substitution by Electrophiles	307
10.23.3.4.1.3.1.1	Method 1: Giving <i>C</i> -Halogen	307
10.23.3.4.1.3.1.2	Method 2: Giving <i>C</i> -Sulfur	307
10.23.3.4.1.3.1.3	Method 3: Giving <i>C</i> -Nitrogen	308
10.23.3.4.1.3.1.4	Method 4: Giving <i>C</i> -Carbon	308
10.23.3.4.1.3.2	Substitution via Metalation	309
10.23.3.4.1.3.3	Substitution via 2-Oxides	310
10.23.3.4.1.3.4	Substitution via Displacement of Halogen	312

10.23.3.4.1.3.4.1	Method 1: Direct Nucleophilic Displacement	312
10.23.3.4.1.3.4.2	Method 2: Substitution of Halogen via Cross-Coupling Processes	315
10.23.3.4.2	Modification of Substituents	318
10.23.3.4.2.1	Modification of C-Oxygen Functionalities	318
10.23.3.4.2.1.1	Method 1: Giving C-Halogen	318
10.23.3.4.2.2	Modification of C-Nitrogen Functionalities	319
10.23.3.4.2.2.1	Method 1: Giving C-Nitrogen	319
10.23.3.4.2.3	Modification of C-Carbon Functionalities	319
10.23.3.4.2.3.1	Method 1: Giving C-Carbon 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	319
10.23.3.4.2.3.2	Method 2: Giving C-Nitrogen 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	320
10.23.3.4.2.3.3	Method 3: Giving C-Hydrogen 5 <i>H</i> -Pyrido[4,3- <i>b</i>]indoles	320
10.23.4	Product Subclass 4: 5<i>H</i>-Pyrido[3,2-<i>b</i>]indoles (δ-Carbolines)	321
10.23.4.1	Synthesis by Ring-Closure Reactions	321
10.23.4.1.1	By Annulation to an Arene	321
10.23.4.1.1.1	By Formation of One N—C and Two C—C Bonds	321
10.23.4.1.1.1.1	With Formation of 2—3, 4a—5, and 9a—9b Bonds	321
10.23.4.1.1.1.1.1	Method 1: From 2-Iodoanilines and <i>N</i> -Tosyl Enynamines	321
10.23.4.1.1.2	By Formation of Two N—C Bonds	322
10.23.4.1.1.2.1	With Formation of 4a—5 and 5—5a Bonds	322
10.23.4.1.1.2.1.1	Method 1: From Primary Amines and 3-Bromo-2-(2-bromophenyl)pyridine	322
10.23.4.1.1.3	By Formation of Two C—C Bonds	323
10.23.4.1.1.3.1	With Formation of 2—3 and 4a—9b Bonds	323
10.23.4.1.1.3.1.1	Method 1: From 2-(Aminomethyl)aniline Cinnamaldehyde Diimine	323
10.23.4.1.1.4	By Formation of One N—C Bond	324
10.23.4.1.1.4.1	With Formation of the 4a—5 Bond	324
10.23.4.1.1.4.1.1	Method 1: From 1-Methyl-2-(2-Azidoaryl)pyridinium Trifluoromethanesulfonates	324
10.23.4.1.1.4.1.2	Method 2: From 3-Fluoro-2-[2-(pivaloylamino)phenyl]pyridines	325
10.23.4.1.1.4.2	With Formation of the 5—5a Bond	327
10.23.4.1.1.4.2.1	Method 1: From 3-Azido-2-phenylpyridine	327
10.23.4.1.1.4.2.2	Method 2: From 2-Aryl-3-nitropyridines	328
10.23.4.1.1.4.2.3	Method 3: From 2-(2-Chlorophenyl)pyridin-3-amine by Intramolecular Photostimulated $S_{RN}1$ Reaction	329
10.23.4.1.1.5	By Formation of One C—C Bond	330
10.23.4.1.1.5.1	With Formation of the 9a—9b Bond	330
10.23.4.1.1.5.1.1	Method 1: From <i>N</i> -Arylpyridin-3-amines by Irradiation	330
10.23.4.1.1.5.1.2	Method 2: From <i>N</i> -Arylpyridin-3-amines by Palladium(0)-Catalyzed Bond Formation	331

10.23.4.1.1.5.1.2.1	Variation 1: From Cyclohexanone and Pyridin-3-amine	332
10.23.4.1.1.5.1.3	Method 3: From <i>N</i> -(2-Halophenyl)pyridin-3-amines by Palladium(0)-Catalyzed Bond Formation	332
10.23.4.1.1.5.1.4	Method 4: From <i>N</i> -Aryl-2-halopyridin-3-amines by Intramolecular Palladium(0)-Catalyzed Bond Formation	333
10.23.4.1.1.5.1.5	Method 5: From <i>N</i> -Aryl-2-bromopyridin-3-amines by Intramolecular Photostimulated S _{RN} 1 Reaction	335
10.23.4.1.1.5.1.6	Method 6: From 2-Bromo- <i>N</i> -(2-bromophenyl)pyridin-3-amines by Palladium(0)-Catalyzed Bond Formation via Tributylstannyl Intermediates	335
10.23.4.1.1.5.1.7	Method 7: From an <i>N</i> -(2-Diazophenyl)- <i>N</i> -methylpyridin-3-amine	336
10.23.4.1.2	By Annulation to a Heterocycle	336
10.23.4.1.2.1	By Annulation to a Pyridine	336
10.23.4.1.2.1.1	By Formation of One N—C Bond and One C—C Bond	336
10.23.4.1.2.1.1.1	With Formation of 5—5a and 9a—9b Bonds	336
10.23.4.1.2.1.1.1.1	Method 1: From Benzyne and an <i>N</i> -Tosylpyridinium Imide	336
10.23.4.1.2.2	By Annulation to an Indole	338
10.23.4.1.2.2.1	By Formation of One N—C and Two C—C Bonds	338
10.23.4.1.2.2.1.1	With Formation of 1—9b, 2—3, and 4—4a Bonds	338
10.23.4.1.2.2.1.1.1	Method 1: From 3-Acetyl-1 <i>H</i> -indole Oxime and Acetylene	338
10.23.4.1.2.2.1.2	With Formation of 1—2, 2—3, and 4—4a Bonds	339
10.23.4.1.2.2.1.2.1	Method 1: From <i>N</i> -(<i>tert</i> -Butoxycarbonyl)indol-3-amines, Aryl Aldehydes, and Terminal Arylalkynes	339
10.23.4.1.2.2.2	By Formation of One N—C Bond and One C—C Bond	341
10.23.4.1.2.2.2.1	With Formation of 1—9b and 3—4 Bonds	341
10.23.4.1.2.2.2.1.1	Method 1: From 2-[Bis(methylsulfanyl)methylene]-1-methyl-1,3-dihydro-2 <i>H</i> -indol-3-one and a β-(Lithioamino)acrylonitrile	341
10.23.4.1.2.2.2.1.1.1	Variation 1: From 2-[Bis(methylsulfanyl)methylene]-1-methyl-1,3-dihydro-2 <i>H</i> -indol-3-one and Malononitrile	342
10.23.4.1.2.2.2.2	With Formation of 1—2 and 4—4a Bonds	342
10.23.4.1.2.2.2.2.1	Method 1: From an <i>N</i> -Acetyl-1 <i>H</i> -indol-3-amine and a 1,3-Dialdehyde Equivalent	342
10.23.4.1.2.3	By Annulation to a 1 <i>H</i> -Pyrrolo[3,2- <i>b</i>]pyridine (a 4-Azaindole)	343
10.23.4.1.2.3.1	By Formation of Two C—C Bonds	343
10.23.4.1.2.3.1.1	With Formation of 7—8 and 9—9a Bonds	343
10.23.4.1.2.3.1.1.1	Method 1: From a 2-Vinyl-1 <i>H</i> -Pyrrolo[3,2- <i>b</i>]pyridine and Dimethyl Acetylenedicarboxylate	343
10.23.4.2	Synthesis by Ring Transformation	344
10.23.4.2.1	Method 1: From 1-(3-Pyridyl)-1 <i>H</i> -benzotriazoles	344
10.23.4.2.2	Method 2: From 2-Alkoxyprano[3,2- <i>b</i>]indoles and Hydroxylamine	344
10.23.4.3	Aromatization	345

10.23.4.4	Synthesis by Substituent Modification	347
10.23.4.4.1	Substitution of Existing Substituents	347
10.23.4.4.1.1	Substitution of <i>N</i> -Hydrogen	347
10.23.4.4.1.1.1	Giving <i>N</i> -Carbon 5 <i>H</i> -Pyrido[3,2- <i>b</i>]indoles	347
10.23.4.4.1.1.1.1	Method 1: Using an Alkyl Halide and Sodium Hydride	347
10.23.4.4.1.1.1.2	Method 2: Demethylation of a 1-Methyl-5 <i>H</i> -pyrido[3,2- <i>b</i>]indol-1-ium Iodide	348
10.23.4.4.1.1.1.3	Method 3: 5-Arylation Using an Aryl Halide	351
10.23.4.4.1.2	Substitution of <i>C</i> -Hydrogen	352
10.23.4.4.1.2.1	Substitution by Electrophiles	352
10.23.4.4.1.2.1.1	Method 1: Giving <i>C</i> -Nitrogen 5 <i>H</i> -Pyrido[3,2- <i>b</i>]indoles	352
10.23.4.4.1.2.2	Substitution via Metalation	353
10.23.4.4.2	Modification of Substituents	354
10.23.4.4.2.1	Modification of <i>C</i> -Carbon Functionalities	354
10.23.4.4.2.1.1	Method 1: Giving <i>C</i> -Nitrogen 5 <i>H</i> -Pyrido[3,2- <i>b</i>]indoles	354
10.23.4.4.2.1.2	Method 2: Giving <i>C</i> -Carbon 5 <i>H</i> -Pyrido[3,2- <i>b</i>]indoles	354

Volume 30: Acetals: O/N, S/S, S/N, and N/N and Higher Hetero- atom Analogues

30.3	Product Class 3: S,S-Acetals	2018
	T.-Y. Luh and M.-k. Leung	
30.3	Product Class 3: S,S-Acetals	369
30.3.2.2	1,3-Dithietanes	2018
	T.-Y. Luh, M.-k. Leung, and C.-M. Chou	
30.3.2.2	1,3-Dithietanes	383
30.3.2.2.1	Symmetrical Dithietanes	383
30.3.2.2.1.1	Method 1: Dimerization of Thioketones Formed In Situ from Bunte Salts	383
30.3.2.2.1.2	Method 2: Synthesis from Thiophosgene: Dimerization of Thio-carbonates	384
30.3.2.2.1.3	Method 3: Dimerization of Thioacetamides	385
30.3.2.2.2	Unsymmetrical Dithietanes	385
30.3.2.2.2.1	Method 1: Synthesis from Thioketones and Imines	385
30.3.2.2.2.2	Method 2: Synthesis from Aromatic Aldehydes and Carbon Disulfide	386
30.3.2.2.2.3	Method 3: Synthesis of Dithietane Cations	387

30.3.3.2	1,3-Dithiolanes	2018
	M.-k. Leung, C.-M. Chou, and T.-Y. Luh	
<hr/>		
30.3.3.2	1,3-Dithiolanes	389
30.3.3.2.1	Method 1: Reaction of Ethane-1,2-dithiol with Aldehydes or Ketones Catalyzed by Protic Acids	389
30.3.3.2.1.1	Variation 1: Catalyzed by Hydrogen Chloride	389
30.3.3.2.1.2	Variation 2: Catalyzed by 4-Toluenesulfonic Acid	390
30.3.3.2.1.3	Variation 3: Catalyzed by Sulfuric Acid on Silica Gel	390
30.3.3.2.1.4	Variation 4: Catalyzed by Alumina Sulfuric Acid, Silica Sulfuric Acid, and Tungstate Sulfuric Acid	391
30.3.3.2.1.5	Variation 5: Catalyzed by Sulfamic Acid on Silica Gel	395
30.3.3.2.1.6	Variation 6: Catalyzed by Sulfonic Acids on Solid Supports and Ionic Liquids	396
30.3.3.2.1.7	Variation 7: Catalyzed by Sodium Hydrogen Sulfate on Silica Gel	399
30.3.3.2.1.8	Variation 8: Catalyzed by Solid-Supported Perchloric Acid	400
30.3.3.2.1.9	Variation 9: Catalyzed by Trichloroacetic Acid in Sodium Dodecyl Sulfate Micelles	400
30.3.3.2.2	Method 2: Reactions of Ethane-1,2-dithiol with Aldehydes or Ketones Catalyzed by Lewis Acids	401
30.3.3.2.2.1	Variation 1: Catalyzed by Boron-Based Reagents	401
30.3.3.2.2.2	Variation 2: Catalyzed by Aluminum Chloride and Related Reagents	403
30.3.3.2.2.3	Variation 3: Catalyzed by Indium(III) Reagents	405
30.3.3.2.2.4	Variation 4: Catalyzed by Silicon-Based Reagents	407
30.3.3.2.2.5	Variation 5: Catalyzed by Tin-Based Reagents	408
30.3.3.2.2.6	Variation 6: Catalyzed by Titanium-Based Reagents	409
30.3.3.2.2.7	Variation 7: Catalyzed by Vanadium-Based Reagents	410
30.3.3.2.2.8	Variation 8: Catalyzed by Iron-Based Reagents	412
30.3.3.2.2.9	Variation 9: Catalyzed by Ruthenium-Based Reagents	414
30.3.3.2.2.10	Variation 10: Catalyzed by Nickel-Based Reagents	416
30.3.3.2.2.11	Variation 11: Promoted by Copper-Based Reagents	417
30.3.3.2.2.12	Variation 12: Catalyzed by Zinc-Based Reagents	418
30.3.3.2.2.13	Variation 13: Catalyzed by Hafnium-Based Reagents	419
30.3.3.2.3	Method 3: Reaction of Ethane-1,2-dithiol with Aldehydes or Ketones Catalyzed by Heterogeneous Catalysts	420
30.3.3.2.3.1	Variation 1: Catalyzed by Phosphorus Pentoxide on Alumina and Silica Gel Reagents	420
30.3.3.2.3.2	Variation 2: Using Dithiolanylium Tetrafluoroborate Salts on Solid Support	423
30.3.3.2.3.3	Variation 3: Catalyzed by Graphene Oxide	424
30.3.3.2.4	Method 4: Reaction of Ethane-1,2-dithiol with Aldehydes or Ketones Catalyzed by Halogens and Derivatives	425

30.3.3.2.4.1	Variation 1: Catalyzed by Iodine	425
30.3.3.2.4.2	Variation 2: Catalyzed by Tribromide Salts	427
30.3.3.2.4.3	Variation 3: Catalyzed by <i>N</i> -Bromosuccinimide	429
30.3.3.2.4.4	Variation 4: Catalyzed by Poly(<i>N</i> -bromoacrylamide)	430
30.3.3.2.4.5	Variation 5: Catalyzed by <i>N,N,N',N'</i> -Tetrabromobenzene-1,3-disulfonamide and Poly(ethylene- <i>N,N'</i> -dibromobenzene-1,3-disulfonamide)	431
30.3.3.2.4.6	Variation 6: Catalyzed by Trichloromelamine	432
30.3.3.2.5	Method 5: Reaction of Ethane-1,2-dithiol with Aldehydes or Ketones Catalyzed by Ionic Liquids	433
30.3.3.2.5.1	Variation 1: Catalyzed by Iminium Salts Structurally Similar to Ionic Liquids	433
30.3.3.2.6	Method 6: Reaction of Ethane-1,2-dithiol with Masked Carbonyl Groups	435
30.3.3.2.6.1	Variation 1: Conversion of (<i>E</i>)-2-Chlorovinyl Sulfones into 1,3-Dithiolane Derivatives	435
30.3.3.2.6.2	Variation 2: One-Pot Conversion of Ethoxyacetylene, an α,β -Unsaturated Aldehyde, and Ethane-1,2-dithiol into a 2-(Buta-1,3-dienyl)-1,3-dithiolane	435
30.3.3.2.7	Method 7: Reaction of <i>O,O</i> -Acetals or Hemiacetals with Ethane-1,2-dithiol	436
30.3.3.2.7.1	Variation 1: Catalyzed by Protic Acids	436
30.3.3.2.7.2	Variation 2: Catalyzed by Lewis Acids	439
30.3.3.2.7.3	Variation 3: Catalyzed by Heterogeneous Catalysts	441
30.3.3.2.7.4	Variation 4: Catalyzed by Halogens and Derivatives	442
30.3.3.2.8	Method 8: Dithioacetalization from a 1,3-Dithiolane to Another Carbonyl Group	444
30.3.3.2.9	Method 9: Addition of Ethane-1,2-dithiol to Alkynes	445
30.3.3.2.9.1	Variation 1: Gold(I)/Silver(I) Tetrafluoroborate Catalyzed Bishydrothiolation of Alkynes	445
30.3.3.2.9.2	Variation 2: Calcium Nonafuorobutane-1-sulfonate Catalyzed anti-Markovnikov Bishydrothiolation of Alkynes	445
30.3.3.2.9.3	Variation 3: Double Michael Addition of Ethane-1,2-dithiol to Propargylic Carbonyl Systems	446
30.3.3.2.10	Method 10: Metalation	449
30.3.3.2.10.1	Variation 1: 2-(Trimethylsilyl)-1,3-dithiolanes as Masked 1,3-Dithiolane Anions	450
30.3.3.2.11	Method 11: Annulation	451
30.3.3.2.11.1	Variation 1: Tandem Hydride Shift/Cyclization	451
30.3.3.2.11.2	Variation 2: [6 + 3] Cycloaddition	452
30.3.3.2.11.3	Variation 3: [4 + 2] Cycloaddition	453
30.3.3.2.12	Method 12: Metal-Free Cross-Dehydrogenative Coupling of 1 <i>H</i> -Benzimidazoles with 1,3-Dithiolane	454

30.3.3.2.13	Method 13: Reduction of Ketene <i>S,S</i> -Acetals	455
30.3.3.2.14	Method 14: [3 + 2] Cycloaddition of Ketene <i>S,S</i> -Acetals	456
30.3.3.2.15	Method 15: Intramolecular Cyclization of Ketene <i>S,S</i> -Acetals	457
30.3.3.2.15.1	Variation 1: Nazarov Cyclization–Halovinylolation of α -Alkenoyl Ketene <i>S,S</i> -Acetals	457
30.3.3.2.15.2	Variation 2: Intramolecular Michael Reaction	458
30.3.3.2.16	Method 16: Double-Bond Migration in Ketene <i>S,S</i> -Acetals	459
	Author Index	465
	Abbreviations	485